ALDENHAM HSE	1911 - 1920
ADDINGTON C. OF. E. SCHOOL	1915
ASHWELL	1919 - 1920
BALDOCK	1911 - 1915
BARLEY DALNYVEED	1911 - 1920
BARNET BEDFORD AVE.	1911 - 1920
BARNET SUMMERHILL	1911 - 1920
BENGEO THE CEDARS	1911 - 1912
BAYFORDBURY	1911 - 1920
BENNINGTON BENNINGTON HSE	1911 - 1920
BENNINGTON THE LORDSHIPS	1911 - 1915
BERKHAMSTED ANGLEFIELD	1911 - 1920
BERKHAMSTED	1911 - 1916
BERKHAMSTED GOLF CLUB	1919 - 1920
BISHOPS STORTFORD TYFORD HSE	1916 - 1920
BISHOPS STORTFORD	1911 - 1912, 1916 - 1919
BISHOPS STORTFORD BARRELLS DOWN RD.	1911 - 1915
BROXBOURNE STAFFORD HSE	1911 - 1920
BUNTINGFORD COLES PARK	1911 - 1919
BUNTINGFORD HAMELS PARK	1911 - 1915

BUSHEY ROYAL MASONIC SCHOOL	1913 - 1915
BUSHEY HEATH CALIFORNIA LANE	1919 - 1920
CHADWELL SPRING	1913 - 1920
CHESHUNT DARNICLE HILL	1914 - 1920
CHESHUNT PARK	1919 - 1920
CHESHUNT M. W B.	1915 - 1920
CHESHUNT MANOR HSE	1914, 1916 - 1920
CHIPPERFIELD LITTLE CALLIPERS	1911 1915
CODICOTE LODGE	1912 - 1920
CROXLEY GREEN CHESS SIDE	1911 - 1920
ELSTREE BAY HILL	1911 - 1914
FURNEAUX PELHAM	1915 - 1920
GILSTON PARK	1911 - 1920
GOFFS OAK HSE	1911 - 1920
x GRAVELEY RECTORY	1911 - 1920
HADLEY BOURNE	1911 - 16, 1920.
HAILEYBURY COLLEGE	1911 - 1920
HAILEBURY HAILEY HSE.	1915 - 1920
HARPENDEN BEESTHORPE	1912 - 1914
HATFIELD COUNTY SURVEYORS OFFICE	1912 - 1920
HATFIELD HOLWELL HSE	1911 - 1917
HEMEL HEMPSTEAD APSLEY MILL	1911 - 1920
HEMEL HEMPSTEAD CHURCH CROFT	1911 - 1914
x GORHAMBURY	1911 - 16. 1918 - 20

HEMEL HEMPSTEAD GOLDEN PARSONAGE	1911 - 1920
HEMEL HEMPSTEAD SPRINGFIELD	1912 - 1915
HERTFORD S. W.	1911 - 1920
HITCHIN CHILTERN RD	1911 - 1920
HITCHIN THE CHILTERNS	1911 - 1919
HITCHIN NEWLANDS	1919 - 1920
HITCHIN HIGH DOWN	1911 - 1920
HITCHIN THE MAPLES	1911 - 1913
HODDESDON FIELDS WEIR	1911 - 1920
HODDESDON ST CROSS	1920.
HOLWELL RECTORY	1920
KINGS LANGLEY LANGLEY RISE	1914 - 1920
LETCHWORTH S. W.	1911 - 1920
LETCHWORTH GERON RD.	1913 - 1920
LETCHWORTH BROADWAY	1916.
LIBURY HALL	1911 - 1914
LITTLE HADHAM HADHAM HALL	1911 - 1920
LITTLE HOLMEAD MUTFORDS FARM	1914
LONDON COLNEY BOWMANS	1911 - 1919
MOOR PARK	1911 - 1916
MUCH HADHAM	1911 - 1920

NEW BARNET		1911 - 1912
NEW BARNET	GAS WORKS.	1911-13, 1916-1920.
NEW BARNET	GREEN HILL PK.	1915 - 1919
NEWGATE STREET	ST MARY'S VICARAGE	1911
NEWGATE STREET	W. W.	1915
NORTHAW	C. E. SCHOOL	1911 - 1920
NORTHAW	BARVIN PK.	1911 - 1913.
NORTHWOOD	"EASAY"	1911 - 1913
NORTHWOOD	WOODHOUSE EAVES	1911 - 1920
NORTHWOOD	GATE HSE.	1911 - 1920
OFFLEY	SCHOOL HSE.	1913 - 1920
OFFLEY	VICARAGE	1911 - 1915 17-20
PRESTON	LABURNUMS.	1911 - 1920
RADLETT	S. W.	1912 - 14, 1916
ROTHAMSTED	EXPL. STA.	1911 - 1920
ROYSTON	EARLSHILL HSE	1911 - 1920
ST. ALBANS	THE MUSEUM	1911 - 1920
ST. ALBANS.	HILL END ASYLUM	1911 - 1920
ST. ALBANS	CHILDWICKBURY GDNS	1914 - 1920
ST. ALBANS	INNINGS RD.	1915 - 1920

ST ALBANS HOLMHURST	1911 - 1920
SANDY LODGE GOLF CLUB	1911 - 1914
SARRATT GOLDINGTONS	1913 - 1916
SHENLEY KITWELLS	1911 - 1920
STANSTEAD ABBOTS.	1911 - 1920
STANDON	1915 - 1920
STEVENAGE	1911 - 1913
STEVENAGE WESTON PARK	1911-18, 1920
THERFIELD RECTORY	1911 - 1920
THROCK RECTORY	1911 - 1914
TOTTERIDGE WEST LODGE	1911 - 1920
TOTTERIDGE DOLLIS BRAE	1911 - 1916.
TRING PENDLEY MANOR	1914 - 1917
TRING COWROAST LOCK	1911 - 1919
TRING GROVE LODGE	1911-18, 1920
WARE RED HSE.	1911 - 1920
WARE GRAMMAR SCH	1911.
WARESIDE VICARAGE	1915 - 1918
WATFORD GROVE END	1911 - 1920
WATFORD WEETWOOD	1911 - 1920

WATFORD	PARK RD.	1911-1912, 14-1920
WATFORD	LONDON ORPHAN ASYLUM	1911-1920
WATFORD	COLNE VALLEY W. W.	1911-1920
WATFORD	OXLEY GRANGE	1912-1920
WELWYN	BRIDGE HSE.	1911-1916
WIDFORD		1918-1919
WILLIAN	ROXLEY COURT	1911-1920

✓

Aldenham House
Hertfordshire
1911 – 1920

RE

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

Kept at Aldenham
in the County of Hert
by Edwin

in.
und 4 ft. 9 in.
Level 305 ft.
me Elstree
stance 2 Direction S S E

IMPORTANT NOTE e result entered to the previous day. If an Obs al rule, he is earnestly requested to add the readi in the space provided for it at the end of this nt of rain, the selection and placing h Rainfall Organization are given in plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.44	.02			.04				~~8~~	1
2	.08			.26	.22						.22	16	2
3					.20					.04	.12	12	3
4	.06	.02		.04						.04		40	4
5		.02	.08	.02						.06		08	5
6	.44		.08									34	6
7	.02										24	32	7
8	.14	.02	.18							.06	.10	04	8
9	.08		.06	.02							02		9
10	.04	.04	.20	.02								44	10
11	.22				.44						64	02	11
12	.02		.40		.08				.02		24		12
13			.10		.18				44	.12	04	28	13
14		.04			.20							46	14
15		.06	.14								04		15
16			.02			.08					38	12	16
17			.04			.20					22	18	17
18						.08					40	28	18
19		.12	.02			.04			.18	.08	08	14	19
20	.02	.02	.02					34	08	.02		60	20
21		.14	.0		.04			30		.44		10	21
22	.06		.02			.10	06	06		.18		48	22
23		.08	.20			.04	08		.28		14	20	23
24	.04	.14	.02			.14				.90		14	24
25		04		.06		.02	10						25
26			.02	.16		.04	04			.18		36	26
27		.40	.08	.08			02		.12	.22		12	27
28		.38		.20							04		28
29				.04		.02	.08		.20	.26	02		29
30			.02		.04				.04	.18			30
31					.98								31
Total	1.24	1.52	1.70	1.34	2.40	.76	.38	.74	1.36	2.78	2.94	5.38	TOTAL for year 22.54
No. of Rain Days.	13	14	18	11	10	10	6	4	8	14	16	22	146

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

RE

Kept at Aldenham House

in the County of Hertfordshire 2

by Edwin Beckett

RAIN GAUGE
Diameter of top 10 sq. in.
Height of top above Ground 4 ft. 9 in.
" " " Sea Level 305 ft.

Time of Observation 9 am

Nearest Railway Station
Name Elstree
Distance 2 Direction S S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.44	.02			.04				~~8~~	1
2	.08			.26	.22						.22	16	2
3					.20					.04	.12	12	3
4	.06	.02		.04						.04		40	4
5		.02	.08	.02						.06		08	5
6	.44		.08									34	6
7	.02										24	32	7
8	.14	.02	.18							.06	.10	04	8
9	.08		.06	.02							02		9
10	.04	.04	.20	.02								44	10
11	.22				.44						64	02	11
12	.02		.40		.08				.02		24		12
13			.10		.18				44	.12	04	28	13
14		.04			.20							46	14
15		.06	.14								04		15
16			.02			.08					38	12	16
17			.04			.20					22	18	17
18						.08					40	28	18
19		.12	.02			.04			.18	.08	08	14	19
20	.02	.02	.02					34	08	.02		60	20
21		.14	.0		.04			30		.44		10	21
22	.06		.02			.10	06	06		.18		48	22
23		.08	.20			.04	08		.28		14	20	23
24	.04	.14	.02			.14				.90		14	24
25		.04		.06		.02	10						25
26			.02	.16		.04	04			.18		36	26
27		.40	.08	.08			02		.12	.22		12	27
28		.38		.20							04		28
29				.04		.02	08		.20	.26	02		29
30			.02		.04				.04	.18			30
31					.98								31
Total	1.24	1.52	1.70	1.34	2.40	.76	.38	.74	1.36	2.78	2.94	5.38	TOTAL for year 22.574
No. of Rain Days.	13	14	18	11	10	10	6	4	8	14	16	22	146

W. 8,000, X. '11.

cor^d. by own stats 5.III.13 Ex dd

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 7 - JAN 1913

Kept at Aldenham House

in the County of Hertfordshire 2

by Edwin Beckett

Lat. 51. 40 Long. 0 · 22

Time of Observation 9 am

Nearest Railway Station Elstree

Diameter of Rain Gauge 10 sq in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	·08	✓	✓	·46	·16	✓	·04	·86	✓	·20	1
2	✓	✓	·10	✓	✓	·06	·32	✓	✓	·30	✓	✓	2
3	·02	✓	·12	✓	·02	·12	·02	·26	·02	✓	✓	·10	3
4	·22	✓	·56	✓	·26	·14	✓	·02	✓	·02	·26	✓	4
5	·20	✓	·06	✓	·02	✓	✓	·26	✓	✓	·02	·02	5
6	·56	·08	✓	✓	✓	·02	✓	·26	✓	·08	✓	·08	6
7	✓	·08	·04	✓	✓	·46	✓	·18	✓	✓	✓	·04	7
8	·42	·32	·22	✓	✓	✓	·02	·16	✓	✓	✓	✓	8
9	·04	·18	✓	·06	✓	·08	✓	✓	✓	✓	✓	·24	9
10	✓	·02	✓	✓	✓	✓	✓	·06	✓	✓	·08	·16	10
11	·04	·28	✓	✓	✓	·02	·04	✓	·04	✓	·02	·12	11
12	·06	✓	·06	✓	·16	·06	✓	✓	·04	✓	·08	✓	12
13	✓	✓	✓	✓	✓	·02	✓	✓	·04	·04	·10	·04	13
14	·02	✓	·04	✓	✓	✓	✓	·04	✓	·10	✓	✓	14
15	✓	✓	·12	✓	✓	·36	✓	·04	✓	✓	·02	·22	15
16	·28	✓	·04	✓	✓	·04	✓	✓	✓	·08	·04	·02	16
17	·08	✓	·16	✓	✓	·10	✓	·28	✓	✓	✓	✓	17
18	·32	✓	·10	✓	✓	✓	✓	·16	✓	✓	✓	·18	18
19	·10	·04	·08	✓	✓	✓	✓	·44	✓	✓	·02	✓	19
20	·04	✓	·08	✓	✓	✓	·36	·12	✓	·46	✓	✓	20
21	✓	·06	·44	✓	✓	✓	✓	·08	✓	·10	·06	✓	21
22	·26	·18	·10	✓	·28	✓	12	·14	✓	✓	✓	·02	22
23	·30	·32	·18	✓	✓	✓	·62	·50	✓	·04	·02	·12	23
24	·40	✓	·12	✓	✓	✓	✓	·18	✓	✓	✓	·16	24
25	✓	02	✓	✓	✓	·16	✓	·50	✓	·08	·30	·48	25
26	✓	✓	✓	✓	✓	✓	✓	✓	✓	·50	·36	·36	26
27	✓	·02	✓	✓	✓	·10	✓	·30	✓	·16	✓	·20	27
28	✓	·04	✓	✓	✓	✓	·04	✓	✓	·38	42	·26	28
29	✓	·02	✓	✓	✓	·20	·04	·16	·04	·28	✓	✓	29
30	✓		✓	✓	·30	·04	·16	·02	1·38	·18	✓	✓	30
31	✓		·34		✓		·20	·16	·86	✓	✓	✓	31
Total	3·36	1·66	3·04	·06	1·04	2·44	2·10	4·32	2·46 ~~1·60~~	2·80 ~~3·66~~	1·80	3·02	YEAR'S TOTAL 28·10
Rain Days.	17	14	20	1	6	17	12	22	8 ~~7~~	15 ~~16~~	14	19	165

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Aldenham House
in the County of Hertfordshire 2
by Edwin Beckett

Lat. 51·40 Long. 0·22
Time of Observation 9 am
Nearest Railway Station Elstree
Diameter of Rain Gauge 10 — sq in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·12		·20					·18			·08	1
2	·02	·10	·14				·20		·02		·04	·02	2
3			·04	·18	·50							·02	3
4	·22				·14		·10		·08	·24	·26	·06	4
5	·08									·04	·06	·04	5
6		·08				·22	·08		·02	·24	·24	·10	6
7			·08			·18				·26			7
8										·10			8
9		·18	·02		·12				·06		·36	·06	9
10	·02		·04				·48	·02			·26		10
11	·46							·04		·28	·40		11
12										·02	·32		12
13	·04	·04		·40	·02			·08	·06		·10		13
14	·06		·10	·06	·06		·64	·02		·14			14
15	·16	·14	·22	·34			·14		04				15
16	·08		·30				·18						16
17				·32					·06		·02	·04	17
18		·02	·24						·02		·06		18
19	·40								·40				19
20	·12			·36					·02	·52	·02		20
21	·36		·30					·20		·18	·58		21
22			·48					·04	·18				22
23												·14	23
24													24
25		·04							·02	·66	·02		25
26			·20	·04								·14	26
27				·18						·02			27
28	·28			·08						·08	·02		28
29	·06			·50	·56			·04		·10			29
30	·24			·06				·04		·14	·06		30
31	·04		·02					·30		·02			31
Total	2·68	·72	2·18	3·02	1·40	·40	1·82	·78	1·16	3·04	2·82	·40	YEAR'S TOTAL 20·72
Rain Days.	17	8	13	12	6	2	7	9	13	16	16	10	129

✓ Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Aldenham House Gardens

in the County of Hertfordshire 2

by Edwin Beckett

Lat. 51.40 Long. 0.22

Time of Observation 9 am

Nearest Railway Station Elstree

Diameter of Rain Gauge 10 sq in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	.06	✓	✓	·14	✓	.20	✓	✓	10	22	1
2	✓	✓	✓	✓	✓	✓	04	.20	✓	✓	✓	38	2
3	✓	✓	06	✓	✓	04	18	✓	✓	✓	08	✓	3
4	.14	✓	✓	24	04	✓	✓	08	✓	✓	30	56	4
5	.02	02	06	12	14	08	06	30	✓	✓	02	✓	5
6	✓	12	✓	✓	06	18	52	02	✓	✓	20	42	6
7	✓	22	28	12	46	✓	04	✓	✓	✓	✓	26	7
8	02	26	64	14	04	✓	10	16	✓	✓	✓	02	8
9	16	✓	52	12	✓	16	✓	✓	10	✓	✓	1.22	9
10	✓	14	✓	10	04	✓	✓	✓	14	✓	✓	✓	10
11	02	24	54	✓	✓	96	✓	✓	06	38	18	.26	11
12	✓	06	10	✓	04	✓	12	✓	30	✓	✓	50	12
13	✓	38	12	✓	✓	✓	✓	✓	10	08	06	40	13
14	✓	10	56	✓	✓	✓	02	✓	✓	34	✓	36	14
15	04	06	26	✓	✓	✓	✓	✓	04	04	04	04	15
16	✓	✓	02	✓	✓	✓	✓	✓	02	✓	02	✓	16
17	✓	50	04	✓	18	✓	✓	✓	16	✓	✓	24	17
18	✓	✓	12	✓	✓	✓	✓	✓	✓	✓	✓	34	18
19	✓	06	20	✓	✓	✓	12	✓	✓	✓	08	12	19
20	✓	18	18	✓	✓	04	✓	✓	✓	✓	✓	18	20
21	✓	48	06	✓	✓	04	10	✓	✓	✓	✓	08	21
22	✓	✓	✓	✓	26	02	✓	✓	✓	46	✓	✓	22
23	✓	12	12	✓	✓	02	02	✓	✓	08	✓	✓	23
24	04	✓	04	02	✓	✓	✓	✓	✓	✓	✓	✓	24
25	✓	✓	10	✓	08	✓	04	04	✓	36	12	✓	25
26	02	✓	04	✓	✓	✓	✓	06	✓	✓	✓	64	26
27	04	✓	02	✓	✓	✓	✓	✓	✓	✓	20	26	27
28	✓	✓	✓	✓	18	✓	✓	✓	✓	04	✓	1.16	28
29	08	✓	12	✓	✓	✓	✓	✓	✓	·20	✓	✓	29
30	✓	✗	08	✓	✓	✓	✓	✓	✓	✓	60	·36	30
31	02	✗	✓	✗	✓	✗	✓	✓	✗	✓	✗	·06	31
Total	60	2.94	4.34	·86	1.52	1.68	1.36	1.06	·92	1·98	2·00	8·08	YEAR'S TOTAL 27·34 ✓
Rain Days.	11	15	24	7	11	10	12	8	8	9	13	22	150 ✓

W. 8,000. X. 14.

983

FORM A.
BRITISH RAINFALL
1 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Aldenham House

in the County of Hertfordshire 2

by Edwin Beckett

Lat. 51.40 Long. 0.22

Time of Observation 9 am

Nearest Railway Station Elstree

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	50	·08	.04	✓	04	✓	✓	✓	·08	04	·16	.38	1
2	32	✓	·28	10	✓	02	✓	.70	✓	✓	·02	14	2
3	38	22	·04	✓	✓	✓	✓	·28	✓	04	✓	·30	3
4	02	✓	✓	14	✓	✓	✓	✓	✓	✓	✓	32	4
5	04	38	✓	✓	.04	✓	✓	.02	✓	06	✓	40	5
6	20	08	✓	.24	✓	✓	.96	.06	✓	✓	✓	26	6
7	12	32	.06	✓	✓	✓	·34	✓	✓	✓	.02	24	7
8	04	46	.02	·08	✓	✓	✓	04	✓	✓	✓	✓	8
9	✓	04	✓	.06	✓	✓	✓	06	✓	✓	22	·58	9
10	28	✓	02	✓	✓	✓	✓	✓	✓	06	✓	·12	10
11	.04	✓	✓	✓	✓	✓	✓	✓	✓	✓	·72	·04	11
12	.06	✓	✓	24	·46	✓	✓	✓	✓	✓	·38	✓	12
13	✓	52	✓	✓	1.20	✓	✓	·36	✓	✓	✓	✓	13
14	✓	04	✓	✓	✓	✓	1.14	·20	.06	✓	✓	.68	14
15	24	✓	✓	✓	.04	✓	✓	·32	✓	✓	✓	·18	15
16	✓	46	✓	✓	✓	✓	82	✓	✓	✓	24	·10	16
17	✓	40	✓	✓	✓	✓	12	.08	✓	✓	✓	✓	17
18	✓	12	02	✓	.64	✓	✓	✓	✓	✓	02	✓	18
19	✓	06	02	✓	✓	✓	10	✓	✓	02	✓	✓	19
20	46	✓	✓	12	✓	✓	✓	✓	✓	✓	✓	.20	20
21	✓	✓	✓	✓	✓	✓	.02	✓	✓	✓	✓	·06	21
22	92	30	36	✓	✓	✓	.68	✓	✓	✓	✓	·20	22
23	✓	✓	18	✓	✓	✓	36	✓	.26	·40	✓	.24	23
24	✓	26	12	✓	✓	✓	40	✓	28	.06	✓	.20	24
25	✓	✓	02	04	✓	.02	28	✓	02	.06	✓	·28	25
26	✓	12	✓	✓	✓	.06	20	✓	✓	✓	✓	·50	26
27	✓	✓	02	✓	✓	.40	34	✓	✓	.38	✓	.04	27
28	✓	06	✓	✓	✓	08	✓	✓	1·14	12	✓		28
29	✓	✓	✓	✓	✓	02	40	12	✓	✓	16		29
30	✓	✗	✓	✓	✓	72	✓	✓	✓	06	20	.02	30
31	✓	✗	✓	✗	✓	✗	✓	.08	✗	1.02	✗	.24	31
Total	3.62	3.92	1.20	1.02	2.42	1.32	6.16	2·32	1.84	2.32	2.14	5.72	YEAR'S TOTAL 34
Rain Days.	14	17	13	8	6	7	14	12	6	12	10	23	142

W. 8,000. X. 15.

Exd. AW

955

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Aldenham House

in the County of Hertfordshire

by Edwin Beckett

Lat. 51 40 Long. 0 22

Time of Observation 9. am

Nearest Railway Station Elstree

Diameter of Funnel of Rain Gauge 10 sq in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14	✓	✓	✓	.22	.06	✓	✓	.04	.02	.28	✓	1
2	.48	.02	.10	✓	.22	✓	✓	✓	.12	.34	.02	✓	2
3	✓	.44	.12	✓	✓	✓	✓	✓	.12	.28	.38	✓	3
4	.28	.12	✓	✓	✓	.60	✓	✓	✓	.08	.30	✓	4
5	.02	.06	✓	.04	✓	.08	✓	✓	✓	.12	.68	.02	5
6	✓	✓	✓	.18	✓	.14	.44	✓	✓	.08	.40	✓	6
7	.08	✓	.28	.02	.16	.08	.20	✓	✓	✓	.60	.02	7
8	✓	✓	.20	✓	.42	✓	✓	✓	✓	✓	✓	.28	8
9	.02	✓	✓	✓	.22	.04	✓	✓	✓	.20	✓	.08	9
10	✓	.16	.04	.06	✓	.30	✓	✓	✓	✓	.02	.06	10
11	.02	.12	.08	.14	✓	.10	✓	✓	✓	✓	✓	.08	11
12	.02	.04	.02	.10	.02	.14	✓	.18	✓	.02	✓	✓	12
13	✓	.40	.28	.08	✓	.02	.20	.46	✓	✓	✓	✓	13
14	✓	.32	✓	.02	.10	✓	✓	.50	✓	.04	✓	✓	14
15	✓	.32	.44	.02	✓	✓	.04	.42	✓	✓	✓	06	15
16	.02	.02	.30	.14	.02	✓	.14	.12	✓	.02	✓	✓	16
17	.12	.06	✓	.02	✓	✓	✓	.76	.02	.48	✓	.08	17
18	.16	.06	.04	.08	✓	✓	✓	.50	✓	.02	.56	.02	18
19	✓	.04	.20	.26	✓	✓	✓	✓	.60	✓	.72	.16	19
20	.18	✓	.16	.04	✓	✓	✓	✓	.02	✓	.04	.34	20
21	.02	✓	.60	✓	✓	✓	.14	✓	✓	✓	✓	.44	21
22	✓	✓	.04	✓	.02	✓	✓	✓	✓	.02	XX	.42	22
23	.02	.08	✓	✓	✓	✓	✓	✓	✓	.02	.04	.14	23
24	✓	.16	.02	✓	.02	.22	.02	✓	✓	.20	.02	.22	24
25	✓	✓	.08	✓	.04	✓	.16	.16	✓	.12	.10	.18	25
26	✓	✓	✓	✓	✓	.06	✓	.02	✓	.04	✓	✓	26
27	.02	.50	.96	✓	✓	.10	✓	.18	.12	.42	✓	✓	27
28	✓	.36	.18	✓	✓	✓	✓	✓	.22	.16	.02	.16	28
29	✓	.08	.02	✓	✓	.22	✓	1.50	✓	.26	✓	.16	29
30	✓	✗	✓	.02	.04	✓	✓	.04	✓	.34	✓	✓	30
31	✓	✗	✓	✗	✓	✗	✓	.04	✗	.06	✗	.02	31
Total	1.60	3.36	4.16	1.22	1.50	2.16	1.34	4.88	1.26	3.34	4.18	2.94	YEAR'S TOTAL 31.94
Rain Days.	15	19	20	15	12	14	8	13	8	22	15	19	180

W. 8,000, VIII. 16

921

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

✓

Kept at Aldenham House

in the County of Hertfordshire

by Edwin Beckett

Lat. 51.40 Long. 0.22
Time of Observation 9 am
Nearest Railway Station Elstree
Diameter of Funnel of Rain Gauge 10 sq in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	✓	✓	✓	✓	✓	·88	·06	✓	·14	✓	1
2	✓	✓	✓	·48	✓	·08	✓	·06	✓	✓	·06	✓	2
3	✓	✓	✓	·18	✓	✓	✓	·30	✓	·28	·48	✓	3
4	✓	✓	✓	✓	✓	✓	✓	·12	✓	·38	✓	✓	4
5	·26	·06	·10	·16	✓	✓	✓	✓	·24	·08	·14	✓	5
6	✓	·04	·06	·06	✓	✓	✓	✓	·10	·04	·08	✓	6
7	·24	✓	✓	✓	✓	·08	·16	✓	✓	·36	✓	·02	7
8	·16	✓	✓	·12	✓	✓	·88	·76	✓	·28	·18	·18	8
9	·04	✓	·02	·08	✓	✓	·06	·32	·02	·02	·06	·14	9
10	✓	✓	·18	·18	✓	✓	✓	·22	✓	✓	·02	·04	10
11	·22	✓	·36	·14	✓	✓	✓	✓	✓	·46	✓	✓	11
12	·10	✓	·04	✓	·06	✓	✓	·08	✓	·50	✓	✓	12
13	·02	✓	·08	·02	✓	✓	✓	·20	·04	✓	✓	✓	13
14	·02	✓	✓	·22	✓	✓	✓	·08	✓	·04	·02	✓	14
15	✓	✓	✓	·04	✓	✓	·06	✓	✓	·06	✓	✓	15
16	·08	·12	✓	·20	·14	·06	·26	·04	✓	·80	✓	·14	16
17	✓	✓	✓	·10	·60	✓	·18	·06	·50	·32	·02	·02	17
18	·06	·04	✓	·08	·04	·18	·20	✓	·30	·14	✓	✓	18
19	✓	·16	·08	✓	·04	✓	✓	✓	·38	✓	✓	✓	19
20	✓	·18	✓	✓	·58	✓	✓	✓	·02	✓	·06	✓	20
21	✓	·02	·06	✓	·02	✓	✓	✓	✓	·02	·02	✓	21
22	✓	✓	·06	·02	✓	·06	✓	·12	✓	·06	✓	✓	22
23	·02	·08	·02	✓	·10	✓	✓	·18	✓	·34	✓	·10	23
24	✓	·10	✓	✓	✓	·04	✓	·06	✓	✓	✓	✓	24
25	✓	·02	·02	✓	✓	✓	✓	✓	·04	✓	·12	✓	25
26	✓	✓	·06	✓	✓	·04	✓	·14	✓	✓	·38	✓	26
27	✓	✓	·02	✓	✓	·02	✓	1·04	✓	✓	✓	·04	27
28	✓	✓	✓	✓	✓	1·24	✓	·16	✓	✓	✓	✓	28
29	✓	✓	·02	✓	·10	·04	·68	·22	✓	·26	✓	·04	29
30	✓	✕	·06	✓	✓	✓	1·38	·14	✓	·02	·02	·14	30
31	·04	✕	·22	✕	✓	✕	·50	✓	✕	✓	✕	✓	31
Total	1·26	·82	1·46	2·08	1·68	1·84	4·36	5·18	1·70	4·46	1·80	·86	YEAR'S TOTAL 27·50
Rain Days.	12	10	17	15	9	10	10	20	10	19	15	10	157

W. 8,000, IX. 17.

E40 2 [illegible] 6

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 7. 1. 19

✓

Kept at Aldenham House, Elstree

in the County of Hertfordshire

by Edwin Beckett.

Lat. 51·40 Long. 0·22

Time of Observation 9 am

Nearest Railway Station Elstree

Diameter of Funnel of Rain Gauge 10 sq/ in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	✓	·30	✓	✓	✓	✓	✓	✓	·02	·10	1
2	✓	✓	✓	·06	✓	✓	✓	·14	·28	·04	18	·26	2
3	✓	✓	·04	✓	✓	✓	✓	✓	·40	✓	·02	✓	3
4	✓	✓	·08	·04	·18	✓	✓	·30	·10	✓	·62	·04	4
5	✓	·02	✓	✓	✓	✓	✓	·12	·16	·12	·46	✓	5
6	·10	·20	✓	✓	✓	✓	✓	✓	·38	✓	✓	✓	6
7	·04	·10	✓	40	✓	✓	✓	✓	·48	·06	·14	✓	7
8	✓	·06	✓	✓	✓	✓	✓	✓	✓	✓	·08	✓	8
9	✓	·06	✓	·04	✓	✓	·38	✓	✓	·16	✓	·30	9
10	·02	✓	✓	·04	✓	✓	·40	·04	✓	✓	✓	·34	10
11	✓	·	·	02	✓	✓	·40	✓	·04	·30	·04	·12	11
12	·02	·08	✓	✓	✓	✓	·16	✓	·02	✓	·20	✓	12
13	✓	✓	✓	✓	✓	✓	·08	✓	·16	✓	✓	·04	13
14	·26	✓	✓	·32	✓	·12	·10	✓	·40	·18	✓	·20	14
15	·28	✓	✓	·32	✓	·02	·20	✓	·02	✓	✓	12	15
16	·20	✓	✓	·80	✓	·02	✓	✓	·60	·10	✓	·08	16
17	·48	✓	·18	·26	✓	✓	·24	✓	·50	✓	✓	·16	17
18	·58	✓	✓	✓	✓	·20	·08	✓	·04	✓	✓	·12	18
19	✓	✓	✓	·08	✓	✓	·14	✓	✓	✓	✓	·12	19
20	✓	·14	✓	✓	✓	·02	✓	✓	·12	·36	✓	✓	20
21	·14	·02	✓	1·24	✓	✓	✓	✓	·38	·04	✓	✓	21
22	·12	✓	✓	✓	✓	✓	✓	✓	·12	✓	✓	·18	22
23	·02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	23
24	·02	·14	✓	✓	✓	✓	·02	✓	·06	✓	·10	✓	24
25	·10	·04	✓	✓	✓	·06	·16	✓	✓	✓	·04	✓	25
26	·08	✓	✓	✓	✓	✓	·08	✓	✓	✓	·14	·18	26
27	✓	✓	·02	✓	✓	✓	·26	✓	·04	·22	10	·04	27
28	✓	·04	20	·04	✓	✓	·04	✓	✓	✓	·16	·14	28
29	✓	✓	✓	✓	✓	✓	✓	·56	1·18	✓	✓	·02	29
30	✓	X	·36	✓	✓	✓	✓	·08	✓	✓	✓	✓	30
31	✓	X	·04	X	✓	X	✓		X	·18	X	·02	31
Total	2·46 ✓	·90 ✓	·92 ✓	3·96 ✓	~~·18~~ ✓	·44 ✓	2·74 ✓	1·24 ✓	5·48 ✓	1·76 ✓	2·30 ✓	2·58 ✓	YEAR'S TOTAL ~~24·96~~ ✓
Rain Days.	15 ✓	11 ✓	7 ✓	14 ✓	1 ✓	6 ✓	15 ✓	6 ✓	20 ✓	11 ✓	14 ✓	19 ✓	~~139~~ ✓

W, 6,500, VII. 18. W W C

Bad

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Aldenham House Garden
in the County of Hertfordshire
by Edwin Beckett

Lat. 51. 40 Long. 0.22
Time of Observation 9 am
Nearest Railway Station Elstree
Diameter of Funnel of Rain Gauge 10sq in.
Height of top of Gauge above Ground 4 ft 9 in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30			04	·10		·22			·04			1
2	·34		·02		·12		·26		·22	·06	·20	1·02	2
3	·60	·04	·26		·02		·12		·04		·04	·16	3
4	06	·08	·26			·06	·16	·08	02		·02	·28	4
5	·02	·04	·64				·08		·16			·10	5
6	02		·08								·06	·26	6
7			·46									·04	7
8	·08		·08	·02									8
9	·04		02		·04						·02		9
10			·06	·04						·02	·02	·08	10
11	·04		·16	·24			·20					·06	11
12			·10			·04	10			·02			12
13	02	·16		·24						·06			13
14	·34			54			02						14
15	·18		·14	·04					·18	·06		·48	15
16	·14	·68										·10	16
17											·22		17
18		·62	·06					·04	·04		·20	·06	18
19		·14	·86			·16	·40	·10	·10		·10		19
20	·34	·08	·06			·76	·16	·28				·04	20
21	·30	·34				·06	·10					·10	21
22		·14					·10		·38			·32	22
23						·06		·04	·12		·04		23
24				·20			·06			·18	·10		24
25					·04			·58	·02	·02			25
26		·04	·10	·12					·02			·10	26
27	·16	·14		·36				·38				·20	27
28	·54		·04	·54				·80				·44	28
29	·38		·06	·02				·18		·12	·45	·04	29
30	·02	✕	·04	·22		·16		·14		·02	·25	·40	30
31		✕		✕		✕			✕	·02	✕	·02	31
TOTAL	3·92	2·50	3·50	2·62	·32	1·30	1·98	2·62	1·30	·62	1·72	4·30	YEAR'S TOTAL 26·70
Days with ·01 in. or more	19	12	19	13	5	7	13	10	11	11	13	20	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

25 WND

825

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aldenham House
in the County of Hertfordshire
by Edwin Beckett

Lat. 51.40 Long. 0.22
Time of Observation 9am
Nearest Railway Station Elstree
Diameter of Funnel of Rain Gauge 10 sq in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·66	·10		·32			·60		·26	1
2							·24	·52	·06	·10		·14	2
3		·08							·06	·02		·02	3
4		·04		·04			·06	·12	·02	·10		·10	4
5			·10		·04		·70	·02					5
6			·10		·16		·32					·04	6
7	·02			·24			·26						7
8	·08	·04		·26			·40	·06					8
9	·38							·02					9
10	·44	·04				·04	·08						10
11	·22		·24	·24	·04	·04	·22						11
12	·06		·14	·12		·54	·02					·06	12
13	·10			·22								·04	13
14			·28	·18		·50	·02			·20	·30	·04	14
15	·02	·06	·16	·14					·28	·12	·08		15
16				·26		·04			·38	·12			16
17	·02			·02					·46			·08	17
18					·18			·48	·16				18
19	·12			·14				·06				·06	19
20	·10			·26		·54						·04	20
21				·26			·50		·46			·04	21
22	·02							·04				·20	22
23							·84		·04				23
24			·10									·20	24
25	·02		·08	·02			·22					·02	25
26	·04		·14		·22								26
27	·24			·30			·06				·62	·14	27
28	·44	·12	·08	·02	·14	·02	·10				·02		28
29	·26		·06								·18	·30	29
30	·04				·02		·50		·28.		·16	·22	30
31	·02				·06					·22		·08	31
TOTAL	2·64	·40	1·48	3·38	·90	1·72.	4·86	1·32	2·20.	1·48	1·36	2·08	YEAR'S TOTAL 23·88.
Days with ·01 in. or more	19	6	11	17	9	7	17	8	10	8	6	19	~~137~~
Days with ·04 in. or more	13	6	11	14	8	6	15	6	9	7	5	17	117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

81

FORM A.
BRITISH RAINFALL.

REGIS

5

Kept at Addington C.
in the County of Bucking
by J. H. Webster

g.

in.

above Ground ft. in.

,, Sea Level ft.

HERTS.
ADDINGTON – C of E SCHOOL
1915 ONLY

IMPORTANT NOTE.- daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·15	·06		·10				·01	·13	·04	·21	1
2	·04	·16	·31	·12				·57	·04	·09		·07	2
3	·35		·04	·07		·02	·11	·72	·03			·18	3
4	·10						1·16	·05	·12			·65	4
5	·04	·29						·06				·29	5
6	·01	·10		·28			·66	·03				·06	6
7	·04	·35	·12				·25	·03				·19	7
8	·06	·28		·01			·02						8
9	·04			·10							·22	·42	9
10	·26	·01	·02								·01	·02	10
11	–		·02	·05	·02						·80	·02	11
12	·04	·02		·26	·38			·12		·01		·04	12
13	–	·51			1·00						1·09	·01	13
14	·03	·03					·12	·02	·03			·55	14
15	·10				·02			·01			·05	·17	15
16	–	·53					·61	·39				·12	16
17	–	·30			·39		·02	·06			·02		17
18	–	·15	·81								·02		18
19	–		·01		·02		36						19
20	·35			·02								·18	20
21	·07		·05				11			·02		·07	21
22	·31	·06	·46	·02	·04		·77		·01				22
23	–	·16	·07				·52		·05	·32		·53	23
24	–		·27			·01	·26		1·03	·15		·07	24
25	–						·21					·13	25
26	–	·10				·02	·16		·01			·25	26
27	–	·02				·02	·02			·38		·03	27
28	–					·03	·02		1·10				28
29	–				·02		·11					·12	29
30	–	X				·07	·12	·16		·13	·10	·10	30
31	·03	X		X		X			X	·69	X	·14	31
Total	2·38 2·38	3·22	2·24	·93	1·99	·17	5·61	2·22	2·43	1·92	2·35	4·62	YEAR'S TOTAL 30·08
Rain Days.	17	17	12	9	9	6	19	12	10	9	9	25	154

W. 8,000. X. 14.

REGIS

FORM A. BRITISH RAINFALL.

Kept at Addington C of E School

in the County of Buckinghamshire

by J. H. Webster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·15	·06		·10				·01	13	·04	·21	1
2	·04	·16	·31	·12				·57	·04	·09		·07	2
3	·35		·04	·07		·02	·11	·72	·03			·18	3
4	·10						1·16	·05	·12			·65	4
5	·04	·29						·06				·29	5
6	·01	·10		·28			·66	·03				·06	6
7	·04	·35	·12				·25	·03				·19	7
8	·06	·28		·01			·02						8
9	·04			·10							22	·42	9
10	·26	·01	·02								01	·02	10
11	–		·02	·05	·02						·80	·02	11
12	·04	·02		·26	·38			·12		·01		·04	12
13	–	·51			1·00						1·09	·01	13
14	·03	·03					·12	·02	·03			·55	14
15	·10				·02			·01			·05	·17	15
16	–	·53					·61	·39				·12	16
17	–	·30			·39		·02	·06			·02		17
18	–	·15	·81								·02		18
19	–		·01		·02		36						19
20	·35			·02								·18	20
21	·07		·05				11			·02		·07	21
22	·31	·06	·46	·02	·04		·77		·01				22
23	–	·16	·07				·52		·05	·32		·53	23
24	–		·27			·01	·26		1·03	·15		·07	24
25	–						·21					·13	25
26	–	·10				·02	·16		·01			·25	26
27	–	·02				·02	·02			·38		·03	27
28	–					·03	·02		1·10				28
29	–				·02		·11					·12	29
30	–	✕				·07	·12	·16		·13	·10	·10	30
31	·03	✕		✕		✕			✕	·69	✕	·14	31
Total	2·38 2·3~~8~~	3·22	2·24	·93	1·99	·17	5·61	2·22	2·43	1·92	2·35	4·62	YEAR'S TOTAL 30·08
Rain Days.	17	17	12	9	9	6	19	12	10	9	9	25	154

W. 8,000. X. 14.

B made

FORM A. 1. METEORO L ORGANIZATION.

RI 1919.

HERTS.
ASHWELL
1919-1920

Kept at Ashwell
in the County of Herts
by Dr. R. E. H. Woodf

Long. 0° 9' W of L.
on 9 am
tation Ashwell
l of Rain Gauge 5 in.
auge above Ground 1 ft. — in.
„ Sea Level 175 ft.

IMPORTANT NOTE. result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23				·04	·20 ~~[illegible]~~	·10						1
2	·15		·01		·13	~~·06~~	·06		·22		·24	·94	2
3	·30		·26			~~[illegible]~~	·03		·22		·11	·84	3
4	·10		·24			·28 ~~[illegible]~~	·22					·14	4
5	·03	·43	·33			~~[illegible]~~	·42		·20			·04	5
6			·07								·05	·17	6
7	·02		·25		·09						·12	·03	7
8	·10		·04	·07									8
9			·04	·05									9
10			·19	·10									10
11	·05		·07	·11		~~·58~~	·58				·04		11
12			·19	·03		~~[illegible]~~	·08		·12 ~~[illegible]~~	·08	·09	·01	12
13				·17		·07						·05	13
14	·20										·06		14
15	·30										·10	·56	15
16		·50		·38						·20			16
17		·56	·05	·03							·19		17
18		·37	·09					·08				·06	18
19		·06	·30			·28 ~~[illegible]~~	·14	·23			·04	·10	19
20	·17	·04				·61 ~~[illegible]~~	·34						20
21	·46	·24				~~[illegible]~~	·84					·04	21
22		·25				·02 ~~[illegible]~~	·01				·04	·40	22
23						·03		·03	·18		·01		23
24				·39		~~[illegible]~~	·15						24
25	·10				·01			(·15)					25
26	·20	·27	·06					·06	·05			·27	26
27	·75	·14	·05	1·40								·04	27
28				·04				·80				·24	28
29				·04			·08				·09	·05	29
30		✕		·30		·30		·16		·35	·12	·26	30
31		✕		✕		✕		·06	✕		✕	·03	31
TOTAL	3.16 ✓	2.86 ✓	2.24 ✓	3.11 ✓	·27 ✓	1.79	3.05 ✓	1.55	·99 ✓	·63 ✓	1.30 ✓	4.27 ✓	YEAR'S TOTAL 25.22. ✓
Days with ·01 in. or more	15 ✓	10 ✓	16 ✓	13 ✓	4 ✓	8	13 ✓	8	6 ✓	3 ✓	14 ✓	19	~~129~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

13 made

6

FORM A. 1. METEORO L ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ashwell

in the County of Herts

by Dr. R. E. H. Woodforde

Lat. 52° 2′ Long 0°. 9′ W. of L.

Time of Observation 9.am

Nearest Railway Station Ashwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23				·04	·20	·10						1
2	·15		·01		·13		·06		·22		·24	·94	2
3	·30		·26				·03		·22		·11	·84	3
4	·10		·24			·28	·22					·14	4
5	·03	·43	·33				·42		·20			·04	5
6			·07								·05	·17	6
7	·02		·25		·09						·12	·03	7
8	·10		·04	·07									8
9			·04	·05									9
10			·19	·10									10
11	·05		·07	·11		~~·58~~	·58				·04		11
12			·19	·03		~~·08~~	·08		·12	·08	·09	·01	12
13				·17		·07						·05	13
14	·20										·06		14
15	·30										·10	·56	15
16		·50		·38						·20			16
17		·56	·05	·03							·19		17
18		·37	·09					·08				·06	18
19		·06	·30			·28	·14	·23			·04	·10	19
20	·17	·04				·61 ~~·34~~	·34						20
21	·46	·24				~~·84~~	·84					·04	21
22		·25				·02	·01				·04	·40	22
23						·03		·03	·18		·01		23
24				·39			·15						24
25	·10				·01			(·15)					25
26	·20	·27	·06					·06	·05			·27	26
27	·75	·14	·05	1·40								·04	27
28				·04				·80				·24	28
29				·04			·08				·09	·05	29
30				·30		·30		·16		·35	·12	·26	30
31								·06				·03	31
TOTAL	3.16 ✓	2.86 ✓	2.24 ✓	3.11 ✓	·27 ✓	1.79 ✓	3.05 ✓	1.55	·99 ✓	.63 ✓	1.30 ✓	4.27 ✓	YEAR'S TOTAL 25.22. ✓
Days with ·01 in. or more	15 ✓	10 ✓	16 ✓	13 ✓	4 ✓	8 ✓	13 ✓	8	6 ✓	3 ✓	14 ✓	19 ✓	~~129~~ ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

396

24 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ashwell
in the County of Herts
by L.R.2.H. Woodfield

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Ashwell G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·64	·05		·21	·05		1·04	·03	·15	1
2				·03				·11		·63	·05		2
3				·16			·09		·08	·02		·02	3
4				·14				·03	(·09)	·06		·06	4
5			·04	·03	·07		·79	·10	·12			·01	5
6			·09				·57						6
7			·05	·02			·06					·05	7
8	·27	·03		·47			·05						8
9	·29			·20				·01					9
10	·07	·03	·05				·06						10
11	·35		·02	·12 ~~·02~~	·05		·04					·01	11
12	·05		·02	·07		·37	·01					·03	12
13		·02	·04	·18		·05							13
14		·01	·15	·13			·07		~~·15~~	·12			14
15			·28	·03					·18			·07	15
16		·02		·01					·16 ~~·04~~	·04			16
17			·04	·03	·07	·27			·30			–	17
18	·05			·02	·01		·03	·30	·04			·03	18
19	·20							·01					19
20	·08	·12		·12		·54							20
21							·36		·34			·04	21
22				·15					·09			·20	22
23							·35					·24	23
24	·04		·10										24
25		·12		·01			·26						25
26	·29		·06	·03	1.16	·04	·05						26
27		·02				·25	·01				·35	·09	27
28	·32		·18	·15	·20								28
29	·29				·01		·10				·09	·27	29
30			·07			·07	·11		·20 ~~[illegible]~~	·18	·05	·16	30
31									1.47			·05	31
TOTAL	2·01	·37	1.19	2.74	1.62	1.59 ~~1.39~~	3.22	·61	1.49	1.49	·57	1.48 ~~1.46~~	YEAR'S TOTAL 18.36 ~~18.14~~
Days with ·01 in. or more	11	8	14	21	8	7	18	7	10	7	5	16	132
Days with ·04 in. or more	11	0 2	12	12	6	7	15	4	9	5	4	11	98

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R 1911.

HERTS.

BALDOCK.

1911-1915

Kept at Bald

in the County of

by Fw Laug

of top 5 in.
top above Ground 1. ft. in.
„ „ Sea Level 214 ft.
on 9 am.
Station { Name Baldock.
Distance ¼ mile Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	-	·20	-	-	-	-	-	-	-	-	1
2	-	-	-	·13	·08	-	-	·03	-	-	·10	·01	2
3	·10	·03	-	·02	·15	1·59	-	·02	-	-	·03	·13	3
4	·07	-	·13	·16	-	-	-	-	-	·30	·09	·34	4
5	02	·07	-	·03	-	-	-	·08	-	·03	-	·22	5
6	23	-	·05	·02	-	-	-	-	-	-	·03	·36	6
7	02	-	03	·01	-	-	-	-	-	·15	·25	·23	7
8	·18	-	13	-	-	-	-	-	-	·02	·10	·14	8
9	-	-	-	·06	-	-	-	-	-	-	-	·02	9
10	·02	·08	·06	·05	-	-	-	-	-	-	·08	·20	10
11	·23	-	·01	-	·17	·01	-	-	-	-	·34	·01	11
12	·19	-	·44	-	-	-	-	-	-	·26	·23	·01	12
13	-	-	·17	-	·49	-	-	-	·20	·07	-	·26	13
14	-	·07	·05	-	·40	-	-	-	-	·02	-	·37	14
15	-	-	·15	-	-	-	-	-	-	·04	·08	·03	15
16	-	-	·08	-	-	·17	-	-	-	·02	·23	·03	16
17	-	-	-	-	-	-	-	-	-	-	·09	·16	17
18	-	·18	-	-	-	-	-	-	-	·01	·42	·09	18
19	-	-	-	-	-	·35	-	-	·06	·05	·33	·08	19
20	-	·02	-	-	-	-	-	·33	·17	·37	-	·52	20
21	·04	·10	-	-	-	-	-	·38	-	·05	·01	·11	21
22	·06	-	·33	-	-	·09	-	-	-	-	-	·51	22
23	·01	·14	·25	-	-	·98	·01	-	·21	-	-	·13	23
24	-	·04	·03	-	-	·14	-	-	-	·41	-	·16	24
25	-	·11	·04	-	-	·23	·12	·13	-	-	·05	-	25
26	-	-	-	·15	-	·11	-	-	-	·13	-	·11	26
27	-	·21	·07	-	-	-	-	-	·13	-	-	·03	27
28	-	·19	·01	·27	-	·14	·05	·13	-	-	·04	·03	28
29	-		·02	-	-	-	·14	-	·23	·14	-	-	29
30	-		·02	·05	-	-	-	-	·02	·19	-	-	30
31	-		-		·47		-	-		-		·02	31
Total	1·18	1·21	2·07	1·15	1·76	3·81	·32	1·10	1·02	2·26	2·50	4·31	TOTAL for year 22·69
No. of Rain Days.	13	12	19	12	6	10	4	7	7	17	17	27	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Baldock.

in the County of Herts 4

by Hw Langston Day

Rain Gauge: Pattern	
Diameter of top	5 in.
Height of top above Ground	1. ft. in.
" " " Sea Level	214 ft.

Time of Observation 9 am.

Nearest Railway Station: Name Baldock.
Distance ¼ mile Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	-	·20	-	-	-	-	-	-	-	-	1
2	-	-	-	·13	·08	-	-	·03	-	-	·10	·01	2
3	·10	·03	-	·02	·15	1·59	-	·02	-	-	·03	·13	3
4	·07	-	·13	·16	-	-	-	-	-	·30	·09	·34	4
5	02	·07	-	·03	-	-	-	·08	-	·03	-	·22	5
6	23	-	·05	·02	-	-	-	-	-	-	·03	·36	6
7	02	-	03	·01	-	-	-	-	-	·15	·25	·23	7
8	·18	-	13	-	-	-	-	-	-	·02	·10	·14	8
9	-	-	-	·06	-	-	-	-	-	-	-	·02	9
10	·02	·08	·06	·05	-	-	-	-	-	-	·08	·20	10
11	·23	-	·01	-	·17	·01	-	-	-	-	·34	·01	11
12	·19	-	·44	-	-	-	-	-	-	·26	·23	·01	12
13	-	-	·17	-	·49	-	-	-	·20	·07	-	·26	13
14	-	·04	·05	-	·40	-	-	-	-	·02	-	·37	14
15	-	-	·15	-	-	-	-	-	-	·04	·08	·03	15
16	-	-	·08	-	-	·17	-	-	-	·02	·23	·03	16
17	-	-	-	-	-	-	-	-	-	-	·09	·16	17
18	-	·18	-	-	-	-	-	-	-	·01	·42	·09	18
19	-	-	-	-	-	·35	-	-	·06	·05	·33	·08	19
20	-	·02	-	-	-	-	-	·33	·17	·37	-	·52	20
21	·04	·10	-	-	-	-	-	·38	-	·05	·01	·11	21
22	·06	-	·33	-	-	·09	-	-	-	-	-	·51	22
23	·01	·14	·25	-	-	·98	·01	-	·21	-	-	·13	23
24	-	·04	·03	-	-	·14	-	-	-	·41	-	·16	24
25	-	·11	·04	-	-	·23	·12	·13	-	-	·05	-	25
26	-	-	-	·15	-	·11	-	-	-	·13	-	·11	26
27	-	·21	·07	-	-	-	-	-	·13	-	-	·03	27
28	-	·19	·01	·27	-	·14	·05	·13	-	-	·04	·03	28
29	-		·02	-	-	-	·14	-	·23	·14	-	-	29
30	-		·02	·05	-	-	-	-	·02	·19	-	-	30
31	-		-		·47		-	-		-		·02	31
Total	1·18	1·21	2·07	1·15	1·76	3·81	·32	1·10	1·02	2·26	2·50	4·31	TOTAL for year 22·69
No. of Rain Days.	13	12	19	12	6	10	4	7	7	17	17	27	151

W. 8,000, X. '11.

Ex. D.L.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

4. JAN 1913

Kept at Baldock.

in the County of Herts. 4

by F. Langston Day

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
„ „ „ Sea Level 214 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Baldock
Distance 400 yds Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02			·02	·07	·06	·12	·29		·16	1
2		·03	·05	·08		·16	·50		·01			·02	2
3	·05	·04	·05		·23	·11	·01	·27				·06	3
4	·10		·57		·13	·30					·28	·01	4
5	·14	·09	·29			·03		·11				·01	5
6	·26	·02				·19	·20	·25	·05			·03	6
7	·02				04	1·03		·17				·03	7
8	·28	·26	·18			·03	·01	·38	·16			·03	8
9		·06		·06		·22	·04	·01				·17	9
10		·10	·02					·40	·09		·14	·06	10
11	·12					·04			·10		·03	·09	11
12	·10	·10	·07		·03	·05					·07		12
13		·02				·09		·21		·02	·16		13
14						·01		·02		·02	·01		14
15		·03	·17		·07	·14		·01				·11	15
16	·27				·16	·07		·03		·02			16
17	·50		·21		·08	·10		·06			·07	·03	17
18	·05		·20				·01	·37		·01	·06	·11	18
19	·16	·11	·16				·33	·40			·01		19
20	·01		·12		·03		·02	·12		·17			20
21	·01		·49		·29			·43		·20	·06		21
22	·57	·06	·04		·11		·03	·16		·04		·02	22
23	·46	·39	·20		·04		·24	·43			·17	·11	23
24	·21					·05	·08	·16		·01		·15	24
25						·10		·65		·31	·22	·44	25
26						·02	·21	·50		·18	·28	·23	26
27						·02	·04					·12	27
28		·03					·10	·04	·07	·31	·31	·32	28
29						·17	·11	·42	1·00	·19	·01	·01	29
30	·02				·45	·01		·02	·58	·12			30
31			·11				·18	·28		·03		·04	31
Total	3·33	1·34	2·95	·14	1·66	2·96	2·18	5·96	2·18	1·92	1·88	2·38	TOTAL for year 28·88
No. of Rain Days.	18	14	17	2	12	22	17	26	9	15	15	23	190

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Baldock Eu Rr

in the County of Herts 4

by F H Langston Day

Lat. ……… Long. ………
Nearest Railway Station Baldock
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. …… in.
" " " Sea Level 214. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·13	·09	·18					·34		·09	·04	1
2	03	·16			·07		·20		·13				2
3	·05		·10	·07	·68		·01					·05	3
4	·12				·05	·03	·07			·42	·02	·27	4
5	·11	·01					·15			·09	·02	·08	5
6			·12		·16	·18	·25			·08			6
7		·16			·11	·01	·03			·51	·05		7
8			·05	·03	·21	·07				·13	·08		8
9		·21	·02		·02	·18			·12		·02	·06	9
10			·05	·06	·		·60				·36		10
11	·62			·40	·12					·13	·23		11
12	·				·06						·29		12
13									·05		·40		13
14	·08		·10				·60	·05		·20	·04		14
15	·12	·03	·16	·25			·14						15
16	·06		·29	·17					·06				16
17	·02		·04	·09		·25	·09				·02	·12	17
18	·01		·11	·13			·02				·04		18
19	·27		·11				·14		·63			·04	19
20	·07		·06			·02				·29			20
21	·06		·11		·05		·01			·13	·27		21
22	·34		·17				·02	·08	·13				22
23				·17		·03	·02	·05				·08	23
24	·04					·01		·03					24
25		·05		·02			·02				·02		25
26			·25	·17				·12		·55	·01	·14	26
27		·03	·04	·12						·02			27
28	·12		·37	·06						·11		·03	28
29	·04	—	·09	·07	·31			·10		·03		·01	29
30	·23	—		·40		·06		·10		·14	·20	·03	30
31	—	—		—				·38		·02	~~·20~~	·	31
Total	2·43 ✓	·78 ✓	2·33 ✓	2·39 ✓	1·84 ✓	·84 ✓	2·37 ✓	·91 ✓	1·46 ✓	2·85 ✓	2·16 ✓	·95 ✓	TOTAL for year 21·31 ✓
No. of Rain Days.	19	8	19	16	11	10	16	8	7	15	17	12	158. ✓

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Baldock

in the County of Herts 4

by FW Langston Day

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Baldock GNR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·97	·14		·02	·07		1
2			·02	·05			·05	·02			·06	·03	2
3			·07		·11		·49	·13			·13		3
4	·20		·01	·19	·03			·08			·44	·24	4
5			·04	·24	·07	·12	·39	·12					5
6		·08			·02	·12	·11	·02			·39	·11	6
7		·14	·20	·14	·27	·01	·05	·01				·33	7
8	·09	·10	·57	·08	·04	·43	·02	·09				·02	8
9	·28		·47	·24	·01	·57						·94	9
10	·10	·15		·08	·09				·12				10
11		·13	·29		·15	·37			·01		·29	·26	11
12	·03	·03	·07						·42			·37	12
13		·20	·11						·07	·21		·31	13
14		·02	·27				·06			·35	·11	·53	14
15	·11		·18						·02		·08	·08	15
16			·03								·08		16
17	·01	·31	·05						08	·01		·12	17
18			·02									·44	18
19		·04	·20						·03		·23	·03	19
20		·16	·30			·01	·04					·05	20
21		·37	·09			·25	·02		·05	·02		·14	21
22		·13	·03	·02	·29	·02	·02	·04		·44			22
23		·14	·04		·10					·15		·05	23
24			·10	·03			·15			·11	·11		24
25	·05	·07	·07					·09		·25		·11	25
26			·04					·02		·03	·09	·38	26
27	·05							·03			·01	·13	27
28		·04			·03					·09	·76	1·21	28
29	·02		·08		·01					·26	·08		29
30			·03							·04	·28	·58	30
31					·18		·04					·04	31
Total	94	2·11	3·38	1·07	1·40	1·90	2·41	·79	·80	1·98	3·21	6·50	YEAR'S TOTAL 26·49
Rain Days.	10	16	25	9	14	9	13	12	8	13	16	23	168

W. 8,000. X. 14.

Exr D L

1056

FORM A.
BRITISH RAINFALL.

15 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Baldock
in the County of Herts. 4
by F. W. Langston Day

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Baldock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	05	·08		·06					·02	·05	·20	1
2	·23	·23	·19	·21		·04		·83	·05	·03		·15	2
3	·30	·	·02	·08			·06	·05	·03		·03	·12	3
4	·10	·	·					·05				·44	4
5	·03	·37	·	·						·04		·20	5
6	·18	·02	·	·20			1·18	·08		03		·03	6
7	·05	·25	·13	·03			·23	·02				·27	7
8	·	·32	·02				·02				·03		8
9	·		·			·04					·17	·39	9
10	·21		·06					·01			·02		10
11	·01		·02		·01						·79		11
12	07			·31	·32					09	·63	·07	12
13	·02	·02			1·11			·25					13
14	·	·06			·01		·29	·35	·08			·27	14
15	·17	·06			·04		·	·10			·15	·09	15
16	·	·27			·		·46	·12				·17	16
17	·01	·24			·14		·13				·02		17
18	·	·06			·02								18
19		-	·23		·01		·11				·07		19
20	·23	·										·31	20
21	·12	·06			·01		·11			·01		·10	21
22	·92	·03	·44	·05			·36					·11	22
23	·02	·13	·29	··		·02	·25		·19	·18		·17	23
24			·12			·06	·05			·02		·12	24
25			·01	·02		·12	·01					·20	25
26		·07				·	·10		·01			·23	26
27		·07				·19	·03		·03			·03	27
28		·16				·02		04	·80	·37			28
29					·01			·28		·13	·07	·10	29
30	03	X				·07	03				·03	·02	30
31	·03	X		X		X	·01	·03	X	·49	X	·18	31
Total	3·17	2·87	1·61	·90	1·74	·56	3·43	2·18	1·19	1·41	2·06	3·97	YEAR'S TOTAL 25·09
Rain Days.	19	18	12	7	11	8	17	13	7	11	12	23	158

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS

BARLEY DALNYVEED
1911 – 1920
HERTS

Kept at Barley
in the County of Her
by Wm M. Cook

1 ft. – in.
300 ft.
Royston
3¾ Direction W

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading a
for it at the end of this par
the selection and placing of
Organization are given in "*Ru*
Dr. H. R. Mill, 62, Camden S

sult entered to the
ule, he is earnestly
he space provided
rain,
ainfall
ion to

Jan. 1, following.

Date	Jan.	Feb.	March.	Apr							Nov.	Dec.	*Date.*
1				·04			·05					·10	1
2	·21			·03	·13						·11		2
3				·03	·16	·02	·02			·24	·03	·22	3
4	·06	·07	·19	·06						·04	·05	·28	4
5	·01									·01	·04		5
6	·24		·08										6
7											·26	·51	7
8	·15		·19								·08	·13	8
9	·21			·03								·03	9
10		·08	·10								·12	·26	10
11	·27				·14						·36	·01	11
12	·08		·46						·03		·25		12
13			·05		·55				·20	·18	·01	·20	13
14		·01	·03		1·19	·07						·39	14
15			·27						·07	·06	·09	·01	15
16		·02	·03			·33					·22	·03	16
17						·05					·06	·11	17
18		·16				·05					·70	·08	18
19					·03	·20			·02	·16	·31	·02	19
20		·02	·01			·02		·30	·19	·02		·46	20
21	·02	·08						·22	·02	·36		·12	21
22	·12	·02	·35			·15		·03		·08		·45	22
23		·15	·18			·80			·20			·10	23
24		·03	·03			·10	·01	·01		·50		·15	24
25		·12	·03	·05		·22	·16	·03				·01	25
26	·02			·25		·06	·04			·13	·05	·12	26
27		·22	·06	·05					·14			·02	27
28		·17		·24				·07			·10	·06	28
29				·02		·14	·13		·24	·21			29
30			·01							·21		·01	30
31													31
Total	1.44	1.15	2.07	·80	2.20	2.21	·41	·66	1·11	2.20	2.84	3.88	TOTAL for year 20·97
No. of Rain Days.	11	13	16	10	6	13	6	6	9	13	17	25	145

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Barley nr Royston

in the County of Herts 4

by Wm M. Cook

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Royston
Distance 3¾ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·05					·10	1
2	·21			·03	·13						·11		2
3				·03	·16	·02	·02			·24	·03	·22	3
4	·06	·07	·19	·06						·04	·05	·28	4
5	·01									·01	·04		5
6	·29		·08										6
7											·26	·51	7
8	·15		·19								·08	·13	8
9	·21			·03								·03	9
10		·08	·10								·12	·26	10
11	·27				·14						·36	·01	11
12	·08		·46						·03		·25		12
13			·05		·55				·20	·18	·01	·20	13
14		·01	·03		1.19	·07						·39	14
15			·27						·07	·06	·09	·01	15
16		·02	·03			·33					·22	·03	16
17						·05					·06	·11	17
18		·16				·05					·70	·08	18
19					·03	·20			·02	·16	·31	·02	19
20		·02	·01			·02		·30	·19	·02		·46	20
21	·02	·08						·22	·02	·36		·12	21
22	·12	·02	·35			·15		·03		·08		·45	22
23		·15	·18			·80			·20			·10	23
24		·03	·03			·10	·01	·01		·50		·15	24
25		·12	·03	·05		·22	·16	·03				·01	25
26	·02			·25		·06	·04			·13	·05	·12	26
27		·22	·06	·05					·14			·02	27
28		·17		·24				·07			·10	·06	28
29				·02		·14	·13		·24	·21			29
30			·01							·21		·01	30
31													31
Total	1.44	1.15	2.07	·80	2.20	2.21	·41	·66	1.11	2.20	2.84	3.88	TOTAL for year 20.97
No. of Rain Days.	11	13	16	10	6	13	6	6	9	13	17	25	145

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
-1 JAN 1913

Kept at "Dalnyveed" Barley

in the County of Herts 4

by Wm W Cook

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Royston
Distance 3½ miles Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01			·13	·02	·02	·10	·26		·17	1
2		·01	·01	·05		·76	·37		·01			·01	2
3	·11		·06		·17	·08	·01	·29				·11	3
4	·07		·54		·08	·32		·01			·25		4
5	·15	·05	·44					·14	·02		·07		5
6	·29	·03			·04	·19	·24	·22			·04		6
7	·03					·65		·27					7
8	·26	·28	·17			·14	·01	·08	·34			·02	8
9	·01	·04		·09		·35	·02					·27	9
10		·02						·16	·09		·15	·06	10
11	·10	·14				·03		·07	·05			·07	11
12	·10	·04	·07		·04	·04	·01				·08		12
13						·10		·05			·08	·01	13
14					·04	·03		·06				·03	14
15		·03	·25		·26	·18		·02			·02	·16	15
16	·28		·03		·01			·05		·04	·10		16
17	·46		·27			·10		·03				·10	17
18	·02		·17					·09		·01	·06	·07	18
19	·12	·05	·15				·12	·25			·03		19
20	·01		·10				·01	·14		·31			20
21	·01	·01	·70		·30			·46		·20	·05		21
22	·66	·05			·08		·04	·23		·03		·01	22
23	·53	·47	·24		·01		·03	·56		·02	·22	·09	23
24	·26					·19		·16				·10	24
25						·14		·80	·02		·23	·38	25
26		·01				·01	·16	·68		·31	·32	·23	26
27							·07			·12		·12	27
28		·03					·05	·02	·05	·35	·24	·21	28
29			·10	·01		·09	·21	·26	1.04	·28	·05		29
30	·02				·16	·03		·01	·68	·31			30
31			·10		·01		·14	·24		·04		·07	31
Total	3.49	1.26	3.41	·15	1.20	3.56	1.51	5.37	2.40	2.28	2.00	2.29	TOTAL for year 26.92
No. of Rain Days.	19	15	17	3	12	19	16	27	10	13	16	20	187

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at "Dalmyveed" Barley nr Royston

in the County of Herts 4

by Wm W. Cook

Lat. 52-4'N Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Royston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·14	·08	·22					·74		·07	·64	1
2	·04	·14					·17		·15				2
3	·12		·10	·06	·74				·03	·01		·08	3
4			·01		·08		·03			·15	·02	·30	4
5	·04						·10			·37	·02		5
6		·04	·10		·14	·23	·09		·03	·07			6
7		·09			·12		·05			·42	·03		7
8			·03	·03	·17	·04				·05	·05		8
9		·18	·03	·03	·01	·17			·09		·03	·04	9
10			·07				·20	·02		—	·31	—	10
11	·67			·32			—			·08	·28		11
12	·02				·07						·13		12
13	·01										·55		13
14	·06	·02	·08					·06		·27	·07		14
15	·13	·03	·14	·21			1·01		·03		·01		15
16	·04		·37	·08			·17		·10		·01		16
17	·04	·01	·07	·13		2·05	·03				·03	·10	17
18	·02		·10	·11			·08		·12		·02	·02	18
19	·13		·10		·04		·07		·30			·04	19
20	·22		·07							·40			20
21	·03		·13	·02	·02		·01		·09	·16	·40	·01	21
22	·25		·09				·02	·11	·01		·02	—	22
23			·01			·04	·02	·11	·02			·07	23
24	·05					·04		·07			·03		24
25	·03	·02		·16		·03	·02					·04	25
26			·21	·06				·05		·76		·16	26
27		·06	·04	·04	·05					·06	·01		27
28	·10		·15	·04		·01			·01	·15	·01	·02	Snow 28
29	·08		·07	·19	—			·05		·05		·01	" 29
30	·29			·15	·34	—		·09		·13	·13	·01	" 30
31								·28		·02			31
Total	2·42	·73	2·05	1·85	1·78	2·61	2·07	·84	1·72	3·15	2·23	·94	YEAR'S TOTAL 22·39
Rain Days.	21	10	21	16	11	8	15	9	13	16	21	14	175

W.7,000, XI. 13

C4 ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at "Dalmyveed" Barley nr Royston
in the County of Herts 4
by Wm W. Cook

Lat. 52'4" Long. 0
Time of Observation 9 a.m.
Nearest Railway Station Royston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·20	·25			·07		1
2	·02			·03			·04	·08		·02	·17	·10	2
3			·16		·10		·82	·03			·13		3
4	·18		·01	·22			·21	·14			·45	·21	4
5	·01		·01	·26	·04	·04	·10	·21			·01		5
6		·10		·01	·03	·06	·13				·18	·11	6
7		·11	·27	·08	·25	·17	·11				·01	·23	7
8	·11	·10	·60	·07	·04	·67		·10				·02	8
9	·40		·45	·05		·47						·81	9
10	·15	·15	·01	·08	·04				·12			·02	10
11		·13	·33		·06	·32			·04		·26	·21	11
12	·05	·02	·07						·56	·02	·07	·26	12
13		·19	·15						·03	·10	·02	·31	13
14		·01	·29				·26			·24	·16	·47	14
15	·09		·23					·04				·10	15
16	·01		·06				·05				·05		16
17		·32	·02						·11			·05	17
18		·02	·04								·03	·28	18
19		·05	·19			·23	1·54		·02		·21	·03	19
20		·15	Snow ·39			·09	·10		·07	·01		·09	20
21		·30	·12			·09		·11		·01		·17	21
22				·01	·25		·15	·04		·50		·02	22
23		·02	·05		·08					·12	·03	·09	23
24		·01	·04	·12			·10			·13	·16		24
25	·02		·07				·12			·36		·18	25
26			·06				·05	·13		·05	·08	·38	26
27	·03		·01								·01	·11	27
28		·02								·04	·60	1·31	28
29	·01		·04							·32	·09	·05	29
30		X	·04							·02	·23	·18	30
31		X		X	·18	X	·03		X		X	·03	31
Total	1·08	1·70	3·71	·93	1·07	2·14	4·01	1·13	·95	1·94	3·02	5·82	YEAR'S TOTAL 27·50
Rain Days.	12	16	25	10	10	9	16	10	7	14	21	26	176

W. 8,000. X. 14.

1057

FORM A. BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Dalnyveed" Barley nr Royston

in the County of Herts

by W. W. Cook

4

Lat. 52-4 Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Royston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·10	·14		·07				·15		·01	·26	1
2	·10	·30	·26	·10		·01		·43		·03		·11	2
3	·33		·05	·08			·06	·50	·17		·01	·15	3
4	·15							·03		·02	·05	·47	4
5	·01	·18			·12			·02		·12		·15	5
6	·19	·03	·02	·20			·65	·02			·01	·03	6
7	·05	·34	·05				·45	·09				·19	7
8	·02	·28	·04				·01	·03			·02		8
9		·04		·05		·05		·01		·01	·20	·43	9
10	·28	·01	·06					·62				·08	10
11	·02				·03						·72		11
12	·11		·01	·42	·32			·01		·11	·62	Snow ·03	12
13	·01	·41			1·20						·01		13
14		·03					·29	·44	·07			·40	14
15	·20				·03		·21	·19			Snow ·24	·07	15
16	·02	·21					·50	·48		·05		·01	16
17	·01	·23			·19		·09	·02					17
18	·03	·23	Snow ·25		·02						·11		18
19		·01	·04				·10						19
20	·28			·07				·01		·02		·38	20
21	·19	·01			·02		·07			·01		·12	21
22	·93		·33				·29		·01			·18	22
23	·03	Snow ·14	·30			·13	·31		·36	·16		·15	23
24			·07				·04		·21			·15	24
25			·01	·03		·08	·02			·05		·07	25
26		·10					·15					·24	26
27		·01				·16	·13			·40		·01	27
28		·24	·02				·04	·10	·86	·11			28
29					·01	·20	·15	·15			·04	·12	29
30	·02	X				·04					·03		30
31	·03	X		X		X			X	·50	X	·16	31
Total	3·36	2·90	1·63	·95	2·01	·69	3·56	3·15	1·83	1·59	2·07	3·96	YEAR'S TOTAL 27·72
Rain Days.	22	19	15	7	10	7	18	17	7	13	13	23	171

W. 8,000. X. 15.

Exd C.F.E.

1029

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at "Dalmyveed" Barley nr Royston

in the County of Herts

by W. W. Cook

Lat. 52·4 Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Royston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·10		·23	·02					·22		1
2	·27	·03	·17		·13	·01			·10	·20			2
3	·20	·30	·05			·01			·23	·12	·25		3
4	·03	·18				·24	·02			·25	·27		4
5			Snow ·03	·03	·02	·20	·22			·07	·38	·02	5
6		·04	Snow ·18	·38		·03	·22			·08	·32		6
7	·11		Snow ·08		·15	·04	·03			·11	·47	·04	7
8	·01		Snow ·11		·27	·32						·31	8
9	·01		Snow ·17		·25	·01						·03	9
10		·08	Snow ·10	·10		·30	·17		·02			·04	10
11	·09	·10		·14	·03	·15			·01				11
12	·02	·01		·01	·45	·12	·13	·11	·01				12
13		·40	·15	·05	·73		·26	·07		·25			13
14		Snow ·30	·06	·08	·04			·06				Snow ·24	14
15		·30	·30	·04				·17	·02			Snow ·06	15
16		·01	·08	·23	·03		·19	·05		·11			16
17	·06	·07		·23			·12	·28	·27	·25			17
18		·07	·03	·15				·28	·12		part snow ·50		18
19	·02	·03	·11	·11					·18		·74	Snow ·09	19
20	·18		·34	·09				·24			·03	·50	20
21	·01		·77				·22				·02	·27	21
22		Snow ·18	·01		·14							·50	22
23	·01	Snow ·36	·03			·11		·01		·04	·04	·09	23
24		Snow ·02				·21		·02		·04	·03	·41	24
25		Snow ·11	·15		·01			·12		·13	·09		25
26		Snow ·13	·02			·04	-			·02			26
27	·06	Snow ·10	Snow ·60			·03	-	·07	·04	·32		·03	27
28		Snow ·26	Snow ·40			·03			·03	·02		·18	28
29		·14				·15		1·80		·36		·05	29
30		X			·59	·01		·24		·36			30
31		X		X		X		·02	X	·04	X		31
Total	1·13	3·22	4·04	1·64	3·07	2·03	1·58	3·54	1·03	2·77	3·36	2·86	YEAR'S TOTAL 30·27
Rain Days.	15	22	23	13	14	19	10	15	11	18	13	16	189

W. 8,000, VIII. 16

997

FORM A.
BRITISH RAINFALL
12. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Barley
in the County of Herts
by W. W. Cook

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Royston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08				1·04	·10		·27		1
2	·02			·19		·13		·19		·01	·05		2
3		Snow ·02						·35		·56	·04		3
4		Snow ·13						·12		·48			4
5	·25		·01	Snow ·20	·01			·22	·18	·09	·11		5
6						·08			·04	·30	·06		6
7	·28						·20			·34		·01	7
8	·15			Snow ·08			1·43	·18		·22	·09	·15	8
9	·07		Snow ·05	Snow ·12			·01	·63			·10	·10	9
10	Snow ·21		·12	Snow ·17				·08		·03	·01	·01	10
11	·06	Snow ·02	·68	Snow ·05						·22			11
12	·05			Snow ·03	Thunder ·26			·13		·19	·01		12
13	Snow ·11		·04					·05	·05	·04		·01	13
14	Snow ·01		·01	·06				·04					14
15	Snow ·04				·02		·01	·16		·01		·01	15
16	Snow ·03	·06		Thunder ·20		Thunder ·04	·48			·75	·01	Snow ·05	16
17	Snow ·01			·16	·75		·27	·04	·42	·27			17
18	·08	·03		·08		·08	·33	·02	·46				18
19	·01	·11	·11		·35	·03			·21				19
20		·12	·12		Thunder 1·09						·18		20
21		·02	·04								·01		21
22			Snow ·09					·09	·01	·20			22
23		·06						·12		·01			23
24		·02			·25	·15		·11		·07			24
25		·01	·04							·01	Snow ·18		25
26		·01	Snow ·15					·28			part snow ·43		26
27			Snow ·04		·45	·02		·65	·05			Snow ·13	27
28		·03	·02			·72		·08		·01		·03	28
29						·66	1·75	·10		·33		·18	29
30		X	Snow ·18				·85	·14				·02	30
31	Snow ·09	X	Snow ·26	X		X	·52	·08	X		X		31
Total	1·47	·64	1·96	1·42	3·18	1·91	5·85	4·90	1·52	4·14	1·55	·70	YEAR'S TOTAL 29·24
Rain Days.	16	13	16	12	8	9	10	23	9	20	14	11	161

W. 8,000, IX. 17.

A Ed only one star (Hopkinson confirm)

78

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1.1.19

Kept at "Dalmycead" Barley nr Royston

in the County of Herts

by Wm W Cook

Lat. 52.4 Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Royston 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·13							·08	·02	1
2	·03	·06		·10				·04	·04	·01	·05	·12	2
3		·03	·09		·40			·03	·13		·64	·03	3
4		·02	·08					·01	·48	·02	·31	·02	4
5					·11			·11	·03	·01			5
6	·05	·10		·36	·02							·07	6
7	Snow ·14	·10		·04					·03	·07	·15	·01	7
8	Snow ·05		·01						·17	·04	·02		8
9		·02		·01		·01			·32	·13		·17	9
10	·09			·04			·30		·07		·03	·13	10
11				·03	·11		·30		·04	·28	·07	·04	11
12	·02	·11			·22				·07	·01			12
13		·03		·02	·19		·20		·12			·17	13
14	·15			·02		·17	·05		·24	·17		·12	14
15	Snow ·85			Part snow 1.73		·05	·10					·08	15
16				·31		·04		·01	·53				16
17	·55			·30			·57	·01	·01			·10	17
18	·40					·11	·15		·46			·30	18
19	·02	·04	·15	·04		·07	·18			·13		·08	19
20	·01	·02		·30		·05	·07		·17	·15	·02	·01	20
21	·04			·03					·70	·08			21
22	·04			·02	·52		·07		·07			·28	22
23	·03			·01	·13	·06	·17	·08	·06	·01		·04	23
24		·18			·03		·03		·07		·05		24
25						·17	·04	·19			·11		25
26							·13	·04		·02	·11	·13	26
27				·24				·26	·03		·13	·01	27
28	·01	Snow ·05	·09	·02			·13	·01			·22	·07	28
29	·01		~~[illegible]~~						1.47		·02		29
30		✕	·30						·05		·12	·17	30
31		✕	(·01)	✕		✕			✕	(·09)	✕	·08	31
Total	2.49	·78	·73	3.75	1.73	·73	2.49	·79	5.36	1.22	2.13	2.25	YEAR'S TOTAL 24.45
Rain Days.	17	13	7	19	9	9	15	11	23	15	16	23	177

W, 6,500, VII. 18. W W C

from C's 848

18 FEB 1921

895.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dalnyweed, Barley Royston

in the County of Herts

by W. W. Cook per Herts: Natural Hist'y Soc'y

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. **Full** instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·56	·02	-	·16	·06	·05	·56	-	·13	1
2	-	-	·01	·02	-	-	·04	·10	·05	·02	-	·07	2
3	-	·02	-	·06	-	·05	·06	-	·02	-	-	-	3
4	-	-	-	·13	-	-	·20	·10	·03	·05	-	·10	4
5	-	-	·05	-	·10	-	·55	·03	·15	-	-	·04	5
6	-	-	·15	·02	·10	-	·66	-	-	-	-	·01	6
7	-	-	·05	·07	-	-	·12	-	-	-	-	·04	7
8	·29	·01	-	·33	-	-	·05	·13	-	-	-	-	8
9	·33	-	-	·20	-	-	-	·02	-	-	-	-	9
10	·34	·02	·06	·03	-	-	-	-	-	-	·02	·02	10
11	·12	-	·06	·27	·02	·04	·15	-	-	-	-	·05	11
12	·08	-	·04	·09	-	·36	-	-	-	-	·01	·07	12
13	·01	·01	·11	·12	-	·03	-	-	-	-	-	-	13
14	-	-	·23	·12	-	·04	·10	-	·12	·07	·18	·05	14
15	-	·02	·10	·10	-	-	-	-	·25	-	·04	·03	15
16	-	-	-	·14	-	-	-	-	·13	·05	-	-	16
17	·03	-	·02	-	·10	-	·10	-	·14	-	-	·04	17
18	·19	-	-	-	-	-	-	·46	·05	-	-	·06	18
19	·12	-	-	·12	-	·06	-	·05	-	-	-	·03	19
20	·07	·16	-	·23	-	·46	-	-	·10	-	·01	·02	20
21	·02	-	-	·04	-	-	·43	·10	·27	-	-	·01	21
22	-	-	-	·15	-	-	-	-	·30	-	-	·13	22
23	-	·01	-	-	-	-	·36	·01	-	-	-	·32	23
24	·02	-	·08	-	-	-	-	-	-	-	-	·02	24
25	-	·01	·03	·05	-	-	·23	-	·03	-	-	-	25
26	·13	-	·07	·06	·31	·02	·04	-	-	-	·03	-	26
27	·16	·06	-	·17	-	·20	-	-	·01	-	·17	·07	27
28	·43	-	·24	-	·16	·03	·03	-	-	-	-	·02	28
29	·05	-	-	-	·40	-	·13	-	-	-	·12	·13	29
30	·04	X	~~·03~~	-	·02	·05	·12	·01	·18	-	·10	·20	30
31	·03	X	·03	X	·01	X	-	·01	X	·20	X	·05	31
TOTAL	2·46	0·32	1·33	3·08	1·24	1·34	3·53	1·08	1·88	·95	·68	1·71	YEAR'S TOTAL 19·60
Days with ·01 in. or more	18	9	16	22	10	11	18	12	16	6	9	24	171
Days with ·04 in. or more	13	2.	12	19	6	8	17	7	12	5	5	16	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS
BARNET – 27 BEDFORD AVE
1911 – 1920

R 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Bar
of top 5 in.
of top above Ground 1 ft. 4 in.
in the County of H
" " Sea Level 350 ft.
by Miss C M.
ion
Station { Name High Barnet
Distance ¼ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	1	1	59	1		4	5			1		1
2	16			29	25						27	21	2
3	1			4	28					9	16	10	3
4	7	2	10	18	1					5	17	30	4
5	2		1	7						8	1		5
6	44		10	2						10		42	6
7	5	1		1						1	34	28	7
8	17		25							[illegible]	18	15	8
9	10		2	4							1	7	9
10	5	9	14	3							7	30	10
11	36		1	1	70	8					66	2	11
12	5	2	60		2						24	1	12
13	1		8		14				55	59	2	25	13
14	1	5	4		48							45	14
15		8	23		1	39				4	5	4	15
16			2			10				1	39	6	16
17			16								48	17	17
18			2			17					54	26	18
19		19	1		2	14				8	26	13	19
20		3	2					25	18	7	1	65	20
21	2	5				1		16	18	59		10	21
22	10	9	5			4				13		44	22
23	1	17	25			83			32	1	4	17	23
24		16	6			8	2	4		1.10		18	24
25		5	5	7		24				4		1	25
26		3	3	18	3	20	1.27	2		18	2	32	26
27		49	9	16			7	3	14	1	2	10	27
28	1	35	1	27	7		2	6			3	1	28
29				7		19	1[illegible]		25	28	1	2	29
30			2	3	5				4	17			30
31					6					1		1	31
Total	1.67	1.89	2.38	2.06 2.06	2.19	2.47	1.54	0.61	1.66	3.64	3.99	5.23	TOTAL for year 29.33
No. of Rain Days.	18	17	25	16	14	12	6	7	7	20	23	28	25.33 193

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

1

REGISTER OF RAINFALL IN 1911

Kept at Barnet 2 Bedford Ave

in the County of Herts 3

by Miss C M. Haines

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 350 ft.

Time of Observation

Nearest Railway Station { Name High Barnet
Distance 1/4 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3	1	1	59	1		4	5			1		1
2	16			29	25						27	21	2
3	1			4	28					9	16	10	3
4	7	2	10	18	1					5	17	30	4
5	2		1	7						8	1		5
6	44		10	2						10		42	6
7	5	1		1						1	34	28	7
8	17		25								18	15	8
9	10		2	4							1	7	9
10	5	9	14	3							7	30	10
11	36		1	1	70	8					66	2	11
12	5	2	60		2						24	1	12
13	1		8		14				55	59	2	25	13
14	1	5	4		48							45	14
15		8	23		1	39				4	5	4	15
16			2			10				1	39	6	16
17			16								48	17	17
18			2			17					64	26	18
19		19	1		2	14				8	26	13	19
20		3	2					25	18	7	1	65	20
21	2	5				1		16	18	59		10	21
22	10	9	5			4				13		44	22
23	1	17	25			83			32	1	4	17	23
24		16	6			8	2	4		1.10		18	24
25		5	5	7		24				4		1	25
26		3	3	18	3	20	1.27	2		18	2	32	26
27		49	9	16			7	3	14	1	2	10	27
28	1	35	1	27	7		2	6			3	1	28
29				7		19	12		25	28	1	2	29
30			2	3	5				4	17			30
31					6					1		1	31
Total	1.67	1.89	2.38	2.06 2.06	2.19	2.47	1.54	0.61	1.66	3.64	3.99	5.23	TOTAL for year 29.33 25.33
No. of Rain Days.	18	17	25	16	14	12	6	7	7	20	23	28	193

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 - JAN 1913

Kept at 27 Bedford Avenue, Barnet
in the County of Herts 3
by Miss M. Haines

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station High Barnet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			14	6		16	7	1	5	33		17	1
2		5	12	1		9	33		1	1		1	2
3	5		13		3	8	3	20	2		24	10	3
4	23		65		27	18		37			19	1	4
5	18	13	10		1			3			5	1	5
6	53	2	1			1		15				7	6
7	1		3		2	40	1	15				5	7
8	41	40	20			2	2	26	4		1	4	8
9	3	10	1	5	1	11	4	13				18	9
10	1	5	2			6		8	5	2	13	19	10
11	6	37				3		28	5	1		12	11
12	7	14	12		18	10				1	9	1	12
13	1	1	2			2	2			1	11	6	13
14			4		4					8	1	5	14
15		3	8		29	39		9		1		27	15
16	36		6		8	7		20		8		1	16
17	61		32		1	12		6			8	1	17
18	8		16			1		24		3	4	12	18
19	19	5	13				10	42		1	1	1	19
20	2	1	14		3		1	24		36			20
21	2	9	45		5			13		8	6		21
22	24	22	10		6		17	19		13	1	3	22
23	45	34	37				93	56		2	20	14	23
24	50	5	1			2	2	9		1	1	16	24
25	1	1				18		61			29	50	25
26		3					16	28		47	42	30	26
27			2			2	19	1		19		21	27
28		6				5	6	8	5	38	31	21	28
29		5	2			11	27	28	1.16	46	9	1	29
30	1				27	1	1	11	93	14		7	30
31			38		2		21	20		1			31
Total	4.08	2. 21	3.83	0, 12	1. 37	2. 24	2.65	5.45	2.36	2.85	2 35	3.12	YEAR'S TOTAL 32.63
Rain Days.	22	20	26 25	3	15	22	18	27	9	22	19	28	230 231

W. 7,500, XI. 12

Smoke

REGISTER OF RAINFALL IN 1913

Ex Feb

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Barnet

in the County of Herts 3

by Miss Haines

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station High Barnet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5	18	12	34	1				15	2	8	15	1
2	6	16	1	1			6		5	2	4		2
3			4	20	48					1	1		3
4	23		3	2	14		20			17	4	6	4
5	10	1			1	4	8		14	2	2	3	5
6	1	6	9		11	26	7		3	20	4	9	6
7		17			17	4	28	1		44	41		7
8		3	6	2	13	14				9	5		8
9		17		2	4	1			5	1	4	8	9
10		1	5	12	1		60	5					10
11	76			50	6			5		46	35		11
12	1	2		1	3					1	57		12
13	4	1	2					2	5		32		13
14	12	3	13	8	2		36	12	1	17	10		14
15	13	5	23	35			19						15
16	11	1	30	16									16
17	3	1	7	19			19		10	1	5	2	17
18	2		16	13	2				4		10		18
19	23		4	2								3	19
20	10		8	5			13		30	57	4		20
21	3		18	16					1	20	68		21
22	46		13	4			6	4			1		22
23	1		1			4		10	19			18	23
24	1		1	4		1		3	3		2		24
25		2		17		2							25
26		3	23	9				10		68		27	26
27		1	3	10						2			27
28	22		23	8						10			28
29	8		10	47	70			6		2		3	29
30	30		1	13				7		13			30
31	1		5					25		2			31
													YEAR'S TOTAL
Total	3.12	0.98	2.41	3.50	1.93	0.56	2.22	0.90	1.15	3.37	2.67	0.94	23.75
Rain Days.	23	17	25	25	14	8	11	12	13	21	19	10	~~173~~ 198

W.7,000, XI. 13

EX MF

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Barnet
in the County of Hertfordshire 3
by Miss Haines

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station High Barnet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			8				2	2			6	17	1
2				1		1	13	25			3	13	2
3	2		13		17		23	20			9		3
4	17		3	20	5						43	33	4
5	5		8	19	15	7	52	7			2		5
6	1	14	1		5	12	2	30			28	23	6
7		24	30	16	65	9	14	4			1	16	7
8	7	30	77	12	5	17	15	15	1			4	8
9	17		75	7		39			14			1.40	9
10	5	16	2	6	7				18			2	10
11		26	52	1	1	53			9		21	34	11
12	3	5	13				7		30		2	48	12
13		38	14						18	6	5	52	13
14		11	50				5		1	27	12	38	14
15	6	1	25					3	5	6	5	7	15
16			6				4		6		3		16
17		43	7						13			22	17
18		4	13									39	18
19		5	25			3	4		5		18	7	19
20		24	20			2	1		10	1	1	21	20
21		49	8	2		2				2		10	21
22		1	2		46	4	15	4		20			22
23		3	13	6	18	10	2	1		13			23
24		1	3						1	2	15		24
25	5		17				5	15		37	1	11	25
26			4					5		5	19	61	26
27	6		1				7	1			2	25	27
28	1				3					3	44	1.27	28
29	14		14							29	15	2	29
30		X	7							3	55	26	30
31	1	X		X	20	X			X		X	1	31
Total	0.90	2.95	5.11	0.90	2.07	1.59	1.71	1.32	1.31	1.54	3.10	7.79	YEAR'S TOTAL. 30.29
Rain Days.	14	17	28	10	12	12	16	13	13	13	22	25	195

W. 8,000. X. 14.

Exd list

1015

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Barnet

in the County of Hertford 3

by Miss M. Haines

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	50	17	8		4					5	25	42	1
2	37	13	31	11		1		66	16	5	1	17	2
3	48	1	4	21			3	52				39	3
4	6							79	1	1		32	4
5	5	38		26				1		5		32	5
6	22	2	1		2		97	4				36	6
7	17	27	5	1			41	3			1	19	7
8	5	61	5	5			15	5					8
9		12		8		5	1	7		1	31	63	9
10	31		3					21			1	17	10
11	4		2		1					1	81	3	11
12	10	4		25	42			12		1	44	3	12
13	1	40			55					1			13
14	1	5			1		1.36	18	7			69	14
15	29				5		4	15			25	14	15
16	2	42			1		77	2			—	2	16
17		35			67		12	4					17
18		19	11		10		1				5		18
19		7	3		2		13			1			19
20	34			5								30	20
21	16						3					5	21
22	87	17	30				75					18	22
23	1	22	26			3	22		27	35		29	23
24			16			1	20		35	11		27	24
25			6	10		2	18			2	1	19	25
26		14	1	1		16	11		2			47	26
27		1	2			40	28			41		9	27
28		7				9	41		1.39	17		1	28
29			2			2		13		1	16	1	29
30	7	X				32				2	15	1	30
31	3	X		X		X		8	X	1.16	X	20	31
Total	4.16	3.84	1.56	1.13	1.90	1.11	6.18	3.10	2.27	2.46	2.46	5.95	YEAR'S TOTAL 36.12
Rain Days.	21	20	17	10	11	10	19	16	7	17	12	26	186

W. 8,000. X. 15.

Exd FW

985

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Barnet

in the County of Hertfords

by Miss Haines

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	19		1		14	5	2		11	5	30		1
2	66	2	16		23		1		16	36	1		2
3		41	23		1	1	4		26	32	47		3
4	31	7				50	4		3	14	40		4
5	3	1	1	2	5	12			1	15	61	1	5
6	1	12	30	25	2	9	36			7	46		6
7	11		25	1	11	17	9			1	64	4	7
8		6	4		48	1	1				1	30	8
9	1		2		36	43				14		4	9
10		15	11	12		35	5			1	1	12	10
11	10	14	5	17	1	13			1			1	11
12	4	4	3	14	37	15	3	20	1	6	1		12
13		45	22	10	10	19	21	23		4			13
14		46	1	3	10	1	1	71		8		17	14
15		30	42	2	1		4	9		1			15
16	1	2	18	16	4		24	18		1			16
17	12	7	1	5			4	60	33	58			17
18	2	10	6	10				28	14	3	61		18
19	18	2	17	25				1	12		75	5	19
20	20		18	8							4	47	20
21	3		80	1			8				1	44	21
22	1	3	9		1					4		56	22
23	3	34	1			12		3		5	6	6	23
24	1	4	1		8	36		4		8	4	41	24
25		37	13		1			17		4	14	1	25
26		25	1			3		2		4			26
27	8	6	1.26			7		47	14		1		27
28		43	38			25		1	9	46	1	23	28
29		10				23		1.36	2	41		16	29
30	1	✕		1	7	5		12		59	1	1	30
31		✕		✕		✕			✕	12	✕	3	31
Total	2.16	4.6	5.15	1.52	2.20	3.32	1.27	4.52	1.43	3.89	4.60	3.12	YEAR'S TOTAL 37.24
Rain Days.	20	24	27	15	18	20	15	16	13	25	20	18	231

W. 8,000, VIII. 16

520 8/ 952

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
11 3. JAN 1918

Kept at Barnet
in the County of Hertfords
by Miss. M. Haines

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station High Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2		38				92	5		15	1	1
2				48		7		10		2	6		2
3				5				33		28	39		3
4		15	22	1			2	22		41			4
5	27		4	34				17	83	9	18		5
6	1			11		3		1	6	2	8		6
7	24						13			40	1	4	7
8	17		3	10			80	10		26	20	25	8
9	5		5	17			2	34		1	6	15	9
10	31		14	13				9			2	3	10
11	11		44	41					1	39			11
12	14		5	4	1			3		58	1	1	12
13	6		12	19				10	2	3			13
14	1		1					11		2		2	14
15				3			24	2		6		2	15
16	9			22	20	14	7			75		25	16
17				11	65		27	5	50	30			17
18	6			12	10	13	10	2	20	11			18
19		35	5	1	12	2	1		46	1	2		19
20	6	21	7		72		2		1		10		20
21		1	3	2	4	2					6		21
22			2	1		12		9		8	1		22
23		11	3		11	2		17				5	23
24		11				3		5		33	3		24
25		4	4							1			25
26			8			1		21	4		50	2	26
27			5					77			1	3	27
28			4			1.5		16					28
29			2		30	4	1.50	22		25		18	29
30		×	30				1.34	15	1	2		3	30
31	10	×	2	×		×	44	1	×		×	3	31
Total	1.68	1.0	1.85	2.93	2.25	1.68	4.96	4.44	2.19	4.43	1.89	1.12	YEAR'S TOTAL 30.42
Rain Days.	14	8	21	19	9	12	13	24	11	22	17	15	185

W. 8,000, IX. 17.

Exd E.F.E.

35

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Barnet

in the County of Hertfords

by Miss M. Haines

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				27	~~43~~			2			13	6	1
2		10		10				20		1	9	29	2
3		1	5	3	53			19	6	1	60	2	3
4		9	12	8	~~10~~			7	42	2	68	4	4
5		6	2		12			14	3	11		1	5
6	11	30		33	14			7	1			9	6
7	5	14		21	12			8	14	8	13		7
8		7		2					18		9	2	8
9	3	8		2		9	33		41	17		33	9
10	5		1	6		1	40		5	3	1	29	10
11				4	9		20		12	23	5	11	11
12		11			20		10		4	1			12
13	3	4		2	22		13		28			5	13
14	23		2			25	27		30	22		25	14
15	1.31			1.51					2	1		11	15
16	24			13		2			18	5		2	16
17	21			28	28	18	25	2	5			17	17
18	64			1		22	3		1.10	12		8	18
19	3		6	8		10	27		4	9		18	19
20	2	20		72		3	11		11	28		5	20
21	8	3		28		1			46	3			21
22	8	1		1	18		18		15			20	22
23	2				36		39	5	9			6	23
24		21				4	8		10	1	8		24
25						7	25	10			5		25
26					13		38	13	1	6	26	19	26
27		2	2	10			10	31	5		12	5	27
28		2	18	6				1			25	16	28
29	2		4						1.27		3	2	29
30		X	42	1					2		7	8	30
31		X	1	X		X		2	X	12	X	3	31
Total	3.15 ✓	1.49 ✓	0.95 ✓	4.37 ✓	2.37 ✓	1.02 ✓	3.47 ✓	1.41 ✓	5.69 ✓	1.66 ✓	2.64 ✓	2.96	YEAR'S TOTAL 31.18 ✓
Rain Days.	16 ✓	16 ✓	11 ✓	22 ✓	11 ✓	11 ✓	16 ✓	14 ✓	26 ✓	19 ✓	15 ✓	26 ✓	203 ✓

W. 8,000, IX. 17.

Ex 21 900

AN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Barnet
in the County of Hertfords
by Miss M. Haines

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station High Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	53	11	2	2	20		29			4	2	1. 9	1
2	29		2	1	12		10	1	30		15	10	2
3	33		25		1		10		7	15	5	32	3
4	15		31			7	17	7	1		2	15	4
5	2	47	47				8	1	21		2	32	5
6			12	1			1				1	9	6
7	3		46										7
8	9		7	8							5		8
9	5		3	3							18		9
10	41		9	3	4							5	10
11	4		8	30			30				3	3	11
12			16			5	4			4	2		12
13	3		1	30					2	4		1	13
14	40			42			7		25			2	14
15	22		18	21						9		48	15
16	7	75	1	2							12		16
17			3	1							26	6	17
18		97	7					5	8		10	13	18
19	4	20	90			27	19	21	10		11	2	19
20	32	11	9			80	23	21	1		1	1	20
21		35	4			3	15				4	13	21
22		18	1			1	12	1	18		4	33	22
23						6	1	4	9		4	1	23
24				13		2	4			21	10	1	24
25				2	10	1	1	53				2	25
26	37	20	14	4			8	7	12			41	26
27	75	5	2	1. 12				44		1	2	2	27
28		1	14	5				78		1	27	28	28
29			1	10				17		16	16	4	29
30		×	3	25		21		15		2	32	34	30
31		×	2	×		×	1		×	2	×	2	31
Total	4.14	3.40	3.78	3.15	.47	1.53	2.00	2.75	1.44	79	2.14	4.49	Year's Total 30.08
Days with ·01 in. or more	18	11	27	19	5	10	18	14	12	11	23	26	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

853

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Barnet
in the County of Hertford
by Miss M. Haines

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station High Barnet
Diameter of Funnel of Rain Gauge 5 ft in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				51	10	—	35		1	48	—	28	1
2				1	1		4	72	6	4		15	2
3	1	10							5			8	3
4		4		23				7		19		25	4
5			10		4		64	4	7	1		5	5
6			14		13		32	2				3	6
7	3		5	20			20					5	7
8	9		1	17	3		2	7			2	1	8
9	43	5		1			1						9
10	53	7	10			12	13						10
11	21		7	27	2	8	22			2	1	18	11
12	9			12		44	1				2		12
13	11	1		18						~~41~~	5		13
14		2		20		57	2	2	13	41	25		14
15	2	3	38	20			1		51	16	10	5	15
16				14		4			22	21		2	16
17	2		1	7	17	3			49	1		3	17
18	5			1	1			64	13			3	18
19	16			22				2	8			2	19
20	6	12		25		64						2	20
21				2			73	3	59			10	21
22	2			30					18			26	22
23							1.25					39	23
24	2		9	1								7	24
25	1	4	6	7			15						25
26	9		10	1	9		3					3	26
27	21	11	1	29		8	2			3	74	13	27
28	60		14	4	7	2	11				1	2	28
29	28		10				4				9	37	29
30	5		1		13		68		52		22	33	30
31					5					20		9	31
Total	3.09	0.59	1.37	3.53	0.85	2.02	4.98	1.63	3.04	1.76	1.51	3.04	Year's Total 27.41
Days with ·01 in. or more	21	10	15	23	12	9	20	9	13	11	10	25	178
Days with ·04 in. or more	14	4	11	17	9	7	13	5	12	7	6	16	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS.
BARNET - SUMMERHILL
1911 — 1920

R 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Summer
in the County of Her
by F.A. Milne

of top 5 in.
op above Ground ft. 10 in.
„ „ Sea Level 400 ft.
n 9.A.M.
tation { Name High Barnet
Distance $\frac{2}{3}$ mile Direction E.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9.A.M.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·53			·03	·03					1
2	·14			·31	·17		·03				·23	·16	2
3		·01		·02^{s}	·16				·01	·07	·12	·10	3
4	·10	·01.	·08	·15^{s}						·03	·14	·31	4
5	·02			·02						·07		·08	5
6	·31		·08							·02		·25	6
7	·06									·08	·27	·27	7
8	·16		·19								·17	·18	8
9	·10		·03	·04							·01	·01	9
10	·04	·08	·07								·06	·29	10
11	·30		·01		·65^{T}						·58	·03	11
12	·04		·39		·03	·05			·03		·19		12
13			·06		·18				·48	·25	·02	·23	13
14		·04	·03^{s}		·43							·44	14
15		·05	·21							·02	·03	·02	15
16						·36				·01	·33	·03	16
17			·19			·07					·37	·11	17
18		·15	·02			·15					·52	·22	18
19		·02				·09			·12	·06	·24	·09	19
20		·04	·01			·01		·25	·17	·05	·01	·62	20
21		·07						·16		·53		·10	21
22	·08	~~[illegible]~~	·01			·03				·10		·42	22
23	·03	~~·11~~ ·13	·22			·76			·28	·01	·03	·14	23
24		~~·08~~ ·11	·02			·08	·01	·04		·88		·17	24
25		~~·01~~ ·05	·03	·06		·19	1·05			·02			25
26		~~·37~~ ·01	·02	·12	·02	·18	·06	·02		·14		·29	26
27		~~·29~~ ·37	·06					·03	·12	·20	·02	·09	27
28		·29		·30	·05		·02	·06		·10		·01	28
29				·06		·17	·10		·20				29
30				·03	·04	·01			·02		·03	·01	30
31				—	·02	—			—		—	·01	31
Total	1·41	1·43	1·73	1·64	1·75	2·15	1·30	·59	1·43	2·64	3·37	4.62	TOTAL for year 24·06
No. of Rain Days.	13	15	19	11	10	13	7	7	9	18	19	27	168

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Summerhill Barnet.

in the County of Hertford 3

by F. A. Milne

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 400 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name High Barnet
Distance 2/3 mile Direction E.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 9 A.M.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·53			·03	·03					1
2	·14			·31	·17		·03				·23	·16	2
3		·01		·02^{s}	·16				·01	·07	·12	·10	3
4	·10	·01	·08	·15^{s}						·03	·14	·31	4
5	·02			·02						·07		·08	5
6	·31		·08							·02		·25	6
7	·06									·08	·27	·27	7
8	·16		·19								·17	·12	8
9	·10		·03	·04							·01	·01	9
10	·04	·08	·07								·06	·29	10
11	·30		·01		·65^{T}						·58	·03	11
12	·04		·39		·03	·05			·03		·19		12
13			·06		·18				·48	·25	·02	·23	13
14		·04	·03^{S}		·43							·44	14
15		·05	·21							·02	·03	·02	15
16						·36				·01	·33	·03	16
17			·19			·07					·37	·11	17
18		·15	·02			·15					·52	·22	18
19		·02				·09			·12	·06	·24	·09	19
20		·04	·01			·01		·25	·17	·05	·01	·62	20
21		·07						·16		·53		·10	21
22	·08	~~[illegible]~~	·01			·03				·10		·42	22
23	·03	~~·11~~ ·13	·22			·76			·28	·01	·03	·14	23
24		~~·05~~ ·11	·02			·08	·01	·04		·88		·17	24
25		~~·01~~ ·05	·03	·06		·19	1·05			·02			25
26		~~·37~~ ·01	·02	·12	·02	·18	·06	·02		·14		·29	26
27		~~·29~~ ·37	·06					·03	·12	·20	·02	·09	27
28		·29		·30	·05		·02	·06		·10		·01	28
29				·06		·17	·10		·20				29
30				·03	·04	·01			·02		·03	·01	30
31				–	·02	–			–		–	·01	31
Total	1·41	1·43	1·73	1·64	1·75	2·15	1·30	·59	1·43	2·64	3·37	4·62	TOTAL for year 24·06
No. of Rain Days.	13	15	19	11	10	13	7	7	9	18	19	27	168

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

6- JAN 1913

Kept at Summerhill - Barnet

in the County of Herts. 3

by Frank A. Milne

Rain Gauge: Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 400 ft.

Time of Observation 9 AM

Nearest Railway Station: Name H Barnet
Distance 2/3 mile Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07			.14	.05	.01	.05	.32		.15	1
2			.06	.02		.08	.32						2
3	.04	.03 S	.10		.02	.11	.02	.20	.01			.08	3
4	.21		.55		.24	.14		.37			.20		4
5	.15	.08 S	.09		.01			.03			.05	.01	5
6	.51	.03 S				.02		.15			.01	.05	6
7			.04		.02	.44	.01	.15				.02	7
8	.40	.35	.15			.01		.26	.01			.03	8
9	.04	.08	.01	.03		.13	.03	.13				.14	9
10		.03				.04		.08	.04		.11	.20	10
11	.06	.37				.02		.28	.03		.01	.09	11
12	.05	.12	.07		.16	.06				.01	.06		12
13		.01	.03			.02	.01				.09	.04	13
14	.01		.01		.02					.07		.03	14
15	~~.01~~		.06		.25	.37		.08				.22	15
16	.30	.01	.03		.07	.08		.20		.05	.08		16
17	.39 S		.30			.09		.06					17
18	.12		.15					.24		.01	.02	.12	18
19	.16	.03	.10				.11	.42					19
20	.03		.12					.24		.36			20
21	.01	.04	.38		.02			.13		.03	.05		21
22	.20	.15	.10		.05		.16	.19		.10		.01	22
23	.44	.30	.31				1.57 T	.51		.02	.09	.01	23
24	.42					.01	.02	.09				.25	24
25	.01					.09		.61			.27	.48	25
26		.04					.16 T	.28		.41	.35	.28	26
27			.01					.01		.11		.18	27
28		.04				.04	.02	.08	.03	.27	.28	.16	28
29		.02	.01			.09	.18	.28	.95	.53	.07		29
30					.29			.16	.90	.11			30
31	.01		.32		.02		.12	.20				.05	31
Total	3.56	1.73	3.07	.05	1.16	1.98	2.78	5.44	2.02	2.40	1.74	2.60	TOTAL for year 28.53
No. of Rain Days.	20	17	23	2	12	19	14	27	8	14	15	21	192

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Summerhill, Barnet

in the County of Herts

by F. A. Miles.

3

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station High Barnet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.15	.08	.30					.15		.04	.08	1
2	.09	.12					.04		.05	.02	.02		2
3	.01		.03	.16	.45							.02	3
4	.18		.01	.01	.11		.18			.18	.04	.01	4
5	.07				.01		.06		.14	.06	.01	.02	5
6		.04	.05		.17	.20	.11		.03	.16	.02	.08	6
7		.08			.04	.01	.23	.01		.39	.10		7
8	.01	.01	.07	.01	.13	.11				.07	.03		8
9		.11	.01	.02	.01				.03		.04	.02	9
10			.03	.09	.01		.79 T	.05			.27		10
11	.70			.49	.02			.05		.42	.07		11
12					.01						.45		12
13	.04							.02	.04		.25		13
14	.08	.01	.10	.05			.33	.12	.01	.14	.12		14
15	.09	.05	.19	.24			.20						15
16	.11		.23	.12					.09				16
17	.02		.03	.19			.17		.02		.03		17
18			.11	.08	.01						.07		18
19	.22		.01				.11		.31				19
20	.07		.04	.03						.37	.01		20
21	.02	.01	.14	.14			.02			.19	.58		21
22	.43		.09	.03				.04	.16				22
23						.03		.10	.02			.24	23
24			.01	.02				.03					24
25		.01		.16		.01				.01			25
26			.21	.05				.10		.61		.23	26
27		.02	.02	.05						.01			27
28	.21		.21	.06						.06			28
29	.07		.09	.44 T	.66 T			.06				.07	29
30	.20			.11				.07		.05	.06		30
31			.03					.25		.01			31
Total	2.63	.61	1.79	2.95	1.63	.36	2.24	.90	1.05	2.75	2.21	.71	YEAR'S TOTAL 19.73
Rain Days.	19	11	22	22	12	5	11	12	12	16	18	9	169

W. 7,500, XI. ·12

[illegible] 9 +1.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Summerhill - Barnet
in the County of Hertford 3
by Frank A. Milne

Lat. 51.5 N Long. 0.15 W
Time of Observation 9 A.M.
Nearest Railway Station High Barnet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04					.27			.05	.09	1
2							.11	.19			.06	.11	2
3			.09		.15		.15				.02		3
4	.19		.01	.16	.03			.07			.35	.27	4
5	.04		.06	.15	.12	.05	.47	.24					5
6		.12	.01		.04	.11		.02			.32	.19	6
7		.20	.25	.13	.63 T	.07	.12					.13	7
8	.06	.28	.66	.11	.02	.18	.12	.14				.02	8
9	.15		.70	.04		.34		.01	.13			1.25	9
10	.03	.13	.01	.06	.04			.02	.12		.01	.01	10
11		.23	.46			.51			.10		.16	.26	11
12	.01 S	.03	.11				.06		.26		.01	.47	12
13		.31	.11						.16	.06	.03	.53	13
14		.07	.44				.03	.05	.01	.30	.11	.35	14
15			.21						.06	.03	.05	.06	15
16	.01		.03				.01		.06				16
17		.46	.04						.08			.20	17
18		.02	.11									.29	18
19		.03	.21				.03		.04		.17	.17	19
20		.20	.20			.02			.14			.14	20
21		.45	.06			.03		.02		.01		.07	21
22		.01			.41 T	.02	.14			.26			22
23		.02	.08		.09	.06	.01			.11			23
24			.01	.04	.05		.04			.02	.13		24
25	.06		.15					.14		.35	.01	.09	25
26			.02				.05	.01		.04	.20	.61	26
27	.05		.01								.01	.26	27
28		.01			.02					.01	.45	1.00	28
29	.11		.10							.27	.12		29
30		X	.05							.02	.54	.26	30
31	.01	X		X	.20	X	.01		X		X	.02	31
Total	.72	2.57	~~4.24~~ 4.23 4.23	.69	1.80	1.39	1.35	1.18	1.16	1.48	2.80	6.85	YEAR'S TOTAL ~~26.23~~ 26.22 26.22
Rain Days.	11	16	27	7	12	10	14	12	11	12	19	24	175

W. 8,000. X. 14.

Cor'd by Hopkinson 9-III-16 Exd [illegible]

1014

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Summerhill. Barnet

in the County of Hertford 2

by F. A. Milne Esq.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	·15	·06		·03				·17	·04	·23	·42	1
2	·34	·12	·29	·09		·01		·51	·01	·04		·18	2
3	·46		·05	·19			·02	·49 T				·35	3
4	·06							·82 T				·30	4
5	·05	·39						·01		·03	·01	·32	5
6	·20	·01		·22	·02 T		1.01	·04				·33	6
7	·16	·28	·02				·32 T	·02				·18	7
8	·03	·58	·05 S	·04			·13	·04 T					8
9		·12		·07		·04		·06 T		·01	·28	·50	9
10	·28		·02					·19				·16	10
11	·02		·01		·01						·78	·02	11
12	·08	·01		·23	·37			·13		·01	·38	·02 S	12
13	·01	·31			1·34								13
14		·05					1·28	·18	·05			·65	14
15	·23				·04		·03	·10			·20 S	·12	15
16		·42					·57	·02				·02	16
17		·35			·62		·11	·04					17
18		·17	·09 S		·08						·04		18
19		·08	·02 S		·01		·11						19
20	·30			·04								·28	20
21	·15 S						·01			·01		·04	21
22	·85 S	·16	·29				·56					·17	22
23		·20 S	·29			·03	·20		·27	·32		·24	23
24			·15				·20		·30	·10		·26	24
25			·05	·07		·01	·19			·01		·15	25
26		·14				·11	·69					·44	26
27		·01				·53	·31		·01	·40		·10	27
28		·07				·07			1·29	·13 T			28
29			·01 S			·02	·44	·11			·15	·02	29
30	·05	✕				·40				·04	·13		30
31	·03	✕		✕		✕		·07	✕	1·04	✕	·21	31
Total	~~3.59~~ 3.79	3.62	1.40	·95	2.52	1.22	~~6.18~~ 5.58	2.93	2.10	2.18	2.20	5.48	YEAR'S TOTAL 33.87 34.26
Rain Days.	18	19	14	8	9	9	17	16	7	13	9	24	163
W. 8,000. X. 15.	7.2[illegible]	8.60	9.55	12.07	13.29	19.47	22.30	24.40	26.58	28.78			

984

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Summerhill Barnet

in the County of Hertford

by Frank A. Milne

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15				.12 T	.04	.01			.03	.29		1
2	.58	.01	.12 S		.22		.01		.19	.34	.01		2
3		.38	.18				.03		.30 T	.35	.46		3
4	.23	.07	.01 S			.45	.05		.01	.14	.41		4
5	.03	.01		.01	.04	.09				.15	.52		5
6		.07	.62 S	.23		.06	.33			.05	.46		6
7	.08		.45 S		.10	.17	.10 T				.56 T	.12	7
8		.06			.43						.01	.27	8
9	.01				.35	.41 T						.04	9
10	.01	.15	.13 S	.11		.38 T	.04			.02	.01	.12	10
11	.09	.14	.06 S	.13		.10 T							11
12	.02	.03	.03	.10	.36	.14	.02	.18	.01	.05			12
13		.43	.21	.08	.10	.16	.23	.20		.04			13
14		.38 S	.01	.02	.08			.51 T		.07		.16 S	14
15		.22	.38	.02			.02	.05		.01			15
16	.01	.01	.17	.14	.04		.23	.16		.01			16
17	.10	.07		.03			.03	.85 T	.32	.56			17
18	.02	.06	.05	.08				.39 T	.12	.03	.53	.01 S	18
19	.14	.01	.16	.23					.11		.69	.03 S	19
20	.16		.15	.07				.01			.03	.53	20
21	.02		.72				.07					.08	21
22		.03 S	.06 S		.01					.04		.73	22
23	.01	.22 S	.01			.10		.02		.04	.05	.05	23
24		.03 S			.02	.37		.02		.06	.03	.29 S	24
25		.34 S	.08		.05			.16		.05			25
26		.22 S				.03		.01		.03			26
27	.07		.95 S			.09		.46 T	.11	.44 T			27
28		.30 S	.32 S			.28		~~1.74~~	.08			.24	28
29		.08				.23		1.74	.02	.38		.14	29
30		X			.04	.01		.11		.55			30
31		X		X		X		.06	X	.12	X	.04	31
Total	1.79	3.32	4.87	1.25	1.96	3.11	1.17	4.93	1.27	3.56	4.06	2.85	YEAR'S TOTAL 34.08
Rain Days.	17	23	21	13	14	17	13	16	10	23	14	15	~~189~~ 196

W. 8,000, VIII. 16

820 87

951

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Summerhill Barnet

in the County of Hertford.

by Frank A. Milne

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·08 S				·97	·02		·13	·01	1
2				·27 S		·06		·08			·05		2
3				·02 S				·31		·31	·40		3
4		·27 S	·18 S				·01	·18		·41			4
5	·27		·01	·32 S				·14		·09	·15		5
6			·03	·02 S		·02			·69 T	·02	·07		6
7	·25	·	·01 S				·12		·06	·38	·01	·03	7
8	·15 S			·04			·73	·07		·26	·20	·23	8
9	·04 S		·02 S	·17 S			·06	·37			·06	·12	9
10	·33 S		·15	·08 S				·10		·02	·01		10
11	·17	·01 S	·42							·39			11
12	·15 S	·01 S	·03	·38 S	~~·12~~			·05		·57			12
13	·06 S		·13	·03	~~·66~~		·01	·15		·02		·03	13
14			·01	·16	~~·09~~			·12	·02	·02			14
15	·06 S				~~·10~~		·19	·01		·04			15
16	·03 S	·15		·22	·12 T ~~·79~~	·12 T	·05			·71		·12 S	16
17				·10	~~·66~~		·23			·30			17
18	·05	·05		·09	·09	·12 T	·16	·06	·52	·11			18
19	·01	·18	·02		·12	·01			·23				19
20	·02 S	·23	·06		·79 T		·01				·07		20
21		·01	·01 S	·01	·05	·03		·05			·08		21
22			·03 S			·11		·01		·07			22
23		·11			·10	·02		·17					23
24		·11				·03		·04		·27	·02	·04	24
25		·04	·03								·07		25
26			·05 S					·18	·02		·47	·01 S	26
27			·08 S					·76			·01		27
28			·02			·98		·12				·04	28
29			·01		·25 T	[illegible]	1·24 T	·30		·27		·10	29
30	·05 S	✗	·30 S				1·28	·17		·01		·01	30
31	·07 S	✗	·02 S	✗		✗	·48	·01	✗		✗	·01 S	31
Total	1·72	1·17	1·62	1·99	2·18	1·56	4·57	4·42	1·56	4·27	1·80	·75	YEAR'S TOTAL 27·01
Rain Days.	16	11	21	15	8	11	13	23	7	19	15	12	171

W. 8,000, IX. 17.

Exd C/R

34

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Summerhill · Barnet

in the County of Hertford

by F. A. Milne ·

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station High Barnet ·

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 · ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	$.01^{S}$			.25				.03			.13	.05	1
2		.09		.09				.17		.01	.09	.24	2
3		.01	.02	.02	.52			$.21^{T}$	.05	.01	.57	.01	3
4		.08	.10	.07				.04	$.14^{T}$	.01	.60	.03	4
5		.05	.01		.11			.13	.03	.08		.01	5
6	.11	.24		.35	.13			.03				.02	6
7	$.05^{S}$	.10		.16	.12	.01		.05	.11	.05	.13	.06	7
8		.06		.03				.01	.15	.02	.08	.02	8
9	$.03^{S}$	.05		.02		$.07^{T}$	$.30^{T}$		.41	.15		.31	9
10	.05			.04		.01	.42		.03	.02		.27	10
11				.03	.08		$.17^{T}$		.10	.27	.03	.10	11
12	.01	.09			.14		.07		.03			.01	12
13	$.05^{S}$	.03		.01	.25		.06		.10			.06	13
14	.19		.01			.22	.13		.42	.20		.19	14
15	1.01^{S}			$.77^{S}$			$.21^{T}$		.02			.16	15
16	$.33^{S}$			.51		.01			.19	.05		.01	16
17	.23			.25	$.31^{T}$	$.14^{T}$	$.25^{T}$		.04			.17	17
18	.62					.22			1.04^{T}	.10		.10	18
19	.03		.05	$.06^{S}$		.12	.27		.03	.07		.17	19
20	.01	.18		$.70^{sl}$		.03	$.09^{T}$		.12	.28		.05	20
21	.08	.01		.44					.44	.02		.01	21
22	.07				$.19^{T}$		.06		.15		.01	.19	22
23	.01			.01	$.28^{T}$		.50	.03	.08		.02	.02	23
24		.20				.03	.06		.07		.04		24
25						$.07^{T}$	$.28^{T}$	.08		.01	.06		25
26					.11		$.31^{T}$	.10	.01	.04	.25	.22	26
27		.01	.01	.08			.08		.05		.11		27
28		.01	.17	.06							.24	.15	28
29			.03						1.22		.03		29
30		X	.43						.02		.05	.06	30
31		X	.01	X		X			X	.12	X	.06	31
Total	2.89 ✓	1.21 ✓	.84 ✓	3.95 ✓	2.24 ✓	.93 ✓	3.26 ✓	.88 ✓	5.05 ✓	1.51 ✓	2.44 ✓	2.75 ✓	YEAR'S TOTAL 27.95 ✓
Rain Days.	17 ✓	15 ✓	10 ✓	20 ✓	11 ✓	11 ✓	16 ✓	11 ✓	25 ✓	18 ✓	16 ✓	27 ✓	197 ✓

W. 8,000, IX. 17.

899

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Summerhill Barnet

in the County of Herts

by F. A. Milne

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in. S	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.03		.01	.06		.19			.03	.02	1.07	1
2	.30		.02		.17		.06		.30	.14	.10	.21	2
3	.35		.26		.02		.06		.05		.04	.22	3
4	.14		.30			.06	.03		.01		.02	.15	4
5	.01	.40^{S}	.42				.04		.20			.32	5
6	.01		.10								.01	.08	6
7	.03		.43	.01							.02		7
8	.09		.05	.06							.01		8
9	.04		.03	.02^{T}	.03						.15		9
10	.38		.07	.03							.01	.04	10
11	.05		.07	.30	.01		.24					.03	11
12			.14	.01		.01	.11			.02	.01^{S}		12
13	.02	.01		.25						.04		.01	13
14	.40		~~.18~~	.43			.07		.25^{T}			.01	14
15	.23	.01	.18	.17						.10	.05^{S}	.50	15
16	.04	.74		.02							.11	.05	16
17		.48^{S}	.02	.01							.05	.01	17
18		.13	.06					.04	.07		.06	.12	18
19	.01	.20	.85^{SR}			.04	.15	.13	.10		.10	.01	19
20	.36	.12	.09			.83	.22	.29				.01	20
21	.23	.34	.03^{S}			.02	.11					.12	21
22		.15					.13		.20		.03	.33	22
23						.06		.03	.08		.02	.01	23
24				.10		.02	.03	.12		.18	.03		24
25	.01	.01^{S}		.01	.08			.46				.03	25
26	.13	.19	.10	.05			.09	.06	.09			.41	26
27	.88^{S}	.04		1.93^{S}				.25			.13^{S}	.01	27
28			.10^{S}	.13				.90		.01	.27	.28	28
29	.13			.04				.20		.06	.17	.05	29
30			.02^{S}	.29		.19		.15		.01	.28	.35	30
31	.01^{S}									.01		.01	31
TOTAL	4.33	2.85	3.34	3.87	.37	1.23	1.53	2.63	1.35	.60	1.69	4.44	YEAR'S TOTAL 28.23
Days with ·01 in. or more	23	14	20	19	6	8	14	11	10	10	22	26	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exe 18 completely Herts NHS

852

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Summerhill, Barnet

in the County of Hertford.

by Frank A. Milne J.P.

Lat. ………… Long. …………

Time of Observation 9 am

Nearest Railway Station High Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.07	.11		.34			.62		.28	1
2			.02		.01		.05	.64	.09	.05 T		.13	2
3	.01	.09		.12			.02		.10	.01		.09	3
4		.04		.09			.04	.08		.19		.22	4
5			.09		.03		.60	.04	.08			.03	5
6			.13		.16		.32	.02				.02	6
7	.02		.04 S	.22	.01		.20	.09				.05	7
8	.09	.03		.15	.02		.03	.02					8
9	.38			.04									9
10	.46 T	.04	.11			.13	.13					.01	10
11	.16		.08	.37	.03	.08	.28	.01				.20 S	11
12	.08	.01		.12		.51 T	~~.51 T~~ .01				.01		12
13	.11		.11	.20					.01		.05	.01 S	13
14	.01	.01	.27 S	.20		.59 T	.02		.15	.51 T	.23	.03	14
15			.07 S	.22			.01		.48	.14	.07	.01 S	15
16		.03	.01	.14		.03			.26	.20		.02 S	16
17	.03			.07	.16	.01 T			.49			.02	17
18	.04							.59	.11			.03	18
19	.15			.22		.03		.02				.01	19
20	.05	.10		.20		.63			.02			.02	20
21							.71		.65			.10	21
22				.31					.17			.27	22
23							1.17					.40	23
24	.04	.01	.09									.06	24
25		.03	.04	.06			.14						25
26	.09		.14	.01	.07		.04					.03	26
27	.24	.09	.01	.29		.11	.02				.76	.13	27
28	.60	.01	.12 T	.04	.10	.02	.11				.02	.02	28
29	.27		.10				.01				.09	.35	29
30	.09	X			.11	.02	.70		.53		.23	.28	30
31	.03	X		X	.06	X			X	.23	X	.15	31
Total	295	.49	1.43	3.14	.87	2.16	4.95	1.57	3.14	1.95	1.46	2.97	Year's Total 27.02
Days with ·01 in. or more	20	12	16	20	12	11	21	9	13	8	8	27	177
Days with ·04 in. or more	15	5	13	19	7	~~7~~6	14	5	11	7	6	14	122

HERTS
BENGEO – THE CEDARS
1911 – 1912

REG 11

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

Kept at The Cedars
in the County of Hert
by Rev H Willes Sout

5 in.
ove Ground 1 ft. 6 in.
" Sea Level 222 ft.
9. A.M
Name ~~Rev H W Southey~~ Hertford G.N.R
Distance 1½ m Direction South

IMPORTANT NOTE.—Rain should be measured daily and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2								·04			·13	·08	2
3										·13	·05	·07	3
4						thunder ·52						·35	4
5												·14	5
6												·45	6
7										·18	·23	·23	7
8											·11	·24	8
9													9
10											·03	·45	10
11											·58		11
12											·30		12
13									·05	·68	·02	·24	13
14									·41			·45	14
15										·03	·03		15
16											·28	·08	16
17						·28					·05	·13	17
18						·10					·44	·12	18
19						·15			[illegible]	·15	·28	·10	19
20						·15	"	·30	·08	·05		·65	20
21								·23	·20	·49		·12	21
22						·03				·11		·59	22
23						·03						·15	23
24						1·04				·84		·20	24
25						·04			4 days ·27			·02	25
26					Thunderstm ·94	·19	1·02			·19		·17	26
27						·03			·17		·06	·07	27
28								·08			·03		28
29						·15	·03		·30				29
30							·21			·24			30
31													31
Total					·94	2·71	1·26	·65	1·48	3·09	2·62	5·10	TOTAL for year 17·85
No. of Rain Days.						12	3	4	10	11	15	22	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Cedars Bengeo Hertford
in the County of Hertford 3
by Rev H Willes Southey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 222 ft.

Time of Observation 9. A.M.
Nearest Railway Station
Name ~~Rev H W Southey~~ Hertford G.N.R
Distance 1½ m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2								·04			·13	·08	2
3										·13	·05	·07	3
4						thunder ·52						·35	4
5												·14	5
6												·45	6
7										·18	·23	·23	7
8											·11	·24	8
9													9
10											·03	·45	10
11											·58		11
12											·36		12
13									·05	·68	·02	·24	13
14									·41			·45	14
15										·03	·03		15
16											·28	·08	16
17						·28					·05	·13	17
18						·10					·44	·12	18
19						·15			[illegible]	·15	·28	·10	19
20						·15		·30	·08	·05		·65	20
21								·23	·20	·49		·12	21
22						·03				·11		·59	22
23						·03						·15	23
24						1·04				·84		·20	24
25						·04			4 days ·27			·02	25
26					Thunderstorm ·94	·19	1·02			·19		·17	26
27						·03			·17		·06	·07	27
28								·08			·03		28
29						·15	·03		·30				29
30							·21			·24			30
31													31
Total					·94	2·71	1·26	·65	1·48	3·09	2·62	5·10	TOTAL for year 17·05
No. of Rain Days.						12	3	4	10	11	15	22	

W. 8,000, X. '11.

Smade

ckd by own stats 5.III.13 W.M.L. ckd by auth (details)

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at The Cedars Bengeo
in the County of Hertford 3
by Rev H. Willes Southey

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Hertford G. N. & G. E.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06						·09	·27		·13	1
2			·09				·41	·27					2
3	·10		·06		·21	·55		·44	·02				3
4	·23		·56		·18	·13							4
5	·12		·17					·13	·02		·30	·06	5
6	·21	·16			·01			·26			·08	·03	6
7			·02			5 ·87		·25				·02	7
8	·38	·39	·21					·70	·06				8
9	·04			·11		·30	·04					·15	9
10		·13				·08		·29	·02		·11	·10	10
11		·34				·05		·02				·09	11
12	·16	·07	·08		·02	·13			·05		·10	·03	12
13		·12				·05	·04	·19	·01		·16	·04	13
14					·03	{·27		·03		·08	·02		14
15			·13		·13	}		·03				·15	15
16	·25	·03			·09	·12		·11		·05	·10		16
17	·25		·30			(·06)		·04					17
18	·44							·06		·02		·09	18
19	·19		·23			·02	·06	·35					19
20		·04	·15					·32		·38			20
21			·46		·16			·12		·10	·08		21
22	·39	·11	·08					·12				·03	22
23	·34	·23	·25					·46	·02		·15	·07	23
24	·39						·03	·14					24
25						·15		·76			·23	·61	25
26							·18	·45		·34	·62	·31	26
27										·18		·18	27
28		·08	·02					·03		·22	·37	·40	28
29		·07				·35	·12	·14	1·60	·45			29
30					·30	·07	·02	·12	·95	·18	·06		30
31			·15		·02		·16	·24				·06	31
Total	3·49	1·77	3·02	·11	1·15	2·90	1·06	6·07	2·84	2·27	2·38	2·55	YEAR'S TOTAL 29·61
Rain Days.	14	12	17	1	10	14	9	26	10	11	13	11	

W. 7,500, XI. 12

155

BAYFORDBURY
HERTFORDSHIRE
1911-1920

LL IN 1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept

in the

by

IN
GE

Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 250 ft.

e of Observation 9 a.m.

rest Railway Station
Name Hertingfordbury
Distance 1 mile Direction NNW

IN ... ly at 9 a.m., and the result entered to the previou ... this almost universal rule, he is earnestly request ... the following year in the space provided for it ... for the measurement of rain, the se ... ars as to the British Rainfall Organi ... sent post-free on application to Dr. H.

Jan. 1, following.

Date	Ja							Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.		0.01	0.32			0.02	0.04					1
2	0.12			0.23	0.19						0.15	0.10	2
3				0.02	0.15	0.77				0.14	0.07	0.09	3
4	0.04	0.03	0.10	0.13						0.04	0.13	0.21	4
5	0.01			0.04				0.01		0.07		0.12	5
6	0.33										0.02	0.44	6
7	0.03			0.03						0.12	0.16	0.24	7
8	0.18		0.15								0.15	0.24	8
9	0.10		0.01	0.02							0.01		9
10	0.04	0.10	0.08	0.03							0.03	0.40	10
11	0.23				0.96						0.63		11
12	0.05		0.45		0.02	0.02			0.06		0.28	0.01	12
13			0.20		0.06				0.43	0.84		0.25	13
14			0.03		0.31	0.02						0.46	14
15		0.04	0.22							0.03	0.06	0.02	15
16			0.03			0.31				0.01	0.33	0.09	16
17						0.10					0.22	0.14	17
18		0.14	0.02			0.06					0.44	0.13	18
19					0.01	0.16			0.17	0.12	0.28	0.10	19
20	0.01	0.03	0.04			0.03		0.28	0.18	0.03		0.64	20
21	0.02	0.10	0.02			0.03		0.43		0.46	0.01	0.14	21
22	0.12		0.11			0.03				0.10		0.59	22
23	0.01	0.19	0.31			1.00			0.25		0.01	0.16	23
24		0.09	0.03			0.06	0.01	0.01		0.91		0.26	24
25		0.04	0.03	0.07	0.01	0.20	1.15			0.07		0.01	25
26			0.01	0.13	0.01	0.03	0.03	0.01		0.17	0.03	0.18	26
27		0.33	0.08	0.03					0.17		0.02	0.06	27
28		0.36		0.21	0.03			0.07			0.03		28
29				0.03		0.15	0.14		0.25	0.20	0.01		29
30				0.04	0.05				0.03	0.15		0.02	30
31					0.31								31
Total	1.30	1.45	1.93	1.33	2.11	2.97	1.35	0.85	1.54	3.46	3.07	5.10	TOTAL for year
No. of Rain Days.	15	11	19	14	12	15	5	7	8	16	21	25	2646

168

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bayfordbury.
in the County of Hertford 3
by H. Clinton Baker Esqre

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Hertingfordbury
Distance 1 mile Direction NNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01		0.01	0.32			0.02	0.04					1
2	0.12			0.23	0.19						0.15	0.10	2
3				0.02	0.15	0.77				0.14	0.07	0.09	3
4	0.04	0.03	0.10	0.13						0.04	0.13	0.21	4
5	0.01			0.04				0.01		0.07		0.12	5
6	0.33										0.02	0.44	6
7	0.03			0.03						0.12	0.16	0.24	7
8	0.18		0.15								0.15	0.24	8
9	0.10		0.01	0.02							0.01		9
10	0.04	0.10	0.08	0.03							0.03	0.40	10
11	0.23				0.96						0.63		11
12	0.05		0.45		0.02	0.02			0.06		0.28	0.01	12
13			0.20		0.06				0.43	0.84		0.25	13
14			0.03		0.31	0.02						0.46	14
15		0.04	0.22							0.03	0.06	0.02	15
16			0.03			0.31				0.01	0.33	0.09	16
17						0.10					0.22	0.14	17
18		0.14	0.02			0.06					0.44	0.13	18
19					0.01	0.16			0.17	0.12	0.28	0.10	19
20	0.01	0.03	0.04			0.03		0.28	0.18	0.03		0.64	20
21	0.02	0.10	0.02			0.03		0.43		0.46	0.01	0.14	21
22	0.12		0.11			0.03				0.10		0.59	22
23	0.01	0.19	0.31			1.00			0.25		0.01	0.16	23
24		0.09	0.03			0.06	0.01	0.01		0.91		0.26	24
25		0.04	0.03	0.07	0.01	0.20	1.15			0.07		0.01	25
26			0.01	0.13	0.01	0.03	0.03	0.01		0.17	0.03	0.18	26
27		0.33	0.08	0.03					0.17		0.02	0.06	27
28		0.36		0.21	0.03			0.07			0.03		28
29				0.03		0.15	0.14		0.25	0.20	0.01		29
30				0.04	0.05				0.03	0.15		0.02	30
31					0.31								31
Total	1.30	1.45	1.93	1.33	2.11	2.97	1.35	0.85	1.54	3.46	3.07	5.10	TOTAL for year
No. of Rain Days.	15	11	19	14	12	15	5	7	8	16	21	25	26.46

W. 8,000, X. '11.

168

FORM A.
BRITISH RAINFALL.

2 - JAN 1913

REGISTER Ex DS OF RAINFALL IN 1912

Kept at Bayfordbury.
in the County of Hertford 3
by H. Clinton Baker Esqre

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hertingfordbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·08	·01		·05	·10		·08	·34		·15	1
2		·02	·10	·01		·22	·40	·05	·01				2
3	·06		·06		·21	·17	·01	·44	·01			·08	3
4	·21		·56		·16	·10		·01			·27		4
5	·13	·10	·16					·15	·01		·06		5
6	·30	·03						·46	·01			·02	6
7	·01		·02			·60	·01	·62				·03	7
8	·37	·40	·21			·01	·03	1.20	·03			·02	8
9	·07	·10		·12		·30	·02	·10				·16	9
10		·06				·10		·38	·02		·15	·12	10
11	·08	·35	·01			·04		·03	·04		·01	·10	11
12	·08	·09	·09		·06	·14					·07		12
13	·01	·10	·01			·04	·03	·12	·02	·02	·14	·02	13
14			·02		·03			·08		·05	·01	·03	14
15		·03	·07		·13	·35		·05			·01	·18	15
16	·27		·02		·06	·07		·10		·04	·09		16
17	·69		·29			·10		·05					17
18	·04		·12					·08		·02	·03	·11	18
19	·29	·06	·12				·07	·31			·01		19
20	·01	·01	·15		·04		·05	·22		·41			20
21	·01	·02	·42		·10			·10		·10	·06		21
22	·34	·10	·04		·03		·06	·11		·01		·04	22
23	·39	·23	·25				·17	·40	·02		·14	·07	23
24	·4.6	·01				·06	·03	·10				·13	24
25						·14		·84			·20	·40	25
26		·03					·10	·45		·39	·54	·33	26
27						·01				·16		·18	27
28		·06	·02	·03		·01	·02	·06	·11	·34	·35	·30	28
29		·05	·01			·22	·12	·13	1.62	·51	·06		29
30	·02				·24	·04	·01	·09	·94	·18			30
31			·17		·03		·15	·19		·01		·06	31
Total	3.84	1.85	3.00	0.17	1.09	2.77	1.38	6.92	2.92	2.58	2.20	2.53	YEAR'S TOTAL 31.25
Rain Days.	20	19	23	4	11	20	17	28	13	14	17	20 19	206 205

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Bayfordbury
in the County of Hertford 3
by H. W. Clinton Baker Esqr.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hertingfordbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·12	·09	·11					·20		·07	·04	1
2	·07	·13			·14		·07		·01	·03	·05		2
3			·06	·08	·46							·06	3
4	·19		·05		·12		·15			·15	·05	·04	4
5	·05					·03	·27		·05	·14	·02	·08	5
6		·04	·04		·08	·29	·02		·03	·22	·01		6
7		·14			·05	·03	·15	·03		·48	·08		7
8		·01	·01	·01	·15	·05				·10	·05		8
9		·17	·02	·03	·03	·02			·08		·03	·11	9
10	·04		·05	·13			·40	·02			·37		10
11	·59			·41	·03			·10		·43	·19		11
12				·01	·03						·30		12
13	·06		·01					·04	·05		·38		13
14	·07	·02	·08	·06			·58	·08		·18	·08		14
15	·18	·06	·32	·21			·29		·09		·01		15
16	·07		·32	·13					·08				16
17	·01	·02	·04	·04		·24	·08				·01	·04	17
18	·02		·19	·24			·01		·12		·03	·02	18
19	·20		·02	·05			·16		·20	·01		·02	19
20	·24		·06	·04		·03				·45	·01		20
21	·02		·20	·17			·02			·27	·36		21
22	·39		·10				·01	·06	·14				22
23			·01	·28		·03	·02	·10	·02		·01	·11	23
24	·02			·01									24
25		·03		·14								·01	25
26		·01	·24	·07				·20		·70		·17	26
27		·01	·05	·10						·04			27
28	·29		·18	·04						·14		·01	28
29	·08		·06	·51	·51			·27		·02		·02	29
30	·27			·06				·13		·09	·09		30
31			·01					·14		·02			31
Total	2.89	0.76	2.21	2.93	1.60	0.72	2.23	1.17	1.07	3.47	2.20	0.73	YEAR'S TOTAL 21.98
Rain Days.	20	12	23	23	10	8	14	11 10	12	17	20	13	183 182

W. 7,500, XI. 12

6X 9LR

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Bayfordbury
in the County of Hertford 3
by H. W. Clinton Baker Esqr.

Lat. 51·48 N. Long. 0'5 W.
Time of Observation 9 a.m.
Nearest Railway Station Hertingfordbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·05			·06	·03	1
2	·02			·01			·04	·13			·14	·17	2
3	·02		·10	·01	·17		·40				·05	·01	3
4	·10		·01	·25	·01			·05			·32	·31	4
5	·02		·04	·20	·10	·11	·41	·61			·03		5
6		·11			·03	·14	·02	·03			·22	·19	6
7		·26	·14	·09	·36	·01	·02					·13	7
8	·09	·18	·61	·04	·09	·22	·18	·10				·02	8
9	·18		·62	·05		·31			·03			·98	9
10	·13	·19	·04	·10	·04				·14		·01	·02	10
11		·21	·36			·76			·07		·15	·33	11
12	·03	·05	·09				·02		·49		·01	·40	12
13		·27	·13						·18	·08	·05	·48	13
14		·07	·40				·12			·25	·14	·40	14
15	·05	·01	·18					·01		·01	·04	·06	15
16			·04						·04		·03		16
17		·35	·04						·19			·17	17
18		·03	·11									·24	18
19		·04	·19				·04		·03		·15	·07	19
20		·20	·20			·02	·01		·05	·01		·10	20
21		·48	·11							·02		·10	21
22		·02	·07	·01	·27	·03	·06	·05		·40			22
23		·04	·08		·26		·12			·13		·04	23
24	·02		·02	·04	·01		·04			·05	·12		24
25	·03		·13					·11		·29		·10	25
26			·03				·01	·04		·03	·14	·55	26
27	·04		·02					·02			·03	·28	27
28		·02									·31	1·24	28
29	·04		·09							·25	·16		29
30		X	·04							·03	·38	·23	30
31	·01	X		X	·12	X			X		X	·04	31
Total	·78	2·53	3.91	·80	1.46	1.60	1.49	1.20	1·22	1.55	2.54	6.69	YEAR'S TOTAL 25·77
Rain Days.	14	17	27	10	11	8	14	11	9	12	20	26	179

W. 8,000. X. 14.

1027

FORM A. BRITISH RAINFALL. 3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bayfordbury.

in the County of Hertford 3

by H. Clinton Baker Esqr.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Hertingfordbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	12	·09		·03				·05	·04	·09	·40	1
2	·28	·17	·19	·12		·01		·52	·02	·04		·13	2
3	·39		·03	·16			·07	·85	·04			·20	3
4	·07							·18		·02	·01	·39	4
5	·03	·33		·01	·11			·02		·05		·23	5
6	·19	·02		·29			·69	·01				·21	6
7	·09	·41	·05	·01			·30	·02			·02	·18	7
8	·02	·49	·03	·01			·02	·05					8
9		·07		·03		·06		·08			·20	·57	9
10	·35		·05					·14			·02	·12	10
11	·02		·01		·01						·92		11
12	·08	·04		·21	·37			·08		·05	·48	·03	12
13	·04	·42			1.32			·04					13
14		·04					·90	·15	·02			·37	14
15	·34	·01			·05		·01	·13			·31	·12	15
16	·03	·41					·64	·36				·02	16
17		·29			·45		·17	·26					17
18		·18	·18		·05						·07		18
19		·05	·02		·01		·12						19
20	·27							·02				·32	20
21	·13			·09	·05		·02					·05	21
22	·74	·18	·34				·40					·10	22
23		·08	·04			·01	·22		·31	·25		·30	23
24			·01			·15	·17		·16	·04		·26	24
25				·05			·05			·03		·10	25
26		·09				·03	·11		·01			·28	26
27			·01			·60	·22			·41		·08	27
28		·12				·18		·01	1.18				28
29						·02	·12	·21			·14	·08	29
30	·04	X				·21			·01		·10		30
31	·07	X		X		X		·04	X	·80	X	·19	31
Total	3.57	3.52	1.05	·98	2.45	1.27	4.23	3.17	1.80	1.73	2.36	4.73	YEAR'S TOTAL 30.86
Rain Days.	19	19	13	10	10	9	17	19	9	10	11	23	169

W. 8,000. X. 15.

999

cndy obr End Fw

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Bayfordbury
in the County of Hertford
by H. W. Clinton Baker Esqr.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08				·02	·02			·08	·07	·27		1
2	·38	·01	·12		·16	·03			·10	·40	·04		2
3		·40	·13				·04		·28	·27	·48		3
4	·28	·09				·28			·01	·06	·41		4
5	·03		·02			·12				·09	·56		5
6		·08	·22	·29		·07	·29			·02	·52		6
7	·14		·21		·17	·13	·16			·03	·68	·03	7
8					·39	·01						·38	8
9			·01		·20					·12		·16	9
10	·01	·13	·13	·06		·16	·06					·11	10
11	·06	·12	·04	·13	·02	·09			·01			·04	11
12	·03	·04		·03	·51	·14	·08	·16	·01	·12			12
13		·49	·18	·15	·18	·12	·23	·29					13
14		·46		·01	·07			·55		·03		·15	14
15		·13	·40	·03			·04	·16		·01			15
16	·01	·06	·10	·11	·08		·08	·10		·02			16
17	·08	·07		·08			·07	·18	·33	·39			17
18	·01	·06	·05	·09				·14	·16	·03	·54		18
19	·09	·01	·15	·13				·02	·12		·74	·12	19
20	·20		·30	·02				·02			·02	·49	20
21			·80				·16					·47	21
22		·05	·02		·04					·04	·01	·49	22
23	·01	·27				·13		·03		·05	·06	·12	23
24			·03		·01	·26		·03		·06	·04	·40	24
25		·40	·08		·06			·16		·12	·06		25
26		·15				·02		·02		·04			26
27	·12	·06	1.07			·02		·22	·04	·38			27
28		·35	·41			·15			·10	·03		·21	28
29		·11				·18		1.36		·40		·09	29
30		X			·03	·03		·14		·34			30
31		X		X		X		·03	X	·08	X	·02	31
Total	1.53	3.54	4.47	1.13	1.94	1.96	1.21	3.61	1.18	3.20	4.43	3·28 ~~2.96~~	YEAR'S TOTAL 31·48 ~~31.15~~
Rain Days.	15	21	20	12	14	18	10	17	11	24	14	15 ~~12~~	194 ~~188~~

W. 8,000, VIII. 16

Week ending .... 19......

Name ....

SATURDAY.

MONDAY.

TUESDAY.

WEDNESDAY.

THURSDAY.

FRIDAY.

....

Correction

Through a error the Rainfall on the last 4 days of the Year 1916 was not added in to the total.

December $\overset{in}{2}$.96 — Total amt $\overset{in}{31}$-16

28th '21 added on '32

29th ·09 31-48

31st 2

3·28

A Clinton Sec

966

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bayfordbury

in the County of Hertford

by H. W. Clinton Baker Esq.

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Hertingfordbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.27		0.03		0.73	0.04		0.11		1
2	0.02	0.01		0.23				0.07		0.01	0.02		2
3	0.01							0.30		0.20	0.22		3
4		0.11	0.10					0.24		0.39			4
5	0.20		0.03	0.15				0.36	0.50	0.09	0.07		5
6	0.01					0.03			0.07		0.05		6
7	0.24					0.11	0.18			0.31		0.02	7
8	0.15			0.14			0.70	0.32		0.27	0.14	0.15	8
9			0.06	0.07			0.01	0.40			0.04	0.09	9
10	0.28		0.16	0.20				0.07			0.02	0.02	10
11	0.06		0.50	0.16						0.31			11
12	0.07		0.03	0.02				0.07		0.41			12
13	0.06		0.05	0.02			0.05	0.10		0.02		0.02	13
14	0.03			0.20				0.15		0.02	0.02		14
15	0.02							0.07		0.02		0.01	15
16	0.02	0.10		0.38	0.12	0.01	0.08			0.54		0.27	16
17		0.02		0.12	0.77		0.19	0.02	0.32	0.34			17
18	0.06	0.01		0.11	0.04	0.06	0.20	0.04	0.37	0.01			18
19		0.11	0.03		0.37	0.02			0.33				19
20	0.04	0.15	0.07		0.63		0.03	0.01	0.02		0.13		20
21			0.01		0.02						0.04		21
22			0.07					0.08		0.11			22
23	0.02	0.09			0.12	0.03		0.15		0.01		0.02	23
24		0.04				0.03		0.05		0.33	0.04	0.01	24
25		0.02	0.07				0.01				0.08		25
26			0.11			0.02		0.28	0.04		0.49	0.02	26
27			0.03			0.09		0.75					27
28		0.02	0.02			0.73		0.14				0.02	28
29			0.01		0.04	0.08	0.16	0.24		0.18		0.11	29
30	0.02	╳	0.20				0.88	0.10			0.01	0.02	30
31	0.06	╳	0.09	╳		╳	0.35	0.02	╳	0.02	╳		31
Total	1.37	0.68	1.64	2.07	2.11	1.24	2.84	4.76	1.69	3.59	1.48	0.78	YEAR'S TOTAL 24.25
Rain Days.	18	11	18	13	8	12	12	24	9	19	15	13	171

W. 8,000, IX. 17.

Ex 8L

48

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Bayfordbury
in the County of Herts
by H. Clinton Baker

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Hertford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.06		0.17							0.13	0.07	1
2	0.01	0.06		0.03	0.53			0.10	0.01	0.01	0.01	0.13	2
3			0.03					0.15	0.10		0.62	0.02	3
4		0.07	0.09					0.02	0.33	0.02	0.57	0.02	4
5		0.02			0.09			0.12	0.09	0.08			5
6	0.10	0.15		0.37	0.08			0.05	0.02			0.05	6
7	0.06	0.11		0.14	0.06				0.10	0.17	0.09	0.01	7
8				0.01					0.17	0.05	0.07	0.01	8
9	0.02	0.03		0.02		0.08	0.22		0.37	0.10		0.25	9
10	0.06			0.05	0.08		0.36				0.02	0.18	10
11				0.02			0.21		0.03	0.24	0.05	0.02	11
12		0.06			0.20		0.04		0.03				12
13		0.02			0.23		0.38		0.13			0.09	13
14	0.21		0.01			0.16	0.10		0.22	0.18		0.27	14
15	1.12			1.07			0.30					0.07	15
16	0.23			0.46		0.28			0.16			0.01	16
17	0.17		0.01	0.31			0.37		0.01			0.20	17
18	0.47					0.18	0.28		0.75	0.05		0.30	18
19	0.05	0.03	0.06	0.17		0.08	0.12		0.02	0.05		0.15	19
20	0.02	0.09		0.43		0.05	0.08		0.07	0.16		0.02	20
21	0.10			0.34		0.02			0.28	0.06			21
22	0.06			0.01	0.18		0.06		0.11	0.01		0.18	22
23					0.80		0.57	0.04	0.06			0.02	23
24		0.15			0.01	0.06			0.05		0.07		24
25					0.05	0.02	0.07	0.12			0.05		25
26					0.22		0.09	0.09		0.03	0.15	0.16	26
27		0.03		0.07			0.05	0.23	0.06		0.09	0.01	27
28		0.02		0.02		0.02		0.01			0.32	0.07	28
29									1.48		0.03		29
30		X	0.38						0.02		0.07	0.09	30
31		X	0.04	X		X			X	0.12	X	0.04	31
Total	2.68	0.88	0.62	3.69	2.56	0.95	3.00	0.93	4.67	1.30	2.32	2.47	YEAR'S TOTAL 26.07
Rain Days.	14	14	7	17	12	10	16	10	24	15	15	25	175

W. 6,500, VII. 18. w w c

est 93.

913

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Bayfordbury
in the County of Hertford
by H. W. Clinton Baker Esqre.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hertingfordbury.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·02			·16	·02	·21			·04		1.02	1
2	·23		·02		·07		·13		·18	·02	·11	·22	2
3	·33		·26		·01		·03				·06	·23	3
4	·11	·03	·24			·08	·37	·09	·15		·01	·15	4
5	·02	·30	·52	·02			·02				·03	·21	5
6			·08							·01	·02	·10	6
7	·04		·35								·16		7
8	·08		·06	·05							·03		8
9	·02		·03	·02							·26		9
10	·18		·05	·05							·02	·04	10
11	·03		·06	·26			·20					·02	11
12			·12	·04		·04	·15			·03	·03		12
13	·04	·06		·24						·05			13
14	·18	·03		·54			·11		·16	·05		·02	14
15	·18	·03	·06	·14						·02	·06	·11	15
16	·14	·77		·09							·09	·03	16
17		·86	·10	·02							·26	·01	17
18		·10	·05					·02	·07		·05	·08	18
19	·01	·13	·62			·20	·07	·09	·17		·09	·02	19
20	·34	·12	·09			·84	·15	·32				·01	20
21	·19	·33	·02				·18					·08	21
22		·10				·01	·13		·46		·04	·33	22
23						·02	·01	·01	·08				23
24				·25			·03	·07		·08	·24	·01	24
25	·04			·10		·01		·44				·02	25
26	·13	·05	·15	·05	·05		·01		·16			·35	26
27	·79	·22	·03	1.57				·37				·06	27
28			·09	·04				·80		·02	·27	·24	28
29	·03			·04				·12		·14	·15	·02	29
30		✕		·27		·12		·09		·02	·22	·33	30
31		✕		✕		✕	·01		✕	·01	✕	·01	31
TOTAL	3.45	2.95	3.00	3.79	·29	1.34	1.81	2.42	1.43	·49	2.20	3.72	YEAR'S TOTAL
Days with ·01 in. or more	21	15	20	18	4	9	16	11	8	12	20	25	26·89

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

179

867

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Bayfordbury
in the County of Hertford
by H. W. Clinton Baker Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hertingfordbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·65	·10		·22			·47		·28	1
2							·07	·40	·05	·09		·10	2
3		·05		·57			·09		·09	·13		·03	3
4	·01		·01	·05			·05	·08		·12		·22	4
5			·07		·02		·67	·02	·07	·01		·03	5
6			·12		·08		·27					·02	6
7	·01		·10	·15			·13					·04	7
8	·09	·02		·19	·07		·18	·06					8
9	·33	·02		·02				·09					9
10	·21	·04	·08				·10					·01	10
11	·23		·04	·41	·04	·05	·15					·12	11
12	·07			·13		·33	·01						12
13	·13	·02	·09	·16		·01					·06	·02	13
14		·01	·26	·22		·06	·08		·10	·11	·24	·02	14
15		·02	·13	·23			·02		·38	·01	·07		15
16			·02	·12	·03				·18	·06			16
17	·03			·01	·11	·01			·10			·04	17
18	·01							·54	·08			·03	18
19	·16			·22								·02	19
20	·05	·12		·25		·52			·07				20
21							·64	·03	·61			·08	21
22				·24					·05			·15	22
23							·69					·32	23
24		·01	·07									·02	24
25		·02	·09	·03	·16		·18					·13	25
26	·07		·09	·01	·27	·05	·01				·02	·02	26
27	·23			·19		·09					·48	·13	27
28	·50	·04	·17		·14	·01	·03				·01		28
29	·13		·06				·05				·11	·38	29
30	·01	✕	·01		·02	·02	·25		·28		·18	·23	30
31	·03	✕		✕	·01	✕			✕	·31	✕	·10	31
Total	2·30	·37	1·41	3.85	1.05	1.15	3.84	1.22	2·06	1.31	1.17	2.54	Year's Total 22.27
Days with ·01 in. or more	18	11	16	19	12	10	20	7	12	9	8	24	166
Days with ·04 in. or more	~~11~~ 12	4	13	15	8	6	16	5	12	7	6	14	11~~7~~8

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS.

BENNINGTON - BENNINGTON HOUSE

1911-1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REG … 11

owdon

Kept at Bennington … p 5 in.

in the County of Hertfo … bove Ground 1 ft. 0 in.

„ Sea Level 406 ft.

9 a.m.

by the late Rev Dr Park …

n { Name Knebworth G.N.R.
Distance 6 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	–	0·01	–	–	–	0·03	0·02	–	–	–	–	1
2	·12	–	–	0·19	0·14	–	·01	–	–	–	0·16	0·13	2
3	–	0·01	–	·03	·11	0·15	–	–	–	0·20	·06	·13	3
4	·06	·05	·11	·10	–	–	–	–	–	·02	·10	·32	4
5	–	·01	–	·01	–	–	–	–	–	·05	–	·16	5
6	·21	–	·04	–	–	–	–	–	–	–	·01	·37	6
7	·01	–	·01	–	–	–	–	–	–	·09	·31	·27	7
8	·20	–	·14	–	–	–	–	–	–	–	·10	·22	8
9	·17	–	·01	·04	–	–	–	–	–	–	–	–	9
10	·01	·08	·09	·03	–	–	–	–	–	–	·06	·44	10
11	·31	–	–	–	·71	–	–	–	–	–	·53	·01	11
12	·11	–	·45	–	–	–	–	–	0·04	–	·20	–	12
13	–	–	·25	–	·17	–	–	–	·33	·47	–	·20	13
14	–	–	·03	–	·41	–	–	–	–	–	–	·39	14
15	–	·03	·25	–	–	–	–	–	–	·02	·05	·02	15
16	–	–	·02	–	–	·36	–	–	–	–	·34	·07	16
17	–	–	–	–	–	·13	–	–	–	–	·07	·16	17
18	–	·21	·01	–	–	·52	–	–	–	–	·50	·16	18
19	·01	–	–	–	·02	·27	–	–	·11	·09	·32	·16	19
20	·01	·02	·01	–	–	–	–	·21	·17	·03	–	·59	20
21	·01	·11	–	–	–	·04	–	·17	–	·45	–	·14	21
22	·13	–	·09	–	–	·05	–	·01	–	·09	–	·60	22
23	·01	·12	·26	–	–	1·23	–	–	·23	–	–	·17	23
24	–	·06	·04	–	–	·11	·01	–	–	·66	–	·22	24
25	–	·04	·02	·05	–	·18	·19	–	–	–	–	·01	25
26	–	·01	·01	·15	–	·06	–	–	–	·12	·03	·14	26
27	–	·26	·08	·02	–	–	–	–	·13	–	·01	·07	27
28	0·01	0·19	–	·24	–	–	–	·11	–	–	·06	·01	28
29	–		–	–	–	0·16	0·14	–	·26	·22	0·01	–	29
30	–		0·01	0·16	·01	–	–	–	0·05	0·18	–	·01	30
31	–		–		0·80		–	–		–		0·01	31
Total	1·39	1·20	1·94	1·02	2·37	3·26	0·38	0·52	1·32	2·69	2·92	5·18	TOTAL for year 24·19
No. of Rain Days.	16	14	21	11	8	12	5	5	8	14	18	27	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 11

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Bennington House, Bennington

in the County of Hertford. 3

by the late Rev Dr Parker & Miss Parker now.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 406 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Knebworth G.N.R.
Distance 6 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	–	0·01	–	–	–	0·03	0·02	–	–	–	–	1
2	·12	–	–	0·19	0·14	–	·01	–	–	–	0·16	0·13	2
3	–	0·01	–	·03	·11	0·15	–	–	–	0·20	·06	·13	3
4	·06	·05	·11	·10	–	–	–	–	–	·02	·10	·32	4
5	–	·01	–	·01	–	–	–	–	–	·05	–	·16	5
6	·21	–	·04	–	–	–	–	–	–	–	·01	·37	6
7	·01	–	·01	–	–	–	–	–	–	·09	·31	·27	7
8	·20	–	·14	–	–	–	–	–	–	–	·10	·22	8
9	·17	–	·01	·04	–	–	–	–	–	–	–	–	9
10	·01	·08	·09	·03	–	–	–	–	–	–	·06	·44	10
11	·31	–	–	–	·71	–	–	–	–	–	·53	·01	11
12	·11	–	·45	–	–	–	–	–	0·04	–	·20	–	12
13	–	–	·25	–	·17	–	–	–	·33	·47	–	·20	13
14	–	–	·03	–	·41	–	–	–	–	–	–	·39	14
15	–	·03	·25	–	–	–	–	–	–	·02	·05	·02	15
16	–	–	·02	–	–	·36	–	–	–	–	·34	·07	16
17	–	–	–	–	–	·13	–	–	–	–	·07	·16	17
18	–	·21	·01	–	–	·52	–	–	–	–	·50	·16	18
19	·01	–	–	–	·02	·27	–	–	·11	·09	·32	·16	19
20	·01	·02	·01	–	–	–	–	·21	·17	·03	–	·59	20
21	·01	·11	–	–	–	·04	–	·17	–	·45	–	·14	21
22	·13	–	·09	–	–	·05	–	·01	–	·09	–	·60	22
23	·01	·12	·26	–	–	1·23	–	–	·23	–	–	·17	23
24	–	·06	·04	–	–	·11	·01	–	–	·66	–	·22	24
25	–	·04	·02	·05	–	·18	·19	–	–	–	–	·01	25
26	–	·01	·01	·15	–	·06	–	–	–	·12	·03	·14	26
27	–	·26	·08	·02	–	–	–	–	·13	–	·01	·07	27
28	0·01	0·19	–	·24	–	–	–	·11	–	–	·06	·01	28
29	–		–	–	–	0·16	0·14	–	·26	·22	0·01	–	29
30	–		0·01	0·16	·01	–	–	–	0·05	0·18	–	·01	30
31	–		–		0·80		–	–		–		0·01	31
Total	1·39	1·20	1·94	1·02	2·37	3·26	0·38	0·52	1·32	2·69	2·92	5·18	TOTAL for year 24·19
No. of Rain Days.	16	14	21	11	8	12	5	5	8	14	18	27	159

Exc DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3-JAN 1913

Kept at Benington House, Benington.

in the County of Hertford. 3

by Miss Parker & Miss A. H. Parker

Lat. 51° 53' 45" N Long. 0° 5' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Knebworth G. N. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~0·07~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·03	—	—	0·02	0·02	0·01	0·08	0·26	—	0·15	1
2	—	—	·03	0·03	—	·23	·43	·01	·01	—	—	—	2
3	0·13	0·01	·03	—	0·18	·09	·01	·38	—	—	—	·06	3
4	·16	—	·70	—	·11	·18	—	—	—	—	0·35	—	4
5	·12	·05	·33	—	—	—	—	·11	·01	—	·08	—	5
6	·24	·04	—	—	·01	—	·05	·20	—	—	—	·04	6
7	·02	—	—	—	·01	·62	—	·16	—	—	—	·01	7
8	·34	·36	·18	—	—	—	·01	·20	·11	·01	·01	·01	8
9	·02	·07	—	·05	·11	·68	—	·02	—	·01	—	·20	9
10	—	·03	·07	—	—	·07	—	·17	·02	·01	·06	·08	10
11	·08	·10	·01	—	—	·01	—	·03	·08	—	—	·08	11
12	·09	—	·08	—	·01	·06	—	—	—	—	·06	—	12
13	·01	·10	—	—	—	·10	·01	·24	—	·01	·22	·01	13
14	·01	—	·03	—	·04	·03	—	—	—	·01	—	·05	14
15	—	·03	·14	—	·13	·26	—	·03	—	—	·01	·13	15
16	·32	—	·02	—	·03	·11	—	·05	—	·05	·06	—	16
17	·47	—	·24	—	—	·12	—	·05	—	—	—	—	17
18	·05	—	·12	—	—	—	—	·10	—	—	·04	·11	18
19	·18	·05	·12	·01	—	—	·17	·46	—	—	—	—	19
20	·01	—	·13	—	·01	—	—	·05	—	·29	—	—	20
21	·01	·01	·42	—	·17	—	·01	·18	—	·15	·06	—	21
22	·44	·11	·24	—	—	—	·07	·20	—	—	—	—	22
23	·43	·38	·26	—	·02	—	·11	·38	—	·01	·13	·16	23
24	·30	·01	—	—	—	·03	·04	·18	—	—	—	·24	24
25	—	—	—	—	—	·15	—	·77	—	·01	·27	·45	25
26	—	·02	—	—	—	—	·15	·38	—	·33	·41	·21	26
27	—	—	—	—	—	—	—	—	—	·16	—	·17	27
28	—	·05	—	·01	—	—	·02	·03	·08	·62	·30	·25	28
29	—	0·02	·01	—	—	·15	·22	·22	1·25	·24	·04	—	29
30	·01		—	—	·50	0·01	·09	·10	0·85	·29	—	—	30
31	—		0·12		0·01		0·22	0·26	~~0·26~~	0·03		0·04	31
Total	3·44	1·44	3·31	0·10	1·34	2·92	1·63	4·97	2·49	2·49	2·10	2·45	YEAR'S TOTAL 28·68
Rain Days.	21	17	21	4	14	18	16	27	9	17	15	19	198

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL
10 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Benington House, Benington

in the County of Hertford 3 Ex R

by Miss Parker.

Lat. 51° 53' 45"N. Long. 0° 5' 20"W.
Time of Observation 9 a.m.
Nearest Railway Station Knebworth G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	0·13	0·07	0·10	—	—	—	—	0·30	—	0·11	0·02	1
2	·04	·12	—	—	—	—	0·09	—	·05	0·11	·05	—	2
3	—	—	·08	·05	0·52	—	—	—	—	—	—	·09	3
4	·21	—	·03	—	·06	0·01	·12	—	—	·42	·03	·09	4
5	·05	—	—	—	—	·05	·15	—	·02	·25	·01	·14	5
6	—	·02	·05	—	·13	·17	·21	—	—	—	—	—	6
7	—	·15	—	—	·18	·01	·15	0·14	—	·36	·03	·01	7
8	—	—	·04	·02	·18	·17	—	—	—	·08	·05	—	8
9	—	·20	·02	·02	·02	·04	—	—	·08	—	·02	·05	9
10	·01	—	·01	·04	—	—	·25	—	—	—	·34	—	10
11	·76	—	—	·45	—	—	—	·06	—	·20	·30	—	11
12	—	—	—	—	·03	—	—	·01	—	·01	·35	—	12
13	·02	—	—	—	—	—	—	·03	·05	—	·49	—	13
14	·05	·01	·04	·02	—	—	·60	·06	—	·20	·13	—	14
15	·15	·02	·18	·19	—	—	·21	—	·01	—	—	—	15
16	·06	—	·32	·20	—	—	—	—	·06	—	—	—	16
17	·02	·01	·07	·06	—	·87	·05	—	—	—	·01	·10	17
18	—	—	·17	·16	—	—	·01	—	·14	—	·01	·01	18
19	·20	—	·03	—	—	—	·15	—	·38	—	—	·02	19
20	·22	—	·05	·03	—	·11	—	—	—	·31	—	—	20
21	·02	—	·13	·15	—	—	·01	—	—	·17	·44	—	21
22	·38	—	·09	—	—	—	—	·06	·15	—	—	—	22
23	—	—	·01	—	—	·07	0·05	·11	0·01	—	—	·07	23
24	—	—	—	·01	—	·01	—	·08	—	—	—	—	24
25	—	·02	—	·22	—	0·01	—	—	—	—	—	—	25
26	—	—	·22	·07	—	—	—	·15	—	·69	—	·13	26
27	—	0·02	·05	·09	—	—	—	—	—	·04	—	—	27
28	·17	—	·22	·06	—	—	—	—	—	·13	—	—	28
29	·07		0·07	·44	0·40	—	—	·15	—	·04	—	—	29
30	0·24		—	0·09	—	—	—	·05	—	·15	0·09	0·01	30
31	—		—		—		—	0·34		0·02		—	31
Total	2·71	0·70	1·95	2·47	1·52	1·52	2·05	1·24	1·25	3·18	2·46	0·74	YEAR'S TOTAL 21·79
Rain Days.	18	10	21	20	8	11	13	12	11	16	16	12	168

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Benington House, Benington
in the County of Hertford. 3
by Miss Parker.

Lat. 51° 53' 45" N. Long. 0° 5' 20" W.
Time of Observation 9 a.m.
Nearest Railway Station Knebworth G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·01	–	–	–	0·12	0·22	–	–	0·07	–	1
2	0·01	–	–	0·01	–	–	·02	·07	–	0·01	·09	0·04	2
3	–	–	·08	–	0·15	–	·98	·16	–	–	·02	–	3
4	·15	0·01	–	·25	–	–	–	·10	–	–	·40	·30	4
5	·01	·01	·07	·24	·01	0·12	·32	·39	–	–	·03	–	5
6	–	·11	–	–	·01	·04	·04	·01	–	–	·17	·22	6
7	–	·19	·26	·09	·94	·01	–	·01	–	–	·01	·38	7
8	·08	·19	·82	·03	–	·33	·11	·09	–	–	–	–	8
9	·26	–	·51	·03	–	·41	–	–	0·01	–	–	1·04	9
10	·19	·11	–	·05	·04	–	–	–	·16	–	–	·01	10
11	–	·16	·35	–	·02	·64	–	–	·04	–	·24	·25	11
12	·02*	·04	·07	–	–	–	–	–	·37	–	–	·32	12
13	·01*	·28	·17	–	–	–	–	–	·09	·23	·05	·42	13
14	–	·03	·35	–	–	–	·12	–	–	·30	·11	·41	14
15	·06	·01	·16	–	–	–	–	–	–	·01	·06	·06	15
16	–	–	·05	–	–	–	·11	–	–	–	·04	–	16
17	–	·34	·03	–	–	–	–	–	·22	–	–	·08	17
18	–	·01	·07	–	–	–	–	–	–	–	–	·22	18
19	–	·07	·15	–	–	–	·03	–	·07	–	·19	·03	19
20	–	·18	·25*	–	–	·02	–	–	0·14	–	–	·08	20
21	–	·52	·12	–	–	·09	–	–	–	·01	–	·13	21
22	–	·01	·04	·01	·31	0·06	·09	·02	–	·72	–	·01	22
23	–	·07	·09	–	·10	–	–	–	–	·12	–	·03	23
24	–	–	·01	0·06	–	–	·14	–	–	·02	·09	–	24
25	·04	–	·10	–	–	–	–	·10	–	·38	~~·15~~	·04	25
26	–	–	·02	–	–	–	–	0·07	–	·01	·15	·50	26
27	·03	–	·02	–	–	–	–	–	–	–	·02	·20	27
28	–	0·01	–	–	–	–	–	–	–	·02	·37	1·22	28
29	0·02	–	·06	–	–	–	–	–	–	·25	·14	–	29
30	–	X	0·02	–	–	–	–	–	–	0·02	0·29	·20	30
31	–	X	–	X	0·15	X	0·02	–	X	–	X	0·03	31
Total	0·88	2·35	3·88	0·77	1·73	1·72	2·10	1·24	1·09	2·10	2·54	6·22	YEAR'S TOTAL 26·62
Rain Days.	12	19	25	9	9	9	12	11	8	13	19	24	170

W. 8,000. X. 14.

ex 95

1036

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bennington (House)
in the County of Hertford.
by Miss Parker & Miss A. H. Parker.

3

Lat. 51° 53' 45" N. Long. 0° 5' 20" W.
Time of Observation 9 am.
Nearest Railway Station Knebworth G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·38	0·11	0·08	—	0·02	—	—	—	0·17	0·02	0·09	0·39	1
2	·27	·17	·19	0·09	—	0·02	—	0·61	·02	·04	·01	·08	2
3	·37	·01	·02	·19	—	—	0·16	·14	·05	—	—	·13	3
4	·09	—	—	—	—	—	—	·02	—	—	·04	·38	4
5	·02	·29	—	—	—	—	—	·02	—	·07	—	·18	5
6	·18	·01	·02	·22	—	—	·91	—	—	—	·01	·12	6
7	·10	·37	·05	—	—	—	·39	·03	—	—	·01	·20	7
8	·01	·35	·02	·01	—	—	·01	—	—	—	—	—	8
9	—	·03	—	·01	—	·04	—	·04	—	—	·17	·48	9
10	·26	—	·05	—	—	—	—	·54	—	—	·02	·09	10
11	·01	—	·03	—	·03	—	—	—	—	—	·65	—	11
12	·09	·04	—	·35	·33	—	—	·19	—	·09	·58	·04	12
13	·04	·34	—	—	1·31	—	—	—	—	—	—	—	13
14	—	·05	—	—	—	—	·46	·08	·04	—	·01	·41	14
15	·24	·01	—	—	·06	—	—	·24	—	—	·19	·11	15
16	—	·34	—	—	—	—	·69	·32	—	—	—	·02	16
17	—	·24	—	—	·31	—	·24	—	—	—	·01	—	17
18	—	·16	·28	—	·02	—	—	—	—	—	·07	—	18
19	—	·09	—	—	—	—	·13	—	—	—	·01	—	19
20	·26	—	—	·07	—	—	—	·02	—	—	—	·42	20
21	·12	·02	—	—	0·03	—	·03	—	—	·01	—	·06	21
22	1·00	·03	·30	—	—	—	·38	—	·01	—	—	·13	22
23	·01	·15	·12	·01	—	·01	·16	—	·32	·19	—	·30	23
24	—	·02	·03	—	—	—	·35	—	·23	·04	—	·31	24
25	—	·01	—	0·02	—	·27	·05	—	—	·04	—	·12	25
26	—	·09	—	—	—	·01	·06	—	—	—	—	·26	26
27	—	·03	—	—	—	·46	·18	—	—	·43	—	·08	27
28	—	0·11	—	—	—	·15	·02	·05	1·09	·16	—	·01	28
29	—		—	—	—	—	0·16	·15	—	·08	·07	·09	29
30	·01	X	—	—	—	0·03	—	·01	0·02	—	0·06	—	30
31	0·02	X	—	X	—	X	—	0·03	X	0·65	X	0·21	31
Total	3·48	3·07	1·19	0·97	2·11	0·99	4·38	2·49	1·95	1·82	2·00	4·62	YEAR'S TOTAL 29·07
Rain Days.	19	24	12	9	8	8	17	16	9	12	16	24	174

W. 8,000. X. 15.

32 Excd C&E. 100

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
11. JAN 191

Kept at Bennington House, Bennington

in the County of Hertford.

by Miss Parker & Miss A. H. Parker.

Lat. 51° 53' 45" N Long. 0° 5' 20" W

Time of Observation 9 am.

Nearest Railway Station Knebworth G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 407 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·09	–	0·02	–	0·15	0·02	–	–	0·05	0·04	0·21	–	1
2	·41	0·01	·17	–	·18	·02	–	–	·10	·38	·04	–	2
3	–	·36	·15	–	·01	·02	0·02	–	·35	·26	·30	–	3
4	·23	·18	·01	–	–	·35	–	–	–	·14	·35	–	4
5	·03	·01	·02	0·02	·02	·16	–	–	–	·06	·47	0·01	5
6	–	·07	·17	·26	–	·31	·28	–	–	·04	·50	–	6
7	·09	–	·19	–	·12	·07	·04	–	–	·15	·44	·03	7
8	·01	–	·01	–	·36	·04	–	–	–	–	–	·27	8
9	·01	–	·01	–	·24	–	–	–	–	·04	–	·09	9
10	–	·06	·10	·09	–	·16	·03	–	–	·02	–	·09	10
11	·07	·16	·06	·12	·04	·01	–	–	–	–	–	·02	11
12	·02	·02	·01	·04	·51	·22	·20	0·14	·01	·18	–	–	12
13	·01	·52	·18	·15	·13	·13	·07	·17	–	·02	–	–	13
14	·01	·32	·01	·05	·05	·01	–	·15	–	·10	–	·13	14
15	–	·11	·35	·03	–	–	·04	·33	–	–	–	–	15
16	–	·03	·09	·16	·07	–	·17	·11	–	·07	–	·02	16
17	·08	·06	–	·21	–	–	·03	·52	·29	·25	–	–	17
18	·01	·09	·04	·12	–	–	–	·13	·07	·02	·40	–	18
19	·04	·02	·17	·04	–	–	–	·02	·17	–	·70	·11	19
20	·20	·01	·29	·05	–	–	–	·02	–	–	·03	·34	20
21	–	–	·77	–	–	–	0·19	–	–	–	·01	·43	21
22	–	·17	·02	–	·07	·01	–	–	–	·03	–	·44	22
23	·02	·21	–	–	–	·13	–	·03	–	–	·05	·07	23
24	–	·03	·03	–	·01	·29	–	·02	–	·04	·04	·33	24
25	–	·24	·09	–	·04	–	–	·13	–	·15	·11	·01	25
26	–	·10	·03	–	–	·04	–	·01	–	·04	·01	–	26
27	·10	·04	·56	–	–	·02	–	·35	·01	·43	–	·01	27
28	–	·27	·31	–	–	·17	–	–	·04	·11	–	·20	28
29	–	0·10	–	–	–	·22	–	1·13	0·01	·34	–	·13	29
30	–		–	–	0·38	0·09	–	·13	–	·30	–	·02	30
31	0·01		–		–		–	0·02		0·04		0·02	31
Total	1·44	3·19	3·86	1·34	2·38	2·49	1·07	3·41	1·10	3·25	3·66	2·77	YEAR'S TOTAL 29·96
Rain Days.	18	24	26	13	16	21	10	17	10	24	15	20	214

W. 8,000, VIII. 16

Mar. 11 interpolated

97⁸

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

9. JAN 1918

Kept at Bennington House, Bennington

in the County of Hertford

by Miss Parker F.R.Met.Soc.

Lat. 51° 53' 45" N Long. 0° 5' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Knebworth G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 407 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	–	·27	–	–	–	1·12	·03	–	·11	–	1
2	·02	·01	·01	·15	–	·13	–	·16	–	–	·03	–	2
3	–	–	–	·04	–	–	–	·40	–	·49	·11	–	3
4	–	·07	·04	–	–	–	–	·15	–	·63	–	–	4
5	·22	–	·02	·24	–	–	–	·13	·48	·10	·15	–	5
6	–	–	–	·01	–	·10	–	–	·06	·04	·04	–	6
7	·27	–	·01	–	–	–	·23	–	–	·44	·01	·02	7
8	·22	–	–	·09	–	–	·95	·73	–	·24	·10	·19	8
9	·10	–	·05	·14	–	–	–	·31	–	–	·10	·13	9
10	·28	·01	·17	·19	–	–	–	·12	–	·01	·02	·01	10
11	·10	·04	(·42)	·13	–	–	–	–	–	·38	·01	–	11
12	·10	–	·02	·02	–	–	–	·09	–	·24	·01	·01	12
13	·11	–	·05	·01	–	–	·03	·19	·04	·01	·01	–	13
14	·02	–	·01	·10	–	–	–	·04	–	·02	·01	·04	14
15	·02	–	–	–	–	–	·07	·18	–	·02	·01	·01	15
16	·02	·12	–	·43	·11	–	–	–	–	·78	·01	·06	16
17	·01	·01	–	·20	·55	–	·25	·13	·39	·33	–	–	17
18	·06	·02	–	·12	·05	·01	·16	·02	·47	–	–	–	18
19	·01	·10	·09	–	·23	·09	–	–	·21	–	–	·01	19
20	–	·19	·12	–	·62	–	–	–	·72	–	·12	·01	20
21	·02	–	·03	–	·04	–	–	–	–	–	·05	·01	21
22	–	–	·08	–	–	–	–	·09	–	·17	·01	–	22
23	–	·09	·02	–	·13	·01	–	·13	–	·10	–	·03	23
24	–	·04	–	–	–	·17	·02	·22	–	·28	·02	·01	24
25	–	·05	·05	–	–	–	·06	–	–	–	·07	–	25
26	–	·01	·11	–	–	·06	–	·26	·07	–	·41	·02	26
27	–	·01	·04	–	–	·04	–	·79	·01	–	·01	·06	27
28	–	·02	·01	–	–	·63	–	·11	–	·01	–	·03	28
29	–	–	·10	–	–	·07	·85	·06	–	·33	–	·11	29
30	·02		·14	–	–	–	·70	·11	–	–	–	·01	30
31	·05		·09		–		·35	·01		–		·01	31
Total	1·66	·80	~~1·26~~ (1·68)	2·14	1·73	1·31	3·67	5·55	1·88	4·62	1·42	·78	YEAR'S TOTAL 27·24 ~~26·82~~
Rain Days.	19	16	22	15	7	10	11	23	10	19	22	19	193

3·58

W. 8,000, IX. 17.

12. May 1918.

Benington House,
Benington,
Stevenage

Dear Mr Hopkinson

I am sorry you have had to find fault with my rain report, but it is quite evident that such was justly merited.

On looking up March 11th 1917 I find no entry of rain whatever, & at the same time in the remarks of that day rain was said to fall all afternoon beginning with slight rain at noon & ending with the same in evening but heavier between. Though only said to be damp at 9 pm. rain was entered for the early morning of March 12th. Evidently this omission was a piece of pure carelessness, & should have been noticed when copying out of the handbook. The only excuse I can give is that March 11 is entered on the bottom of one page & March 12th begins a new one! Hardly a satisfactory one where accuracy is concerned.

Clearly there was rain here, but to what amount you will probably be able to judge better than I can, as I have no recollection of the day, nor any other data now to go upon than what you have seen in my entries for the adjoining days.

I can only offer my apologies for the carelessness.

As to the failure in keeping up the phenological observations, we are now living a more than fully employed life (war work of a kind I suppose one may truly call it) that it is increasingly difficult to observe anything that cannot be seen from the garden path where the thermometers are situated or the path across the meadow to the cow-shed, & not many of the plants answer this requirement. (My sister & I have milked & entirely looked after our cow for the last 15 months, as well as doing many other things in house & garden on account of lack of labour). It is the opportunity for going to where the plants grow & not the recognising them that is my difficulty. I have a few entries so far this year & hope to be able to send a fuller list by the end of it.

With apologies for both ommission

I remain yours faithfully

E. A Parker.

P.S. I am sorry for the delay in answering your letter but I was from home when it came.

ETa. E.R.E. [illegible]

59

FORM A.
BRITISH RAINFALL.
3 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Bennington House, Bennington

in the County of Hertford

by Miss E. A. Parker F.R. Met: Soc:

Lat. 51° 53' 45"N Long. 0° 5' 20"W
Time of Observation 9 a.m.
Nearest Railway Station Knebworth G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·02	–	·07	–	–	–	–	–	–	·13	·05	1
2	·02	·08	–	·16	–	–	–	·12	–	·01	·04	·16	2
3	–	·01	·04	–	·43	–	–	·15	·11	–	·62	·06	3
4	·01	·06	·07	–	–	–	–	·02	·31	·01	37	·02	4
5	–	·01	·01	–	·15	–	–	·15	·03	·05	–	–	5
6	·09	·10	–	·26	·08	–	–	·06	·02	–	–	·09	6
7	·11	·08	–	·01	·05	–	–	–	·02	·17	·11	·01	7
8	–	–	–	·06	–	–	–	–	·11	·03	·05	·02	8
9	·03	·03	·01	·01	–	·04	·37	–	·36	·17	–	·22	9
10	·07	–	–	·03	–	–	·23	–	–	·01	·01	·14	10
11	·01	–	–	·01	·11	–	·18	–	·11	·26	·03	·03	11
12	·02	·14	–	–	·25	–	·07	–	·04	·01	·01	·02 ~~·16~~	12
13	·01	·02	–	·02	·19	–	·31	–	·15	–	–	·13	13
14	·22	–	–	–	–	·11	·03	–	·17	·20	–	·23	14
15	·95	–	–	1·41	–	·07	·28	–	–	–	–	·09	15
16	·24	–	–	·29	–	–	–	–	·44	–	–	·01	16
17	·11	–	–	·39	–	–	·44	–	–	–	–	·12	17
18	·38	–	–	–	–	·16	·21	–	·47	·06	–	·39	18
19	·07	·02	·11	·23	–	·01	·17	–	–	·08	·01	·11	19
20	·02	·09	–	·44	–	·05	·05	–	·08	·16	·02	·04	20
21	·07	–	–	·20	–	·04	–	–	·37	·09	·02	·01	21
22	·07	–	–	·02	·17	–	·11	–	·09	·01	·04	·15	22
23	·01	–	–	–	·61	·02	·59	·06	·04	–	·01	·03	23
24	–	·19	–	–	·01	·01	·01	–	·07	–	·06	·01	24
25	–	–	–	–	·04	·11	·15	·22	–	·01	·14	–	25
26	–	–	–	–	–	–	·31	·01	–	·05	·17	·15	26
27	·01	–	–	·12	–	–	·08	·23	·10	·01	·12	·02	27
28	·01	·04	·30	·01	–	·02	–	·02	–	–	·38	·09	28
29	·01		–	–	–	–	–	–	1·37	–	·05	–	29
30	–	X	·42	–	–	–	–	–	·04	–	·08	·11	30
31	·02	X	·02	X	–	X	–	–	X	·14	X	·06	31
Total	2·56 ✓	·89 ✓	·98 ✓	3·74 ✓	2·09 ✓	·64 ✓	3·59 ✓	1·04 ✓	4·50 ✓	1·53 ✓	2·47 ✓	2·57 ~~2·71~~ ✓	YEAR'S TOTAL 26·60 ~~26·74~~ ✓
Rain Days.	23 ✓	14 ✓	8 ✓	18 ✓	11 ✓	11 ✓	17 ✓	10 ✓	21 ✓	19 ✓	21 ✓	28 ✓	201 ✓

W. 6,500, VII. 18. w w c

CX ML 924

✓ 13 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bennington

in the County of Hertford

by Miss E. A. Parker F. R. Met. Soc.

Lat. 51° 53' 45" N Long. 0° 5' 20" W

Time of Observation 9 am.

Nearest Railway Station Knebworth G. N. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 407 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·02	–	·02	·11	–	·46	–	–	·01	–	·96	1
2	·27	–	·02	–	·11	–	·11	–	·27	·01	·17	·35	2
3	·33	–	·31	–	·01	–	·09	–	·12	–	·07	·20	3
4	·09	·02	·19	–	–	·13	·38	·19	·02	–	–	·17	4
5	·04	·24	·35	–	–	–	·10	·01	·13	–	·02	·22	5
6	·01	·01	·07	–	–	–	–	–	–	–	·04	·05	6
7	·04	–	·42	–	–	–	–	–	–	–	·18	–	7
8	·09	–	·07	·04	–	–	–	–	–	–	·04	–	8
9	·02	–	·04	·17	–	–	–	–	–	–	·11	–	9
10	·05	–	·05	·06	–	–	–	–	–	·01	·01	·03	10
11	·04	–	·06	·24	–	–	·37	–	–	–	–	·01	11
12	–	–	·25	·01	–	·06	·07	–	–	·11	·02	–	12
13	·06	·07	–	·33	–	–	–	–	–	·09	–	·04	13
14	·21	–	–	·42	–	–	·13	–	·13	·01	–	·01	14
15	·28	·05	·07	·17	–	–	–	–	–	·10	·02	·30	15
16	·04	·65	–	·02	–	–	–	–	–	–	·13	·03	16
17	·01	·65	·05	·03	–	–	–	–	–	–	·22	·04	17
18	–	·20	·04	–	–	–	–	·07	·02	–	·03	·07	18
19	·01	·13	·48	–	–	·27	·06	·31	·10	·01	·13	·05	19
20	·20	·07	·06	–	–	·65	·27	·58	–	–	–	·02	20
21	·30	·31	·04	–	–	·05	·42	–	–	·01	·01	·05	21
22	–	·11	–	–	–	–	·08	–	·23	–	·06	·35	22
23	–	–	–	–	–	·03	·04	–	·03	–	·01	·07	23
24	–	–	–	·24	·01	·01	·04	·07	–	·05	·13	·05	24
25	·07	–	–	·08	·01	–	–	·20	–	–	·01	·03	25
26	·16	·32	·14	·03	–	–	·13	·33	·09	–	–	·41	26
27	·61	·11	·04	1·96	–	–	–	·40	–	·01	–	·05	27
28	·01	–	·07	·06	–	–	–	·63	–	·03	·14	·30	28
29	·04		–	·03	–	–	–	·13	–	·26	·19	·06	29
30	·01		·02	·32	–	·16	–	·06	–	·04	·22	·25	30
31	·02		·01		–		·01	–		·02		·01	31
TOTAL	3·37	2·96	2·85	4·23	·25	1·36	2·76	2·98	1·14	·77	1·96	4·18	YEAR'S TOTAL 28·81
Days with ·01 in. or more	26	15	22	18	5	8	16	12	10	15	22	27	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

878

27 JAN 1921

Form A/2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Benington House, Benington.
in the County of Hertford
by Miss Parker F.R.Met.Soc: & Miss A. H. Parker F.R.Met.Soc:

Lat. 51° 53′ 45″ N Long. 0° 5′ 20″ W.
Time of Observation 9 a.m.
Nearest Railway Station Knebworth G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 407 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	–	–	15·3	2·3	–	6·0	5·9	–	13·8	·3	6·1	1
2	–	–	·1	1·7	–	–	6·2	9·5	2·3	·6	–	3·5	2
3	–	1·0	–	1·4	·1	·1	1·7	–	1·8	2·2	–	·5	3
4	–	–	–	2·8	·3	–	5·3	2·8	·5	2·7	–	2·1	4
5	–	–	1·2	·6	1·1	–	18·5	·4	3·0	·1	·2	·7	5
6	–	–	5·4	–	1·7	–	13·3	–	–	–	–	·4	6
7	·1	·2	3·2	3·0	1·0	–	3·2	–	–	–	–	1·3	7
8	5·5	·4	·1	7·8	·5	–	2·6	1·1	–	–	·2	–	8
9	7·4	·2	–	1·2	–	–	–	3·3	–	–	–	–	9
10	6·0	2·1	1·8	·7	–	·2	2·2	–	–	–	–	·3	10
11	8·6	–	1·2	6·4	·8	·8	3·1	–	–	·1	–	1·5	11
12	1·5	–	2·2	2·4	–	4·9	–	–	–	–	·3	–	12
13	·4	·9	2·5	8·2	–	·6	–	–	–	·1	3·1	·4	13
14	–	·3	6·6	5·1	–	1·0	1·7	–	3·5	3·6	6·5	·3	14
15	–	1·1	3·1	5·5	–	–	–	–	8·2	·8	1·7	·7	15
16	–	·1	·2	3·5	·1	–	–	–	3·0	1·0	–	·1	16
17	·9	·1	·3	·3	3·0	2·7	·4	–	4·0	–	–	·9	17
18	1·5	·2	–	–	1·0	–	–	13·4	4·5	–	–	1·3	18
19	4·3	·1	–	3·6	·8	1·9	–	2·3	–	–	–	·4	19
20	1·8	2·2	–	9·4	–	12·0	–	–	1·5	–	–	·2	20
21	–	·2	–	–	–	–	14·7	1·5	–	–	·5	2·3	21
22	–	·1	–	5·0	–	–	·1	·1	4·9	–	·4	1·9	22
23	·1	·2	–	–	–	–	19·7	–	–	–	–	9·0	23
24	·5	·3	1·8	–	–	–	–	–	–	·2	–	·9	24
25	·5	·6	·9	·5	29·5	·2	4·9	–	–	–	·2	–	25
26	2·5	–	1·3	·6	3·1	–	·4	–	–	·2	–	·3	26
27	5·7	·6	·2	7·3	–	5·1	·8	–	·2	·1	9·4	3·4	27
28	12·4	·2	5·5	–	3·4	·5	1·7	–	–	·1	·1	·1	28
29	2·4	–	1·3	–	3·6	–	4·1	–	–	·1	4·5	6·5	29
30	·6	╳	–	–	–	1·4	7·2	–	4·6	–	3·6	6·5	30
31	·4	╳	–	╳	·6	╳	–	–	╳	7·3	╳	1·8	31
Total	63·1	11·8	38·9	92·3	52·9	31·4	116·8	40·3	42·0	33·0	31·0	53·4	Year's Total 606·2
Days with 0·2 mm. or more	18.	16.	17	22.	15.	12.	20.	9.	13.	10.	13.	25.	190
Days with 1·0 mm. or more	12.	4	13.	17.	10.	7.	17.	8.	11.	6.	6.	13.	124

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

878

58 (WD)

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bennington (Mo)

in the County of Hertfordshire

by Miss Parker

Lat. 51° 54' N Long. 0° 5' W

Time of Observation 9h L.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	15·3	2·3	-	5·0	5·9	-	13·8	0·3	6·1	1
2	-	-	0·1	1·7	-	-	6·2	9·5	2·3	0·6	-	3·5	2
3	-	1·0	-	1·4	0·1	0·1	1·7	-	1·8	2·2	-	0·5	3
4	-	-	-	2·8	0·3	-	5·3	2·8	0·5	2·7	-	2·1	4
5	-	-	1·2	0·6	1·1	-	18·5	0·4	3·0	0·1	0·2	0·7	5
6	-	-	5·4	-	1·7	-	13·3	-	-	-	-	0·4	6
7	0·1	0·2	3·2	3·0	1·0	-	3·2	-	-	-	-	1·3	7
8	5·5	0·4	0·1	7·8	0·5	-	2·6	1·1	-	-	0·2	-	8
9	7·4	0·2	-	1·2	-	-	-	3·3	-	-	-	-	9
10	6·0	2·1	1·8	0·7	-	0·2	2·2	-	-	-	-	0·3	10
11	8·6	-	1·2	6·4	0·8	0·8	3·1	-	-	0·1	-	1·5	11
12	1·5	-	2·2	2·4	-	4·9	-	-	-	-	0·3	-	12
13	0·4	0·9	2·5	8·2	-	0·6	-	-	-	0·1	3·1	0·4	13
14	-	0·3	6·6	5·1	-	1·0	1·7	-	3·5	3·6	6·5	0·3	14
15	-	1·1	3·1	5·5	-	-	-	-	8·2	0·8	1·7	0·7	15
16	-	0·1	0·2	3·5	0·1	-	-	-	3·0	1·0	-	0·1	16
17	0·9	0·1	0·3	0·3	3·0	2·7	0·4	-	4·0	-	-	0·9	17
18	1·5	0·2	-	-	1·0	-	-	13·4	4·5	-	-	1·3	18
19	4·3	0·1	-	3·6	0·8	1·9	-	2·3	-	-	-	0·4	19
20	1·8	2·2	-	9·4	-	12·0	-	-	1·5	-	-	0·2	20
21	-	0·2	-	-	-	-	14·7	1·5	-	-	0·5	2·3	21
22	-	0·1	-	5·0	-	-	0·1	0·1	4·9	-	0·4	1·9	22
23	0·1	0·2	-	-	-	-	19·7	-	-	-	-	9·0	23
24	0·5	0·3	1·8	-	-	-	-	-	-	0·2	-	0·9	24
25	0·5	0·6	0·9	0·5	29·5	0·2	4·9	-	-	-	0·2	-	25
26	2·5	-	1·3	0·6	3·1	-	0·4	-	-	0·2	-	0·3	26
27	5·7	0·6	0·2	7·3	-	5·1	0·8	-	0·2	0·1	9·4	3·4	27
28	12·4	0·2	5·5	-	3·4	0·5	1·7	-	-	0·1	0·1	0·1	28
29	2·4	-	1·3	-	3·6	-	4·1	-	-	0·1	4·5	6·5	29
30	0·6		-	-	-	1·4	7·2	-	4·6	-	3·6	6·5	30
31	0·4		-		0·6		-	-		7·3		1·8	31
TOTAL	63·1	11·1	38·9	92·3	52·9	31·4	116·8	40·3	42·0	33·0	31·0	53·4	YEAR'S TOTAL 606·2
Days with 0·2 mm. or more	18	16	17	22	15	12	20	9	13	10	13	25	190
	12	4	13	17	10	7	17	8	11	6	6	13	124

(44,284). Wt. 21[illegible]58—21[illegible] 500. 10/13. Gp.138. A.&E.W.

Copied from Id 3202

REC 911

HERTS —

BENNINGTON – THE LORDSHIPS

1911 – 1915

FORM A1.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Lordsh

in the County of Her

by A. F.

op 5 in.

above Ground ft. 10 in.

„ Sea Level 365 ft.

9. A.M.

on { Name Knebworth
Distance 3 3/4 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·01	·16	-	-	·04	·04	-	-	-	-	1
2	·12	-	·01	·19	·14	-	-	-	-	·21	·16	·14	2
3	·	·03	-	·02	·08	·22	-	-	-	·07	·04	·01	3
4	·08	·05	·11	·10	-	-	-	-	-	·04	·08	·33	4
5	·02	·02	-	·01	-	-	-	-	-	-	-	·23	5
6	·23	·	·06	-	·	-	-	-	·	·01	·01	·40	6
7	·03	·	·02	-	-	-	-	-	-	·05	·29	·26	7
8	·20	-	·17	-	-	-	-	-	-	·	·09	·22	8
9	·17	-	-	·06	-	-	-	-	-	-	-	·03	9
10	·02	·07	·09	·02	-	-	-	-	-	·	·06	·44	10
11	·26	·	·	·	·86	·	·	·	·	·	·53	·01	11
12	·05	-	·49	·	·	·	-	-	·05	·02	·13	·01	12
13	-	·	·24	·	·15	-	-	-	·31	·35	·03	·23	13
14	-	-	·04	-	·70	-	-	-	-	-	-	·42	14
15	-	·03	·21	-	-	-	·	-	-	·04	·04	·03	15
16	·	·	·	-	-	·28	-	-	-	·01	·31	·09	16
17	·	-	-	·	-	·13	·	·	·	·	·11	·17	17
18	-	·15	·02	-	-	·43	·	·	-	·	·61	·18	18
19	·01	·	·	·	·04	·27	·	·	·05	·08	·32	·06	19
20	·02	-	·02	-	-	-	·	·24	·24	·03	·	·58	20
21	·03	·09	·01	-	·	·02	-	·23	-	·65	·	·13	21
22	·11	-	·10	·	-	·07	·	·02	-	·04	·01	·62	22
23	·01	·08	·28	-	-	1·15	·01	-	·23	-	-	·18	23
24	·01	·06	·04	·	-	·10	·02	-	·	·62	·	·22	24
25	·	·04	·05	·04	··	·16	·15	-	-	·	-	·01	25
26	·	-	·	·13	-	·06	·01	-	·	·12	·	·14	26
27	·	·27	·09	·04	-	·	-	·08	·10	·	·05	·07	27
28	·	·14	·	·27	·	-	-	-	-	·	·07	·01	28
29	·	·	·01	-	·	·15	·13	·	·24	·22	·01	·	29
30	·	-	·02	·08	·02	-	-	·	·01	·16	·01	·02	30
31				~~·88~~	·88					~~·04~~	·~~04~~	·	31
Total	1·37	1·03	2·09	1·12	2·87	3·04	·36	·61	1·23	2·72	2·96	5·24	TOTAL for year 2464
No. of Rain Days	16	12	21	12	8	12	6	5	8	17	20	28	165

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.
6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Lordships Benington

in the County of Herts 3

by A. F. Bott

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 365 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Knebworth
Distance 3¾ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·01	·16	-	-	·04	·04	-	-	-	-	1
2	·12	-	·01	·19	·14	-	-	-	-	·21	·16	·14	2
3	·	·03	-	·02	·08	·22	-	-	-	·07	·04	·01	3
4	·08	·05	·11	·10	-	-	-	-	-	·04	·08	·33	4
5	·02	·02	-	·01	-	-	-	-	-	-	-	·23	5
6	·23	·	·06	-	·	-	-	-	·	·01	·01	·40	6
7	·03	·	·02	-	-	-	-	-	-	·05	·29	·26	7
8	·20	-	·17	-	-	-	-	-	-	·	·09	·22	8
9	·17	-	-	·06	-	-	-	-	-	-	-	·03	9
10	·02	·07	·09	·02	-	-	-	-	-	-	·06	·44	10
11	·26	·	·	·	·86	·	·	·	-	·	·53	·01	11
12	·05	-	·49	·	·	·	-	-	·05	·02	·13	·01	12
13	·	·	·24	·	·15	-	-	·	·31	·35	·03	·23	13
14	-	-	·04	-	·70	-	-	-	-	-	-	·42	14
15	-	·03	·21	-	-	-	-	-	-	·04	·04	·03	15
16	·	·	-	-	-	·28	-	-	-	·01	·31	·09	16
17	·	-	-	·	-	·13	·	·	·	·	·11	·17	17
18	-	·15	·02	-	-	·43	·	-	-	·	·61	·18	18
19	·01	·	·	·	·04	·27	·	·	·05	·08	·32	·06	19
20	·02	-	·02	-	·	-	·	·24	·24	·03	·	·58	20
21	·03	·09	·01	-	·	·02	-	·23	-	·65	·	·13	21
22	·11	-	·10	·	-	·07	·	·02	-	·04	·01	·62	22
23	·01	·08	·28	-	-	1·15	·01	-	·23	-	-	·18	23
24	·01	·06	·04	·	-	·10	·02	-	-	·62	·	·22	24
25	·	·04	·05	·04	··	·16	·15	-	-	·	-	·01	25
26	·	-	·	·13	-	·06	·01	-	·	·12	·	·14	26
27	·	·27	·09	·04	-	·	-	·08	·10	·	·05	·07	27
28	·	·14	·	·27	·	-	-	-	-	·	·07	·01	28
29	·	-	·01	-	-	·15	·13	·	·24	·22	·01	·	29
30	·	-	·02	·08	·02	-	-	-	·01	·16	·01	·02	30
31				~~88~~	·88					·~~04~~	·~~04~~	·	31
Total	1·37	1·03	2·09	1·12	2·87	3·04	·36	·61	1·23	2·72	2·96	5·24	TOTAL for year 24·64
No. of Rain Days	16	12	21	12	8	12	6	5	8	17	20	28	165

FORM A.
BRITISH RAINFALL.

19 JAN 1913

Ex MZ

REGISTER OF RAINFALL IN 1912

Kept at The Lordship, Bennington

in the County of Herts 3

by A. F. Bott

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station Knebworth

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·04	·05	·02	·08	·27		·18	1
2		·02	·04	·04	·26	·23	·47	·03					2
3	·11	·01			·13	·12	·02	·35				·06	3
4	·13		·70			·17					·38		4
5	·13	·10	·33					·19			·08	·01	5
6	25	·04			·02		·06	·41					6
7	·03				·02	·84		·03				·06	7
8	·35	·35	·16			·02	·06	·45	·12		·01	·02	8
9	·03	·08		·05	·11	·77	·02					·20	9
10		·04	·06			·04		·19	·02		·11	·08	10
11	·10	·17	·01			·02		·05	·10		·02	·07	11
12	·11	·10	·07		·01	·06					·08		12
13		·11	·01			·04	·02	·26		·03	·23	·01	13
14			·02		·04	·03		·03		·02	·02	·03	14
15		·03	·13		·12	·27				·05	·02	·11	15
16	·43		·03		·04	·07		·03			·04		16
17	·60		·29			·11		·04				·02	17
18	·06		·14					·08			·04	·10	18
19	·16	·05	·11				·26	·35			·01		19
20	·04		·12		·03		·01	·05		·28			20
21	·02	·02	·50		·17		·03	·19		·18	·07		21
22	·47	·11	·22		·02		·09	·19				·02	22
23	·48	·33	·28		·03		·12	·35		·03	·14	·17	23
24	·30	·02				·04	·04	·21				·28	24
25						·16		·72			·27	·38	25
26		·02					·21	·42		·33	·30	·23	26
27							·04			·17		·19	27
28		·06		·01		·01	·07	·02	·11	·46	·33	·30	28
29		·02	·02	·01		·26	·21	·23	1·25	·21			29
30	·03				·49	·02	·09	·11	·80	·26			30
31			·11		·03		·21	·23		·04		·08	31
Total	3·83	1·68	3·38	·11	1·52	3·32	2·08	5·23	2·48	2·33	2·15	2·60	YEAR'S TOTAL 30·71
Rain Days.	19	19	21	4	15	20	19	26	7	13	17	21	201

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

9- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at "The Lordships Bennington

in the County of Herts

by A. F. Bott

3

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Knebworth

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

" " " " Sea Level 365' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·13	·08	·11					·32		·15	·03	1
2	·07	·09					·10		·06	·17	·03		2
3			·09	·07	·60							·07	3
4	·22		·01		·05	·02	·09			·63	·03	·14	4
5	·04				·12	·03	·12		·03	·22	·01	·11	5
6		·04	·03		·13	·17	·21			·17			6
7		·12			·20	·18	·12	·04		·33	·05	·02	7
8			·05	·03	·04					·11	·05		8
9		·21	·03	·03		·05			·09		·02	·08	9
10	·01		·02	·05			·33				·32		10
11	·72			·48			·	·02		·18	·36		11
12					·06					·01	·38		12
13	·03							·02	·05		·55		13
14	·06	·03	·04	·03			·60	·05		·18	·06		14
15	·15	·04	·13	·19			·21		·01				15
16	·07	·01	·25	·18					·05				16
17			·07	·16		·89	·05				·01	·17	17
18	·04		·25	·14			·05		·08		·02	·02	18
19	·25		·04	·01			·12		·48			·03	19
20	·13		·08	·05		·05	·01			·36			20
21	·03		·14	·17			·02		·02	·15	·40	·01	21
22	·45		·12				·06	·12	·15				22
23			·02			·06		·16	·01		·02	·07	23
24	·02			·01		·01		·05					24
25	·01	·04		·16		·01	·02					·02	25
26			·23	·09				·15		·66	·01	·11	26
27		·04	·06	·09						·02			27
28	·18		·28	·07						·13		·01	28
29	·07		·08	·46	·43			·17		·03			29
30	·21			·09				·10		·16	·16	·03	30
31								·36					31
Total	2·80	·75	2·10	2·67	1·63	1·47	2·10	1·24	1·35	3·51	2·63	·92	YEAR'S TOTAL 23·17
Rain Days.	20	10	21	21	8	10	15	11	12	16	18	15	177

W.7,000, XI. 13

Exd DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at The Lordship Bennington
in the County of Herts 3
by A. F. Bott

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Knebworth
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·20	·22			·08	·01	1
2	·01			·03			·03	·08			·11	·11	2
3	·01		·06	·01	·15		·82	·32			·04	·01	3
4	·16		·01	·27	·01			·05			·45	·34	4
5			·07	·28	·02	·15	·33	·34			·05	·01	5
6		·11			·02	·05	·06	·02			·11	·23	6
7		·25	·29	·11	·71	·02	·01					·37	7
8	·09	·14	·85	·06	·02	·38	·17	·12				·02	8
9	·29		·52	·05		·41			·02			·98	9
10	·19	·15	·01	·05	·06				·16			·03	10
11		·19	·36		·03	·68			·04		·22	·38	11
12		·06	·08						·39			·32	12
13	·03	·29	·17						·09	·21	·04	·44	13
14		·04	·36				·10			·22	·17	·36	14
15			·19						·03	·01	·02	·07	15
16	·07		·04				·11		·03		·09		16
17		·36	·05						·21		·02	·10	17
18		·02	·07									·28	18
19		·07	·21			·01	·04		·09		·23	·04	19
20		·20	·26			·03	·01	·02	·08	·01	·02	·10	20
21		·55	·11			·15				·02	·01	·10	21
22		·01	·04	·03	·36	·03		·03		·71		·03	22
23		·05	·09		·09		·11			·16	·02	·03	23
24		·01	·02	·07	·02		·11	·01		·04	·09		24
25	·03		·11				·01	·12		·35	·01	·03	25
26			·05					·04		·03	·14	·60	26
27	·03		·04					·01			·03	·20	27
28	·01	·02								·02	·40	1·20	28
29	·03		·07							·34	·14		29
30		X	·03							·04	·30	·27	30
31		X		X	·16	X	·04		X		X	·03	31
Total	·95	2·52	4·17	·96	1·65	1·91	2·15	1·38	1·14	2·16	2·79	6·69	YEAR'S TOTAL 28·47
Rain Days.	12	17	27	10	12	10	15	13	10	13	23	28	190

W. 8,000. X. 14.

1037

FORM A. BRITISH RAINFALL.
11 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at The Lordships Bennington

in the County of Herts

by A. F. Bott

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Knebworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ....ft. 10 in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·10	·08		·04			·01	·10	·02	·02	·38	1
2	·28	·15	·20	·13		·03		·64	·01	·02	·02	·10	2
3	·36		·02	·17			·13	·15	·03	·		·13	3
4	·10							·02			·06	·43	4
5	·03	·33			·03			·02		·08	·01	·20	5
6	·19	·02	·04	·22			·95					·09	6
7	·09	·35	·06				·46	·03			·01	·17	7
8	·02	·36	·04	·02				·02					8
9		·03		·03		·03		·02			·20	·52	9
10	·28	·	·04			·12		·90					10
11	·02				·04						·77		11
12	·12	·04	·03	·37	·38			·18		·07	·58	·06	12
13	·02	·43	·01	~~1·48~~	1·42				·02				13
14		·03					·33	·36	·04			·45	14
15	·20	·02			·06			·37			·18	·10	15
16	·01	·35					·67	·30				·01	16
17		·25			·29		·22						17
18		·13	·16		·02						·09		18
19		·02					·11	[illegible]					19
20	·25			·06				·02				·45	20
21	·14	·01			·02		·06			·01		·06	21
22	1·05	·03	·30				·40		·01			·19	22
23	·02	·15	·13	·01		·03	·20		·39	·21		·29	23
24			·04			·05	·18		·25	·03		·32	24
25				·03		·23	·03					·19	25
26		·11				·29	·17			·03		·25	26
27		·02				·11	·05		·01	·46		·10	27
28		·10	·01				·02	·06	1·10	·10			28
29							·06	·15		·01	·08	·09	29
30	·03					·05			·03		·06		30
31	·03						~~·03~~	·03		·75		·18	31
Total	3·64	3·03	1·16	1·04	2·30	·94	4·04	3·28	1·99	1·79	2·08	4·76	YEAR'S TOTAL 30·05
Rain Days.	20	21	14	9	9	9	16	17	11	12	12	22	172

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

BERKHAMSTEAD
ANGLEFIELD
HERTFORDSHIRE
1911 – 1920

C. H06.

INFALL IN 1911

FORM A2.
BRITISH RAINFALL.

1 - FEB 1912

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 450 ft.

Time of Observation 9 am

Nearest Railway Station
Name Berkhamsted
Distance ½ m. Direction NE.

…ured daily at 9 a.m., and the result entered to the …nform to this almost universal rule, he is earnestly …nuary of the following year in the space provided …uctions for the measurement of rain, … particulars as to the British Rainfall …servers," sent post-free on application to …W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							·07	·02	–	–	–	·01	1
2	·09	–	–	·33	·17	–	·01	–	–	–	·15	·13	2
3	·02	·02	–	–	·25	–	–	·01	–	–	·13	·06	3
4	·06	·03	·14	·10	–	–	–	–	·01	·32	·19	·49	4
5	·02	·01	–	·01	–	–	–	·04	–	·04	·01	·01	5
6	·41	–	·08	–	–	–	–	–	–	–	·03	·55	6
7	·08	–	·01	–	–	–	–	–	–	·15	·33	·26	7
8	·14	–	·18	–	–	–	–	–	–	·01	·10	·22	8
9	·14	–	–	·01	–	–	–	–	–	–	·03	·12	9
10	·03	·10	·21	·01	·01	–	–	–	–	–	·02	·58	10
11	·36	–	·01	–	·64	–	–	–	–	–	·68	·02	11
12	·03	–	·51	–	–	–	–	–	·01	·55	·36	–	12
13	–	–	·04	–	·60	–	–	–	·36	–	–	·67	13
14	–	·03	·05	–	·04	–	–	–	–	–	–	·42	14
15	–	·08	·16	–	–	–	–	–	–	·02	·10	·02	15
16	–	–	–	–	–	·17	–	–	–	–	·40	·10	16
17	–	–	·03	–	–	·34	–	–	–	–	·14	·42	17
18	–	·15	·01	–	–	·53	–	–	–	–	·27	·38	18
19	–	–	–	–	–	·33	–	–	·11	·07	·32	·10	19
20	·01	·06	·03	–	–	–	–	·31	·14	·08	–	·84	20
21	·02	·14	–	–	–	–	–	·04	–	·40	–	·12	21
22	·02	–	·01	–	–	·25	–	·02	–	·02	–	·62	22
23	–	·14	·32	–	–	·43	·01	–	·20	–	·01	·26	23
24	–	·12	·01	–	–	·16	–	·05	–	·65	–	·19	24
25	–	·05	·01	·09	·07	·17	–	·02	·03	–	–	–	25
26	–	·06	–	·15	·01	·10	·02	·01	–	·13	·02	·23	26
27	–	·40	·09	·02	–	–	·19	·01	·16	–	·01	·17	27
28	–	·29	–	·31	·02	–	·28	·08	–	–	·07	–	28
29	–	x	–	·07	–	·22	·10	–	·29	·29	–	–	29
30	–	x	·01	·02	·19	·03	–	·08	·03	·21	–	·01	30
31	–	x	–	x	·10	x	–	–	x	–	x	–	31
Total	1·46	1·68	1·91	1·50	2·10	2·73	·68	·69	1·34	2·94	3·37	7·00	TOTAL for year 27·40
No. of Rain Days.	15.	15.	19	12	11	11	7	12	10	14	20	26	172.

W. 8,000, X. '11.

C. Rob.

FORM A2.
BRITISH RAINFALL.

1 - FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at 'Anglefield' Berkhamsted.

in the County of Herts.

by Edward T. Browne

RAIN GAUGE	Pattern	Snowden
	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	,, ,, ,, Sea Level	450 ft.

Time of Observation 9 am

Nearest Railway Station { Name Berkhamsted
Distance ½ m. Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	–	·38	–	–	·07	·02	–	–	–	·01	1
2	·09	–	–	·33	·17	–	·01	–	–	–	·15	·13	2
3	·02	·02	–	–	·25	–	–	·01	–	–	·13	·06	3
4	·06	·03	·14	·10	–	–	–	–	·01	·32	·19	·49	4
5	·02	·01	–	·01	–	–	–	·04	–	·04	·01	·01	5
6	·41	–	·08	–	–	–	–	–	–	–	·03	·55	6
7	·08	–	·01	–	–	–	–	–	–	·15	·33	·26	7
8	·14	–	·18	–	–	–	–	–	–	·01	·10	·22	8
9	·14	–	–	·01	–	–	–	–	–	–	·03	·12	9
10	·03	·10	·21	·01	·01	–	–	–	–	–	·02	·58	10
11	·36	–	·01	–	·64	–	–	–	–	–	·68	·02	11
12	·03	–	·51	–	–	–	–	–	·01	·55	·36	–	12
13	–	–	·04	–	·60	–	–	–	·36	–	–	·67	13
14	–	·03	·05	–	·04	–	–	–	–	–	–	·42	14
15	–	·08	·16	–	–	–	–	–	–	·02	·10	·02	15
16	–	–	–	–	–	·17	–	–	–	–	·40	·10	16
17	–	–	·03	–	–	·34	–	–	–	–	·14	·42	17
18	–	·15	·01	–	–	·53	–	–	–	–	·27	·38	18
19	–	–	–	–	–	·33	–	–	·11	·07	·32	·10	19
20	·01	·06	·03	–	–	–	–	·31	·14	·08	–	·84	20
21	·02	·14	–	–	–	–	–	·04	–	·40	–	·12	21
22	·02	–	·01	–	–	·25	–	·02	–	·02	–	·62	22
23	–	·14	·32	–	–	·43	·01	–	·20	–	·01	·26	23
24	–	·12	·01	–	–	·16	–	·05	–	·65	–	·19	24
25	–	·05	·01	·09	·07	·17	–	·02	·03	–	–	–	25
26	–	·06	–	·15	·01	·10	·02	·01	–	·13	·02	·23	26
27	–	·40	·09	·02	–	–	·19	·01	·16	–	·01	·17	27
28	–	·29	–	·31	·02	–	·28	·08	–	–	·07	–	28
29	–	x	–	·07	–	·22	·10	–	·29	·29	–	–	29
30	–	x	·01	·02	·19	·03	–	·08	·03	·21	–	·01	30
31	–	x	–	x	·10	x	–	–	x	–	x	–	31
Total	1·46	1·68	1·91	1·50	2·10	2·73	·68	·69	1·34	2·94	3·37	7·00	TOTAL for year 27·40
No. of Rain Days.	15.	15.	19	12	11	11	7	12	10	14	20	26	172.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

24/12

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at *Anglefield Berkhamsted*
in the County of *Hertfordshire* 2
by *Edward T. Browne*

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Berkhamsted
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·08	·01	–	·32	·04	–	·05	·43	–	·16	1
2	–	·02	·07	·01	–	·16	·60	·01	–	–	–	–	2
3	·08	–	–	–	·05	·15	·01	·33	·05	–	–	·12	3
4	·35	–	·83	–	·38	·15	–	·04	–	–	·26	–	4
5	·22	·10	·25	–	–	–	–	·41	–	–	·08	·02	5
6	·35	·05	–	–	·02	–	–	·40	·04	–	–	·06	6
7	·01	–	·02	–	·05	·52	–	·33	–	–	–	·15	7
8	·50	·34	·25	–	–	–	·05	·11	·03	–	·01	·03	8
9	·07	·16	·01	·05	·04	·22	·02	·05	–	–	–	·32	9
10	–	·04	–	–	–	·07	–	·16	·02	–	·19	·10	10
11	·10	·20	–	–	–	–	–	·02	·03	–	·04	·22	11
12	·07	·29	·14	–	·02	·14	–	–	–	–	·13	–	12
13	–	·01	–	–	–	·12	–	–	–	–	·23	–	13
14	·01	–	·04	–	·02	–	–	·11	–	·03	·01	–	14
15	·01	·04	·11	–	·35	·33	–	·04	–	–	·01	·28	15
16	·32	–	·10	–	·16	·07	–	·10	–	·10	·01	–	16
17	·64	–	·20	–	–	·12	–	·14	–	–	–	·02	17
18	·07	–	·20	–	–	–	–	·24	–	·02	–	·15	18
19	·12	·12	·30	–	–	–	·42	·35	–	·01	·01	–	19
20	·05	–	·22	–	–	–	·10	·04	–	·32	·09	–	20
21	·02	·07	·63	–	·59	–	–	·19	–	·14	·01	·02	21
22	·29	·21	·05	–	·10	–	·19	·23	–	·03	·20	·19	22
23	·54	·35	·39	–	–	–	·08	·48	–	·01	·01	·25	23
24	·21	·01	–	–	–	·04	–	·10	–	–	·35	·55	24
25	–	–	–	–	–	·25	–	·47	–	–	·62	·31	25
26	–	·04	–	–	–	–	·12	·36	–	·48	–	·24	26
27	–	–	·03	–	–	·09	·02	–	–	·38	·43	·33	27
28	–	·05	– ~~02~~	–	–	·01	·04	·22	·18	·53	–	–	28
29	–	·03	·02	–	–	·21	·20	·37	1·78	·32	–	–	29
30	–	x	–	–	·39	·06	·05	·02	·70	·22	–	–	30
31	–	x	·13	–	·04	x	·30	·09	x	–	x	·02	31
Total	4·03	2·13	4·07	·07	2·21	3·03	2·24	5·41	2·88	3·02	2·69	3·54	YEAR'S TOTAL 35·32
Rain Days.	20	18	21	3	13	18	15	27	9	14	18	20	196

W. 7,500, XI. ·12

82. ✓

150a

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Berkhamsted, Anglefield

in the County of Hertfordshire E4 B12

by E. T. Browne

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·18	·10	·07	·17	·03			·38		·26	·02	1
2	·06	·12		·01			·14		·01		·11		2
3	·13		·03	·06	·71					·75		·12	3
4	·50		·10		·03		·19				·05	·11	4
5	·10					·11	·01		·07	·05		·05	5
6		·04	·06		·15	·24				·05		·10	6
7		·27			·16	·02	·01	·01		·31	·08	·01	7
8		·02	·03		·17	·25				·39	·10	—	8
9		·18			·01	·04	·02		·06	·07	·03	·04	9
10			·04	·07			·27	·02			·36	—	10
11	·62			·45	·07			·25		—	·47	—	11
12		·01			·02					·52	·64		12
13	·02		·01	·01				·02	·07		·33		13
14	·14	·01	·12	·05			·16	·09			·08		14
15	·15	·03	·25	·45			·17		·03	·15			15
16	·10		·35	·17				—	·01				16
17	·05		·08	·08			·15	·01			·02	·01	17
18	·04		·23	·25	·08				·02		·11		18
19	·72		·04	·02			·15		·47			·02	19
20	·20		·11	·08		·06							20
21	·01		·16	·04	·09		·02			·35	·47	—	21
22	·50		·29	·01				·05	·22	·08			22
23			·01			·08		·03	·01		·01	·08	23
24	·01			·07		·01	—	·01					24
25				·20		·01						·01	25
26		·02	·15	·26				·09		·01		·21	26
27		·02	·03	·08						·43	·01		27
28	·30		·23	·18						·09		·02	28
29	·02		·11	·55	·34			·10		·12		·03	29
30	·37			·04	—			·03		·12	·06		30
31			·07					·38		·25			31
Total	4·08 ✓	·90 ✓	2·60 ✓	3·20 ✓	2·00 ✓	·85 ✓	1·29 ✓	1·09 ✓	1·35 ✓	3·74 ✓	3·19 ✓	·83 ✓	YEAR'S TOTAL 25·12
Rain Days.	20	11	22	22	12	10	11	13	11	16	17	14	179

W. 7,500, XI. ·12

8L

cordly Hopkinson & - 9.III.15

139

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Berkhampsted, Anglefield

in the County of Hertfordshire

by E. T. Browne

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·05	·13			·06	·01	1
2				·02			·09	·15			·10	·15	2
3					·24		·24	·35			·03	·04	3
4	·18			·35	·03			·15			·32	·67	4
5	·03		·07	·25	·07	·15	·49	·37			·01	·01	5
6		·15			·06	·07	·07	·03			·02	·34	6
7		·50 ~~·05~~	·29	·05	·48	·09	·01	·01				·33	7
8	·08	·13	1·16	·07	·14	·37	·21	·16				·02	8
9	·25		·48	·20		·30		·01	·03			1·28	9
10	·04	·90 ~~·02~~		·12	·08				·19			·01	10
11		·27	·43		·08	·71			·04		·19	·33	11
12	·03	·07	·11				·09		·36			·44	12
13		·44	·18						·32	·06	·08	·36	13
14		·16	·37				·04			·36	·23	·37	14
15	·07		·17						·02	·08	·02	·11	15
16	·02		·06				·01		·05		·04		16
17		·47	·11						·15			·32	17
18		·06	·08									·61	18
19		·06	·21			·13	·10		·02		·20	·03	19
20		·26	·24			·01	·02		·03			·14	20
21		·49	·07			·18		·02		·06		·10	21
22		·05	·02		·03	·10	·06	·04		·78			22
23		·07	·08		·06		·05			·09			23
24	·01		·09	·01			·05			·18	·12	·01	24
25	·06		·16					·12		·37	·01	·11	25
26			·14				·04	·08		·03	·19	·72	26
27	·05										·01	·27	27
28	·01	·06			·02					·04	·46	1·41	28
29	·08		·18		·08					·27	·18		29
30			·03							·08	·37	·47	30
31	·03				·10		·05					·05	31
Total	·94	3·44 ~~2·81~~	4·73	1·07	1·47	2·11	1·67	1·62	1·21	2·40	2·64	8·71	YEAR'S TOTAL 32·01
Rain Days.	14	16	22	8	13	10	17	13	10	12	19	27	181

W.7,000, XI. 13

82

1005
~~131~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Berkhampstead, Anglefield

in the County of Hertfordshire 2

by E. T. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	·15	·05		·04			·07	·17		·12	·27	1
2	·12	·32	·33	·10		·04		·79	·03	·05	·02	·15	2
3	·65	·02	·04	·14	·02		·20	·34	·03	·07		·22	3
4	·06											·42	4
5	·03	·53						·02				·30	5
6	·20	·05	·01	·36			·58					·07	6
7	·10	·41	·09				·30	·02				·38	7
8	·10	·48	·03	·05			·04	·04			·01		8
9		·01		·12		·01		·02			·24	·71	9
10	·38		·01					·31				·07	10
11			·03								·83	·05	11
12	·07	·05		·31	·44		—	·32		·05	·75	·03	12
13		·49			1·30								13
14		·04					·94	·08	·04			·66	14
15	·24				·03			·02			·19	·21	15
16		·73					·82					·15	16
17		·46			·41		·09						17
18		·28	·18		·01						·03		18
19		·05	·01				·10						19
20	·41			·02								·22	20
21	·15	·05			·10		·01					·09	21
22	·85	·30	·42				·66					·19	22
23	·01	·45	·18			·01	·14		·11	·45		·34	23
24			·08			·02	·09		·86	·11		·35	24
25				·04		·05	·04			·02		·19	25
26		·16				·02	·18					·53	26
27		·03				·13	·05		·01	·45		·09	27
28		·08				·23	·04		1·17	·10			28
29						·02	·27	·23	·02		·15		29
30	·02	X				·07				·21	·03	·05	30
31	·01	X		X		X		·05	X	1·08	X	·31	31
Total	4·04	5·14	1·46	1·14	2·35	·60	4·55	2·31	2·44	2·59	2·37	6·05	YEAR'S TOTAL 35·04
Rain Days.	17	21	13	8	8	10	17	13	9	10	10	24	160

W. 8,000. X. 14.

81 Exe 81 975 ~~128~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Berkhampstead, Anglefield
in the County of Hertfordshire
by E. T. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·01		·19	·02			·08	·04	·40		1
2	·68	·10	·16		·14	·01			·12	·45	·11		2
3		·90	·03		·02				·08	·29	·16		3
4	·28	·07			·01	·46	·21		·02	·03	·58		4
5	·03	·04		·02	·04	·17	·02			·10	·59		5
6		·06	·22	·20	·05	·07	·38			·13	·72		6
7	·13		·27		·10		·09			·05	·52	·04	7
8			·03		·48						·02	·35	8
9					·28	·03				·13		·07	9
10		·17	·11	·11		·14	·10						10
11	·10	·09	·07	·19	·01	·24			·02			·07	11
12	·04	·05	·18	·17	·38	·18	·15	·05	·03	·14			12
13		·46	·26	·07	·01	·14	·27	·24		·03			13
14		·49		·02	·09			·14		·11		·03	14
15		·14	·40				·08	·20		·01			15
16	·02	·04	·45	·18	·06		·15	·20					16
17	·15	·06		·32			·02	·03	·29	·60			17
18		·11	·04	·12				·40	·16	·04	·83	·02	18
19	·08	·02	·18	·14				·01	·15		·59	·07	19
20	·26		·26	·03							·02	·53	20
21	·02		·78				·10					·69	21
22		·07	·01		·04					·06		·51	22
23	·02	·39				·18		·03		·01	·07	·15	23
24		·06			·07	·34		·04		·16	·04	·37	24
25		·59	·10					·15		·19	·13		25
26		·10				·06		·11		·10			26
27	·09	·10	1·08			·19		·23	·14	·51			27
28		·37	·27			·31		·02	·13	·13		·23	28
29		·10				·23		·91		·52	·01	·17	29
30		×			·03	·07		·05		·30		·01	30
31		×		×		×		·03	×	·06	×	·05	31
Total	2·05	4·58	4·91	1·57	2·00	2·84	1·57	2·84	1·22	4·19	4·79	3·36	YEAR'S TOTAL 35·92
Rain Days.	14	23	20	12	17	17	11	17	11	24	15	16	197

W. 8,000. X. 15.

8L

942
119

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

[illegible] and [illegible]

Kept at Anglefield, Berkhamsted
in the County of Hertfordshire
by E. T. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·31				1·18	·06		·07	·03	1
2	·01			·05		·02		·25			·02		2
3	·02			·08				·67		·47	·09		3
4		·29	·24					·20		·56		·02	4
5	·26		·04	·23				·02	·12	·10	·12		5
6			·10			·04			·09	·05	·05		6
7	·30						·33			·36	·02	·01	7
8	·43			·14			1·12	·30		·35	·17	·08	8
9	·01		·06	·10			·01	·69	·03		·09	·05	9
10	·27		·25	·35				·16			·06	·01	10
11	·14	·01	·65	·12						·35			11
12	·18		·05	·02				·11		·39			12
13	·20		·05					·12	·05				13
14				·14				·04				·02	14
15	·05			·02			·03	·04		·05			15
16	·06	·10		·20	·13	·31	·06			·96		·27	16
17		·01		·16	·85	·02	·31	·11	·44	·27			17
18	·06	·05		·20	·05	·17	·25	·01	·71	·06			18
19	·01	·17	·16		·25	·02			·34				19
20	·04	·16	·06		·50		·19		·02		·15		20
21	·02		·01	·01	·02					·01	·04		21
22			·11			·02		·05		·15	·01		22
23		·11			·08	·01		·12				·03	23
24		·04				·23		·16		·34	·05	·04	24
25		·06	·01			·04					·11		25
26			·04					·49	·11		·24		26
27			·01			·06		·91				·02	27
28			·06			1·00		·25				·03	28
29			·10		·20	·04	·59	·75		·46		·15	29
30	·02	X	·08				1·11	·14				·01	30
31	·03	X	·11	X		X	·46		X	·02	X	·02	31
Total	2·11	1·00	2·19 2·09	2·13	2·08	1·98	4·46	6·77	1·97	4·95	1·29	·79	YEAR'S TOTAL 31·72 31·62
Rain Days.	18	10	19	15	8	13	11	22	10	17	15	15	173

W. 8,000, VIII. 16

4·26

84

25
117

FORM A.
BRITISH RAINFALL.

27·1·19

REGISTER OF RAINFALL IN 1918

Kept at Berkhamsted
in the County of Hertfordshire
by E. T. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·10							·26	·05	1
2		·08		·18				·17		·01	·17	·24	2
3		·02	·03	·03	·59			·02	·07	·01	·50	·02	3
4		·09	·05					·03	·60		·65	·04	4
5		10			·12			·14	·05	·13	·01	·02	5
6	·11	·19		·27	·10			·01				·07	6
7	·03	·12		·26	·11	·01			·13	·19	·17		7
8				·01					·08	·09	·05		8
9	·02	·08		·06		·13	·29		·46	·21		·18	9
10	·06			·04		·02	·31		·05	·05		·17	10
11	·01			·03	·03		·19		·09	·41	·04	·05	11
12		·12			·15		·08		·03				12
13	·01	·01			·19				·20			·16	13
14	·21		·01			·08	·09		·23	·18		·20	14
15	1·20			1·50			·19					·16	15
16	·24			·57		·01	·01		·91	·09		·02	16
17	19			·20	·43	·01	·29		·04			·12	17
18	·57			·01		·23	·23		·27	·16		·22	18
19	·06	·02	·03	·05		·15	·16			·08		·19	19
20	·04	·13		1·00		·03	·03		·15	·17	·01	·01	20
21	·08			·67			·03		·52	·03		·02	21
22	·07				·25		·17		·13			·33	22
23	·05				·58	·01	·47	·06	·05			·02	23
24		·25				·02	·01		·13		·19		24
25						·16	·24	·43		·01	·10		25
26							·11	·12		·04	·18	·29	26
27		·05	·02	·05			·15	·30	·12		·10	·05	27
28		·07	·22	·01		·01		·07			·23	·24	28
29			·01						1·41		·03		29
30		X	·37					·01	·17		·06	·03	30
31		X	·15	X		X		·02	X	·10	X	·03	31
Total	2·95	1·36	·89	5·04	2·55	·87	3·05	1·38	5·89	1·96	2·75	2·93	YEAR'S TOTAL 31·62
Rain Days.	16	15	9	18	10	13	18	12	22	17	16	25	191

W. 8,000, VIII. 16

82 For Dk

490 ~~112~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Anglefield, Berkhamsted
in the County of Hertfordshire
by E. T. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	·02	·03		·11		·26			·03	·03	1·54	1
2	·20		·01		·02		·17		·18	·25	·18	·56	2
3	·53		·30		·01		·05		·17		·06	·41	3
4	·07	·06	·39			·08	·14	·06	·13			·25	4
5	·08	·30	·57				·17		·75			·34	5
6	·07		·17		·11						·02	·10	6
7	·06		·52								·06		7
8	·18		·08	·11									8
9			·01	·08	·01						·16		9
10	·02		·26	·02						·02	·03	·13	10
11	·02		·15	·18	·01		·40				·01	·02	11
12			·24	·06		·12	·15			·10	·02		12
13	·03	·05		·46					·01	·06		·03	13
14	·41	·04		·38			·07		·10	·06		·02	14
15	·43	·06	·11	·24						·02	·04	·54	15
16	·03	·78		·03							·13		16
17		·25		·01							·23	·03	17
18		·17	·10					·12	·03		·09	·13	18
19	·04	·16	·74			·20	·26	·23	·05		·08	·02	19
20	·42	·07	·10			·48	·38	·47	·01		·02		20
21	·24	·53	·04			·03	·34				·02	·16	21
22		·20					·06	·01	·40			·41	22
23						·09		·06	·03	·11	·02		23
24				·16			·14	·01		·35	·18	·03	24
25	·06			·08	·01	·04		·28	·01			·06	25
26	·20	·19	·17	·10				·26	·07			·41	26
27	·64	·09	·03	1·32				·53				·10	27
28			·13	·02			·03	·76		·02	·37	·31	28
29	·04			·11				·22		·24		·02	29
30		╳	·10	·24		·18		·11		·07	·40	·70	30
31	·02	╳	·01	╳		╳	·01		╳	·02	╳	·03	31
Total	4·28	2·97	4·26	3·60	·28	1·22	2·63	3·12	1·94	1·35	2·15	6·35	YEAR'S TOTAL 34·15
Rain Days.	22	15	22	17	7	8	15	13	13	13	20	24	189

W. 6,500, VII. 18. w w c

Ed. PHS.

842

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Berkhamsted
in the County of Hertfordshire
by Edward T. Browne

Lat. 51° 45' N Long. 0° 34' W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	1·13	0·20	-	0·30	0·02	-	0·35	0·01	0·38	1
2	-	-	-	0·04	-	-	0·18	0·40	0·10	0·05	-	0·16	2
3	-	0·02	-	0·17	-	·01	0·05	-	0·11	0·13	-	0·02	3
4	-	-	-	0·19	-	-	0·10	0·18	0·01	0·35	-	0·06	4
5	-	0·01	0·03	0·02	0·06	-	0·65	0·07	0·01	-	-	0·03	5
6	-	-	0·26	-	0·09	-	0·45	0·03	-	-	-	0·06	6
7	0·01	-	0·01	0·13	-	-	0·12	-	-	-	0·01	-	7
8	0·16	0·07	-	0·31	0·14	-	0·21	0·01	-	-	-	-	8
9	0·38	-	-	0·04	-	-	-	0·04	-	-	0·01	-	9
10	0·44	0·08	0·07	-	-	·08	0·10	-	-	-	-	-	10
11	0·24	-	0·05	0·20	0·07	·06	0·12	-	-	-	-	0·03	11
12	0·08	0·02	0·01	0·20	-	·59	0·07	-	-	-	0·11	-	12
13	0·19	0·03	0·16	0·19	-	-	-	-	0·05	-	0·07	0·02	13
14	0·01	0·02	0·32	0·35	-	·63	0·11	-	0·12	0·14	0·43	0·03	14
15	0·02	0·04	0·31	0·20	-	-	0·02	-	0·07	0·01	0·14	0·02	15
16	-	-	-	0·03	0·01	·71	-	-	0·06	0·12	-	-	16
17	0·03	-	-	-	0·19	·04	0·05	-	0·43	-	-	0·02	17
18	0·11	-	-	-	0·04	-	-	0·52	0·07	-	-	0·03	18
19	0·19	-	-	0·36	0·03	·06	-	0·11	-	-	0·01	0·01	19
20	0·08	0·15	-	0·40	-	·44	-	-	-	-	-	0·08	20
21	-	-	-	-	-	-	0·32	0·05	0·31	-	-	0·04	21
22	0·01	-	-	0·25	-	-	0·02	0·01	0·09	-	-	0·19	22
23	0·01	-	-	-	-	-	0·88	0·02	-	-	-	0·45	23
24	0·05	-	0·18	0·01	-	-	-	-	-	-	0·02	0·08	24
25	-	0·03	0·07	0·01	-	-	0·34	-	-	-	-	-	25
26	0·17	-	0·21	0·01	0·01	·02	0·08	-	-	-	-	0·04	26
27	0·41	0·13	0·01	0·26	-	·33	-	-	-	-	0·47	0·26	27
28	0·53	0·01	0·27	0·03	0·14	·01	0·08	-	-	-	0·01	0·01	28
29	0·37	-	0·02	-	0·29	-	0·08	-	-	-	0·16	0·25	29
30	0·04		-	-	0·01	·11	0·28	-	0·28	-	0·25	0·30	30
31	0·03		-		0·01		-	-		0·35		0·13	31
Total	3·56	0·61	1·98	4·53	1·32	3·09	4·55	1·46	1·71	1·50	1·70	2·70	Year's Total 28·71
Days with ·01 in. or more	22	12	15	22	14	13	22	12	13	8	13	24	190
	15	5	10	16	8	10	19	7	11	7	7	14	129

(44,194a). Wt. 21,958—215. 7500. 10/19. Gp.132. A.&E.W.

Copied from DT 3203.

88

REGIS

HERTS
BERKHAMSTED
1911–1916

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

143

Kept at Berkhamst
in the County of Hertfo
by E. Mawley

8 in.
Ground 1 ft. in.
Sea Level 401 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.32			.05	.03					1
2	.08			.40	.15						.14	.12	2
3	.03	.03			.22			.01			.11	.05	3
4	.07	.03	.13	.11					.01	.30	.15	.48	4
5	.02	.02		.01				.03		.04	.01	.02	5
6	.38		.08								.04	.49	6
7	.07		.01							.12	.27	.28	7
8	.11		.15								.09	.23	8
9	.12			.02							.02	.04	9
10	.02	.11	.20		.01						.01	.56	10
11	.33				.51						.63	.01	11
12	.02		.52						.01	.55	.31		12
13			.03		.61				.36	.01		.64	13
14		.02	.05		.06							.41	14
15		.07	.16							.02	.08	.02	15
16			.01			.14					.38	.08	16
17			.02			.20					.13	.37	17
18		.13	.01			.73					.27	.35	18
19						.31			.06	.07	.31	.09	19
20	.01	.06	.02					.32	.10	.07		.80	20
21	.02	.12	.01			.01		.03		.37		.11	21
22	.02		.03			.20		.02		.03		.62	22
23		.12	.32			.40	.01		.18		.01	.19	23
24		.11	.01			.11		.04		.61		.20	24
25		.05	.02	.07	.07	.17		.02	.02				25
26		.03		.15		.08	.01			.13	.04	.22	26
27		.38	.11	.02			.14	.01	.17		.01	.15	27
28	.01	.30		.29	.02		.29	.06			.06		28
29				.06		.20	.09		.28	.28			29
30			.01	.02	.16	.02		.08	.05	.19	.01	.01	30
31			.01		.14								31
Total	1.34	1.58	1.91	1.47	1.95	2.57	.59	.65	1.24	2.79	3.08	6.54	TOTAL for year 25.71
No. of Rain Days	16	15	21	11	10	12	6	11	10	14	21	25	172

9,000, IX. '10.

88 ✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Berkhamsted
in the County of Hertfordshire 2
by E. Mawley

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 401 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·32			·05	·03					1
2	·08			·40	·15						·14	·12	2
3	·03	·03			·22			·01			·11	·05	3
4	·07	·03	·13	·11					·01	·30	·15	·48	4
5	·02	·02		·01				·03		·04	·01	·02	5
6	·38		·08								·04	·49	6
7	·07		·01							·12	·27	·28	7
8	·11		·15								·09	·23	8
9	·12			·02							·02	·04	9
10	·02	·11	·20		·01						·01	·56	10
11	·33				·51						·63	·01	11
12	·02		·52						·01	·55	·31		12
13			·03		·61				·36	·01		·64	13
14		·02	·05		·06							·41	14
15		·07	·16							·02	·08	·02	15
16			·01			·14					·38	·08	16
17			·02			·20					·13	·37	17
18		·13	·01			·73					·27	·35	18
19						·31			·06	·07	·31	·09	19
20	·01	·06	·02					·32	·10	·07		·80	20
21	·02	·12	·01			·01		·03		·37		·11	21
22	·02		·03			·20		·02		·03		·62	22
23		·12	·32			·40	·01		·18		·01	·19	23
24		·11	·01			·11		·04		·61		·20	24
25		·05	·02	·07	·07	·17		·02	·02				25
26		·03		·15		·08	·01			·13	·04	·22	26
27		·38	·11	·02			·14	·01	·17		·01	·15	27
28	·01	·30		·29	·02		·29	·06			·06		28
29				·06		·20	·09		·28	·28		—	29
30			·01	·02	·16	·02		·08	·05	·19	·01	·01	30
31			·01		·14								31
Total	1·34	1·58	1·91	1·47	1·95	2·57	·59	·65	1·24	2·79	3·08	6·54	TOTAL for year 25·71
No. of Rain Days	16	15	21	11	10	12	6	11	10	14	21	25	172

9,000, IX. '10.

145

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Berkhampstead

in the County of Hertfordshire 2

by E. Mawley

Rain Gauge: Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station: Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·01		·24	·02		·05	·39		·15	1
2		·01	·06	·02		·16	·55						2
3	·07		·07		·05	·14	·01	·30	·04		·01	·11	3
4	·31		·76		·30	·12		·05			·22		4
5	·19	·10	·25					·30			·07	·01	5
6	·33	·07			·02			·40	·02			·07	6
7	·01		·01		·04	·54		·38				·13	7
8	·47	·33	·25				·03	·07	·04			·03	8
9	·06	·19		·06	·04	·28	·02	·04				·28	9
10		·03				·05		·12	·02	·01	·15	·10	10
11	·09	·24						·01	·03		·02	·20	11
12	·06	·26	·12		·02	·13	·01				·12		12
13		·01				·18					·22		13
14	·01		·03		·02			·08		·01			14
15	·01	·04	·09		·33	·32		·03			·01	·24	15
16	·32		·08		·16	·11		·08		·08	·01		16
17	·59		·19			·12		·11		·01		·01	17
18	·04		·18					·23		·01		·15	18
19	·12	·10	·24				·37	·27		·01			19
20	·04		·21		·01		·11	·05		·27			20
21	·01	·04	·59		·52			·17		·12	·08		21
22	·36	·18	·04		·08		·27	·20		·03	·01	·02	22
23	·42	·32	·37				·14	·43		·01	·18	·19	23
24	·19	·01				·02		·10				·26	24
25						·22		·45			·32	·48	25
26		·04	·01				·14	·35		·43	·06	·35	26
27			·02			·08	·01			·31		·21	27
28		·04					·02	·16	·07	·46	·41	·30	28
29		·02	·02			·12	·16	·41	1·73	·27	·01		29
30					·39	·06	·05	·02	·70	·20			30
31	·01		·13		·21		·26	·08				·02	31
Total	3·74	2·03	3·79	·09	2·19	2·89	2·17	4·89	2·70	2·62	2·40	3·32	TOTAL for year 32·82
No. of Rain Days.	21	18	22	2 3	14	17	16	26	9	~~13~~ 16	~~11~~ 16	20	198

W. 8,000, X. '11.

Dl.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

130

Kept at Berkhamsted, Rosebank

in the County of Hertfordshire 4R2

by E. Mawley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·033	·179	·098	·058	·235	·027			·372	·001	·238	·027	1
2	·054	·115	·002	·010			·131		·003	·721	·093		2
3	·110		·028	·066	·678							·094	3
4	·481	·002	·078		·032		·195			·082	·048	·095	4
5	·105	·002				·083	·011		·067	·048	·005	·047	5
6	·005	·033	·049		·118	·231			·044	·303		·089	6
7		·246			·116	·010	·012	·006		·342	·080	·009	7
8		·012	·016		·138	·234				·062	·076	·003	8
9		·173	·002	·001	·007	·031	·023		·055		·028	·039	9
10			·029	·062			·328	·021			·331		10
11	·641			·442	·067			·463		·535	·394		11
12		·009			·023					·004	·639		12
13	·017		·010	·007				·028	·046		·339		13
14	·130	·008	·115	·044			·192	·084		·138	·097		14
15	·232	·037	·223	·368			·200		·054		·005		15
16	·088		·307	·164					·030				16
17	·044	·005	·047	·054		·017	·129	·012			·013	·013	17
18	·028		·204	·232	·018				·019		·114	·006	18
19	·707		·040	·015			·146		·417			·027	19
20	·252		·096	·066						·341	·003		20
21	·012		·145	·034	·093		·023			·070	·442	·003	21
22	·480		·263	·008				·059	·206				22
23		·003	·007			·078		·027	·016		·006	·078	23
24	·008		·003	·055		·006		·008		·002	·003		24
25		·007		·196		·007				·004		·006	25
26		·021	·155	·214				·089		·415	·010	·192	26
27		·041	·033	·059						·040	·002		27
28	·317		·224	·129					·003	·144	·003	·014	28
29	·018		·131	·516	·320			·088		·073		·029	29
30	·337			·030				·018		·238	·065	·003	30
31			·070					·288					31
Total	4·099	·893	2·375	2·830	1·845	·724	1·390	1·191	1·332	3·563	3·034	·774	YEAR'S TOTAL 24·050
Rain Days.	20	12	22	22	12	10	11	13	11	15	18	15	182

W. 7,500, XI. ·12

81

140

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Berkhampsted

in the County of Hertfordshire

by E. Mawley

2

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Rain Gauge ……… in.
Height of top of Gauge above Ground ……… ft. ……… in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·009				·027	·112			·058	·007	1
2	·010			·023		·006	·081	·082			·077	·142	2
3		·002	·005		·230		·171	·254			·031	·023	3
4	·180			·361	·046			·129			·306	·610	4
5	·033		·055	·232	·036	·118	·479	·377			·002	·011	5
6		·135	·002		·037	·052	·040	·023			·009	·300	6
7		·396	·250	·040	·441	·107	·004	·009				·304	7
8	·061	·137	1·058	·064	·135	·356	·233	·132				·017	8
9	·228		·533	·221		·303			·037			1·245	9
10	·029	·178		·098	·058				·190			·005	10
11		·240	·410	·003	·069	·792			·034		·161	·310	11
12	·030	·055	·115				·096		·320	·002	·002	·409	12
13	·003	·374	·196						·311	·051	·070	·378	13
14	·002	·108	·342				·031			·337	·192	·329	14
15	·071		·165				·003	·014	·016	·079	·025	·102	15
16	·017		·055				·010		·028		·079		16
17		·427	·125						·142	·005	·004	·278	17
18		·060	·084				·006			·002	·003	·538	18
19		·061	·233			·478	·112		·032		·197	·034	19
20		·274	·258			·027	·055		·044	·002		·130	20
21		·484	·062			·349		·023		·056	·002	·075	21
22		·041	·022	·003	·031	·091	·070	·033		·743			22
23		·049	·080		·060		·091			·080			23
24	·011	·002	·063	·020	·005		·061	·003		·154	·127		24
25	·059		·149					·115		·352	·005	·102	25
26			·120				·036	·057		·023	·155	·656	26
27	·046	·003	·014								·006	·250	27
28	·004	·051			·018					·034	·425	1·250	28
29	·055		·170		·067					·278	·145		29
30	·002		·016							·067	·330	·442	30
31	·014				·093		·052					·039	31
Total	·855	3·077	4·591	1·065	1·326	2·679	1·658	1·363	1·154	2·265	2·411	7·986	YEAR'S TOTAL 30·430
Rain Days.	14	16	25 ~~24~~	8	13	11	17	13	10	13 ~~12~~	17	26	183

W.7,000, XI. 13

82

cord by B & Hopkinson 9.III.16

1006
~~132~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Berkhampstead

in the County of Hertfordshire 2 Sec 82

by E. Mawley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·618	·142	·030		·035			·035	·192	·052	·092	·256	1
2	·105	·290	·303	·098		·033		·832	·044	·045	·014	·142	2
3	·640	·009	·032	·132	·018		·207	·365	·066			·215	3
4	·082									·002	·003	·395	4
5	·024	·520						·019		·002		·296	5
6	·196	·057	·020	·330			·582	·004				·063	6
7	·088	·388	·094				·254	·010			·005	·350	7
8	·097	·433	·023	·033			·034	·027			·005		8
9	·003	·014		·120		·003		·029			·214	·691	9
10	·353		·008					·262				·060	10
11			·023		·004					·004	·796	·042	11
12	·067	·042		·308	·422			·254		·038	·677	·038	12
13		·422			1·382								13
14		·035					·938	·076	·038		·002	·584	14
15	·210	·012			·032			·076			·188	·192	15
16	·003	·672					·745	·052				·100	16
17		·405	·003		·404		·102				·003	·002	17
18		·232	·161		·006						·022		18
19		·045	·016		·002		·096			·002	·003		19
20	·360			·025								·200	20
21	·154	·036			·064		·012			·007		·093	21
22	·844	·388	·415				·581		·004			·144	22
23	·010	·374	·162	·008		·006	·128		·099	·418		·308	23
24			·060			·015	·048		·824	·112		·322	24
25				·050		·036	·024			·018		·202	25
26		·150				·024	·166					·483	26
27		·021	·002			·082	·040		·002	·420	·003	·091	27
28		·085				·202	·025		1·110	·100			28
29						·013	·220	·202	·016	·003	·138	·005	29
30	·020	×				·044				·125	·036	·036	30
31	·011	×		×		×		·040	×	1·057	×	·339	31
Total	3·885	4·777	1·352	1·104	2·369	·458	4·202	2·283	2·395	2·405	2·201	5·649	YEAR'S TOTAL 33·074
Rain Days.	17 ~~19~~	22	13 ~~15~~	9	8 ~~10~~	9	17	14	8 ~~10~~	11 ~~16~~	10 ~~16~~	~~25~~ 26	163

W. 8,000. X. 14.

Dl

Ese Dl

976
129

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Berkhampstead

in the County of Hertfordshire

by E. Mawley R. White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·120		·008		·192	·012	·008		·083				1
2	·614	·080	·195		·143	·006			·092				2
3		·812	·046		·006	·004			·104				3
4	·255	·061	·003	·012		·386	·103		·005				4
5	·028	·022	·006	·054	·028	·150	·032						5
6		·048	·270	·210	·028	·057	·379						6
7	·095		·250		·083	·003	·062						7
8			·023		·436								8
9					·230	·010							9
10		·163	·134	·092		·232	·102						10
11	·096	·090	·056	·170	·010	·178			·024				11
12	·034	·042	·216	·150	·420	·164		·046	·030				12
13		·446	·214	·063		·114	·130	·242					13
14		·452		·030	·084		·294	·142					14
15		·118	·414					·186					15
16	·014	·022	·416	·150	·055		·080	·275					16
17	·125	·062		·240			·130	·020	·238				17
18		·091	·028	·153			·022	·398	·248				18
19	·060	·033	·173	·105					·230				19
20	·232		·254	·026									20
21	·009		·868				·117						21
22		·104	·014		·040								22
23	·014	·392				·108		·030					23
24		·052			·070	·298		·038					24
25		·603	·097					·134					25
26		·170	·004			·042		·098					26
27	·091	·034	1·105			·110		·200	·116				27
28		·378	·418			·380		·020	·134				28
29		·088				·208		·920					29
30		X			·074	·062		·048					30
31		X		X	·006	X		·021	X		X		31
Total	1·787	4·363	5·212	1·455	1·905	2·524	1·459	2·818	1·304				YEAR'S TOTAL
Rain Days.	14	23	21 23	13	16	17 19	12	16	10 11				

W. 8,000. X. 15.

BERKHAMSTEAD
GOLF CLUB
HERTFORDSHIRE
1919 - 1920

FOR

H RAINFALL ORGANIZATION.

FALL IN 1919.

K
in
by

Lat. 0° 46′ N Long. 0° 33′ W.
Time of Observation 9 a.m.
Nearest Railway Station Berkhamsted
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

at 9 a.m. and the result entered to the previous day.

If
th
th
ar
se
Sc

l rule, he is earnestly requested to add the space provided for it at the end of the selection and placing of rain gauges, ven in "*Rules for Rainfall Observers,*" ish Rainfall Organization, 62, Camden

Jan. 1, following.

not be entered on this form.

Dat							y	August	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
1							0	–	–	·02	·03	1·10	1
2	·19	–	·04	–	[illegible]		7	·01	·17	–	·19	·48	2
3	·53	–	·30	–	–	–	·04	–	·14	–	·06	·40	3
4	·07	–	·34	–	–	·09	·03	·05	·14	–	·01	·26	4
5	·05	·39	·62	–	–	–	·50	–	·67	–	–	·33	5
6	·05	–	·15	–	·16	–	–	–	–	–	·03	·10	6
7	·07	–	·54	–	–	–	–	–	–	–	·10	–	7
8	·17	–	·07	·13	–	–	–	–	–	–	·01	–	8
9	–	–	·04	·08	·06	–	–	–	–	–	·17	–	9
10	·01	–	·20	·02	–	–	–	–	–	·02	·02	·13	10
11	·03	–	·13	·20	·01	–	·36	–	–	–	·02	·02	11
12	–	–	·22	·05	–	·12	·16	–	–	·07	·02	·01	12
13	·03	·06	–	·37	–	–	–	–	–	·05	–	·02	13
14	·39	–	–	·42	–	–	–	–	·11	·09	–	·02	14
15	·40	·08	·17	·28	–	–	·07	–	–	·06	·03	·52	15
16	·03	·81	–	·05	–	–	–	–	–	–	·13	–	16
17	–	·46	–	·01	–	–	–	–	–	–	·23	·03	17
18	–	·10	·11	–	–	–	–	·14	·02	–	·09	·17	18
19	·03	·16	·80	–	–	·19	·20	·18	·12	–	·05	·02	19
20	·39	·07	·10	–	–	·51	·40	·51	·01	–	·01	–	20
21	·25	·50	·04	–	–	·02	·21	–	–	–	·02	·11	21
22	–	·20	–	–	–	–	·17	–	·37	–	·01	·38	22
23	–	–	–	–	–	·14	–	·08	·02	·11	·02	–	23
24	–	–	–	·18	–	·01	·15	·01	–	·30	·22	·03	24
25	–	–	–	·04	–	·04	·01	·28	–	–	–	·05	25
26	·21	·25	·17	·08	–	–	–	·21	·09	–	–	·40	26
27	·58	·08	·03	1·40	–	–	–	·44	–	–	–	·11	27
28	–		·13	·03	–	–	·03	·82	–	·02	·38	·29	28
29	–		–	·13	–	–	–	·22	–	·30	–	·02	29
30	–		·14	·27	–	·20	–	·09	–	·07	·42	·62	30
31	·05		–		–		·02	–		·01		·02	31
TOTAL	3·95	3·19	4·34	3·74	0·37	1·32	2·72	3·04	1·86	1·12	2·27	5·64	YEAR'S TOTAL 33·56 ✓
Days with ·01 in. or more	20	13	20	17	5	9	16	13	11	12	23	25	184 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM [redacted] H RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Berkhamsted Golf Club

in the County of Herts

by T. S. Wheater

Lat. 0° 46′ N Long 0° 33′ W.

Time of Observation 9-a-m

Nearest Railway Station Berkhamsted

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·03	–	–	·11	–	·30	–	–	·02	·03	1·10	1
2	·19	–	·04	–	·03	–	·07	·01	·17	–	·19	·48	2
3	·53	–	·30	–	–	–	·04	–	·14	–	·06	·40	3
4	·07	–	·34	–	–	·09	·03	·05	·14	–	·01	·26	4
5	·05	·39	·62	–	–	–	·50	–	·67	–	–	·33	5
6	·05	–	·15	–	·16	–	–	–	–	–	·03	·10	6
7	·07	–	·54	–	–	–	–	–	–	–	·10	–	7
8	·17	–	·07	·13	–	–	–	–	–	–	·01	–	8
9	–	–	·04	·08	·06	–	–	–	–	–	·17	–	9
10	·01	–	·20	·02	–	–	–	–	–	·02	·02	·13	10
11	·03	–	·13	·20	·01	–	·36	–	–	–	·02	·02	11
12	–	–	·22	·05	–	·12	·16	–	–	·07	·02	·01	12
13	·03	·06	–	·37	–	–	–	–	–	·05	–	·02	13
14	·39	–	–	·42	–	–	–	–	·11	·09	–	·02	14
15	·40	·08	·17	·28	–	–	·07	–	–	·06	·03	·52	15
16	·03	·81	–	·05	–	–	–	–	–	–	·13	–	16
17	–	·46	–	·01	–	–	–	–	–	–	·23	·03	17
18	–	·10	·11	–	–	–	–	·14	·02	–	·09	·17	18
19	·03	·16	·80	–	–	·19	·20	·18	·12	–	·05	·02	19
20	·39	·07	·10	–	–	·51	·40	·51	·01	–	·01	–	20
21	·25	·50	·04	–	–	·02	·21	–	–	–	·02	·11	21
22	–	·20	–	–	–	–	·17	–	·37	–	·01	·38	22
23	–	–	–	–	–	·14	–	·08	·02	·11	·02	–	23
24	–	–	–	·18	–	·01	·15	·01	–	·30	·22	·03	24
25	–	–	–	·04	–	·04	·01	·28	–	–	–	·05	25
26	·21	·25	·17	·08	–	–	–	·21	·09	–	–	·40	26
27	·58	·08	·03	1·40	–	–	–	·44	–	–	–	·11	27
28	–		·13	·03	–	–	·03	·82	–	·02	·38	·29	28
29	–	–	–	·13	–	–	–	·22	–	·30	–	·02	29
30	–		·14	·27	–	·20	–	·09	–	·07	·42	·62	30
31	·05		–		–		·02	–		·01		·02	31
TOTAL	3·95	3·19	4·34	3·74	0·37	1·32	2·72	3·04	1·86	1·12	2·27	5·64	YEAR'S TOTAL 33·56 ✓
Days with ·01 in. or more	20	13	20	17	5	9	16	13	11	12	23	25	184 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

843

8 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Berkhamsted Golf Club

in the County of Herts

by T. S. Wheater (Secretary)

Lat. 51° 46′ N. Long. 0·32 W.

Time of Observation 9 a. m

Nearest Railway Station Berkhamsted

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1·28	0·18		0·28		0·01	0·54		0·38	1
2			0·02	0·06			0·08	0·38	0·09	0·13		0·16	2
3		0·03		0·19		0·01	0·07		0·08	0·23		0·01	3
4				0·19			0·05	0·16		0·55		0·06	4
5			0·03	0·01	0·06		0·70	0·03	0·03			0·03	5
6			0·27		0·09		0·42	0·01				0·04	6
7	0·02		0·01	0·12			0·15						7
8	0·16	0·05		0·32	0·07		0·17						8
9	0·34			0·03				0·04					9
10	0·41	0·08	0·07			0·05	0·09						10
11	0·30		0·05	0·39	0·07	0·08	0·10					0·04	11
12	0·08	0·02	0·01	0·18		0·45					0·11		12
13	0·13	0·03	0·15	0·19					0·01		0·07	0·02	13
14	0·01	0·01	0·35	0·36		0·29	0·12		0·11	0·20	0·40	0·03	14
15	0·01	0·05	0·18	0·20			0·02		0·06	0·01	0·08	0·01	15
16				0·04		0·15			0·14	0·11			16
17	0·03				0·17		0·04		0·46			0·02	17
18	0·12				0·03			0·52	0·07			0·03	18
19	0·14			0·34	0·02	0·04		0·11				0·01	19
20	0·07	0·18		0·36		0·45						0·05	20
21							0·30	0·04	0·32			0·06	21
22	0·01			0·25			0·02		0·09			0·15	22
23	0·01						0·80	0·01				0·45	23
24	0·04		0·16								0·04	0·07	24
25		0·06	0·06				0·31						25
26	0·18		0·20		0·04	0·01	0·06					0·05	26
27	0·38	0·16	0·01	0·26		0·31	0·01				0·48	0·23	27
28	0·54		0·25		0·20	0·01	0·07				0·01	0·01	28
29	0·25		0·01	0·04	0·18		0·04				0·15	0·26	29
30	0·03	×			0·01	0·11	0·30		0·28		0·22	0·11	30
31	0·03	×		×	0·02	×			×	0·32	×	0·31	31
TOTAL	3·29	0·67	1·83	4·81	1·14	1·96	4·20	1·30	1·75	2·09	1·56	2·59	YEAR'S TOTAL 27·19
Days with ·01 in. or more	22	10	16	19	13	12	22	9	13	8	9	24	177
Days with ·04 in. or more	14	6	10	17	9	9	19	6	10	7	8	15	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000: (2). 7/20. Gp.132. A.&E.W. Note. Records taken by deputy Sep. 16th to Oct 13th. T S Wheater

BISHOPS STORTFORD
TYFORD HOUSE
HERTFORDSHIRE
1916-1920

Exd F.W

NFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Lat. 51·51 N Long. 0·10 E
Time of Observation 9. a.m.
Nearest Railway Station Bishops Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 182 ft.

sured daily at 9 a.m. and the result entered to the nform to this almost universal rule, he is earnestly nuary of the following year in the space provided ructions for the measurement of rain, articulars as to the British Rainfall ervers," sent post-free on application to W.

Jan. 1, following.

Da							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									4	3	18		1
					1	11			24	35	3		2
3		41	22				6		41	16	46		3
4	28	19	2		2	50			5	24	36		4
5	3		2		2	30				4	40	5	5
6		2	13	27		6	7			2	43		6
7	11		18	1	17	6	1			4	42	4	7
8					37	5			2			35	8
9	3		2		17					15		7	9
10		7	10	11		19	3			2		10	10
11	5	14	5	19	1	11	20						11
12	5	2	1	3	42	18	2	19	2	16			12
13		47	18	20	32	21	21	18			1		13
14		40		9	6	2		24		2			14
15		·15	24	1				23	2	4			15
16	6	2	5	15	2		17	10		12		8	16
17		5		10			4	18	22	34			17
18		16	3	11				2	6	3	1·14 }		18
19	5		6	5					16			9	19
20	17		22	8				3			4	50	20
21	5		71				10					27	21
22		5	3							2		45	22
23		32				4		3			3	12	23
24			2		2	19		2		9	3	38	24
25		35	9		3			27		5	5		25
26		15	2			2		2		3	1		26
27	14	8	96			3		10	2	43			27
28		39	40			8		1	3	3		17	28
29		15	2			15		1·15	3	33		10	29
30		X				6		25		43		2	30
31		X		X		X		2	X	5	X	2	31
Total	1·49	3·61	3·98	1·40	1·90	2·41	·91	3·04	1·32	3·25	3·59	2·81	YEAR'S TOTAL 29·71
Rain Days.	13	20	25	13	14	19	10	17	13	24	14	16	198

W. 8,000, VIII. 16

[redacted]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Twyford House Thorley
in the County of Hertfordshire
by Laurie Frere

Lat. 51·51 N Long. 0·10 E
Time of Observation 9. am.
Nearest Railway Station Bishops Stortford 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4		5		20	5			4	3	18		1
2	·43	2	15		7	11			24	35	3		2
3		41	22				6		41	16	46		3
4	28	19	2		2	50			5	24	36		4
5	3		2		2	30				7	40	5	5
6		2	13	27		6	7			2	43		6
7	11		18	1	17	6	1			4	42	4	7
8					37	5			2			35	8
9	3		2		17					15		7	9
10		7	10	11		19	3			2		10	10
11	5	14	5	19	1	11	20						11
12	5	2	1	3	42	18	2	19	2	16			12
13		47	18	20	32	21	21	18			1		13
14		40		9	6	2		24		2			14
15		·15	24	1				23	2	4			15
16	6	2	5	15	2		17	10		12		8	16
17		5		10			4	18	22	34			17
18		16	3	11				2	6	3	1·14 }		18
19	5		6	5					16			9	19
20	17		22	8				3			4	50	20
21	5		71				10					27	21
22		5	3							2		45	22
23		32				4		3			3	12	23
24			2		2	19		2		9	3	38	24
25		35	9		3			27		5	5		25
26		15	2			2		2		3	1		26
27	14	8	96			3		10	2	43			27
28		39	40			8		1	3	3		17	28
29		15	2			15		1·15	3	33		10	29
30		X				6		25		43		2	30
31		X		X		X		2	X	5	X	2	31
Total	1·49	3·61	3·98	1·40	1·90	2·41	·91	3·04	1·32	3·25	3·59	2·81	YEAR'S TOTAL 29·71
Rain Days.	13	20	25	13	14	19	10	17	13	24	14	16	198

W. 8,000, VIII. 16

975

FORM A.
BRITISH RAINFALL
2 JAN 1918

Exd L

REGISTER OF RAINFALL IN 1917

Kept at Twyford House, Bishop's Stortford
in the County of Hertfordshire
by Laurie Frere

Lat. 51·51 N Long. 0·10 E
Time of Observation 9 a.m
Nearest Railway Station Bishops Stortford. G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		1						95	4		10	1	1
2	2	2	2	62				22			3		2
3	1	5		5				36		21	12		3
4			3					29		58			4
5	26		4	12				18	5	10	1		5
6	2			2		7			3	7	13	2	6
7	26		1				11	42		34	2	2	7
8	15			11			83	28		21	10	18	8
9	5		5	6			3	20	2	2	11	9	9
10	32	2	14	8				5			1	3	10
11	9	3	35	5					1	26			11
12	6	1	2	1	5			3		32	1	2	12
13	5		2	3				2	5	3			13
14			1	27				25					14
15	5						15	25		2		3	15
16	2	10		35	1		9			51	2	20	16
17	1	1	1	6	57		30	3	32	29			17
18	5			16	2			4	41				18
19	1	14	9	3	72	6			30	1			19
20	4	20	5		1·91				2		15		20
21	2	2	5								5		21
22		1	10		12			5		10			22
23	2	6	2					12		13			23
24		2				5		3		33	5		24
25		2	12							1	7	4	25
26			13			1		21	3		55	3	26
27								73				3	27
28		2	2		5	40		8				4	28
29	1		5			19	1·05	10		20		13	29
30	4	X	12				58	11		2	2	2	30
31	7	X	5	X		X	30	3	X		X	3	31
Total	1·63	·74	1·50	2·02	3·45	·78	3·44	5·03	1·28	3·76	1·55	·92	YEAR'S TOTAL 26·10
Rain Days.	22	16	22	15	8	6	9	24	11	20	17	16	186

W. 8,000, IX. 17.

3.46

EFE and for month

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Twyford House. Thorley
Bishop's Stortford
in the County of Hertfordshire
by Laurie Frere

Lat. 51·51 N Long. 0·10 E
Time of Observation 9. am
Nearest Railway Station Bishop's Stortford G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	2		18						2	7	5	1
2	2	4	1	4				14		1	3	11	2
3			5	2	50			36			40	2	3
4	2	6	7					2	36	4	45		4
5		2	1		6			12	6	5			5
6	7	10		34	2			1				9	6
7	12	9		5	2			2	9	15	8		7
8	5	1		1					10	5	4	2	8
9		1		1		8	25		30	20		15	9
10	8			3			35			2	2	20	10
11	1		1		11		13		3	23		5	11
12		10			22		3		5	2	2	3	12
13		2			20		4		7			15	13
14	13			2		16	6		22	32		15	14
15	105			127			18					4	15
16	20			40			1		12				16
17	13			31			146	2	2				17
18	47					19	10		116	3		56	18
19	6	2	18	5		20	14			5		15	19
20	2	7				4	17		6	23	2	2	20
21	4			42		3			22	3	2		21
22	2			3	62		5		7		2	17	22
23	2			2	22	3	58	3	7			3	23
24		19			10	5	2		7		5		24
25			1			3	35	13			4		25
26							46	1		5	12	15	26
27				20			6	23	6		11	2	27
28	1		24			3		2			38	6	28
29									110		2		29
30		X	43						9		6	13	30
31	2	X		X		X			X	5	X	3	31
Total	256	·75 ~~65~~	101	340	207	84	444	111	432	155	195	238	26·38 YEAR'S TOTAL ~~26·28~~
Rain Days.	20	13	9	17	10	10	18	12	20	17	18	22	186

W. 6,500, VII. 18. W W C

921

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Twyford House Bishops Stortford,
in the County of Hertfordshire
by Laurie Frere

Lat. 51·51 N Long 0·10 E
Time of Observation 9 am
Nearest Railway Station Bishop's Stortford G.E.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	34	5		3	11	2	27			8	14	92	1
2	18		2	1	13		31		7	2	8	12	2
3	18	1	27				4		2		1	20	3
4	5		17			5	7	12			3	10	4
5	2	27	28				30		7		2	23	5
6			6						1	1	10	2	6
7	3		32								6		7
8	8		4	7							20		8
9	5		3	5							[illegible]		9
10	13		3	7							2	3	10
11	2		8	19		3	23				2	2	11
12	2		12	2			10			7	2		12
13	3	4		24					1	10			13
14	16	3		34			6		15		1		14
15	19	2	4	19						15	6	18	15
16	10	66		4							7	·3	16
17		61	2	3							24	2	17
18		27	3				1	2	5	1	2	7	18
19	2	7	52			20	10	20			17	2	19
20	18	3	6			83	22	35	13	1	5	1	20
21	23	27	3				32				2	4	21
22		7					13		38		5	41	22
23	2					2	6	1	8	1	1	2	23
24			1	25		3	1	5	1		13	2	24
25	4			4	2			36				5	25
26	17	24	12	8		1		2	12			31	26
27	67	8	4	1·22				24		5	2	1	27
28			5	13				71	1	20	19	26	28
29	4			10				13		3	15	5	29
30		✕		26		12		10		1	22	21	30
31	3	✕		✕		✕			✕		✕	2	31
TOTAL	2·98	2·72	2·34	3·36	·26	1·31	2·23	2·31	1·11	·75	2·11	3·37	YEAR'S TOTAL 24·85
Days with ·01 in. or more	24	15	21	19	3	9	15	12	13	13	26	25	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8/5

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 192

Kept at Twyford House Bishop's Stortford
in the County of Herts
by Laurie Frere

Lat. 51·51 N Long. 0·10 E
Time of Observation 9 am
Nearest Railway Station G.E.R. Bishop's Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 182. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1		42	4		28	26		38	1	19	1
2	1		1				2	36	2	15		15	2
3		2		12			16		4	7		1	3
4	1		1	8			5	2	1	4		8	4
5		1	5		4		55	2	10			4	5
6		1	17		5		28	1				2	6
7	1	1	6	13	1		12				1	2	7
8	17	1		29	1		5	4					8
9	28	2		9				10				1	9
10	18	4	12	5			10					2	10
11	24		4	34	1	3	16					16	11
12	7		7	10		35							12
13	4	1	7	14		7				2			13
14		2	23	18		4	3		12		16	2	14
15	1	1	12	12			2		53	1	7	3	15
16	1			22		1			11	2		2	16
17	4		2	2	7	2			28			3	17
18	1	1						61	10		1	3	18
19	15			26		2		2				3	19
20	7	23		44		62			13				20
21							76	4	40			4	21
22				18				2	17	1		6	22
23	1	1					59					32	23
24			5		57			1			3	2	24
25	2	2	3	3	19	2	17				1	1	25
26	4		3	4		1	2			2	2	2	26
27	18	2	2	29	3	13					15	11	27
28	45	1	20	2	3	2	5				1	1	28
29	8		9				4				5	35	29
30	3		3	3	3	2	37		11		10	16	30
31					1					20		6	31
Total	2·41	·47	1·42	3·59	1·09	1·36	3·82	1·51	2·12	·92	·63	2·02	YEAR'S TOTAL 21·06
Days with ·01 in. or more	22	17	19	22	13	13	19	12	13	10	12	27	199
Days with ·04 in. or more	13	2	12	18	6	5	15	6	11	5	5	12	110

8 S. [illegible]

151

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGIST

HERTS.
BISHOPS STORTFORD.

1911–1912; 1916–1919

Kept at Bishops Stor

in the County of Hertfor

by L. A. Day & C K

in.

round ft. in.

a Level ft.

me

stance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04	·02			·02						1
2			·02	·15								·085	2
3		·32		·02	·55							·01	3
4		·04	·10	·10	~~·80~~							·145	4
5		·01		·05							·005		5
6			·10	·05									6
7			·01	·02									7
8										No record kept		·53	8
9			·02	·05								·01	9
10		·08	·10	·02							·06	·075	10
11		·01	·01		·19						·47		11
12			·12		·04						·085	·01	12
13			·30		·17						·022		13
14		·02	·20		·68	·03					·02	·273	14
15		·02	·26								·008		15
16			·02			·68					·12	·025	16
17						·04				-	·20	·05	17
18		·02	·01			·27				-	·47	·03	18
19		·01				·12				.058	·22	·022	19
20		·01								.			20
21		·13	·12							.402			21
22		·01	·12	(·25)						.09			22
23			·08		·01					.008			23
24		·01	·05				·09			.61			24
25			·02				·03			.002			25
26		·05				1·08				.004	·03		26
27		·28	·05			·01				.002	·045		27
28		·16								.207	·01		28
29					·02	·12	·26			.143	·01		29
30							·06			.01			30
31										.22			31
Total		1·18	1·75	(·73) ~~·48~~	(1·66) ~~1·91~~	2·35	·46			nil ~~17·34~~	1775	~~1265~~	TOTAL for year
No. of Rain Days		16	20	~~9~~ 7		~~8~~	5			9	14	nil	

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL

Kept at Bishops Stortford

in the County of Hertfordshire

by L. A. Day & C K Cullen

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04	·02			·02						1
2			·02	·15						No record kept		·085	2
3		·32		·02	55							·01	3
4		·04	·10	·10	~~80~~							·145	4
5		·01		·05							·005		5
6			·10	·05									6
7			·01	·02									7
8												·53	8
9			·02	·05								·01	9
10		·08	·10	·02							·06	·075	10
11		·01	·01		·19						·47		11
12			·12		·04						·085	·01	12
13			·30		·17						·022		13
14		·02	·20		·68	·03					·02	·273	14
15		·02	·26								·008		15
16			·02			·68				-	·12	·025	16
17						·04				-	·20	·05	17
18		·02	·01			·27				-	·47	·03	18
19		·01				·12				.058	·22	·022	19
20		·01											20
21		·13	·12							.402			21
22		·01	·12	(·25)						.09			22
23			·08		·01					.008			23
24		·01	·05				·09			.61			24
25			·02				·03			.002			25
26		·05				1·08				.004	·03		26
27		·28	·05			·01				.002	·045		27
28		·16								.207	·01		28
29					·02	·12	·26			.143	·01		29
30							·06			.01			30
31										.22			31
Total		1·18	1·75	(·73) ~~·48~~	(1·66) ~~2·91~~	2·35	·46			imp ~~1·754~~	1·775	~~1·265~~	TOTAL for year
No. of Rain Days		16	20	~~9~~		~~8~~	5			9	14	imp	

9,000, IX. '10.

DL

[illegible] 5.111-13

157

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bishops Stortford

in the County of Hertfordshire

by C. B. Childs

Rain Gauge { Pattern ......
Diameter of top ...... in.
Height of top above Ground ...... ft.
" " " Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station { Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01										1
2			·03										2
3			·075		·05								3
4			·07		·085								4
5			·36										5
6			·16										6
7		·045	·015		·01								7
8			·02										8
9		·21	·09		·12								9
10		·03											10
11		·028											11
12		·14			·04								12
13		·045	·05										13
14													14
15			·01		·13								15
16		·028	·11		·06								16
17			·025										17
18			·23										18
19			·07										19
20		·05	·065										20
21			·08		·075								21
22		·02	·20		·055								22
23		·05			·03								23
24		·22	·41										24
25		·015											25
26													26
27		·015											27
28													28
29		·034											29
30		·01			·03								30
31			·18										31
Total		·94	2·25		·685								TOTAL for year
		·94	2·25		·685								
No. of Rain Days.		14	19		11								

W. 8,000, X. '11.

81 ✓

lost for auth 25.11.14

REGISTER OF RAINFALL IN 1913

162a

27 JAN 1914

FORM A. BRITISH RAINFALL.

Kept at Bishops Stortford

in the County of [illegible]

by T. D. Wheeler

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·10	·04										1
2		·10											2
3													3
4			·08										4
5		·10											5
6													6
7		·10											7
8			·05										8
9		·20											9
10			·02										10
11													11
12													12
13													13
14			·02										14
15			·16										15
16		·05	·12										16
17		·06	·06										17
18			·06										18
19			·03										19
20			·03										20
21			·14										21
22			·06										22
23													23
24	#												24
25	·01	·01											25
26			·15										26
27		·03											27
28	·01		·06										28
29	·01		·03										29
30	·01												30
31													31
Total	[illegible]	·75 ✓	1.11 1.05										YEAR'S TOTAL
Rain Days.		9	16										

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Bishop's Stortford
in the County of Herts
by Henry Sheppard.

Lat. Long.
Time of Observation 9 P.M.
Nearest Railway Station Bp's Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 3 00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	·21	–	–	·03	–	–	–	–	·25	–	1
2	·15	–	–	–	·30	·02	–	–	·25	·37	–	–	2
3	·20	·04	·23	–	·02	·05	–	–	·35		·32	–	3
4	·01	·38	·02	–	–	·09	·06	–	·72	·30	·23	–	4
5	·29	·12	–	–	–	·43	·02	–		–	·74	·04	5
6		·03	·03	–	–	·25	–	–	–	·08	–	–	6
7	·10	–	·20	·28	·48	·11	·37	–	–		·79	–	7
8	–	–	·15	–		–	–	–	–	–	–	–	8
9	–	–	–	–	·33	·08	–	–	–	–	–	·05	9
10	–	–	·02	–	·01	·20	·06	–	–	·12	–	·36	10
11	·09	·19	·13	·11	–	·09	–	–	–	·07	–	·12	11
12	·01	·02	·04	·20	–	·17	·18	–	·03	–	–	–	12
13	·02	–	·18	·04	·76	·20	·22	·26	–	·20	–	–	13
14	–	·50	·02	·08	–	–	·02	·35	–	–	–	–	14
15	–	·56	·18	–	·06	–	–	·45	–	·05	–	·09	15
16	–	·02	·11	·05	–	–	·09	·10	–	·13	–	–	16
17	·03	–	·04	·23	–	–	·08	·13	·06	·31	–	–	17
18	·06	·15	·04	·03	–	–	·02	–	·19	·04	·15	–	18
19	–	·01	–	·12	–	–	–	–	·16		·40	·06	19
20	·15	–	·07	·05	–	–	–	–	–	–	·54	·04	20
21	·11	–	·70	–	–	–	·15	–	–	–	–	·75	21
22	·02	·04	·27	–	·07	–	–	–	–	–	–	–	22
23	–	·18	·01	–	–	·04	–	·06	–	–	·01	·63	23
24	–	·20	·02	–	–	·20	–	·01	–	·07	·12	–	24
25	–	·04	–	–	·03	–	–	·27	–	·04		·38	25
26	–	·29	·11	–	–	–	–	·05	–	23	–	–	26
27	·03		·03	–	–	–	–	·16	·04	·21	–	–	27
28	·11	·11	1·20	–	–	·17	–	·35	·01		–	–	28
29	–	·22	·07	–	–	·05	–	·77	·07	·39	–	·26	29
30	–		–	–	·10	·35	–	–	–		–	·03	30
31	–		–		–		–	–		·30		[illegible]	31
Total	1·43	3·10	4·08	1·19	2·16	2·53	1·27	2·96	1·28	2·91	3·55	2·81	YEAR'S TOTAL 29·27
Rain Days.	17	19	24	10	11	17	11	12	11	21	11	12	176

W. 8,000, VIII. 16

New address: 47 Hadham Road.

✓

176

REGISTER OF RAINFALL IN 1917

Kept at 47 Hadham Rd. Bishop's Stortford

in the County of Herts

by Henry Sheppard.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station B'p's Stortford

Diameter of Funnel of Rain Gauge 4·7 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ± ft.

FORM A. BRITISH RAINFALL.

7 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02 ins

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	}·78	–	–	–	}1·46	·05	–	·12	·02	1
2	·02	–	·01		–	–	–		–	–	·02	–	2
3	–	–	–	–	–	–	–	·48	–	·30	·12	–	3
4	–	·02	·03	–	–	–	–	·18	–	·60	–	–	4
5	·30	–	·03	·01	–	–	–	·15	·77	·11	·08	–	5
6	–	–	–	–	–	–	–	–	·03	·03	·08	–	6
7	}·43	–	–	–	–	·08	·09	·12	–	·40	–	·02	7
8		–	–	·10	–	–	·86	·14	–	·25	·12	·15	8
9	·05	–	·06	}·12	–	–	·10	·30	–	–	–	·11	9
10	}·44	–	·14		–	–	–	·04	–	–	–	·02	10
11		–	·40	–	–	–	–	–	–	·12	–	–	11
12	}·12	–	·04	–	·40	–	–	·03	–	·24	–	–	12
13		–	·01	·16	–	–	–	·02	·10	·03	–	–	13
14	–	–	–	·20	–	–	–	·26	–	–	–	–	14
15	–	–	–	–	–	–	–	·04	–	·02	–	–	15
16	–	·20	–	·40	–	–	·08	–	–	·48	–	·15	16
17	–	·01	–	·12	·38	–	}·36	–	·35	·30	–	–	17
18	·10	–	–	·12	–	·10		·06	·30	–	–	–	18
19	–	}·14	·20	–	·70	·04	–	–	·30	–	–	–	19
20	·04		·08	–	2·40	–	–	·02	·04	–	·28	–	20
21	–	–	}·18	–	·03	–	–	–	–	–	·06	–	21
22	–	·02		–	–	–	–	·02	–	·12	–	–	22
23	–	·07	–	–	·20	·09	–	·10	–	·12	–	·02	23
24	–	·02	–	–	–	–	–	·10	–	·25	–	–	24
25	–	·04	·12	–	–	–	–	–	–	–	·13	·06	25
26	–	–	·12	–	–	·02	–	·15	–	–	·52	·03	26
27	–	–	–	–	–	–	–	·40	–	–	–	–	27
28	–	·03	·01	–	–	·30	–	·10	–	–	–	–	28
29	–		·04	–	·11	·38	·71	·11	–	·13	–	·15	29
30	·02	✕	·12	–	–	–	·71	·15	–	·04	–		30
31	·04	✕	·11	✕	–	✕	·38	·01	✕		✕		31
Total	1·56 ✓	·55 ✓	1·70 ✓	2·01 ✓	4·22 ✓	1·01 ✓	3·29 ✓	4·38 ✓	1·34 ✓	3·54 3.54 ✓	1·53 ✓	·73 ✓	YEAR'S TOTAL 25.86 25·86
Rain Days.	13 ✓	10 ✓	18 ✓	11 ✓	7 ✓	7 ✓	9 ✓	24 ✓	8 ✓	17 ✓	10 ✓	10	144 ✓

W. 8,000, IX. 17.

R 30.IV.4 ~~W~~ DL Cor. for arith- also agrees. 57

FORM A. BRITISH RAINFALL

31. 1919

REGISTER OF RAINFALL IN 1918

Kept at 47 Hadham Rd Bishop's Stortford.

in the County of Herts.

by Henry Sheppard.

Lat. Long. —

Time of Observation 9. a.m.

Nearest Railway Station B'p's Stortford Stn

Diameter of Funnel of Rain Gauge 4·7 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·05.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·01	—	·09	—	—	—	—	—	—	·12	·09	1
2		·03	—	·05	—	—	—	·14	—	—	·04	·12	2
3		·01	·06	—	·55	—	—	·15	·08	—	·48	·05	3
4		·05	·08	—	—	—	—		·28	—	·48	·02	4
5		·03	—	·30	·08	—	—	·12	·24	·07	—	—	5
6		·12	—	·04	—	—	—	—	—	—	—	·10	6
7		·08	—	—	—	—	—	—	·08	·14	·06	·01	7
8		—	—	—	—	—	·02	—	·14	·02	·10	·01	8
9		·03	—	·02	—	—	·26	—	·34	·22	—	·11	9
10		—	—	—	—	·10	·32	—	—	—	—	·32	10
11		—	—	—	·15	—	·28	—	·03	·24	·04	·04	11
12	·01	·12	—	—	·26	—	·08	—	·08	·01	—	—	12
13	—	·03	—	—	—	—	·03	—	·08	—	—	·18	13
14	—	—	—	·04	—	·15	·04	—	·25	·38	—	·18	14
15	1·48	—	—	1·20	—	—	·14	—	—	—	—	·04	15
16		—	—	·46	—	—	—	—	·15	—	—	—	16
17		—	—	·32	—	·15	1·83	·01	—	—	—	·12	17
18	·44	—	—	·02	—	·08	·12	—	1·24	·06	—	·50	18
19	·04	—	·20	·06	—	·10	·20	—	—	·07	—	·16	19
20	·01	·10	—	·20	—	·08	·17	—	·06	·30	—	·02	20
21	·03	—	—	·04	—	·04	—	—	·42	·08	—	—	21
22	·01	—	—	—	·30	—	·06	—		—	—	·22	22
23	·02	—	—	—	·70	·02	·64	·04		—	·06		23
24	—	·20	—	—	·12	·06	·05	—		—	·08		24
25	—	—	—	—	—	·03	·38	·12	—	—	·08		25
26	—	—	—	—	·01	—	·46	·01	—	06	·15	·22	26
27	—	—	—	·20	—	—	·06	·21	1·50	—	·15	·01	27
28	—	·10	·26		—	—		·04		—	·30	·08	28
29	—	—	—		—	—		—		—	·04	—	29
30	—	X	·27		—	—		—	·13	—	·07	·12	30
31	—	X	—	X	—	X		—	X	—	X	·05	31
Total	2·46	·91	·87	3·04	2·17	·81	5·14	·84	5·50	1·65	2·25	2·77	YEAR'S TOTAL ~~27·54~~ 28·41
Rain Days.	—	13	5	14	8	10	18	10	—	12	15	23	

W. 6,500, VII. 18. w w d

Ans 5.v.19
~~Alt. Total~~

47, HADHAM ROAD.
BISHOP'S STORTFORD.

1919 May 4th

Dear Sir:
In reply to yours of Apl. 30th for which I thank you, have looked over the record as you suggest and find the mistake which I regret was in the adding up.

Do you know if the Met. Office publish a short list and at what price of the Records of London Rainfall from start to date? Or perhaps you could supply such a record.

I remain
Yours Sincerely
Henry Sheppard.

P.S. 12½ ins this year to date.

Carle Salter Esq.

922

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

2 FEB 20

Kept at 47 Hadham Rd. Bp's Stortford
in the County of Hertfordshire
by Henry Sheppard

Lat. Long.
Time of Observation
Nearest Railway Station Bps. Stortford
Diameter of Funnel of Rain Gauge 4·7 in.
Height of top of Gauge above Ground 7 ft. — in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·06	·12	·01	·08	·01		—	—	·08	—	·60	1
2	·17	—		—	·22	—	·52	—	—	—	·14	·60	2
3	·16	—	·33	—	—	—		—	·15	—	·12	·28	3
4	·05	—	·13	—	—	—		—	·04	—	·02	·14	4
5	—	·28	·40	—	—	—	·52	·12	—	—	—	·27	5
6	—	—	·07	—	—	—		—	·06	—	·04	·04	6
7	·05	—	·35	—	—	—	—	—	—	—	·11	—	7
8	·08	—	·05	—	—	—	—	—	—	—	·14	—	8
9	·02	—	—	·04		—	—	—	—	—	·17	—	9
10	·02	—	·08	·10	—	—	—	—	—	—	·04	— +	10
11	·14	—	·09	·20	—	—	—	—	—	—	+	·05	11
12	—	—	·18	·02	—	·05	—	—	—	·10		—	12
13	·05	—	—	·18	—	—	·40	—	+ —	·10	·06	—	13
14	·16	·03	—	·42	—	—	—	—	+ —	—	+	—	14
15	·16	·03	·05	·14	—	—	—	—	·16	·13	+	·16	15
16	(·06)	·78	—	·05	—	—	—	—	—	—	·09	— +	16
17	—	·60	—	·03	—	—	—	—	— +	—	·24	·13	17
18	—	·38	·50	—	—	—	—	—	·20	—	— +	·01	18
19	—	·10		—	—	·11	—	·01		—	·26	— +	19
20	·25	·03	·10	—	—	·90	·10		+ —	—	·04	·11	20
21	·29	·28	·04	—	—		·28	·70	—	—	— +	— +	21
22	—	·10	—	—	—		·19	—	·40	—	— +	·52	22
23	—	—	—	—	—	·09	·32	—	·06	—	— +	+ ·10	23
24	—	—	—	·30	—		·08	—	—	—	·20	+	24
25	·12	—	—	·02	·02		·01	—	—	—	—	+	25
26	—	·30	·12	·10				·50	·10	—	—	·84 +	26
27	·95	—	—	1·58						— +	—	+	27
28		—	·06	·24				—		·08	·08	+	28
29	—		—					1·26		·24	·24	—	29
30	—	×	—	·28						·04	·16	·28	30
31	—	×	—	×		×		—	×	—	×	·04	31
Total	3·08	2·97	2·67	3·71	·32	1·16	2·42	2·59	1·17	·77	2·15	4·17	YEAR'S TOTAL 27·18
Days with ·01 in. or more	17	12	18	17	3				10	8	24	25	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

7

SS

REGIST

HERTS

BISHOPS STORTFORD - 104 BARRELL'S DOWN RD

1911 – 1915

FORM A2. BRITISH RAINFALL.

8 - JAN. 1912 (approx)

Kept at 47 Hadham Road / 104 Barrell's Down
in the County of Herts
by Henry Sheppard.

in.
ound 4 ft.
a Level ft.
M.
ame Bp's Stortford
istance 1¼ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	–	–	–	–	·01	·02	–	–	–	–	1
2	·23	–	–	·16	·46	–	–	–	–	–	·15	–	2
3	·11	–	–	–	·07	–	·01	·01	–	·06	·01	·15	3
4	·01	·02	·10	·07	–	–	–	–	–	# ·01 #	·03	·17	4
5	·05	·02	–	·74	–	–	–	–	–	–	·07	·20	5
6	·28	–	·10	–	–	–	–	–	–	·01	–	–	6
7	–	–	–	–	–	–	–	–	–	·05	·03	·64	7
8	·03	–	–	–	–	–	–	–	–	–	·20	·06	8
9	·30	–	·21	–	–	–	–	–	–	–	·20	·10	9
10	–	·02	–	·07	–	–	–	–	–	–	·08	·32	10
11	·05	·06	·08	–	·22	–	–	–	–	–	·02	·05	11
12	·30	–	·12	–	–	–	–	–	–	–	·61	·01	12
13	–	–	·32	–	·15	–	–	–	·40	·01	·17	·03	13
14	–	–	·05	–	·78	·02	–	–	·01	·35	–	·13	14
15	–	–	·36	–	–	–	–	–	·03	·01	·06	·45	15
16	–	·03	·10	–	–	–	–	–	–	·03	–	·01	16
17	–	–	–	–	–	·71	–	–	–	–	·24	·15	17
18	–	–	·01	–	–	·35	–	–	–	–	·90	·05	18
19	–	–	–	–	–	·02	–	–	·01	–	·35	·06	19
20	–	–	–	–	–	–	–	·01	·29	·06	·10	·39	20
21	·05	·22	–	–	–	·11	–	·32	·01	·05	–	·35	21
22	–	·07	–	–	–	·01	–	·01	–	·45	–	·42	22
23	·12	·08	·32	–	–	·29	–	–	·05	–	–	·03	23
24	–	–	–	–	–	·54	·02	–	–	1·20	–	·35	24
25	–	·10	·07	–	–	·22	·06	–	–	–	–	·12	25
26	–	–	–	·02	–	·06	·67	–	–	·12	·01	·15	26
27	–	·26	·08	·22	–	–		–	·41	–	·04	–	27
28	–	·27	–	–	–	–	–	·05		–	·01	·07	28
29	·01		–	–	–	–	·23	–	–	·08	–	·02	29
30			–	–	·02	·12	·01	–	·50	·30	–	–	30
31			·01				–	–		–		·01	31
Total	1·59	1·75	1·93	·68	1·70	2·45	1·01	·42	1·71	2·89 2·79	3·28	4·49	TOTAL for year ~~23·31~~
No. of Rain Days.	13	11	14	6	6	11	7	6	10	15	19	26	

W. 8,000, X. '11.

144

5 x 11

FORM A2.
BRITISH RAINFALL.

8 - JAN. 1912

REGISTER OF RAINFALL IN 1911.

Kept at 47 Hadham Road
104 Barrell's Down Road 3

in the County of Herts.

by Henry Sheppard.

RAIN GAUGE
Pattern
Diameter of top 4·7 in. (approx.)
Height of top above Ground 4 ft.
" " " Sea Level ft.

Time of Observation 9 P.M.

Nearest Railway Station
Name Bp's Stortford
Distance 1¼ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	–	–	–	–	·01	·02	–	–	–	–	1
2	·23	–	–	·16	·46	–	–	–	–	–	·15	–	2
3	·11	–	–	–	·07	–	·01	·01	–	·06	·01	·15	3
4	·01	·02	·10	·07	–	–	–	–	–	·01	·03	·17	4
5	·05	·02	–	·14	–	–	–	–	–	# – #	·07	·20	5
6	·28	–	·10	–	–	–	–	–	–	·01	–	–	6
7	–	–	–	–	–	–	–	–	–	·05	·03	·64	7
8	·03	–	–	–	–	–	–	–	–	–	·20	·06	8
9	·30	–	·21	–	–	–	–	–	–	–	·20	·10	9
10	–	·02	–	·07	–	–	–	–	–	–	·08	·32	10
11	·05	·06	·08	–	·22	–	–	–	–	–	·02	·05	11
12	·30	–	·12	–	–	–	–	–	–	–	·61	·01	12
13	–	–	·32	–	·15	–	–	–	·40	·01	·17	·03	13
14	–	–	·05	–	·78	·02	–	–	·01	·35	–	·13	14
15	–	–	·36	–	–	–	–	–	·03	·01	·06	·45	15
16	–	·03	·10	–	–	–	–	–	–	·03	–	·01	16
17	–	–	–	–	–	·71	–	–	–	–	·24	·15	17
18	–	–	·01	–	–	·35	–	–	–	–	·90	·05	18
19	–	–	–	–	–	·02	–	–	·01	–	·35	·06	19
20	–	–	–	–	–	–	–	·01	·29	·06	·10	·39	20
21	·05	·22	–	–	–	·11	–	·32	·01	·05	–	·35	21
22	–	·07	–	–	–	·01	–	·01	–	·45	–	·42	22
23	·12	·08	·32	–		·29	–	–	·05	–	–	·03	23
24	–	–	–	–	–	·54	·02	–	–	1·20	–	·35	24
25	–	·10	·07	–	–	·22	·06	–		–	–	·12	25
26	–	–	–	·02	–	·06	·67	–	–	·12	·01	·15	26
27	–	·26	·08	·22	–	–		–	·41	–	·04	–	27
28	–	·27	–	–	–	–	–	·05		–	·01	·07	28
29	·01		–	–	–	–	·23	–	=	·08	–	·02	29
30			–	–	·02	·12	·01	–	·50	·30	–	–	30
31			·01				–	–		–		·01	31
Total	1·59	1·75	1·93	·68	1·70	2·45	1·01	·42	1·71	~~2·89~~ 2·79	3·28	~~4·45~~ 4·49	TOTAL for year
No. of Rain Days.	13	11	14	6	6	11	7	6	10	2·79 ~~15~~ 19	19	26	~~23·31~~

W. 8,000, X. '11.

144 [illegible] 5.x.11

cord for [illegible] 5.[illegible]

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 JAN 1913

Kept at 104 Barrell's Down Rd Bishop's Stortford.

in the County of Hertford 3

by H. Sheppard

RAIN GAUGE
Pattern Home made
Diameter of top 4·7 in.
Height of top above Ground 1 ft. 2 in.
„ „ „ Sea Level 300 ft. ±

Time of Observation 9 P.M.

Nearest Railway Station Name Bp's Stortford.
Distance 1¼ miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04 ins

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·25	·02	–	70	·05	·02	·35	·56	–	·15	1
2	–	·05		–	–		·26	·08	·10	·20	–	·01	2
3	–	–	·07	–	–	·07	·10	·04	–	–	–	–	3
4	·2	–	·6	–	·20	·55	–	·44	–	–	–	·12	4
5	·13	–	·25	–	–	·05	–	·03	·01	–	·49	–	5
6	·3	·26	·02	–	–	–	–	·27	–	–	–	·04	6
7	·03	–	–	–	–	·22	·20	·47	–	–	–	·03	7
8	·2	–	·15	–	–	52	–	·26	·27	–	–	·05	8
9	·12	·26	–	–	·07		–	·06	·04	–	–	–	9
10	·01	–	–	·1	–	–	–	·35	·03	–	·09	·3	10
11	·05	·02	–	–	–	·01	–	·02	·03	–	·11	–	11
12	·01	·26	–	–	·03	·06	–	–	–	–	·03	–	12
13	·08	–	·07	–	–	·12	–	·12	–	–	·12	·03	13
14	–	–	–	–	–	–	–	·05	–	·05	·17	·11	14
15	–	–	·12	–	·01	·03	–	–	–	–	·01	·07	15
16	·03	·03	·05	–	·17	·31	–	·04	–	–	–	·07	16
17	·25	–	·20	–	–	·07	–	·12	–	·01	·15	–	17
18	·35	–	·20‡	–	–	·05	–	·07	–	–	·03	·10	18
19	·11	·05	·01	–	–	–	·32	[80]	–	–	·02	·01	19
20	·03	·01	–	–	–	–	–		–	·19	·02	–	20
21	–	·01	·39	–	–	–	–	·01	–	[40]	·07	–	21
22	–	·12	·45	–	·20	–	·04	·15	–		[15]	–	22
23	·4	·12	·1	–	–	–	·15	·57	–	–		·03	23
24	·55	·20	·15	–	·03	·07	–	·37	–	–		·15	24
25	·25		–	–	–	·15	–		–	–	·19	·30	25
26	–	·02	–	–	–	–	–	1 inch	–	·35	·37	·33	26
27	–	–	–	–	–	–	·18	·11	–	·01	·08	·15	27
28	–	–	–	–	–	·03	·02	–	–	·22	–	–	28
29	–	–	–	–	–	·12	·12	·20	·22	·20	·33	·24	29
30	–		–	–	–	·10	–	·07	1·26	·35	–	–	30
31	–		·19		·05		·15			·06		–	31
Total	~~2·92~~ 3·10	1·41	3·27	·12	·76	3·23	1·59	5·72	2·31	2·60	2·43	2·29	TOTAL for year 28·83
No. of Rain Days.	18	14	18	2	8	20	11	26	9	13	18	19	176

W. 8,000, X. '11.

written 27·2·14

cvd for auth 25.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL

5 - JAN 1914

Kept at 104 Barrell's Down Rd Bp's Stortford.

in the County of Herts. 3

by Henry Sheppard.

Lat. .... Long. ....

Time of Observation 6 to 9 p.m.

Nearest Railway Station Bp's Stortford.

Diameter of Rain Gauge 4·7 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·11	–	–	·02	–	–	–	·22	–	·07	·23	1
2	–	·12	·05	·14	·04	–	·07	–	·11	–	·15	–	2
3	–	·01	·03	–	}·75	–	·04	–	·01	–	–	–	3
4	–	–	·06	·05		–	–	–	–	}·93	–	·10	4
5	·13	–	–	–	·05	·01	·15	–	–		·08	·20	5
6	·05	·12	–	–	·07	·28	·12	–	–	·02	–	–	6
7	–	–	–	–	·07	·08	·03	–	–	·35	–	–	7
8	–	–	·16	–	·04	·09	–	–	–	·21	·16	–	8
9	–	·01	–	–	·75	–	–	–	·14	–	·02	·07	9
10	–	–	·05	·04	·02	·03	·23	–	–	–	·05	–	10
11	·80	–	–	·42	·02	[illegible]	–	·08	–	·12	·28	–	11
12	·12	–	–	·10	·07	–	–	–	–	–	·09	–	12
13	–	–	–	–	–	–	–	·03	–	–	·63	–	13
14	–	–	–	·05	–	–	·05	–	–	–	·34	–	14
15	·06	·28	–	–	–	–	·97	·02	·02	·20	–	–	15
16	·28	–	·30	·35	–	–	·01	–	·15	–	–	–	16
17	·08	·04	·28	·05	–	1·30	–	–	·05	–	–	02	17
18	·01	–	–	·16	–		·08	–	·28	–	·16	–	18
19	·15	–	·10	·08	–		·10	–	–	–	–	·04	19
20	·09	–	–	–	–		–	–	–	·15	–	–	20
21	·03	–	·22	·01	–		·02	–	–	·70	·38	–	21
22	·05	–	·15	·14	–		–	–	·01	–	·05	–	22
23	·40		–	–	–	·12	·02	·43	·20	–	–	·10	23
24	·02	–	–	–	–	–	–	·05	–	–	–		24
25	·03	–	–	·04	–	·05	–	–	–	·05	–	·04	25
26	–	–	·04	·10	–	–	–	–	–	·64	–	–	26
27	–	·05	·12	·07	–	–	–	·15	–	–	–	–	27
28	·08	–	·12	·05	–	–	–	–	–	·11	–	–	28
29	·09		·04	–	–	–	–	·05	–	·14	–	·16	29
30	·10		–	·33	·28	–	–	·01	–	·05	–	·03	30
31	·28		–		–		–	·14		–			31
Total	2·89	·74	1·72	[illegible]	1·58	1·96	1·89	·96	1·19	3·87	2·46 2·46	·99	YEAR'S TOTAL 22·23 22·23
Rain Days.	20	8	14	2·18 17	13	8	13	9	10	13	13	10	149

W. 7,500, XI. ·12

cod for arith 9·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

27 JAN 1915

Kept at 104 Barrell's Down. Bp's Stortford.
in the County of Herts. 3
by Henry Sheppard.

Lat. Long.
Time of Observation 9 P.M.
Nearest Railway Station Bp's Stortford
Diameter of Rain Gauge 4·7 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·30	·08	–	–	–	·18	1
2	–	–	–	–	–	–	–	·29	–	–	·15	–	2
3	}	–	–	–	–	–	20	–	–	–	·04	·14	3
4	} ·03	–	·32	·62	·13	–	–	·02	–	–	·10	·15	4
5	·15	–	·05	·43	·07	–	·02	·62	–	–	·65	·04	5
6	–	–	·05	·08	–	–	·26	·01	–	–	·20	·11	6
7	–	·20	·10	·10	·22	·15	–	–	–	–	·03	·28	7
8	·03	·30	·50	·05	·05	·25	·22	·16	–	–	–	·04	8
9	·09	·03	1·06	·04	·03	·08	–	·03	–	–	–	·02	9
10	·55	–	·04	·05	·05	·65	–	–	–	–	–	·96	10
11	·08	·34	–	·06	·05	·65	–	–	·19	–	·25	·24	11
12	–	·08	·42	–	–	–	·01	–	·25	–	·04	·10	12
13	·08	·08	·11	–	–	–	–	–	·27	·03	·05	·63	13
14	–	·22	·35	–	–	–	–	–	·10	·38	·03	·16	14
15	–	·03	·11	–	–	–	·18	·02	–	·03	·12	·38	15
16	–	–	·15	–	–	–	·11	–	–	–	·03	·01	16
17	·08	–	–	–	–	–	–	–	·21	–	–	·01	17
18	–	·34	·04	–	–	–	–	–	·40	–	–	·17	18
19	–	·08	·05	–	–	·05	·18	–	–	–	·15	·16	19
20	–	·05	·32	–	–	–	–	–	·33	–	·02	·02	20
21	–	·14	}	–	–	·15	–	–	–	–	–	·14	21
22	–	·34	} ·10	·05	–	–	·08	–	–	·15	–	·13	22
23	–	·02	·04	–	·40	·06	–	–	–	·15	–	·01	23
24	–	–	·07	·07	–	–	·04	–	–	·16	·02	–	24
25	–	·03	–	·11	–	–	·04	–	–	·45	·13	–	25
26	·05	–	·07	–	–	–	–	·20	–	·05	·02	·37	26
27	–	–	·03	–	–	–	–	·04	–	·05	·19	·41	27
28	–	–	–	–	–	–	–		–	·01	·35	·74	28
29	·03		·04	–	–	–	–		–	·08	·01	·68	29
30	·02	×	·05	–	–	–	–			·29	·30	·02	30
31	–	×	–	×	·21	×	–		×	–	×	·14	31
Total	1·19	2·28	4·07	1·06 1·06	1·21	2·04	1·64	1·46	1·75 1·75	1·83	2·88	6·44	YEAR'S TOTAL 27·85 27·82 5
Rain Days.	12	15	23	11	9	8	12	10	7	12	21	28	168

W. 8,000. X. 14.

cnd p. auth 9.111.16

1035

FORM A.
BRITISH RAINFALL.
17. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at 104 Barrell's Down. Bp's Stortford

in the County of Herts 3

by Henry Sheppard.

Lat. Long.

Time of Observation 9 p. m.

Nearest Railway Station Bp's Stortford

Diameter of Funnel of Rain Gauge 4·7 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	–	·16	–		–		–					1
2	·22	·28	–	·02		–		·02					2
3	·28	·02	·35	·28		–		·60				·60±	3
4	·29	–	·04	–		–		·16				·56	4
5	·04	–	–	–		–		·02				·12	5
6	–	·24	–	·08		–		·03				·29	6
7	–	·10	–			–						·08	7
8	–	·38	–									–	8
9	–	·45	–									·70	9
10	·30	–	–									·03	10
11	·05	–	·10									·20	11
12	–	–	–									–	12
13	·14	·31	–									–	13
14	–	·13	–									·18	14
15	·02	–	–									·34	15
16	·28	–	–				·53		–			·05	16
17	–	·60	–		·03		·30		–			·62	17
18	–	·08	·28		·25		–		–			–	18
19	–	·34			–		–		–			–	19
20	·06	·01	–		–		·10		–			38	20
21	·38	–	–		–				–				21
22	·62	·01	·30		–							·08	22
23	·03	–	·05									·26	23
24	–	·14	·37									·46	24
25	–	–	·08									·08	25
26	–	–	·01									–	26
27	–	·10	–									·28	27
28	–	·03	–									·01	28
29	–		–									·07	29
30	–	X	–										30
31	·04	X	–	X		X			X		X		31
Total	2·89 2·89	3·22	1·74 1·84									479	YEAR'S TOTAL
Rain Days.	15	16	11										

W. 8,000. X. 15.

✓

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REC 9 11

HERTS

BROXBOURNE - STAFFORD HOUSE

1911 - 1920

Round

Kept at Stafford Ho p 5 in.

bove Ground 1 ft. in.

in the County of He „ Sea Level 118 T ft.

9

by A. F. New on { Name Broxbourne
Distance 200 yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				46			8	4				2	1
2	26			11	(23)						21	17	2
3	1									5	9	9	3
4	3	4	10	8	18				1	3	13	20	4
5	5			7				1		14		15	5
6	36		10	1								43	6
7										11	26	33	7
8	20		15							3	28	21	8
9	12		4	2									9
10	3	13	8								5	41	10
11	32				55						71		11
12	5		53		7	3			10		29		12
13			25		148				57	62	8	25	13
14			3		38	2						53	14
15		4	41							3	5		15
16						58					35	11	16
17			1			8					43	13	17
18		20	2			20					56	26	18
19					3	13			14	18	27	7	19
20			3			6			6			65	20
21	2	18	3			1		23		9		9	21
22	12		13			3		16		68		49	22
23	1	17	41			113			35	4		15	23
24		10	1			13				164		18	24
25		3	3			6	3			4		1	25
26			2	23		3	16			19		21	26
27		42	7	7			2	1	20		12	8	27
28	2	28		22	1		15	5			3		28
29						13	16		26	26			29
30					5	5		1	4	19			30
31					31							3	31
Total	160	159	245	127	329	267	60	51	173	432	391	535	TOTAL for year 29.29 ✓
No. of Rain Days.	14	10	19	9	11	15	6	7	9	16	16	24	156 ✓

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Stafford House Broxbourne

in the County of Hertfordshire 3

by A. F. Newbery

RAIN GAUGE
Pattern Round
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 118 ft.

Time of Observation 9

Nearest Railway Station
Name Broxbourne
Distance 200 yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N,W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				46			8	4				2	1
2	26			11	23						21	17	2
3	1									5	9	9	3
4	3	4	10	8	18				1	3	13	30	4
5	5			7				1		14		15	5
6	36		10	1								43	6
7										11	26	33	7
8	20		15							3	28	21	8
9	12		4	2									9
10	3	13	8								5	41	10
11	32				55						71		11
12	5		53		7	3			10		29		12
13			25		148				57	62	8	25	13
14			3		38	2						53	14
15		4	41							3	5		15
16						58					35	11	16
17			1			8					43	13	17
18		20	2			20					56	26	18
19					3	13			14	18	27	7	19
20			3			6			6			65	20
21	2	18	3			1		23		9		9	21
22	12		13			3		16		68		49	22
23	1	17	41			113			35	4		15	23
24		10	1			13				164		18	24
25		3	3			6	3			4		1	25
26			2	23		3	16			19		21	26
27		42	7	7			2	1	20		12	8	27
28	2	28		22	1		15	5			3		28
29						13	16		26	26			29
30					5	5		1	4	19			30
31					31							3	31
Total	160	159	245	127	329	267	60	51	173	432	391	535	TOTAL for year 29.29
No. of Rain Days.	14	10	19	9	11	15	6	7	9	16	16	24	156

✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

4 M

Kept at Broxbourne
in the County of Herts 3
by Arthur Frederick Newbery

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Broxbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 118 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			9			45	10		8	41		16	1
2	2	2	15			3	29	15					2
3	9	2	6		5	19	11	42	2			10	3
4	24		66		30	11		3			33		4
5	21	6	12					9	2		6		5
6	22	6				1		17					6
7	2	2	2		2	69	2	23				11	7
8	39	45	19			3		72	4			5	8
9	6	6		15		53	13					16	9
10	1	5						34			20	16	10
11	7	27				1		3	6			10	11
12	7	9	9		11	10					6		12
13	1	2				5	4	23	2		16	4	13
14					5			16		12		4	14
15		3	6		17	50		3				19	15
16	25		2		7	9		16		7	2		16
17	51		30			12		4			5		17
18	6		10					2	2	3	3	16	18
19	17	6	9	1			12	38			4		19
20	3		11		7		3	12		47			20
21		3	33		6			7		7	5		21
22	35	14	3		1		6	14	2			3	22
23	44	31	31				9	49			19	10	23
24	52						2	5		3		15	24
25		3				20		102			27	55	25
26		3					6	48		43	49	23	26
27										17		20	27
28		4		1		6	6	4	4	40	34	19	28
29		3	1	1		20	21	25	128	37	7		29
30	3				28	3	2	1	119	12			30
31			30		2		25	22				5	31
													YEAR'S TOTAL
Total	377	182	304	18	121	340	151	609	279	269	236	277	31.63
Rain Days.	21	20	19	4	12	18	16	27	11	12	15	19	194

FORM A.
BRITISH RAINFALL.
7 JAN 1914

REGISTER OF RAINFALL IN 19~~14~~13

Kept at Stafford House, Broxbourne
in the County of Hertfordshire 3
by A. F. Newbery

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Broxbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 118 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5	14	11	15					13		12	2	1
2	6	16					10		5	11	2		2
3	2		5	17								3	3
4	22		1		54		16			41	7	4	4
5	8				11	6	35			20	2	4	5
6	2	2	7		9	60	3		2	11	4		6
7		12			9	3	25	4		44	10		7
8		2	2		22	6		1		12	7		8
9		16	1		5	2			11	2	4		9
10	3		6				65				35		10
11	68			40	7			6		42	9		11
12					2						41		12
13	8							3	1	2	58		13
14	8	2	6	6			68	10		19	13		14
15	31	7	24	28			22		12				15
16	11		29	15			2		11				16
17	3	1	6	4		8	9		2	1	2	2	17
18	3		15	6					6		5		18
19	19		5	4		2	16						19
20	24		3	3		4			10	44	1		20
21	2		20	26			2			24	65		21
22	41		13						30				22
23						3	1	23	3			15	23
24			2	3					2		3		24
25		2		13								1	25
26		2	25	5				23		89		19	26
27		4	4	6				1		6	2		27
28	18		14	6					3	25			28
29	12		4	30	29			44	2	4		2	29
30	31			11				13	1	13	9		30
31								43		5			31
													YEAR'S TOTAL
Total	327	80	203	238	148	94	274	171	114	415	291	52	24.07
Rain Days.	21	12	21	18	9	9	13	11	16	19	20	9	178

W. 7,500, XI. ·12

Ese 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Stafford House Broxbourne

in the County of Herts 3

by A. F. Newbery

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Broxbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			9				9	32			5	5	1
2				2			9	4			29	14	2
3	2		19		13		29	1			17		3
4	13		1	26	9			5			25	31	4
5	3		4	13	21	6	39	49					5
6		14			3	11	2	3			32	18	6
7		27	16	10	43							12	7
8	7	27	61	3	4	15	15	11				1	8
9	25		73	5		35						117	9
10	17	14	3	5	1				11		1	2	10
11		35	41			54			3		24	33	11
12		5	8				3		40		1	31	12
13		43	18						15	3	4	7	13
14		6	52				28			31	12	38	14
15	5	2	17						2	1	2	6	15
16			5				4				3		16
17		33	4						20			17	17
18		6	10									28	18
19		4	14			3	5		4		15	12	19
20		18	20			5	3		9			7	20
21		56	10			4				2		10	21
22			4	4	28		12	5		20			22
23		2	13		27	1	9			18		4	23
24	5		3	6			5				11		24
25			12				1	7		33			25
26	4		4					6		4	21	65	26
27			2								2	25	27
28	6	2								6	36	103	28
29	1		6							24	15		29
30		X	8							2	50	14	30
31		X		X	15	X	3		X		X	3	31
Total	·88	2·94	4·37	·74	1·64	1·34	1·76	1·23	1·04	1·44	3·05	6·03	YEAR'S TOTAL 26·46
Rain Days.	11	16	27	9	10	9	16	10	8	11	19	24	170

W. 8,000. X. 14.

1021

FORM A.
BRITISH RAINFALL.
13. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Broxbourne

in the County of Herts 3

by A. F. Newbury

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Broxbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	42	12	7		4				10		14	41	1
2	11	12	19	8				60	2	5			2
3	32		3	21			3	67	2			45	3
4	6							3		3		33	4
5	2	17			51			1		4		24	5
6	18	4		25	1		58					40	6
7	11		3	1			38	3				16	7
8	2	44	2	1									8
9		8				8		14			26	59	9
10	34					2		47			3	16	10
11			5		2						75	2	11
12	2	7		24	33			7			39	1	12
13	9	33			150			1					13
14	4	4					90	15	3			38	14
15	8				7			46			41	11	15
16	2	38					69	82				8	16
17		26			45		16	3					17
18		22			12						7		18
19		4	6				8						19
20	28		7	6				3				36	20
21	6						2					4	21
22	76	30	26				43		1			15	22
23		7	4	1		1	14		11	25	1	26	23
24		3	3			2	15		17	3		21	24
25				7			27			4		13	25
26		7				7	8		1	1		34	26
27						28	42			35			27
28		9				27			131	13			28
29			4			4	10	15		2	12	5	29
30	3	X				66			2		9		30
31	5	X		X		X		4	X	58	X	14	31
Total	301	287	91	94	305	145	443	371	180	153	227	502	YEAR'S TOTAL 3099 ✓
Rain Days.	19	18	12	9	9	9	15	16	10	11	10	22	160 ✓

W. 8,000. X. 15.

992

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Broxbourne
in the County of Herts
by A. F. Newbery

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Broxbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12		1		2	5			8	5	24		1
2	30		12		19	7			18	41	2		2
3		48	19			1	6		47	22	61		3
4	22	12			2	37	1			3	54		4
5	3		3	1	2	10			2		34	1	5
6		5	18	32	1	7	8				47		6
7	10		18		10	11	35			10	52	3	7
8			2		47						1	25	8
9					24					11		16	9
10		8	6	6		11	40			1		9	10
11	9	15	1	11	2	7			2				11
12	3	4		3	47	16	5	21	2				12
13	2	52	15	18	14	10	29	15		5			13
14		35			6			67		3		12	14
15		19	29	3			6	25				2	15
16	8	3	8	11	6		10	9		2			16
17		7		5	1		9	144	28	40			17
18	9	6	5	9				8	6	4	51		18
19	15		16	10					21		71	11	19
20			31	5				3			3	32	20
21			78									51	21
22	3	3	5		1					3		49	22
23		36	1		1	17		3			5	12	23
24			8			15		3		4	5	30	24
25		41	7		6			23		7	7		25
26	12	14				1		9	2	3			26
27		4	85			6		9	4	44			27
28		32	38			10			7	2		21	28
29		10				18		124	3	38		12	29
30		✕			2	5		11		45			30
31	2	✕		✕		✕		2	✕	7	✕	2	31
													YEAR'S TOTAL
Total	1.40	3.54	4.06	1.14	1.93	1.94	1.49	4.76	1.50	3.00	4.17	2.88	31.81
Rain Days.	14	19	22	12	18	18	10	16	13	21	14	16	193

W. 8,000, VIII. 16

959

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Broxbourne (Stafford House)
in the County of Hertfordshire
by A. F. Newbery

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Broxbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~49~~	49				91		2			1
2	2		~~3~~	3				10		15	1		2
3								39		44	11		3
4		9	5				3	33		10			4
5	9	1	4	11				54	79	5	13		5
6			2	9		5			4	38	4	3	6
7	21		1				16			28	2		7
8	11		~~1~~1	14			75	17		1	13	16	8
9	2		~~10~~2	10			5	9	1	1	2	11	9
10	25		14	11				6		31		4	10
11	13	2	48	13						51			11
12	6		4					1		5	2		12
13	5		3	1				3	3			2	13
14	2		~~1~~2	11				3		4			14
15	1						2			55			15
16	6	10	[illegible]	32	8	3	2			28		22	16
17	1	2	~~7~~	9	76		17		36	1			17
18	5		~~7~~	9	4	19	12	4	18				18
19		12	3	2	78	2		1	36				19
20	5	17	11		65		4	1	4		12		20
21	2		5		3	1					5		21
22			5			2		9	1	10			22
23		10			13	4				2		1	23
24		5				3		7		29	1		24
25		2	6								7		25
26			10					34	3		63	2	26
27						12		84				4	27
28		1				61		9				4	28
29			2		23	4	45	19		18		11	29
30	2	X	18				140	10		3		3	30
31	2	X	9	X		X	41	1	X	2	X	2	31
Total	120	71	155	184	270	116	362	445	185	383	136	85	YEAR'S TOTAL 25.12
Rain Days.	18	11	20	14	8	11	12	22	10	22	13	13	174

3.36.

W. 8,000, IX. 17.

41

FORM A.
BRITISH RAINFALL.

101.18

REGISTER OF RAINFALL IN 1918

Kept at Stafford House Broxbourne
in the County of Herts
by Arthur F. Newbery

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Broxbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				1							10	8	1
2	2	8		3				35			1	13	2
3			3		50			27	8		65	3	3
4		9	11		2			1	56		54	3	4
5		4			12			11	3	7			5
6	6	13		25	7							7	6
7	6	8		13	6				12	4	8	2	7
8		3					2	3	8		5		8
9		4		3		10	17		42	15		16	9
10	8			7			48		2	3	2	26	10
11				3	11		21		2	16	6	2	11
12	3	6			12		9		6	2		1	12
13		1			19		4		17			11	13
14	20	2	1		2	22	6		25	24		10	14
15	127			109		1	10		2			9	15
16	24			81		7			19			3	16
17	18		1	37			73	3	4			20	17
18	46					17	8		191			21	18
19	5		12	16		18	19		2	12		12	19
20	2	9		35		5	10		10	24		6	20
21	10			22			2		25	7		2	21
22	5			4	10		5		11			16	22
23				1	77		53		5			3	23
24		16			5	6			6		3		24
25						5	10	20			5		25
26		2			6		30	13		7	8	11	26
27		4	2	13			3	24	4		6	1	27
28		4	19					4			34	3	28
29									127		4		29
30		X	29						3		10	7	30
31		X		X		X			X	8	X	2	31
Total	282	93	78	373	219	91	330	141	590	129	221	218	YEAR'S TOTAL 27.65
Rain Days.	14	15	8	16	13	9	18	10	24	12	15	26	180

W. 8,000, IX. 17.

907

5 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Stafford House Broxbourne
in the County of Hertfordshire
by Arthur F. Newbery

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Broxbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	2	–	3	13	5	27		1	3	1	98	1
2	26		3		13		9		23	2	11	30	2
3	26		26				7		7		7	23	3
4	9	2	22			7	55	9			1	11	4
5	4	27	52				4		12		3	30	5
6			7							2	3	13	6
7	3		35								23		7
8	7		8	3							9		8
9	4		4	2	7						2		9
10	22		5	7							2		10
11	4		9	27			34				2	5	11
12			11	4	~~7~~	4				3	2		12
13	5			18			4			5			13
14	22			46			11		23	5		1	14
15	22	4	4	13						3	2	12	15
16	9	73		3							11	4	16
17		51	3	1							30	4	17
18		30	4					3	5		4	11	18
19		15	47		~~20~~	20	8	12	11		14	3	19
20	36	7	9		~~2~~	86	21	30	2	3		2	20
21	20	37	3			1	23			1	1	11	21
22		12					14	1	36		5	45	22
23						6	1	1	11			1	23
24				32		2	9	5		6	8		24
25	2			10	5	1		22					25
26	9	17	10	2				1	17			49	26
27	72	7	4	107				39		1	3	1	27
28			9	14				81	3	2	19	31	28
29	4			2		1		20		21	8	4	29
30		╳		23		13		5		3	29	34	30
31	3	╳	4	╳		╳			╳	2	╳	2	31
Total	3.39	2.84	2.79	3.17	38	1.46	2.27	2.29	1.51	.62	2.00	4.25	Year's Total 26.97
Days with ·01 in. or more	21	13	21	18	4	11	14	13	12	15	24	23	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ed of B

961

1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Stafford House Broxbourne
in the County of Herts
by Arthur F. Newbery

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Broxbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				67	9		29			35		28	1
2			2				2	57	5	9		11	2
3		5		4			1		8	12		5	3
4		3		3	2		1	8		13		5	4
5			9		3		72	6	6			2	5
6					11		25					2	6
7	2		17		1		14					3	7
8	10	3	11	15	2		11	5					8
9	40			21				3					9
10	30	5	13	7		1	11					3	10
11	24		5	7	3	5	15					15	11
12	5			38		41					3	1	12
13	8		9	12		3			1	2	5	1	13
14			34	17		10	1		11	13	18	3	14
15			13	18					58	2	6	2	15
16			2	28					21	6			16
17	2			38	11	3			29			3	17
18	1	6		6			1	54	6			3	18
19	20							3				2	19
20	6	13		22		68	82	~~3~~	7				20
21				29				3	60			8	21
22				32			55	1	23			17	22
23												33	23
24			8								2	1	24
25	1	4	5		3		16		3	3			25
26	4		5	3	34	3	2				1	2	26
27	24	4	1			8	1				35	11	27
28	50		23	28	5	2	3						28
29	19		4	2	11		4				8	36	29
30	2	✕	3	1	2	2	43		25		15	15	30
31		✕		✕	2	✕	1		✕	28	✕	12	31
TOTAL	248	43	164	398	99	146	390	140	263	123	93	224	YEAR'S TOTAL 23.31
Days with ·01 in. or more	17	8	17	21	14	11	21	9	14	10	9	25	176
Days with ·04 in. or more	12	6	13	17	6	5	12	5	12	7	6	12	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

RE 19 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

HERTS
BUNTINGFORD - COLES PARK
1911 - 1919

Kept at Coles.
in the County of He
by Thomas C

top 5 in.
p above Ground ft. 9 in.
" Sea Level 375 ft.
9 am
tion { Name Westmill
Distance 7/8 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04			·09	·07		03	·03					1
2	·19			·18	·13		02				·16	·15	2
3	·01	·02		·03	·12					18	·07	·11	3
4	·08	·04	·13	·16		·01				·03	·21	·27	4
5	·02	·01		·02						·06		·21	5
6	·25		·05									·40	6
7	·03									·14	·33	·26	7
8	·20		·16								·12	·25	8
9	·19		·01	·02									9
10	·02	·07	·11	·01							·08	·41	10
11	·30		·01	~~77~~	·25						·51	·02	11
12	·02		·45	[illegible]	·01					·02	·23	~~3~~	12
13	·01		·18		·49				·37	·22	·03	·17	13
14			·02						·01	~~6~~		·41	14
15		·04	43						·03	·04	·06	·02	15
16			01			·26				·01	·36	·05	16
17		·01				·18					·11	·12	17
18		·21				·52					·57	·10	18
19		·01			·02	·12		~~35~~	·07	·14	·43	·05	19
20	·01	·01						35	·09	·04	·01	·52	20
21	02	·11	·05			·04		·15		·18		·15	21
22	·15	·01	·12			·04		·02			·02	·55	22
23	·02	·15	·25			1·05			·23		·01	·14	23
24		·06	·02			·05		·01		68		27	24
25		·05	·03	·06		·25	·28	·02		·11			25
26			·02	·15		·13	·07			·13	·09	·15	26
27		·31	·07	·04					·14			·05	27
28		·21	·03	·31			02	10			·05	4.8 3.	28
29						·17	23		·32	·22			29
30			·01	·02		·03			·06	·17		·04	30
31					·23					01			31
Total	1·56	1·32	2·16	1·09	1·26	2·85	·65	·68	1·32	2·38	3·45	4·87	TOTAL for year 23.59
No. of Rain Days.	17	16	20	12	8	13	6	7	9	17	19	24	·68

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Coles. Park
Buntingford
in the County of Hertford 3
by Thomas Gregg

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 375 ft.

Time of Observation 9 am

Nearest Railway Station
Name Westmill
Distance ¾ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04			.09	.07		03	.03					1
2	.19			.18	.13		02				.16	.15	2
3	.01	.02		.03	.12					.18	.07	.11	3
4	.08	.04	.13	.16		.01				.03	.21	.27	4
5	.02	.01		.02						.06		.21	5
6	.25		.05									.40	6
7	.03									.14	.33	.26	7
8	.20		.16								.12	.25	8
9	.19		.01	.02									9
10	.02	.07	.11	.01							.08	.41	10
11	.30		.01	~~11~~	.25						.51	.02	11
12	.02		.45	~~.01~~	.01					.02	.23	[illegible]	12
13	.01		.18		.49				.37	.22	.03	.17	13
14			02						.01	~~6~~		.41	14
15		.04	43						.03	.04	.06	.02	15
16			01			.26				.01	.36	.05	16
17		.01				.18					.11	.12	17
18		.21				.52					.57	.10	18
19		.01			.02	.12		~~35~~	.07	.14	.43	.05	19
20	.01	.01						.35	.09	.04	.01	.52	20
21	02	.11	.05			.04		.15		.18		.15	21
22	.15	.01	.12			.04		.02			.02	.55	22
23	.02	.15	.25			1.05			.23		.01	.14	23
24		.06	.02			.05		.01		.68		27	24
25		.05	.03	.06		.25	.28	.02		.11			25
26			.02	.15		.13	.07			.13	.09	.15	26
27		.31	.07	.04					.14			.05	27
28		.21	.03	.31			02	10			.05	4.8 3.	28
29						.17	23		.32	.22			29
30			.01	.02		.03			.06	.17		.04	30
31					.23					01			31
Total	1.56	1.32	2.16	1.09	1.26	2.85	.65	.68	1.32	2.38	3.45	4.87	TOTAL for year 23.59
No. of Rain Days.	17	16	20	12	8	13	6	7	9	17	19	24	168

W. 8,000, X. '11.

Cndly ob 5.IV.13

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

7-JAN 1913

Kept at Coles.

in the County of Hertford 3

by Thomas Gell

Lat. Long. 00

Nearest Railway Station Westmill

Time of Observation 9.

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 375 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04			·07	09	·07	41	·32			1
2			05				30						2
3			01		·25	·42	01	·42		01		.30	3
4	26		59		·09	·17		·04			40		4
5	13		35					·15			10		5
+268 6	24	·15	01		·02		x 08	·10		30		05	6
7	02		01		·02	·61		·09				02	7
8	34	31	17			·02		29	21			02	8
9	02	03		07	·03	·35						20	9
10	08	03				09		·13	05	01	21	08	10
11	11	22	01					·07				09	11
12		02	·09								05		12
13		04				·12		·21			20	07	13
14			03		·03	·04				04			14
15	01	03	·15		15	·22					01	15	15
16	20		·13		07	·05		·10		05			16
17	16		·31			·15		·05					17
18	23		·11					·07			10	11	18
19	13	07	17				·10	35			02		19
20	02		12					08		30			20
21	02	04	47		.20			25		21	06		21
22	40	09	13		04			19					22
23	45	40	25		04		05	54		03	·10	15	23
24	27					02	3	18				24	24
25						·15	1	87			30	44	25
26						·01	33	44		·31	37	23	26
27						07				·15		19	27
28		06				10	6	02	04	·37	28	26	28
29		01				07	16	16	1·34	·40	·5		29
30					22	02	10	12	95	22			30
31			14				18			02			31
Total	3·09	1·50	3·34	·07	1·16	2·64	1.50	4.84	~~1·66~~ 3·00	2·43	2·25	2·54	TOTAL for Year 28·36 ~~27·02~~
No. of Rain Days	18	14	21	1	12	19	13	24	6	13	14	16	171

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

STATION:
WESTMILL,
G.E.R.

COLES,
BUNTINGFORD,
HERTS.

April 5th 1913

Dear Sir

In reply to yours of the 4th about the rainfall on Sept 29th & by a most remarkable fluke I am able to rectify my obvious error in assigning to that day no rainfall at all. On looking back in my ~~Diary~~ pocket book which is a very brief diary

I find Sept 29th
"Pouring wet day". Not
an unusual remark but
added to this are the
figures 1.34.

& in the entry for the
30th, I find 'wet 95
The amount which ~~was~~ ought to be
registered at Coles
on Sept 29. is 1.34

& the total rainfall
for the year 28.36.

I am so glad I have
been able to put this
right for you & must
thank you for pointing out
my mistake

Yours truly
Thomas [illegible]

Cor. for auth. 17. III. 14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5 - JAN 1914

3

Kept at Coles. Westmill

in the County of Hertford

by Thomas Greg

Lat. Long. 00

Time of Observation 9 AM

Nearest Railway Station Westmill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05		·08	·17					·35		·10	07	1
2	02	·11			02		·13		06		02		2
3		·13	·08	05	57								3
4	20		03		13		05			75	03	07	4
5	05					02	26		03	40		19	5
6		·02	04		10	10	20		01	44		20	6
7		13			34	03	07			46			7
8			·11	02	02	07					11		8
9		20	02	03		04			08	07	03	09	9
10	·02			03			36				28		10
11	73		03	46							20		11
12				04	04		—	01		12	25		12
13	03			20					03		55		13
14	05		·12	18			87	06		25	14		14
15	13	07	·10	13			18		10				15
16	05		·25	16									16
17	03		·10	02			09				03		17
18		07	·22	02		1·27	·06		02		02	09	18
19	·19		·04	04			04		20				19
20	·10		·06	03		08	01			39			20
21	·02		·22						13	17	48	02	21
22	35		·10				04	·02					22
23			·04			03		·14				06	23
24	03			07							01		24
25		03		21								04	25
26			20	05				12		70		·14	26
27	01		03	08						06			27
28	17		15							71			28
29	09		04	27	39			16		04			29
30	22			09	01			04		15	12		30
31					01			39					31
Total	2·54	·70	2·06	2·29	1·63	1·64	2·36	·94	1·01	4·71	2·37	·95	YEAR'S TOTAL 23.2~~3~~
Rain Days.	20	8	21	21	10	8	13	8	10	14	15	10	158
												·97	23.22

W.7,000, XI. 13

[illegible] 9.iii.15 CX

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Coles. Buntingford

in the County of Hertford 3

by Thomas Greg

Lat. Long. 00

Time of Observation 9

Nearest Railway Station Westmill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·06	·23			·09		1
2				·02			·03	·09		·02	·28	(·05)	2
3	·04		·23		·14		·50	·29			·08	~~·33~~	3
4	·15		·01	·21	·03			·04			·54	·23	4
5		·07	·07	·23			·30	·95					5
6		·10		·07	·02	·05	·05				·17	·21	6
7		·17	·31		·60			·01				·31	7
8	·10	·13	·85	·06			·07	·12					8
9	·36		·54	·02	·03								9
10		·11	·01	06	·08				·13			90	10
11	·23	·17	·37		·02	·59			·06		·31	·30	11
12		·03	·09						·45			·30	12
13		27	·24						·07	·21	·05	·38	13
14			·29				·34			·19	·12	·25	14
15	·07		·18									·07	15
16			·05				·10						16
17		·33	·04						·17			·06	17
18	·01	·08										·19	18
19		·05	·15				·06		06		·28	03	19
20		·17	30			·07			06			08	20
21		38	·11			10				·01		14	21
22				03	·21		·10	06		·65			22
23		02	12		·08	~~08~~				·11			23
24			02	09		01	·06			·03			24
25			09					07		·37		·04	25
26	·05							07		·04		·52	26
27	·03						·04				02	·20	27
28	·20						02				40	1·45	28
29	03		05							35	13		29
30		X	06							03	(·28)	22	30
31		X		X	·14	X	02		X		X		31
Total	1·27	2·02	4·18	·79	1·35	·82	1·75	1·93	1·00	2·09	~~2·47~~ 2·75	~~6·21~~ 5·93	YEAR'S TOTAL 25·80
Rain Days.	11	14	22	9	10	5	14	10	7	11	12	22	147

W. 8,000. X. 14.

Exd List

1041

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Coles n' Buntingford

in the County of Hertford 3

by Thomas Greg

Lat. Long. 00

Time of Observation 9 AM

Nearest Railway Station Westmill

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	.11	.16			02			.08		.06		1
2	.10	.12	.24	.12				.39				.03	2
3	.31		.03	.16			.14	.05	.07	.03	04	.10	3
4	.13							.05				.40	4
5	.04	.19						.02		.11		.21	5
6	.17	.02	.02	.20	05		58	.01				.10	6
7	10	.32		.01			36	.04					7
8		.33	.07										8
9		.04		.04		07					.20	50	9
10	.26		.06					.65					10
11	.04		.62		62			.01			.66	11	11
12	.10			.32	62			.43		.08	.56		12
13	02	.33			34								13
14		.05			1.25		37	.40	.07			39	14
15	20				04			.42			.27		15
16		.27					02	.42				12	16
17		.20			22		61						17
18	01	.17			02		24				09		18
19		.10	.25				12						19
20	24		.01	.05	01					02		41	20
21	20		.27				04					03	21
22	94	.02	.20				36		.01			12	22
23	01	.08		.02		.11	20		.29	15		28	23
24			.03				13		.29			26	24
25			.01	.02			02		.01	05		13	25
26		.11				04	02					24	26
27		.04				25	10					01	27
28		.05				10	08	.03	1.10	38		08	28
29						5	04	.13	01	16			29
30	01	X		.02					04				30
31		X		X		X		03	X	.49	X	.15	31
Total	325	2.55	1.37	.96	1.97	.64	3.43	3.08	1.97	1.47	1.88	3.72?	YEAR'S TOTAL 26.29?
Rain Days.	18	18	13	10	9	7	17	15	10	9	7	19	152

W. 8,000. X. 15.

Exd D.W.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Coles Park
in the County of Hertford
by [illegible]

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Westmill G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		·05		·11	·03			·01		·15		1
2	·32	·01	·11		·20				·06	·32	·02		2
3		·33	·15				.02		·24	·22	·37		3
4	·25	·13	·07			·32			·03	·12	.35		4
5			·03	·12	·02	·16	·09				.44		5
6		·04	·09	·27	·11	·14	·05			·09	.40		6
7	.10		·15				·20			·11	·42	·07	7
8			·02		·44	·12						·28	8
9	·01				·43				01	·06		·08	9
10	·08	.07	·15	·16		·22	·01			·01			10
11		·14	·04	·17	·03	·14						·06	11
12			·01	·02	·45	·23	·17	·15		·20			12
13		.47	·17	·09	·25	·14	·21	·14		·02			13
14		.35	·01	·06	04			·16		·11			14
15		·12	·31	·01				·15	01	·04		·10	15
16			·07	·19	·04		27	·15		·22		·02	16
17	·10	·07		·21				·24	28		.49		17
18		.08	·02	15			03	·06	04	·02	.72		18
19	·04		·10	04				.01	25		.03	·10	19
20	·20		·30	06								·22	20
21			·77				25					·50	21
22		·08	·02							·05		·41	22
23	·03	·32				·11		·04			.04	·09	23
24		·02	·02			·35				·01	.09	·21	24
25		31	·09		15	.02				·10		·18	25
26		07	·03			.02		·17	01	·02			26
27	10	05	·50			·03		·05		·26			27
28		32	·27			·11		20	01	·10		·15	28
29		13	·01			·22		1.61	02	·37		·14	29
30		✕			13	10		20		·29		·02	30
31		✕		✕		✕		01	✕	·52	✕		31
Total	1·29	3·11	3·50	1·55	2·40	2·46	1·30	3·34	·97	2·76	3·52	2·63	YEAR'S TOTAL 28·83
Rain Days.	11	19	26	13	13	17	10	15	12	22	12	16	186

W. 8,000, VIII. 16

Entd

981

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Coles Park
in the County of Hertford
by T. T. Greg

Lat. ______ Long. 0 0
Time of Observation 9.
Nearest Railway Station West mill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. 9 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				07				1·27			·10		1
2				34		04		·16	02		03		2
3				01				·43		·53	08		3
4		·15						·15		·66			4
5	·24		·06	24				·40	·31	·11	12		5
6						·11			·04	·03	03		6
7	·27					06	·17			·56		02	7
8	·18			10			·93	·17		·20	11	17	8
9	·07		·03	5			·01	·32			09	13	9
10	·25		·20	11				·05					10
11			·45	11						·32			11
12	05		·03	01				·17		·26			12
13	06		06					·22	06	·01			13
14				09			·05	03		·02			14
15							·04	23					15
16		06		21						·65		10	16
17			01	16	·57		·24		·37	·30			17
18		13		11		03	12		·38				18
19			09		·17				·27				19
20	16		12		1·26		01				·20		20
21			04		02						·03		21
22		22	05					05		·21			22
23		03	01		·14			15		08			23
24								17		12	05		24
25			03								06		25
26			12			06		·32				06	26
27			07			04		·54				03	27
28		03				63		·11				02	28
29			09		02	18	?	·06		34		·11	29
30			07				·70	22				·02	30
31			20				·35	02				·01	31
Total	1·28	0·62	1·73	1·61	2·18	1·15	2·62	5·24	1·45	4·40	·90	·67	YEAR'S TOTAL 23·85
Rain Days	8	6	18	13	6	8	10	21	7	16	11	10	134

W. 8 000, IX. 17.

End. E.F.E. 62

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 9. 1. 19

Kept at Coles

in the County of Hertford

by Thomas G Esq

Lat. Long. 00

Time of Observation 9 am

Nearest Railway Station Westmill

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	This blank space is unnecessary & confusing										~~09~~	~~[illegible]~~	
1								.12			09	.12	1
2	.01	.10		.13							00	.14	2
3			04		.49			05			59	07	3
4		.04						02	14		32	02	4
5					.18			15	40	.04			5
6	.01	.13	.08	.25	.04				06			05	6
7	.06	.06		.04	.02				01	.15	08		7
8		.01					02		29		06	03	8
9	.03	.03				.17	.24		39	.22		15	9
10	.08			02			.37					22	10
11					.10		.23		04	.21		04	11
12	.02	.20			.10		.17		05				12
13		.03		01	.21		.23		05			17	13
14	.19					17	.08		23	.30		17	14
15	.90			1.10		05	22		03			08	15
16	25			.74		01			27			00	16
17	09			.36			72					08	17
18	34					15	22		69	.05		90	18
19	01	02	.23	.14		02	16		01	.09		10	19
20	02	07		.38		04	07		10	.17		02	20
21	06			.18		03			31	.11		06	21
22					04		05	04	09			16	22
23	05				57	.01	62		09			02	23
24		.20			09	04	01				08		24
25					06		05	15			.41		25
26							63	02	12	02	16		26
27				.14			15	22			15	12	27
28		04	.14	.02		02					33	.01	28
29									1.24			.08	29
30		X	35						08		06	.15	30
31		X	.02	X		X			X	17	X	.12	31
Total	2.12	.93	.86	3.51	1.90	.71	4.24	.77	4.69	1.53	2.33	3.08	YEAR'S TOTAL 26.67
Rain Days.	15	12	6	13	11	11	18	8	21	11	11	24	161

W, 6,500, VII. 18. w w c

Ex. Hob

92c

JAN 2

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 191

Kept at Coles
in the County of Hertford
by Thomas Greg

Lat. Long. 00
Time of Observation 9 am
Nearest Railway Station Westmill
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·06	03	·02	·10	04	·32			·02		·90	1
2	·23		32		·11		·06		16	·01	·15	43	2
3	·28		02				·18		16		·09	22	3
4	·06		19			19	·12	·12	01			13	4
5	·05	·27	34				·43		15		02	22	5
6			05								02	04	6
7	03		35								16	01	7
8	06		06	·11							09		8
9	03		02	04							11		9
10	05		03	09							01	01	10
11	03		06	22			·35					01	11
12			22	01			·14			·12	02		12
13	04			35						·05		02	13
14	20			44					15				14
15	21		04	10			·06			22	01	25	15
16	05	·70						·02			11	03	16
17		·67	01	02				·02			21	02	17
18		·25	03					·06	03		02	05	18
19	24	·11	45			·15	·08	·32	11		13	02	19
20		·05	07			·91	·24	·56			03	02	20
21	33	·27	04				·50		01		01	04	21
22		·10					·10		21		06	42	22
23						·05	·08		03		01	05	23
24				23			·01	·06		02	07	05	24
25		02		02	·02	·01						03	25
26	25	30	12					·40	12			36	26
27	97	11	01	1·20						04	02	04	27
28			05	·11				·80		03	11	27	28
29	10							12		28	12	06	29
30			01	·34		14		·04		04	25	24	30
31			05							01		03	31
TOTAL	3·56	2·91	2·57	3·30	0·23	1·49	2·67	2·52	1·14	·81	1·83	3·97	YEAR'S TOTAL 27·00
Days with ·01 in. or more	19	12	23	15	3	7	14	11	11	11	23	27	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HERTS.

BUNTINGFORD — HAMELS PARK

1911–1915

REG ... 9

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Hamels ... p 5 in.

... bove Ground 1 ft. 3 in.

in the County of Hert ... „ Sea Level 390 ft.

by H Shepherd ... a. A.W.

... n { Name Braughing
Distance 1m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.02	.15				.02					1
2	.17			.13	.13						.16	.19	2
3	.01			.04	.14					.15	.05	.09	3
4	.04		.10	.20		.01				.03	.10	.26	4
5	.03	.05	.05	.06				.01		.04		.19	5
6	.23			.02								.49	6
7	.03		.17							.15	.26	.24	7
8	.19		.02								.11	.22	8
9	.18		.11	.03							.02	.16	9
10	.02	.07									.06	.29	10
11	.28		.52		.17						.54	.02	11
12	.04		.16		.02				.04	~~[illegible]~~	.21		12
13	.08		.10		.10				.33	.17 ~~.32~~	.02	.77	13
14			.40		.53	.01						.46	14
15		.03	.02							.05	.06	.02	15
16						.32				.02	.33	.06	16
17						.15					.12	.14	17
18		.20				.57			.05	.14	.58	.11	18
19					.03	.12		.37	.07	.05	.36	.05	19
20	.02	.02	.02					.16		.64		.66	20
21	.02	.11	.13			.02		.02		.19		.16	21
22	.16	.02	.24			.03			.28			.58	22
23	.01	.12	.04			1.02				.68		.17	23
24		.07	.06	.05		.16						.23	24
25		.06	.03	.17		.13	.48			.14		.02	25
26		.29	.06	.05		.07	.05				.05	.05	26
27		.19		.27					.15		.06	.07	27
28		.02					.04				.05	.03	28
29						.16	.20		.26	.22	.02		29
30				.03	.02	.02			.05	.19			30
31					.26								31
Total	1.57	1.25	2.25	1.20	1.40	2.79	.77	.58	1.23	2.86	3.16	5.13	TOTAL for year 24.79
No. of Rain Days.	17	13	18	12	9	14	4	5	8	15	19	26	160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hamels Park

in the County of Hertford 3

by H Shepherd Cross

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 390 ft.

Time of Observation 9 A.M.

Nearest Railway Station:
Name Braughing
Distance 1m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		.02	.15				.02					1
2	.17			.13	.13						.16	.19	2
3	.01			.04	.14					.15	.05	.09	3
4	.04		.10	.20		.01				.03	.10	.26	4
5	.03	.05	.05	.06				.01		.04		.19	5
6	.23			.02								.49	6
7	.03		.17							.15	.26	.24	7
8	.19		.02								.11	.22	8
9	.18		.11	.03							.02	.16	9
10	.02	.07									.06	.29	10
11	.28		.52		.17						.54	.02	11
12	.04		.16		.02				.04	~~.[illegible]~~	.21		12
13	.08		.10		.10				.33	.17 ~~.32~~	.02	.77	13
14			.40		.53	.01						.46	14
15		.03	.02							.05	.06	.02	15
16						.32				.02	.33	.06	16
17						.15					.12	.14	17
18		.20				.57			.05	.14	.58	.11	18
19					.03	.12		.37	.07	.05	.36	.05	19
20	.02	.02	.02					.16		.64		.66	20
21	.02	.11	.13			.02		.02		.19		.16	21
22	.16	.02	.24			.03			.28			.58	22
23	.01	.12	.04			1.02				.68		.17	23
24		.07	.06	.05		.16						.23	24
25		.06	.03	.17		.13	.48			.14		.02	25
26		.29	.06	.05		.07	.05				.05	.05	26
27		.19		.27					.15		.06	.07	27
28		.02					.04				.05	.03	28
29						.16	.20		.26	.22	.02		29
30				.03	.02	.02			.05	.19			30
31					.26								31
Total	1.57	1.25	2.25	1.20	1.40	2.79	.77	.58	1.23	2.86	3.16	5.13	TOTAL for year 24.79
No. of Rain Days.	17	13	18	12	9	14	4	5	8	15	19	26	160

W. 8,000, X. '11.

Eve DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Hamels Park

in the County of Hertford 3

by H Shepherd Cross

RAIN GAUGE — Pattern	Round
Diameter of top	5 in.
Height of top above Ground	ft. in.
" " " Sea Level	390 ft.
Time of Observation	9. A. M
Nearest Railway Station — Name	Braughing
Distance	1m
Direction	E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05	.03		.35	.14		.11	.31		.17	1
2		.03	.06	.03		.05	.32						2
3	.12				.21	.13	.02	.46				.14	3
4	.16		.63		.11	.23		.05			.45		4
5	.12	.06	.32			.02		.26	.02		.09	.03	5
6	.25	.05			.02		.08	.11				.04	6
7	.03					.53		.16				.03	7
8	.40	.33	.18	.07		.02		.52	.20		.02	.03	8
9	.03	.06	.02		.06	.36		.07				.19	9
10		.04				.05		.13	.06		.16	.08	10
11	.09	.18				.02		.03	.04			.09	11
12	.11	.08	.08		.02	.06			.01		.07		12
13	.02	.05	.02			.07	.02	.21		.02	.20	.03	13
14		.01	.17		.03	.03		.01		.03	.02	.03	14
15		.04	.04		.16	.23		.06			.02	.12	15
16	.19		.33		.03	.06		.06		.06	.04		16
17	.10		.09			.15		.06			.01		17
18	.56		.13					.05			.06	.11	18
19	.17	.05	.28				.11	.33			.02	.02	19
20	.02	.13	.44				.03	.08		.32			20
21	.01	.40	.15		.22			.26		.20	.08		21
22	.43	.02	.26		.02		.05	.43		.02			22
23	.46		.02		.04		.06	.27		.02	.05	.11	23
24	.29	.03				.06	.01	.18			.01	.21	24
25						.14		.93			.28	.44	25
26		.05	-			.02	.30	.42		.34	.34	.22	26
27		.02				.01				.13		.18	27
28				.03		.25	.04	.04	.08	.42	.31	.27	28
29						.03	.16	.14	1.17	.34			29
30	.12				.13	.14	.09	.12	.90	.30			30
31			.19				.17	.26		.04		.05	31
Total	3.68	1.63	3.46	.16	1.05	3.01	1.60	5.70	2.59	2.55	2.23	2.59	Total for year 30.25 ~~29.86~~ 30·25
No. of Rain Days.	20	28	19	4	12	23	15	27	9	14	18	21	200

W. 8,000, X. '11.

8 X 9

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at Hamels Park
in the County of Hertford 3
by H Shepherd Cross

Lat. 51' 54' Long. 0' 0'
Time of Observation 9. A. M
Nearest Railway Station Braughing
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.12		.14	.01				.21		.11	.06	1
2	.02	.13	.09	.01			.12		.27		.05		2
3				.07	.57				.05	.02		.03	3
4	.19		.12		.11		.06				.06	.19	4
5	.06		.04			.04	.17			.55	.02	.04	5
6		.14			.11	.11	.19		.03	.38	.03		6
7		.01	.06		.19	.02	.08		.01	.31	.05	.02	7
8		.21		.02	.20	.11		.02		.40	.08		8
9			.12	.03	.03	04	.45			.09	.04	.03	9
10	.02		.02	.03					.09		.28		10
11	.68		.03	.50							.26	.01	11
12				.01	.04			.27		.15	.28		12
13								.03		.02	.58		13
14	.11	.03	.01	.04			.17	.02	.04		.14		14
15	.14	.06	.04	.19				.07		.21	.02		15
16	.12		.19	.20			.07		.14		.02		16
17	.04		.24	.09		1.46	.02		.10		.02	.08	17
18	.03		.09	.15			.13		.01		.02	.02	18
19	.18		.16						.11			.04	19
20	.11		.05	.03			.02		.22	.44			20
21			.04	.09			.02			.16	.47		21
22	.39		.24				.04				.02	.08	22
23			.03			.09		.02	.14				23
24	.04		.02	.02		.02	.02	.16	.03			.04	24
25	.02	.04		.20		.01							25
26			.26	.09						.77		.16	26
27		.02	.04	.04				.14		.08			27
28	.18		.17	.08						.18		.03	28
29	.08		.06	.28	.38					.03		.03	29
30	.25			.10				.17		.12	.15	.02	30
31			.01					.19		.02			31
Total	2.71	.76	2.13	2.41	1.64	1.90	1.56	1.09	1.45	3.93	2.70	.88	YEAR'S TOTAL 23.16
Rain Days.	19	9	23	22	9	9	14	10	14	17	20	16	182

W. 7,500, XI. 12

cor 9.111.15 W 911R

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Hamels Park

in the County of Hertford 3

by H Shepherd Cross

Lat. 51.55 Long. 0'0"

Time of Observation 9. A.M

Nearest Railway Station Braughing

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.03~~	~~.09~~	.05		~~.17~~	~~.02~~	.10	.31 ~~.44~~		~~.23~~	.11		1
2	.03		.02	.03			.04	.09		.03	.36	.07	2
3			.24	.02	.16		.59	.16			.10		3
4	.17		.01	.22	.02			.05			.55	.25	4
5	.02		.07	.21		.08	.31	.42			.02		5
6		.14			.04	.06	.07	.03			.27	.22	6
7		.19	.35	.09	.80		.02	.03				.28	7
8	.06	.15	.87	.07	.04	.33	.05	.12					8
9	.36		.56	.04	.02	.38						.99	9
10	.20	.13		.07	.04				.11			.04	10
11		.18	.39			.65			.08		.34	.30	11
12		.04	.09						.47	.02		.36	12
13	.03	.30	.26						.09	.21	.05	.36	13
14		.04	.30				.37			.18	.17	.34	14
15	.07		.19							.02		.07	15
16			.07				.09		.03				16
17		.33	.03						.17			.07	17
18		.02	.06									.19	18
19		.33	.16				.07		.06		.22	.06	19
20		.40	.28			.11			.09	.02	.01	.08	20
21	.02		.11			.13		.02		.03		.16	21
22		.03	.02	.05	.26	.03	.10	.05		.59			22
23			.12		.11					.15		.06	23
24			.03	.09				.09		.06	.14		24
25	.05		.11				.07	.06		.39		.05	25
26			.03					.02		.04	.11	.58	26
27	.04						.06		.01	.02	.03	.20	27
28										.06	.57	1.15	28
29	.03		.08							.28	.15	.34	29
30		✕	.04							.04	.29	.22	30
31		✕		✕	.16	✕			✕		✕	.06	31
Total	1.08	2.28	4.54	.89	165 1.63	1.77	1.94	1.45	1.11	2.14	3.49	6.50	YEAR'S TOTAL 28.84 28.84
Rain Days.	12	13	26	10	10	8	13	13	9	16	17	24	171

W. 8,000. X. 14.

[illegible] 4.III.16 98 1040

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Hamels Park, Buntingford

in the County of Hertford 3

by A Shepherd Cross

Lat. 51' 54" Long. 0' 0"
Time of Observation 9 a.m
Nearest Railway Station Braughing
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.12	.16			.03			.12	.02	.07	.39	1
2	.11	.22	.27	.11			.17	.34	.04	.04		.11	2
3	.33	.01	.04	.18				.06	.13			.14	3
4	.16	.04						.12		.02	.05	.42	4
5	.04	.23			.07		.59	.03		.12	.02	.22	5
6	.19		.05	.22			.34					.15	6
7	.11	.37	.04	.03							.02	.20	7
8	.02	.41	.03	.02									8
9		.05		.04				.05			.21	.58	9
10	.29		.07		.03	.10		.35				.11	10
11	.05		.03		.35						.72		11
12	.15			.32	1.76			.49		.06	.58	.04	12
13	.02	.40			.01		.48						13
14		.06			.07		.02	.33	.06			.40	14
15	.22						.70	.37			.28	.14	15
16		.32			.20		.26	.30				.02	16
17		.22											17
18	.02	.21	.11		.05		.13				.11	.02	18
19		.08	.23							.02			19
20	.26			.06			.04			~~.30~~		.43	20
21	.12						.40			.02		.07	21
22	.13	.05	.28			.14	.15		.02			.12	22
23		.06	.20	.02		.02	.17		.30	.17		.31	23
24		.09	.05			.03	.04		.32	.02		.43	24
25				.03		.09	.05			.06		.04	25
26		.12				.21	.22					.30	26
27		.04					.02		.02	.45		.05	27
28		.09	.04			.12	.06	.08	1.14 ~~.08~~	.18		.02	28
29								.13			.11	.09	29
30	.03	X		.03					.05	.05	.07		30
31	.04	X		X		X		.08	X	.50	X	.17	31
Total	2.65	3.19	1.60	1.06	2.54	.74	3.84	2.73	2.20	1.73	2.24	~~5.37~~ 4.97	YEAR'S TOTAL 29.49
Rain Days.	19	20	14	11	8	8	17	13	10	14	11	25	170

W. 8,000. X. 15.

Entered 2nd XI. 14

FORM A.
BRITISH RAINFALL.

21 OCT 1914

REGIST 3

HERTS
BUSHEY – ROYAL MASONIC SCHOOL
1913 – 1915

Kept at Royal Masonic 0° 22′ W.

45 a.m.

in the County of Hertford Bushey (L.N.W.Ry.)

5 in.

by J. H. Gare

bove Ground 1 ft. 3 in.

Sea Level 225 ft.

IMPORTANT NOTE.– d the result entered to the previous day. If an Observer niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·13	·17	·10	·00	·00	·00	·00	·39	·01	·14	·15	1
2	·05	·15	·03	·00	·05	·00	·11	·00	·19	·00	·06	·03	2
3	·03	·00	·00	·21	·66	·00	·00	·00	·02	·00	·00	·08	3
4	·27	·04	·00	·00	·11	·00	·17	·00	·00	·00	·06	·09	4
5	·13	·00	·00	·03	·00	·00	·10	·00	·06	·16	·01	·04	5
6	·00	·00	·00	·02	·09	·00	·01	·00	·02	·03	·03	·08	6
7	·00	·25	·00	·00	·04	·24	·02	·03	·00	·27	·07	·00	7
8	·00	·00	·09	·00	·11	·18	·00	·00	·00	·45	·06	·00	8
9	·00	·17	·00	·00	·02	·00	·00	·00	·00	·10	·03	·10	9
10	·00	·00	·04	·09	·00	·00	·26	·06	·00	·00	·57	·00	10
11	·84	·00	·00	·55	·00	·00	·00	·13	·00	·00	·53	·00	11
12	·00	·00	·00	·00	·02	·00	·00	·00	·00	·35	·40	·00	12
13	·00	·05	·35	·01	·00	·00	·00	·03	·00	·01	·25	·00	13
14	·15	·00	·13	·11	·00	·00	·48	·11	·00	·14	·18	·00	14
15	·18	·06	·28	·58	·00	·00	·14	·00	·14	·00	·00	·00	15
16	·10	·00	·00	·15	·00	·00	·00	·00	·00	·00	·00	·00	16
17	·02	·00	·00	·17	·00	·21	·15	·01	·00	·00	·03	·12	17
18	·03	·00	·38	·09	·00	·00	·00	·00	·00	·00	·05	·00	18
19	·38	·00	·11	·00	·00	·00	·12	·00	·00	·00	·00	·02	19
20	·00	·00	·10	·05	·00	·00	·00	·00	·00	·00	·01	·00	20
21	·00	·00	·22	·03	·00	·00	·00	·00	·29	·56	·61	·00	21
22	·59	·00	·19	·01	·02	·00	·00	·10	·23	·16	·02	·00	22
23	·00	·00	·00	·00	·00	·00	·00	·09	·02	·01	·00	·14	23
24	·00	·00	·00	·02	·00	·01	·00	·02	·00	·00	·01	·00	24
25	·00	·00	·00	·20	·00	·00	·00	·11	·00	·01	·01	·00	25
26	·00	·10	·00	·15	·00	·00	·00	·00	·00	·00	·00	·40	26
27	·00	·00	·24	·11	·00	·00	·00	·06	·00	·68	·00	·00	27
28	·31	·00	·33	·18	·00	·00	·00	·00	·00	·06	·01	·00	28
29	·00		·00	·62	·00	·00	·00	·06	·00	·06	·00	·00	29
30	·48		·00	·02	·41	·00	·00	·04	·00	·03	·00	·00	30
31	·00		·00		·00		·00	·00		·25		·00	31
Total	3·60	·95	2·66	3·50	1·53	·64	1·56	·85	1·36	3·34	3·14	1·25	YEAR'S TOTAL 24·38
Rain Days.	15	8	14	22	10	4	10	13	9	18	21	11	155

Entered 2nd XI.14

REGISTER OF RAINFALL IN

FORM A. BRITISH RAINFALL.

21 OCT 1914

Kept at Royal Masonic School, Bushey

in the County of Hertfordshire 2

by J. H. Gare

Lat. 51°39′ N. Long. 0°22′ W.
Time of Observation 8.45 a.m.
Nearest Railway Station Bushey (L.N.W. Ry.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·13	·17	·10	·00	·00	·00	·00	·39	·01	·14	·15	1
2	·05	·15	·03	·00	·05	·00	·11	·00	·19	·00	·06	·03	2
3	·03	·00	·00	·21	·66	·00	·00	·00	·02	·00	·00	·08	3
4	·27	·04	·00	·00	·11	·00	·17	·00	·00	·00	·06	·09	4
5	·13	·00	·00	·03	·00	·00	·10	·00	·06	·16	·01	·04	5
6	·00	·00	·00	·02	·09	·00	·01	·00	·02	·03	·03	·08	6
7	·00	·25	·00	·00	·04	·24	·02	·03	·00	·27	·07	·00	7
8	·00	·00	·09	·00	·11	·18	·00	·00	·00	·45	·06	·00	8
9	·00	·17	·00	·00	·02	·00	·00	·00	·00	·10	·03	·10	9
10	·00	·00	·04	·09	·00	·00	·26	·06	·00	·00	·57	·00	10
11	·84	·00	·00	·55	·00	·00	·00	·13	·00	·00	·53	·00	11
12	·00	·00	·00	·00	·02	·00	·00	·00	·00	·35	·40	·00	12
13	·00	·05	·35	·01	·00	·00	·00	·03	·00	·01	·25	·00	13
14	·15	·00	·13	·11	·00	·00	·48	·11	·00	·14	·18	·00	14
15	·18	·06	·28	·58	·00	·00	·14	·00	·14	·00	·00	·00	15
16	·10	·00	·00	·15	·00	·00	·00	·00	·00	·00	·00	·00	16
17	·02	·00	·00	·17	·00	·21	·15	·01	·00	·00	·03	·12	17
18	·03	·00	·38	·09	·00	·00	·00	·00	·00	·00	·05	·00	18
19	·38	·00	·11	·00	·00	·00	·12	·00	·00	·00	·00	·02	19
20	·00	·00	·10	·05	·00	·00	·00	·00	·00	·00	·01	·00	20
21	·00	·00	·22	·03	·00	·00	·00	·00	·29	·56	·61	·00	21
22	·59	·00	·19	·01	·02	·00	·00	·10	·23	·16	·02	·00	22
23	·00	·00	·00	·00	·00	·00	·00	·09	·02	·01	·00	·14	23
24	·00	·00	·00	·02	·00	·01	·00	·02	·00	·00	·01	·00	24
25	·00	·00	·00	·20	·00	·00	·00	·11	·00	·01	·01	·00	25
26	·00	·10	·00	·15	·00	·00	·00	·00	·00	·00	·00	·40	26
27	·00	·00	·24	·11	·00	·00	·00	·06	·00	·68	·00	·00	27
28	·31	·00	·33	·18	·00	·00	·00	·00	·00	·06	·01	·00	28
29	·00		·00	·62	·00	·00	·00	·06	·00	·06	·00	·00	29
30	·48		·00	·02	·41	·00	·00	·04	·00	·03	·00	·00	30
31	·00		·00		·00		·00	·00		·25		·00	31
Total	3·60	·95	2·66	3·50	1·53	·64	1·56	·85	1·36	3·34	3·14	1·25	YEAR'S TOTAL 24·38
Rain Days.	15	8	14	22	10	4	10	13	9	18	21	11	155

W.7,000, XI. 13

CX MX

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Royal Masonic School, Bushey

in the County of Hertfordshire

by J. H. Gare [Geography Master]

Lat. 51°39′ N. Long. 0°22′ W.

Time of Observation 8.45 a.m.

Nearest Railway Station Bushey (L.N.W.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·06	–	–	–	–	·17	–	–	·06	·04	1
2	–	–	–	·01	–	–	·11	·29	–	·01	·05	·14	2
3	–	–	·05	–	·25	–	·06	–	–	–	·01	–	3
4	·21	–	·01	·30	·08	–	–	·03	–	–	·41	·48	4
5	·02	–	·10	·15	·22	·06	·59	·14	–	–	·01	–	5
6	–	·14	–	–	·05	·19	·08	·10	–	–	·14	·25	6
7	–	·39	·34	·05	·48	·04	·12	–	–	–	·02	·16	7
8	·08	·28	·75	·06	·04	·17	·30	·15	–	–	–	·01	8
9	·17	–	·71	·14	–	·63	–	–	·14	–	–	1·44	9
10	·02	·17	·01	·11	·05	–	–	·02	·20	–	–	·05	10
11	–	·33	·64	·01	–	·68	–	–	·02	–	·28	·32	11
12	–	·08	·12	–	–	–	·18	–	·24	·01	·01	·50	12
13	–	·50	·17	–	–	–	–	–	·15	·06	·05	·60	13
14	–	·13	·87	–	–	–	·04	–	–	·35	·14	·33	14
15	·10	·04	·23	–	–	–	–	–	·04	·05	·02	·04	15
16	·01	–	·04	–	–	–	·02	–	·01	–	–	–	16
17	–	·61	·07	–	–	–	–	–	·25	–	–	·36	17
18	–	·01	·13	–	–	–	–	–	–	–	–	·45	18
19	–	·07	·25	–	–	·01	·09	–	·03	–	·23	·07	19
20	–	·25	·22	–	–	–	–	–	–	–	–	·21	20
21	–	·40	·04	–	–	·21	–	–	–	·03	–	·07	21
22	–	·20	·04	–	·40	·06	·07	·04	·01	·44	–	–	22
23	–	·07	·14	–	·24	·01	·01	–	–	·08	–	–	23
24	·03	·01	·10	–	–	–	·04	–	–	·10	·11	–	24
25	·04	–	·12	–	–	–	–	·12	·01	·37	–	·17	25
26	–	–	·12	–	–	–	·07	·04	–	·05	·28	·65	26
27	·06	–	·01	–	–	–	–	–	–	·01	·04	·32	27
28	–	·05	–	–	·04	–	–	–	–	·05	·41	1·35	28
29	·07		·07	–	–	–	–	–	·01	·24	·19	–	29
30	–	✕	·15	–	–	–	–	–	–	·06	·64	·53	30
31	·01	✕	–	✕	·12	✕	·04	–	✕	–	✕	–	31
Total	·82	3·73	5·56	·83	1·97	2·06	1·82	1·10	1·11	1·91	3·10	8·54	YEAR'S TOTAL 32·55
Rain Days.	12	18	27	8	11	10	15	10	12	15	19	23	180

W. 8,000. X. 14.

986

FORM A.
BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Royal Masonic School, Bushey

in the County of Hertfordshire 2

by J H Gane (Geog Master)

Lat. 51° 39′ N. Long. 0° 22′ W.

Time of Observation 8.45 a.m.

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·90	·22	·03	–	·03	–	–	–	·14	·03	·25	·42	1
2	·24	·30	·31	·10	–	·01	–	·56	–	·04	–	·02	2
3	·57	–	·05	·14	–	–	·04	·30	–	–	–	·44	3
4	·03	–	–	–	–	–	–	–	–	–	–	·36	4
5	·06	·51	–	–	·01	–	–	–	–	·06	–	·33	5
6	·22	·06	–	·34	–	–	·79	·06	–	–	–	·28	6
7	·12	·42	·09	–	–	–	·53	–	–	–	–	·30	7
8	·10	·55	·01	–	–	–	–	–	–	–	–	–	8
9	–	·05	–	·10	–	·04	–	·14	–	–	·26	·73	9
10	·29	–	–	–	–	–	–	·04	–	–	–	·12	10
11	·02	–	·04	–	·01	–	–	–	–	–	·88	–	11
12	·09	·03	·01	·22	·43	–	–	·20	–	·02	·53	·07	12
13	·01	·81	–	–	1·54	–	–	–	–	–	–	–	13
14	–	·02	–	–	·01	–	–	·24	·07	–	–	·78	14
15	·23	–	–	–	·03	–	·95	·30	–	–	–	·26	15
16	–	·50	–	–	–	–	·86	·01	–	–	·23	·03	16
17	–	·50	–	–	·61	–	·11	–	–	–	–	–	17
18	–	·19	·06	–	·07	–	–	–	–	–	–	–	18
19	–	·08	–	–	–	–	·15	–	–	·01	–	–	19
20	·48	·01	–	·11	·01	–	–	–	–	–	–	·19	20
21	·10	·03	–	–	–	–	–	–	–	–	–	·05	21
22	·87	·16	·34	–	–	–	·66	–	·01	·01	–	·24	22
23	·02	·25	·08	–	–	·02	·19	–	·19	·43	–	·30	23
24	–	–	·02	–	–	·01	·36	–	·40	·10	–	·21	24
25	–	–	·09	·05	–	·03	·13	–	·01	·04	–	·15	25
26	–	·16	–	–	–	·06	·10	–	–	–	–	·64	26
27	–	–	–	–	–	·39	·44	–	–	·42	–	·04	27
28	–	·10	–	–	–	·05	–	–	1·23	·14	–	–	28
29	–		·02	–	–	·02	·28	·11	–	–	·15	–	29
30	·04	×	–	–	–	·40	–	–	–	·08	·20	·02	30
31	·01	×	–	×	–	×	–	·03	×	1·25	×	·22	31
Total	4·40	4·95	1·15	1·06	2·75	1·03	5·59	1·99	2·05	2·63	2·50	6·20	YEAR'S TOTAL 36·30
Rain Days.	19	20	13	7	10	10	14	11	7	13	7	23	154

W. 8,000. X. 15.

BuShey Heath
California Lane
Hertfordshire
1919–1920

FALL IN 1919

FORM A.
BRITISH RAINFALL.

1[illegible] JAN 21

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

ured daily at 9 a.m. and the result entered to the
form to this almost universal rule, he is earnestly
uary of the following year in the space provided
uctions for the measurement of rain,
rticulars as to the British Rainfall
rvers," sent post-free on application to

Jan. 1, following.

Dat.							uly.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3												1.23	3
4							.84						4
5												.53	5
6													6
7													7
8													8
9			1.91										9
10	1.												10
11													11
12													12
13							.30						13
14										1.67			14
15												.17	15
16													16
17												.69	17
18					5.29								18
19													19
20													20
21	.35						.61						21
22													22
23		5.10					.23	.24					23
24													24
25													25
26													26
27						.98							27
28								1.66					28
29		X									2.10		29
30		X						.29					30
31		X		X		X			X		X	1.15	31
Total	1.35	5.10	1.91		5.29	.98	1.98	2.19		1.67	2.10	3.77	YEAR'S TOTAL 26.34
Rain Days.													

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

JAN 20

Kept at California Lane - Bushey Heath
in the County of Herts
by K. Cooper

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3												1.23	3
4							·84						4
5												·53	5
6													6
7													7
8													8
9			1.91										9
10	1.												10
11													11
12													12
13							·30						13
14										1.67			14
15												·17	15
16													16
17												·69	17
18					5.29								18
19													19
20													20
21	.35						·61						21
22													22
23		5.10					·23	·24					23
24													24
25													25
26													26
27						·98							27
28								1.66					28
29		X									2.10		29
30		X						·29					30
31		X		X		X			X		X	1.15	31
Total	1.35	5.10	1.91		5.29	·98	1.98	2.19		1.67	2.10	3.77	YEAR'S TOTAL 26.34
Rain Days.													

W. 8,000. X. 15.

819

10 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at California Lane Bushey Heath
in the County of Hertfordshire
by Catherine Constance Cooper

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2										·81			2
3													3
4							·68						4
5									2.~~1~~80				5
6							·86						6
7													7
8	·15												8
9				1.30									9
10													10
11													11
12													12
13	1.33					1.59							13
14			·47			·84							14
15				·70			1.38						15
16													16
17													17
18													18
19													19
20						·74							20
21	·16												21
22												·85	22
23									1.93	·86			23
24				1.~~7~~5									24
25													25
26													26
27			68			1.30							27
28		·38											28
29											1.37		29
30		×											30
31	·95	×		×		×			×		×	1.15	31
TOTAL	2.59	.38	1.15	3.50		4.47	2.92		~~4.03~~ 4.73	1.67	1.37	2.00	YEAR'S TOTAL 24.78
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

88

CHADWELL
Spring
HERTFORDSHIRE
1913-1920

ALL IN 1913

FORM A.
BRITISH RAINFALL

27 JAN 1914

28.1a

Ke
in
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

ed daily at 9 a.m. and the result entered to the
pr
orm to this almost universal rule, he is earnestly
re
ary of the following year in the space provided
fo
tions for the measurement of rain,
th
iculars as to the British Rainfall
O
ers," sent post-free on application to
D

Jan. 1, following.

Date.							y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										#	·20	·04	1
2										·05	·02		2
3												·06	3
4										·21	·04	·04	4
5										·34	·01	·14	5
6										·14	·02		6
7										·40	·06		7
8										·05	·07	—	8
9											·04	·07	9
10											·29		10
11										·36	·10		11
12											·31		12
13											·44		13
14										·16	·16		14
15													15
16											—	·01	16
17												·02	17
18											·08	·02	18
19												·02	19
20										·46			20
21										·16	·37		21
22													22
23											·01	·11	23
24													24
25												·01	25
26										·70		·13	26
27										·07			27
28										·20			28
29										·01		·03	29
30										·10	·09		30
31										·02			31
Total										3·43	2·31	·70	YEAR'S TOTAL
Rain Days.										16	17	13	

W. 7,500, XI. 12

8L

ALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

251a

Kept at Chadwell Spring

in the County of Herts

by J. M. Wood

Est Dis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·20	·04	1
2										·05	·02		2
3												·06	3
4										·21	·04	·04	4
5										·34	·01	·14	5
6										·14	·02		6
7										·40	·06		7
8										·05	·07		8
9											·04	·07	9
10											·29		10
11										·36	·10		11
12											·31		12
13											·44		13
14										·16	·16		14
15													15
16												·01	16
17												·02	17
18											·08	·02	18
19												·02	19
20										·46			20
21										·16	·37		21
22													22
23											·01	·11	23
24													24
25												·01	25
26										·70		·13	26
27										·07			27
28										·20			28
29										·01		·03	29
30										·10	·09		30
31										·02			31
Total										3·43	2·31	·70	YEAR'S TOTAL
Rain Days.										16	17	13	

W. 7,500, XI. 12

154

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Chadwell Spring

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·04	·17			09	·02	1
2				·01			·05	·12			·18	·20	2
3			·17		·17		·30				·15	·01	3
4	·11		·01	·28				·07			·35	·29	4
5	·02		·06	·24	·15	·07	·42	·63					5
6		·11			·01	·10	·04	·05			·21	·24	6
7		·23	·17	·06	·27	·01	·01					·17	7
8	·08	·16	·76	·05	·07	·23	·17	·09			·01	·03	8
9	·21	·01	·65	·05		·57			·01			·94	9
10	·16	·18	·06	·12	·06				·10			·02	10
11		·23	·35		·06	·84			·10		·27	·29	11
12	·03	·05	·09						·39		·02	·34	12
13		·24	·15						·19	·17	·05	·37	13
14		·03	·31				·40			·19	·15	·46	14
15	·05		·14							·01	·06	·07	15
16			·05						·03		·02		16
17		·28	·03						·18			·12	17
18		·03	·08									·21	18
19		·04	·15				·09		·04		·16	·07	19
20		·23	·22			·04			·17	·01		·07	20
21		·45	·08			·19				·02		·11	21
22			·01	·06	·30	·03	·06			·35			22
23			·07		·29		·35			·15		03	23
24			·02	·07		·01	·08			·04	·12		24
25	·04		·10					·08		·34		·04	25
26			·02				·03	·05		·05	·14	·61	26
27	·03		·02								·02	·29	27
28					·01					·02	·30	1·03	28
29	·02		·08		—					·28	·14		29
30			·04							·03	·36	·19	30
31					·13		·03					·04	31
Total	·75	2·27	3·90	·94	1·52	2·09	2·07	1·26	1·21	1·66	2·80	6·26	YEAR'S TOTAL 26·73
Rain Days.	10	14	27	9	11	10	14	8	9	13	19	26	170

W.7,000, XI. 13

Essex HW.

1031

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

17 FEB 1916

Kept at Chadwell Spring

in the County of Hertford

by E. S. Day

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ware G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·11	·06		·03				·14	·03	·10	·42	1
2	·18	·15	·17	·08		·01		·43	·05	·04		·08	2
3	·34		·03	·20			·05	·35	·05			·26	3
4	·07							·09		·02		·40	4
5	·04	·24		·04	·17			·02		·04	·03	·23	5
6	·24	·04	·03	·23			·56					·19	6
7	·09	·41	·04	·03			·28	·03				·16	7
8	·01	·44	·04				·04	·01					8
9		·08		·01		·07		·11			·18	·52	9
10	·28		·03					·18			·03	·12	10
11	·02		·02		·02						·48	·02	11
12	·09	·02		·24	·36			·07		·08	·39	·01	12
13	·06	·38			1·38								13
14		·05					·87	·01	·03			·33	14
15	·31				·05			·48			·33	·10	15
16	·01	·43					·64	·49				·01	16
17		·26			·39		·17	·39					17
18		·15	·07		·06						·08		18
19		·07	·07				·11						19
20	·28			·05				·02				·32	20
21	·07						·02					·05	21
22	·77	·04	·34				·38		·01			·11	22
23		·08	·08				·16		·16	·22		·33	23
24		·01					·13		·24	·03		·24	24
25				·05		·14	·03			·05		·14	25
26		·07				·04	·03					·25	26
27			·02			·46	·34			·38		·07	27
28		·15				·10		·02	1·31	·18			28
29						·08	·03	·12			·13	·08	29
30	·03	×				·05			·02		·07		30
31	·05	×		×		×		·04	×	·72	×	·18	31
Total	3·31	3·18	1·00	·93	2·46	·95	3·84	2·84	2·01	1·79	2·12	4·62	YEAR'S TOTAL 29·05
Rain Days.	19	19	13	9	8	8	16	14	9	11	10	24	163

W. 8,000. X. 15.

MB

REGISTER OF RAINFALL IN 19 16

Eng Dl

FORM A.
BRITISH RAINFALL.
23 JAN 1917

Kept at Chadwell Spring.

in the County of Hertfordshire.

by E.S.Day.

Lat. Long.

Time of Observation 9.0.a.m.

Nearest Railway Station Ware. G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.02		.01	.02			.09	.04	.16		1
2	.40		.12		.22				.12	.41	.03		2
3		.44	.19				.03		.38	.23	.50		3
4	.22	.11	.01			.22				.12	.40		4
5	.04		.01		.03	.37				.07	.57	.02	5
6		.03	.11	.27	.02	.02	.31			.01	.55		6
7	.09		.19		.09	.09	.08			.01	.75	.03	7
8			.02		.31	.01						.37	8
9					.22					.12		.12	9
10		.08	.11	.06		.12	.03			.01		.08	10
11	.04	.15	.04	.10	.01	.10						.04	11
12	.02	.02		.01	.49	.15	.12	.15		.11			12
13	.01	.54	.17	.12	.10	.22	.19	.35	.01				13
14		.49		.03	.05			.37		.04		.10	14
15		.12	.35	.02			.05	.20		.03			15
16		.02	.06	.12	.05		.11	.20		.04			16
17	.06	.06		.06			.10	.09	.34	.32			17
18		.06	.04	.09				.09	.06	.04	.50		18
19	.08		.17	.09					.20		.63	.16	19
20	.20		.30	.04				.01			.02	.38	20
21			.88				.08					.58	21
22		.05	.03		.03					.04		.41	22
23		.21				.12		.04		.11	.05	.11	23
24		.04	.03			.20		.03		.03	.04	.34	24
25		.34	.08		.02			.22		.12	.09		25
26		.13			.06	.03		.05		.03			26
27	.12	.04	.98			.08		.15	.01	.44			27
28		.33	.41			.21			.03	.03		.21	28
29		.11				.12		1.30	.01	.32		.10	29
30					.05	.03		.13		.33		.02	30
31								.01		.06		.01	31
Total	1.35	3.37	4.32	1.01	1.76	2.11	1.10	3.39	1.25	3.11	4.29	3.08	YEAR'S TOTAL 30.14
Rain Days.	12	20	22	12	16	17	10	16	10	25	13	17	190

W. 7,500, XI. 12

Dt ✓ Ex Dt

97°
~~12°~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at Chadwell Spring

in the County of ~~Essex~~ Herts

by M. W. B

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·14				·75	·03		·11		1
2	·02	·03	·01	·33		·03		·08			·02		2
3								·36		·20	·14		3
4		·13	·06					·20		·39			4
5	·22		·03	·12				·27	·70	·11	·12		5
6						·06			·12	·03	·04		6
7	·28					·07	·20			·33	·01		7
8	·17			·13			·81	·20		·26	·12	·17	8
9	·04		·05	·09			·01	·35			·11	·09	9
10	·22		·20	·20				·06			·01	·02	10
11	·10	·03	·45	·09						·26			11
12	·06		·03	·01				·03		·34			12
13	·07		·04				·07	·05	·03	·08		·01	13
14				·19				·14		·05			14
15	·03						·01	·04		·01		·02	15
16	·03	·08		·34	·14		·07			·50		·28	16
17				·15	·64		·20	·06	·30	·32			17
18	·05	·03		·08	·05	·05	·22		·39				18
19		·09	·03		·34	·01			·31				19
20	·02	·15	·10		·55		·02	·04			·14		20
21			·02		·03	·01					·04		21
22			·05					·10		·12			22
23		·09			·13			·15		·03			23
24		·03				·02		·07		·21		·02	24
25		·01	·05				·01				·07		25
26			·10			·02		·39	·04		·54	·01	26
27			·06			·11		·63				·02	27
28		·03	·04			·54		·12				·03	28
29			·04		·66	·05	·34	·32		·16		·12	29
30	·03		·16				1·07	·09		·02		·02	30
31	·06		·11				·25	·02				·02	31
													YEAR'S TOTAL
Total	1·40	·74	1·63	1·87	2·54	·97	3·28	4·52	1·92	3·42	1·47	·83	24·59
Rain Days.	15	12	19	12	8	11	13	23	8	18	13	13	165

W. 8,000, VIII. 16

Dl Ed Dl 52 ~~132~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Chadwell Spring
in the County of Hertfordshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.15							.12	.08	1
2		.09		.04				.11	.03		.01	.13	2
3		.01	.04		.50			.19	.10		.57	.02	3
4		.05	.08					.03	34		.53	.02	4
5		.02	.01		.09			.14	.08	.06			5
6	.11	.10		.25	.09							.04	6
7	.03	.10		.06	.05				.09	.17	.08		7
8		.01		.03					.14	.04	.07		8
9	.02	.02				.13	.26		.37	.14		.22	9
10	.08			.08		.01	.39		—		.03	.22	10
11					.08		.22		.04	.19	.05	.03	11
12	.02	.08			.16		.05		.07			.02	12
13		.01			.18		.13		.14			.07	13
14	.18					.17	.06		.18	.19		.19	14
15	.97			1.25			.33					.05	15
16	.31			.39		.04			.20				16
17	.14			.31			.54		.01			.19	17
18	.39					.19	.19		.84	.05		.42	18
19	.06	.02	.13	.23		.06	.14		.02	.04		.13	19
20	.03	.08		.41		.05	.08		.06	.19		.04	20
21	.09			.15		.02			.26	.07	—		21
22	.05			.01	.26		.06		.11			.20	22
23					.75		.58	.04	.04			.04	23
24		.18				.01	.04		.06		.07		24
25					.39	.09	.09	.10		.02	.08		25
26					.04		.14	.03		.07	.13	.16	26
27		.02		.08			.02	.17	.07		10	.02	27
28		.02	.29					.01			.33	.09	28
29									1.43		.05		29
30		X	.36						.04		.06	.12	30
31		X	.03	X		X			X	.10	X	.09	31
Total	2.48	.81	.94	3.44	2.59	.77	3.32	.82	472	1.33	2.28	2.59	YEAR'S TOTAL 26.09
Rain Days.	14	15	7	14	11	10	17	9	23	13	15	23	171

W. 8,000, IX. 17.

B. Made
with four missing
months
11-3-20

917

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Chadwell Spring
in the County of Hertfordshire
by M. N. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·06		·05	·21		·27			·04		·96	1
2	·22				·09		·06		·21		·12	·35	2
3	·28		·30				·03		·16		·07	·26	3
4	·07		·18			·09	·55	·14				·16	4
5	·03	·29	·43				·15		·17		·02	·20	5
6			·06	·02							·01	·06	6
7	·03		·31								·27		7
8	·09		·07	·05							·04		8
9	·02		·04	·07							·20		9
10	·16		·05	·07							·01	·01	10
11	·02		·07	·27			·26					·01	11
12			·15	·04		·04	·05			·04	·06		12
13	·05			·31						·06		·01	13
14	·18			·40			·08		·16	·03			14
15	·16	·08	·05	·11						·06	·05	·13	15
16	·15	·74		·04							·10	·04	16
17		·75	·03	·02							·25		17
18		·23	·04					·02	·05		·02	·07	18
19		·13	·52			·25	·07	·20	·09		·11	·04	19
20	·34	·10	·08			·86	·13	·30				·01	20
21	·29	·36	·02			·03	·26					·06	21
22		·09				·03	·09		·39		·07	·35	22
23						·09	·03		·04		·01	·01	23
24				·21		·02	·05	·05		·04	·18		24
25	·05			·13	·08			·45				·01	25
26	·16	·23	·14	·02			·02		·16			·31	26
27	·75	·08	·05	1·34				·50				·01	27
28			·09	·08				·69		·01	·13	·24	28
29	·05			·05				·11		·17	·23		29
30		✕		·24		·14		·10		·02	·21	·30	30
31	·03	✕		✕		✕	·02		✕	·01	✕	·02	31
Total	3·45	3·14	2·68	3·52	·38	1·55	2·12	2·56	1·43	·48	2·16	3·62	YEAR'S TOTAL 27·09
Rain Days.	21	12	19	19	3	9	16	10	9	10	20	23	171

W, 6,500, VII. 18. W W C

871

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Chadwell Spring
in the County of Herts
by Metro: Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·55	·10		·21			·32	·02	.27	1
2				-			·06	·39	·06	·10		.09	2
3		·04		·24			·10		·07	·15		.05	3
4			·02	·06	·02		·18	·08		·11		.21	4
5			·07	-	·03		·61	·01	·06			.04	5
6			·13	-	·07		·27					.02	6
7	·01		·11	·14			·13					.03	7
8	·08	·01		·24	·03		·10	·06				.	8
9	·29	·01		·02			·01					.	9
10	·22	·03	·08	·05		·02	·10					.	10
11	·18		·04	·29	·03	·03	·16					.16	11
12	·04			·13		·53						.	12
13	·08		·10	·16							·04	.	13
14		·03	·25	·26		·06	·10		·12	·07	·19	.	14
15			·12	·15			·03		·45	·01	·06	.03	15
16			·01	·12					·15	·05		.04	16
17	·04			-	·10	·22			·28			.03	17
18			·03	-				·54	·06			.03	18
19	·14			·25		·07		·01				·03	19
20	·05	·14		·23		·46			·11			.	20
21				-			·66	·03	·62			.08	21
22				·22					·04			.11	22
23				-			·80					.35	23
24			·06	-								.02	24
25		·02	·07	·02			·20		·02			.	25
26	·06		·07	·02	·32	·08	·02					.02	26
27	·23	·05		·27		·11	·02				·38	.13	27
28	·41		·21	-	·08		·03					.	28
29	·12		·05	-	·02		·09				·13	.33	29
30		✕	·05	-	·02	·03	·29		·22		·22	.18	30
31	·02	✕		✕	·01	✕			✕	·26	✕	.11	31
Total	2·00	·33	1·47	3·42	·83	1·61	4·17	1·12	2·26	1·07	1·04	2.36	YEAR'S TOTAL 21.68 ✓
Days with ·01 in. or more	15	8	17	19	12	10	21	7	13	8	7	22	159 ✓
	13	3	14	16	5	7	16	4	12	7	6	14	117

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CHESHUNT
DARNICLE HILL P.S.
HERTFORDSHIRE
1914 – 1920

FORM A.
BRITISH RAINFALL.

11 FEB 1915

ALL IN 1914

K
in
by

Lat. 51° 43½′ Long. 0° 6′ W
Time of Observation 9. A.M.
Nearest Railway Station Cuffley. G. N. Rly.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

pl… d daily at 9 a.m. and the result entered to the
re… m to this almost universal rule, he is earnestly
fc… y of the following year in the space provided
th… ions for the measurement of rain,
O… culars as to the British Rainfall
D… rs," sent post-free on application to

Jan. 1, following.

Date							.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1								·20	-	-	·05	·05	1
2	·04	-	·02	-	-	-	·05	·12	-	-	·12	·25	2
3	-	-	·09	·02	·17	-	·35	·02	-	-	·08	·02	3
4	·16	-	·02	·23	·09	-	-	·07	-	-	·25	·32	4
5	-	-	·06	·12	·14	-	·45	·34	-	-	-	-	5
6	-	·12	-	-	·06	·12	-	·04	-	-	·17	·24	6
7	-	·26	·05	·13	·50	·04	·07	-	-	-	·02	·16	7
8	·12	·25	·69	·04	·16	·23	·21	·14	-	-	-	·03	8
9	·20	·02	·66	·08	-	·36	-	-	·05	-	-	1·17	9
10	-	·18	·01	·09	·04	-	-	-	-	-	-	·03	10
11	-	·27	·36	-	·04	·55	-	-	·18	-	·17	·29	11
12	-	·06	·07	-	-	-	·04	-	·34	-	·03	·44	12
13	-	·38	·18	-	-	-	-	-	·18	·02	·04	·40	13
14	-	·08	·60	-	-	-	·13	-	·02	·30	·05	·46	14
15	·16	·02	·19	-	-	-	·02	-	·02	·05	·13	·06	15
16	·02	-	·03	-	-	-	·08	-	·05	·02	·03	-	16
17	-	·34	·07	-	-	-	-	-	·19	-	-	·24	17
18	-	-	·09	-	-	-	-	-	·02	-	-	·30	18
19	-	·03	·22	-	-	-	·03	-	·03	-	·16	·10	19
20	-	·26	·18	-	-	·04	-	-	·05	-	-	·12	20
21	-	·50	·10	-	-	-	-	-	-	-	-	·11	21
22	-	-	·03	-	·30	·04	·12	·04	-	·37	-	-	22
23	-	-	·11	-	·25	-	·06	-	-	·12	-	·03	23
24	-	-	·06	·04	·02	-	·15	·02	-	·05	·13	-	24
25	·05	-	·16	-	-	-	-	·06	-	·32	·02	·08	25
26	-	-	·03	-	-	-	-	·12	-	·05	·20	·64	26
27	·04	-	·06	-	-	-	-	-	-	-	·02	·27	27
28	-	·05	-	-	-	-	-	-	-	·03	·39	1·24	X m/e 28
29	·07	X	·10	-	-	-	-	-	-	·26	·16	-	29
30	-	X	·08	-	-	-	-	-	-	·04	·56	·21	X 30
31	·02	X	-	X	·19	X	·05	-	X	-	X	·03	m/e 31
													YEAR'S TOTAL
Total	·88	2·82	4·40	·75	1·96	1·38	1·81	1·17	1·13	1·63	2·78	7·29	28·00
Rain Days.	10	15	28	8	12	7	14	11	11	12	20	26	174

W. 8,000. X. 14.

ALL IN 1914

FORM A.
BRITISH RAINFALL.
11 FEB 1915

Kept at Waterworks Pumping Station ~~The Manor House~~
Darnicle Hill. Cheshunt.
in the County of Hertford.
by Cheshunt Urban District Council
J. E. Sharpe. Engineer & Surveyor.

Lat. 51°43½' Long. 0°6' W
Time of Observation 9. A.M.
Nearest Railway Station Cuffley. G. N. Rly.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	-	-	·08	-	-	-	-	·20	-	-	·05	·05	1
2	·04	-	·02	-	-	-	·05	·12	-	-	·12	·25	2
3	-	-	·09	·02	·17	-	·35	·02	-	-	·08	·02	3
4	·16	-	·02	·23	·09	-	-	·04	-	-	·25	·32	4
5	-	-	·06	·12	·14	-	·45	·34	-	-	-	-	5
6	-	·12	-	-	·06	·12	-	·04	-	-	·17	·24	6
7	-	·26	·05	·13	·50	·04	·04	-	-	-	·02	·16	7
8	·12	·25	·69	·04	·16	·23	·21	·14	-	-	-	·03	8
9	·20	·02	·66	·08	-	·36	-	-	·05	-	-	1·17	9
10	-	·18	·01	·09	·04	-	-	-	-	-	-	·03	10
11	-	·27	·36	-	·04	·55	-	-	·18	-	·17	·29	11
12	-	·06	·07	-	-	-	·04	-	·34	-	·03	·44	12
13	-	·38	·18	-	-	-	-	-	·18	·02	·04	·40	13
14	-	·08	·60	-	-	-	·13	-	·02	·30	·05	·46	14
15	·16	·02	·19	-	-	-	·02	-	·02	·05	·13	·06	15
16	·02	-	·03	-	-	-	·08	-	·05	·02	·03	-	16
17	-	·34	·07	-	-	-	-	-	·19	-	-	·24	17
18	-	-	·09	-	-	-	-	-	·02	-	-	·30	18
19	-	·03	·22	-	-	-	·03	-	·03	-	·16	·10	19
20	-	·26	·18	-	-	·04	-	-	·05	-	-	·12	20
21	-	·50	·10	-	-	-	-	-		-	-	·11	21
22	-	-	·03	-	·30	·04	·12	·04	-	·37	-	-	22
23	-	-	·11	-	·25	-	·06	-	-	·12	-	·03	23
24	-	-	·06	·04	·02	-	·15	·02	-	·05	·13	-	24
25	·05	-	·16	-	-	-	-	·06	-	·32	·02	·08	25
26	-	-	·03	-	-	-	-	·12	-	·05	·20	·64	26
27	·04	-	·06	-	-	-	-	-	-	-	·02	·27	27
28	-	·05	-	-	-	-	-	-	-	·03	·39	1·24	Xm/e 28
29	·07	X	·10	-	-	-	-	-	-	·26	·16	-	29
30	-	X	·08	-	-	-	-	-	-	·04	·56	·21	X 30
31	·02	X	-	X	·19	X	·05	-	X	-	X	·03	m/e 31
Total	·88	2·82	4·40	·75	1·96	1·38	1·81	1·17	1·13	1·63	2·78	7·29	YEAR'S TOTAL 28·00
Rain Days.	10	15	28	8	12	7	14	11	11	12	20	26	174

W. 8,000. X. 14.

1017

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Manor House, Cheshunt.

in the County of Hertford 3

by Cheshunt U.D.C. per I. E. Sharpe Engineer & Surveyor.

Lat. 51° 42' Long. 0° 2' W.

Time of Observation 9 a.m

Nearest Railway Station Cheshunt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 83 · ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	·34	·12	·10	-	-	-	·01	-	·19	·03	·11	·39	1
2	·05 -	·11	-	·09	·03	-	-	·80	-	·03	·01	·12	2
3	·30 35	·01	·19	-	-	-	·02	·52	·02	-	-	·39	3
4	·05	-	·01	-	-	-	-	·14	-	-	-	·24 -	4
5	·04	·19	-	·15	·10	-	-	-	-	·05	·02	·26 ·50	5
6	·18	·18 -	-	·22	·11	-	·58	·02	-	-	-	·35	6
7	·15	·18 ·36	·02	·01	-	-	·35	-	-	-	·01	·15	7
8	·06	·26 -	·02	·02	-	·08	·01	·06	-	-	-	·01	8
9	·02 -	·20 ·46	-	·03	-	-	-	·05	-	-	·25	·60	9
10	·25 ·27	-	·03	-	-	·01	-	·19	-	-	-	·14	10
11	-	-	·02	-	·01	-	-	-	-	-	·79	-	11
12	·10	-	-	·24	·37	-	-	·09	-	-	-	·04	12
13	·02	·18	-	-	1·54	-	-	-	·04	-	-	-	13
14	-	·24	-	-	-	-	·93	-	-	-	-	·42	14
15	·24	·01	-	-	-	-	-	·11	-	-	·40	·05	15
16	-	·39	-	·01	·06	-	·66	·32	-	-	-	·08	16
17	·03	·28	-	-	·45	-	·15	-	-	-	-	·01	17
18	-	·19	·29	-	·13	-	-	-	-	-	·01	-	18
19	-	·04	·01	-	-	-	·08	-	-	-	-	-	19
20	·39	-	-	·02	·02	-	-	-	-	-	-	·30	20
21	·13	-	-	-	-	-	-	-	-	-	-	·04	21
22	·71	1·03	·28	-	-	-	·52	-	-	-	-	·14	22
23	·01 -	·09	·05	-	-	-	·12	-	·12	·15 -	-	·25	23
24	·01	-	·02	-	-	·09	-	-	·15	·12 ·27	-	-	24
25	-	-	·01	·09	-	-	·53	-	-	·02	-	-	25
26	-	·09	-	-	-	-	·11	-	·01	-	-	-	26
27	-	-	-	-	-	·48	·25	-	-	·40	-	·75	27
28	-	·10	·01	-	-	·03	-	-	1·26	·13	-	-	28
29	-	-	·04	-	-	·07	·17	·12	-	·01	·11	·04	29
30	·06 -		-	-	-	·13	-	-	·01	-	·79	-	30
31	·07 ·13		-		-		-	-		·70		·13	31
99 Total	3·20	3·89	1·10	·88	2·82	·89	4·49	2·42	1·80	1·64	2·50	4·90	YEAR'S TOTAL 30·53
Rain Days.	17	17	15	10	10	7	15	11	8	9	10	21	~~150~~

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Waterworks Pumping Station, Danicle Hill. Cheshunt.
in the County of Hertford
by Cheshunt U. D. C. J. E. Sharpe Engineer & Surveyor.

Lat. 51 43½' N. Long. 0° 6' W.
Time of Observation 9. A.M.
Nearest Railway Station Cuffley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 250. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16 1	0·15	—	0·03	—	0·03	—	—	—	0·09	0·06	0·23	—	1
2	0·42	0·02	0·13	—	0·19	0·15	—	—	0·15	0·40	0·03	—	2
3	—	0·38	0·15	—	—	—	0·05	—	0·36	0·28	0·52	—	3
4	0·32	0·09	—	—	—	0·74	—	—	0·02	0·04	0·45	—	4
5	0·04	—	0·05	0·06	0·04	0·23	—	—	—	0·10	0·59	—	5
6	0·02	0·08	0·23	0·33	0·07	0·19	0·25	—	—	0·05	0·50	—	6
7	0·14	—	0·29	—	0·18	0·15	0·38	—	—	0·03	0·52	0·05	7
8	—	—	—	—	0·62	0·02	—	—	—	—	0·05	0·37	8
9	—	—	—	—	0·25	0·02	—	—	—	0·16	—	0·16	9
10	—	0·13	0·07	0·10	—	0·45	0·36	—	—	0·02	—	0·16	10
11	0·07	0·16	0·08	0·12	0·03	0·14	—	—	—	—	—	—	11
12	0·05	0·06	0·02	0·08	0·44	0·15	0·06	0·18	—	0·08	—	—	12
13	0·02	0·47	0·16	0·11	0·13	0·09	0·21	0·16	—	0·02	—	—	13
14	—	0·20	0·02	0·02	0·07	—	—	0·64	—	0·07	—	0·18	14
15	—	0·36	0·42	—	—	—	0·04	0·12	—	0·02	—	—	15
16	—	0·06	0·13	0·12	0·05	—	0·11	0·15	—	0·06	—	—	16
17	0·09	0·07	—	0·14	—	—	0·19	0·55	0·27	0·54	—	—	17
18	—	0·08	—	0·13	—	—	—	0·12	0·15	0·03	0·55	—	18
19	0·14	—	0·18	0·15	—	—	—	—	0·14	—	0·70	0·12	19
20	0·19	—	0·26	0·10	—	—	—	—	—	—	0·03	0·45	20
21	0·02	—	0·70	—	—	—	0·05	—	—	—	—	0·48	21
22	—	0·04	0·05	—	0·02	—	—	—	—	0·04	—	0·45	22
23	0·03	0·35	—	—	—	0·10	—	0·04	—	0·12	0·08	0·13	23
24	—	0·06	—	—	—	0·29	—	0·03	—	0·06	0·04	0·23	24
25	—	0·45	0·15	—	0·07	—	—	0·27	—	0·11	0·11	0·17	25
26	—	0·08	—	—	—	0·03	—	0·12	—	0·04	—	—	26
27	0·17	0·11	1·00	—	—	0·02	—	0·13	0·03	0·56	—	—	27
28	0·02	0·36	0·35	—	—	0·04	—	—	0·15	0·02	—	0·19	28
29	—	0·10	—	—	—	0·18	—	1·26	0·03	0·38	—	0·11	29
30	—	╳	—	—	0·08	0·07	—	0·12	—	0·44	—	—	30
31	—	╳	—	╳	—	╳	—	0·04	╳	0·10	╳	0·03	31
99 Total	1·89	3·71	4·47	1·46	2·27	3·06	1·70	3·93	1·39	3·83	4·40	3·28	YEAR'S TOTAL 35·39
Rain Days.	16	21	20	12	15	18	10	15	10	26	14	15	192

W. 8,000, VIII. 16

957

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
7. JAN 1918

Kept at Waterworks Pumping Station
Darnicle Hill, Cheshunt.
in the County of Hertford
by Cheshunt Urban District Council
J. Sharpe, Engineer.

Lat. 51° 43½' Long. 0° 6' W
Time of Observation 9 a.m.
Nearest Railway Station Cuffley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·21	-	-	-	·93	·07	-	·12	-	1
2	·02	-	-	·59	-	·02	-	·07	-	-	·02	-	2
3	·02	-	-	·03	-	-	-	·38	-	·22	·24	-	3
4	-	·21	·17	-	-	-	·02	·26	-	·39	-	-	4
5	·18	-	·03	·19	-	-	-	·20	·49	·10	·16	-	5
6	·02	-	-	·02	-	·03	-	-	·03	·03	·05	-	6
7	·21	-	-	-	-	-	·11	-	-	·44	-	-	7
8	·12	-	-	·12	-	-	·68	·25	-	·26	·16	·23	8
9	·03	-	·04	·16	-	-	·07	·32	-	-	·04	·09	9
10	·28	-	·20	·09	-	-	-	·06	-	-	·02	-	10
11	·09	·03	·49	·24	-	-	-	-	-	·36	-	-	11
12	·06	-	·03	·05	-	-	-	·06	-	·57	-	-	12
13	·05	-	·06	-	-	-	·02	·08	·03	·06	-	-	13
14	-	-	-	·15	-	-	-	·05	-	-	-	-	14
15	-	-	-	-	-	-	·02	·06	-	·05	-	·09	15
16	·07	·12	-	·19	·12	·04	·04	-	-	63	-	·11	16
17	-	-	-	·14	·80	-	·21	·04	·38	·32	-	-	17
18	-	-	-	·10	·07	·08	·23	·03	·20	·02	-	-	18
19	·05	·13	·09	·02	·25	·04	-	-	·37	-	-	-	19
20	·06	-	·07	-	·80	-	·13	·03	-	-	·15	-	20
21	-	·18	·02	-	·01	·02	-	-	-	·02	·06	-	21
22	-	-	·05	-	-	-	-	·10	-	·11	-	-	22
23	-	·08	·02	-	·12	-	-	·18	-	·03	-	·07	23
24	-	·08	-	-	-	·03	-	·05	-	·21	-	·03	24
25	-	·02	·05	-	-	-	-	-	-	-	·11	-	25
26	-	-	·09	-	-	-	-	·27	·04	-	·49	-	26
27	-	-	·02	-	-	-	-	·76	-	-	-	·02	27
28	-	-	·03	-	-	·74	-	·14	-	-	-	-	28
29	-	X	-	-	·34	·04	·31	·11	-	·20	-	·12	29
30	-	X	·20	-	-	-	1·41	·10	-	-	·03	·02	30
31	·03.	X	·18	X	-	X	·40	·03	X	·03	X	-	31
99 Total	1·29	·85	1·84	2·30	2·64	1·04	3·65	4·53	1·61	4·05	1·65	·78	YEAR'S TOTAL 26·13
Rain Days.	15 ✓	8 ✓	18	15	8 ✓	9 ✓	13	24 ✓	8 ✓	19 ✓	13 ✓	9 ✓	159 ✓

W. 8,000, IX. 17.

Exc DL

39

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8·1·19

Kept at Waterworks Pumping Station
Darnicle Hill. Cheshunt.
in the County of Hertford
by Cheshunt Urban District Council
K Thorpe. Engineer

Lat. 51° 43½' Long. 0° 6' W.
Time of Observation 9 a.m.
Nearest Railway Station Cuffley
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·03	-	-	-	-	-	-	·14	·08	1
2	-	·07	-	·06	-	-	-	·16	-	·02	·09	·20	2
3	-	-	·02	-	·75	-	-	·50	·08	-	·60	·03	3
4	-	·10	·09	·03	-	-	-	·05	·48	·03	·56	·03	4
5	-	·08	-	-	·07	-	-	·12	·05	·08	-	-	5
6	·11	·15	-	·27	·07	-	-	·06	-	-	-	·07	6
7	·06	·10	-	·11	·08	-	-	·04	·13	·08	·10	-	7
8	-	·04	-	-	-	-	·02	-	·08	·03	·08	·04	8
9	·02	·04	-	·03	-	·18	·20	-	·41	·12	-	·30	9
10	-	-	-	·09	-	-	·45	-	·05	·02	·05	·25	10
11	-	-	-	·04	·08	-	·18	-	·06	·17	·04	·05	11
12	-	·09	-	-	·16	-	·19	-	·02	·02	-	·02	12
13	-	·03	-	-	·15	-	·06	-	·14	-	-	·04	13
14	·22	-	·02	-	-	·25	·10	-	·32	·18	-	·20	14
15	·35	-	-	·62	-	-	·15	-	·02	-	-	·12	15
16	·43	-	-	·68	-	·07	-	-	·15	·02	-	-	16
17	·91	-	-	·30	·02	-	·43	·02	·03	-	-	·21	17
18	·50	-	-	-	-	·20	·09	-	1·25	·10	-	·18	18
19	·06	-	·05	·12	-	·38	·19	-	·03	·06	-	·20	19
20	-	·12	-	·60	-	·10	·10	-	·15	·19	-	·04	20
21	·12	-	-	·24	-	·02	·03	-	·33	·08	-	-	21
22	·07	-	-	·02	·35	-	·06	-	·14	-	-	·21	22
23	-	-	-	-	·60	·02	·54	·04	·03			-	23
24	-	·18	-	-	·03	-	·02	-	·05	-	·10	-	24
25	-	-	-	-	-	·09	·18	·14	-	·03	·02	-	25
26	-	-	-	-	·26	-	·19	·10	-	-	·21	·15	26
27	-	·03	-	·08	-	-	·04	·34	·05	-	·11	·03	27
28	-	·10	23	-	-	·02	-	·04	1·28	-	·30	·10	28
29	-	X	-	-	-	-	-	-		-	·04	-	29
30	-	X	·44	-	-	-	-	-	03	-	·10	·10	30
31	-	X	·02	X	-	X	-	·03	X	·12	X	·04	31
99 Total	2·85	1·13	·87	3·32	2·62	1·33	3·22	1·64	5·36	1·35	2·54	2·69	YEAR'S TOTAL 28·92
Rain Days.	11	13	7	16	12	10	19	13	24	17	15	23.	180

~~#~~ 122 corr for arith 985

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Waterworks Pumping Station, Darnicle Hill, Cheshunt

in the County of Hertford

by Cheshunt Urban District Council (J. E. Sharpe Engineer Surveyor to the Council).

Lat. 51° 43½' Long. 0° 6' W

Time of Observation 9 am

Nearest Railway Station Cuffley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.38	0.16	-	-	0.13	-	0.27	-	0.02	-	0.05	0.96	1
2	0.27	-	0.03	-	0.12	-	0.24	-	0.25	0.03	0.08	0.28	2
3	0.32	-	0.24	-	0.02	-	0.09	-	0.08	0.04	0.07	0.28	3
4	0.13		0.25	-	-	0.10	0.27	0.06	-	-	0.02	0.21	4
5	0.03	0.17	0.38	0.03	-	-	0.02	-	-	-	0.03	0.24	5
6	-	0.21	0.07	-	-	-	-	-	-	-	0.03	0.10	6
7	0.05	-	0.36	0.06	-	-	-	-	-	-	0.09	-	7
8	0.08	-	0.09	0.03	-	-	-	-	-	-	0.05	-	8
9	0.03	-	0.06	0.06	-	-	-	-	-	-	0.37	-	9
10	0.24	-	0.06	0.27	-	-	-	-	-	-	0.02	0.03	10
11	0.04	-	0.07	-	-	-	-	-	-	-	-	0.02	11
12	-	-	0.14	-	-	0.04	0.08	-	-	0.04	0.02	-	12
13	0.05	-	-	0.20	-	-	-	-	-	0.06	-	-	13
14	0.28	-	-	0.47	-	-	0.05	-	0.25	0.05	-	0.03	14
15	0.19	-	0.06	0.14	-	-	-	-	-	0.02	0.05	-	15
16	0.12	0.78	-	0.08	-	-	-	0.02	-	-	0.11	0.03	16
17	-	0.35	0.05	0.02	-	-	-	-	-	-	0.23	-	17
18	-	0.24	0.04	-	-	-	-	0.04	0.05	-	0.05	0.08	18
19	-	0.15	0.66	-	-	0.22	0.11	0.14	0.15	-	0.13	-	19
20	0.44	0.10	0.05	-	-	0.85	0.28	0.30	-	-	0.02	-	20
21	0.20	0.40	0.02	-	-	0.03	0.20	-	-	-	-	0.10	21
22	-	0.16	-	-	-	0.02	0.12	-	0.40	-	0.05	0.36	22
23	-	-	-	-	-	0.02	0.02	0.02	0.12	-	0.02	-	23
24	-	-	-	0.28	-	-	0.03	0.07	-	-	0.07	0.02	24
25	0.07	-	-	0.12	0.02	-	-	0.41	-	0.11	-	0.03	25
26	0.03	0.20	0.13	0.05	-	-	-	0.02	0.14	-	-	0.45	26
27	0.11	0.06	0.06	1.08	-	-	-	-	-	-	-	0.05	27
28	0.68	-	0.10	0.05	-	-	-	0.75	-	-	0.23	0.27	28
29	-	X	-	0.02	-	-	-	0.18	-	0.16	0.10	0.05	29
30	-	X	0.07	0.25	-	0.16	-	0.05	-	0.02	0.35	0.32	30
31	-	X	-	X	-	X	0.02	-	X		X	0.03	31
99 TOTAL	3.74	2.98	2.99	3.21	0.29	1.44	1.80	2.06	1.46	0.53	2.24	3.94	YEAR'S TOTAL 26.68
Days with ·01 in. or more	20	~~11~~ 12	21	17	4	8	14	12	9	9	23	21	~~172~~ 170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2.98

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

7 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Waterworks Pumping Station Darnicle Hill Cheshunt
in the County of Hertford
by Cheshunt Urban District Council
J. E. Sharpe Engineer Surveyor

Lat. 51° 43½′ Long. 0° 6′ W
Time of Observation 9 am
Nearest Railway Station Cuffley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	0.70	0.12	.	0.30	0.58	.	0.57	.	0.30	1
2	.	.	0.02	0.02	.	.	0.08	.	0.06	0.04	.	0.13	2
3	.	0.05	.	0.03	.	.	.	.	0.06	0.12	.	0.05	3
4	.	0.03	.	0.08	.	.	0.04	0.09	.	0.18	.	0.11	4
5	.	.	0.08	.	0.04	.	0.66	0.03	0.09	0.02	.	0.04	5
6	.	.	0.14	.	0.12	.	0.27	.	.	.	.	0.02	6
7	0.02	.	0.02	0.12	.	.	0.18	.	.	.	.	.	7
8	0.16	0.02	.	0.19	.	.	0.08	0.07	.	.	.	.	8
9	0.36	0.03	.	0.04	.	.	.	0.02	.	.	.	.	9
10	0.30	0.05	0.18	.	.	0.07	0.12	.	.	.	.	.	10
11	0.26	.	0.05	0.45	0.02	0.09	0.30	.	.	.	.	0.05	11
12	0.08	.	.	0.15	.	0.45	0.02	.	.	.	0.04	.	12
13	0.11	.	0.12	0.14	.	0.02	.	.	.	.	0.06	.	13
14	0.02	0.02	0.31	0.20	.	0.10	0.05	.	0.14	0.16	0.24	.	14
15	.	0.02	0.14	0.27	.	.	0.02	.	0.45	0.04	0.09	.	15
16	.	.	0.03	0.60	.	.	.	.	0.21	0.10	.	.	16
17	0.02	.	.	0.05	0.12	0.30	0.02	.	0.42	.	.	0.15	17
18	0.03	.	.	0.02	.	.	.	0.50	0.06	.	.	0.04	18
19	0.14	.		0.25	0.02	0.06	.	.	.	.	.	.	19
20	0.06	0.11	.	0.44	.	0.58	.	.	0.07	.	.	0.03	20
21	.	.	.	.	.	.	0.68	0.05	0.46	.	.	0.11	21
22	.	.	.	0.28	.	.	.	.	0.20	.	.	0.22	22
23	0.02	.	.	.	.	.	0.60	.	.	.	.	0.35	23
24	0.01	.	0.10	.	.	.	.	.	.	.	.	0.04	24
25	.	0.03	0.05	0.02	.	.	0.16	.	.	.	.	.	25
26	0.07	.	0.11	0.03	0.48	0.03	0.04	.	.	.	.	0.03	26
27	0.27	0.02	.	0.25	.	0.09	.	.	.	.	0.55	0.14	27
28	0.45	0.04	0.28	0.03	0.15	0.03	0.06	.	.	.	.	0.02	28
29	0.22	.	0.09	0.04	0.04	.	0.05	.		.	0.10	0.40	29
30	0.03	✕	.	0.02	0.02	0.02	0.50	.	0.44		0.23	0.18	30
31	0.03	✕	.	✕	0.04	✕	.	.	✕		✕	0.14	31
99 TOTAL	2.66	0.42	1.72	4.42	1.17	1.84	4.23	1.34	2.66	1.23	1.31	2.55	YEAR'S TOTAL 25.55
Days with ·01 in. or more	20	11	15	24	11	12	20	7	12	8	7	20	167
Days with ·04 in. or more	12	4	12	17	8	8	17	5	12	7	7	16	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHESHUNT PARK
HERTFORDSHIRE
1919–1920

Form

I RAINFALL ORGANIZATION.

31 JAN 20

FALL IN 1919.

at. 51·43 Long. 0·3 W.
Time of Observation 10, 30 a m
Nearest Railway Station Cheshunt 2¼ miles
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground ft 9" in.
„ „ „ „ Sea Level 209 ft.

Ke
in
by

9 a.m. and the result entered to the previous day.

If … ule, he is earnestly requested to add the … space provided for it at the end of thi… selection and placing of rain gauges, and … n in "*Rules for Rainfall Observers,*" sen… Rainfall Organization, 62, Camden Sq…

Jan. 1, following.
·01

… be entered on this form.

Date								August	Sept.	Oct.	Nov.	Dec.	*Date*
								in.	in.	in.	in.	in.	
1										·04	·01	·88	1
2	·23		·02		·04		·11		·17	·03	·12	·05	2
3	·24		·26		·01		·25		·02		·06	·23	3
4	·08	·02	·27			·07	·50	·04			·01	·15	4
5	·02	·28	·37				·02		·12		·02	·18	5
6	·01		·06								·02	·09	6
7	·02		·27								·16		7
8	·06		·07	·02							·05	·01	8
9	·03		·04	·03	·01						·26		9
10	·25		·05	·04							·01	·02	10
11	·03		·07	·25								·01	11
12	·01		·10	·03		·03	·38			·02	·02		12
13	·03	·01		·22						·03			13
14	·22	·01		·27					·24	·03		·01	14
15	·24	·02	·02	·14			·05			·02	·02	·15	15
16	·07	·70		·08							·08	·03	16
17		·64	·05	·02							·19	·01	17
18	·01	·11	·04					·13	·04		·08	·05	18
19	·10	·16	·43				·08		·20		·04	·01	19
20	·30	·04	·03			1·05	·23	·24					20
21	·18	·37	·02			·09	·25		·40		·01	·07	21
22		·12	·01			·01	·03				·03	·31	22
23						·06	·02			·01	·01		23
24	·05			·28		·01	·04			·06	·08		24
25	·12			·10	·06			·15	·10		·01	·03	25
26	·61	·12	·08	·04			·01	·09				·33	26
27		·04	·03	1·20				·05			·01	·02	27
28	·03		·10	·05				1·10		·05	·25	·22	28
29				·04				·16		·13	·03	·03	29
30			·02	·23		·14		·03		·02	·26	·22	30
31	·02		·01							·01		·01	31
TOTAL	3·25	2·67	2·42	3·04	·25	1·47	2·24	1·99	1·29	·45	1·84	3·12	YEAR'S TOTAL 24·03
Days with ·01 in. or more	25	15	23	18	5	9	14	9	8	12	25	24	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM . 1. METEOROLOGICAL [illegible] RAINFALL ORGANIZATION.

31 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Cheshunt Park

in the County of Herts

by W. Standerwick

Lat 51·43' Long 0·3 W.

Time of Observation 10, 30 a m

Nearest Railway Station Cheshunt 2¼ miles

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft 9" in.

„ „ „ „ Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·03		·01	·13	·01	·27			·04	·01	·88	1
2	·23		·02		·04		·11		·17	·03	·12	·05	2
3	·24		·26		·01		·25		·02		·06	·23	3
4	·08	·02	·27			·07	·50	·04			·01	·15	4
5	·02	·28	·37				·02		·12		·02	·18	5
6	·01		·06								·02	·09	6
7	·02		·27								·16		7
8	·06		·07	·02							·05	·01	8
9	·03		·04	·03	·01						·26		9
10	·25		·05	·04							·01	·02	10
11	·03		·07	·25								·01	11
12	·01		·10	·03		·03	·38			·02	·02		12
13	·03	·01		·22						·03			13
14	·22	·01		·27					·24	·03		·01	14
15	·24	·02	·02	·14			·05			·02	·02	·15	15
16	·07	·70		·07							·08	·03	16
17		·64	·05	·02							·19	·01	17
18	·01	·11	·04					·13	·04		·08	·05	18
19	·10	·16	·43				·08		·20		·04	·01	19
20	·30	·04	·03			1·05	·23	·24					20
21	·18	·37	·02			·09	·25		·40		·01	·07	21
22		·12	·01			·01	·03				·03	·31	22
23						·06	·02			·01	·01		23
24	·05			·28		·01	·04			·06	·08		24
25	·12			·10	·06			·15	·10		·01	·03	25
26	·61	·12	·08	·04			·01	·09				·33	26
27		·04	·03	1·20				·05			·01	·02	27
28	·03		·10	·05				1·10		·05	·25	·22	28
29				·04				·16		·13	·03	·03	29
30			·02	·23		·14		·03		·02	·26	·22	30
31	·02		·01							·01		·01	31
TOTAL	3·25	2·67	2·42	3·04	·25	1·47	2·24	1·99	1·29	·45	1·84	3·12	YEAR'S TOTAL 24·03
Days with ·01 in. or more	25	15	23	18	5	9	14	9	8	12	25	24	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

838

12 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cheshunt Park
in the County of Hertfordshire
by Wm Standerwick

Lat. 37° 43' Long 0' 3
Time of Observation 10.30 a m
Nearest Railway Station Cheshunt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·62	·09		·27			·38		·20	1
2			·01				·01	·53	·06	·12		·08	2
3		·05		·01				·05	·04	·11		·03	3
4		·01								·07		·04	4
5			·07	·05	·02		·64	·01	·07	·01		·02	5
6			·13		·09		·24					·02	6
7	·01	·01	·11	·14	·01		·15				·01	·02	7
8	·15	·01		·15			·07	·03				·01	8
9	·30	·01		·02				·01		·01		·01	9
10	·21	·02	·07	·01		·04	·09					·01	10
11	·20		·04	·43	·02	·05	·15					·18	11
12	·06		·09	·11		·43							12
13	·09	·01		·15							·02	·01	13
14		·01	·32	·23		·07	·01		·15	·05	·01	·01	14
15		·02	·03	·12			·01		·50	·03	·15	·01	15
16			·01	·32					·16	·07	·04		16
17	·01			·04	·08	·13			·17			·01	17
18	·08							·50	·18			·01	18
19	·06	·01		·35								·02	19
20	·04	·12		·22		·54						·01	20
21							·73		·56			·05	21
22	·01			·28				·01	·20	·01		·17	22
23		·01		·01			·70					·30	23
24		·01										·02	24
25	·01	·01	·05	·01			·14				·01		25
26	·03		·04	·01	1·53		·01		·01	·01		·02	26
27	·16	·04	·03	·22	·04	·07					·47	·09	27
28	·38		·20	·01			·02						28
29	·13			·03	·03	·01	·05				·04	·26	29
30	·01		·06	·01	·02		·40		·27		·15	·18	30
31	·01									·22		·05	31
TOTAL	1·96	·35	1·26	3·55	1·93	1·34	3·69	1·14	2·37	1·09	·90	1·84	YEAR'S TOTAL 21·42
Days with ·01 in. or more	20	15	15	24	10	8	17	7	12	12	9	27	176
Days with ·04 in. or more	12	3	11	15	5	7	12	3	11	7	5	11	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

CHESHUNT
M.W.B
HERTFORD SHIRE
1915 - 1920

~~[illegible]~~

ALL IN 1915

FORM A.
BRITISH RAINFALL.

17 FEB 1916

Kep

in t

by

Lat. 51°-43' N. Long. 0° - 2' W.
Time of Observation 9 a.m.
Nearest Railway Station Cheshunt G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

ed daily at 9 a.m. and the result entered to the
pre rm to this almost universal rule, he is earnestly
rec ry of the following year in the space provided
for tions for the measurement of rain,
the iculars as to the British Rainfall
Or ers," sent post-free on application to
Dr

Jan. 1, following.

Date.							y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·10	·03	·12	·40	1
2								1·04	·02	·05		·08	2
3	·24		·02	·14	—		·01	·55	·03	—		·38	3
4	·04							·04				·33	4
5	·03	·19			·22					·03		·23	5
6	·14	·02		·21	·04		·44	·02				·35	6
7	·15	·32	·02				·34	·02				·13	7
8	·03	·42	·01					·03					8
9		·09		·03		·04		·08			·26	·58	9
10	·24		·03			·02		·45				·14	10
11	·01		·02		·01						·40	·02	11
12	·06	·02		·23	·34			·14			·40	·01	12
13	·03	·32			1·40			·03					13
14		·04					·85	·04	·02			·33	14
15	·20	·01			·06			·08			·32	·09	15
16	·02	·36					·63	·16				·08	16
17		·24			·40		·14					·01	17
18		·20	·09		·11						·05		18
19		·08					·07						19
20	·33			·02								·29	20
21	·14				·01							·04	21
22	·42	·39	·28				·43					·14	22
23		·09	·04			·03	·13		·10	·25		·22	23
24			·01			·04	·34		·14	·03		·24	24
25				·06			·10					·11	25
26		·08				·03	·03					·32	26
27			·01			·36	·46			·34		·09	27
28		·11				·03			1·14	·16			28
29			·02			·02	·07	·10			·13	·04	29
30	·03	X				·12			·01		·10		30
31	·04	X		X		X		·05	X	·61	X	·13	31
Total	3·09	3·23	·89	·49	2·67	·42	4·34	2·89	1·56	1·53	2·08	4·48	YEAR'S TOTAL 28·57
Rain Days.	19	19	13	4	10	9	14	15	8	8	8	25	155

W. 8,000. X. 15.

[redacted]ALL IN 1915.

FORM A.
BRITISH RAINFALL.

17 FEB 1916

Kept at Cheshunt Yard
in the County of Hertford
by W. Carter

Lat. 51°-43'N. Long. 0°-2'W.
Time of Observation 9 a.m.
Nearest Railway Station Cheshunt G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·11	·11		·02				·10	·03	·12	·40	1
2	·15	·11	·20	·04				1·04	·02	·05		·08	2
3	·24		·02	·14			·01	·55	·03			·38	3
4	·04							·04				·33	4
5	·03	·19			·22					·03		·23	5
6	·14	·02		·21	·04		·44	·02				·35	6
7	·15	·32	·02				·34	·02				·13	7
8	·03	·42	·01					·03					8
9		·09		·03		·04		·08			·26	·58	9
10	·24		·03			·02		·45				·14	10
11	·01		·02		·01						·40	·02	11
12	·06	·02		·23	·24			·14			·40	·01	12
13	·03	·32			1·40			·03					13
14		·04					·85	·04	·02			·33	14
15	·20	·01			·06			·08			·32	·09	15
16	·02	·36					·63	·16				·08	16
17		·24			·40		·14					·01	17
18		·20	·09		·11						·05		18
19		·08					·07						19
20	·33			·02								·29	20
21	·14				·01							·04	21
22	·42	·39	·28				·43					·14	22
23		·09	·04			·03	·13		·10	·25		·22	23
24			·01			·04	·34		·14	·03		·24	24
25				·06			·10					·11	25
26		·08				·03	·03					·22	26
27			·01			·36	·46			·34		·09	27
28		·11				·03			1·14	·16			28
29			·02			·02	·07	·10			·13	·04	29
30	·03	X				·12			·01		·10		30
31	·04	X		X		X		·05	X	·61	X	·13	31
Total	3·09	3·23	·89	·49	2·67	·72	4·34	2·89	1·56	1·53	2·08	4·48	YEAR'S TOTAL 28·57
Rain Days.	19	19	13	4	10	9	14	15	8	8	8	25	155

W. 8,000. X. 15.

MB

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
23 JAN 1917

Kept at Cheshunt Yard.

in the County of Herts,

by W.Carter.

Lat. 51-43 N Long. 0-2. W

Time of Observation 9.0.a.m.

Nearest Railway Station Cheshunt G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13				.04	.03			.10	.05	.22		1
2	.33	.02	.09		.18	.06	.01		.22	.37			2
3		.40	.18				.05		.46	.23	.60		3
4	.24	.13			.02	.30			.02	.05	.34		4
5	.04		.01		.01	.17				.09	.48		5
6		.04	.15	.28	.01	.17	.38			.01	.44		6
7	.09		.18		.09	.08	.08			.02	.50	.03	7
8		.02	.02		.54						.04	.29	8
9	.07	.			.32	.08				.08		.10	9
10		.09	.06	.07		.23	.12			.01		.10	10
11	.05	.14	.03	.11	.02	.10							11
12	.04	.04		.08	.44	.12	.04	.24		.06			12
13		.44	.16	.09	.12	.11	.13	.30	.02	.02			13
14		.33			.05			.39		.05		.14	14
15		.16	.30	.02			.05	.15		.04			15
16		.04	.08	.10	.05		.07	.09		.07			16
17	.07	.06		.12			.32	1.76	.23	.46			17
18		.06	.04	.12				.10	.96	.03	.45		18
19	.09		.12	.09					.20		.72	;10	19
20	.14		.26	.05				.03			.03	.46	20
21	.03		.61				.68					.40	21
22		;02	.05		.02					.02		.40	22
23	.02	.23				.28		.04			.05	.20	23
24		.05	.04		.04	.17		.02		.05	.04	.16	24
25		;30	.09		.03			.21		.06	.06	.04	25
26		.12						.07		.03			26
27	.13	.04	.77					.30	.03	.48			27
28		.28	.37			.04		.02	.09			.19	28
29		.09				.14		1.30	.04	.32		.09	29
30					.01	.04		.10		.56			30
31								.03		.10		.02	31
Total	1.47	3.10	3.61	1.13	1.99	2.12	1.93	5.15	1.47	3.26	3.97	2.72	YEAR'S TOTAL 31.92
Rain Days.	14	22	20	11	17	16	11	17	11	24	13	15	191
	12	19	17	10	10	15	10	13	8	17	12	13	

W.7,000, XI. 13

Dl

956
127

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Cheshunt Yard
in the County of Hertfordshire
by M. W. B.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·14				·82	·05	–	·11	·01	1
2	·01	·02		·40		·04		·05					2
3	·02			·04				·48		·18	·20		3
4		·11	·08				·03	·16		·41			4
5	·19		·04	·19				·12	·67	·09	·11		5
6	·01		·03	·03		·05			·02	·03	·05		6
7	·18						·11			·34		·02	7
8	·12			·10			·64	·12	·01	·25	·10	·17	8
9	·02		·03	·11			·02	·09			·04	·12	9
10	·25		·12	·16				·08			·02	·03	10
11	·09		·44	·09						·36			11
12	·05		·02		·01			·02		·64			12
13	·04		·03					·04	·02	·05			13
14	·01			·20				·07		·02		·04	14
15	·04						·01	·03		·04		·03	15
16	·05	·10		·17	·16	·05				·65		·18	16
17		·02	·02	·08	·70		·19	·04	·38	·23			17
18	·05			·09	·06	·14	·09	·02	·14	·01			18
19		·10	·08		·42	·01		·02	·36				19
20	·02	·17	·08		·66		·04				·12		20
21	·03		·01	·02	·02					·02	·04		21
22			·03			·02		·09	·01	·08			22
23		·09			·14	·02		·17		·02		·03	23
24		·06						·12		·19	·09		24
25		·02	·06								·06		25
26			·08					·29	·02		·55	·03	26
27						·02		·79				·04	27
28			·01			·92		·08				·03	28
29			·01		·30	·03	·45	·09		·18		·09	29
30	·01	X	·18				1·39	·10		·02		·02	30
31	·04	X	·09	X		X	·32	·02	X		X	·02	31
Total	1·23	·69	1·44	1·82	2·47	1·30	3·29	3·91	1·68	3·81	1·49	·86	YEAR'S TOTAL 23·99
Rain Days.	19	9	19	14	9	10	11	24	10	20	12	15	172
	10	6	10	12	7	5	8	19	5	14	11	6	

W. 8,000, VIII. 16

84

38

~~164~~

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Cheshunt

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05					-		·10	·07	1
2		·05		·03				·41			·04	·12	2
3			·03		·47			·26	·06		·57	·01	3
4		·08	·12	·01	·02			·08	·59	·01	·55	·02	4
5		·03	·01		·10			·12	·03	·10			5
6	·09	·15		·30	·10			·03		·03		·07	6
7	·06	·09		·17	·09			·03	·12	·08	·09		7
8		·04		·01					·10	·03	·07	·04	8
9	·02	·04		·02		·09	·22		·42	·11		·13	9
10	·04			·06			·46		·09	·03	·03	·24	10
11	·01			·04	·08		·10		·04	·16	·04	·04	11
12	·01	·08			·22		·05		·03	·01			12
13	·01	·02			·13		·10		·16			·01	13
14	·20					·25	·05		·30	·22		·19	14
15	·98			1·23			·07					·07	15
16	·22			·42		·03			·20				16
17	·18		·01	·31	·01		·77		03			·17	17
18	·52					·15	·03		1·95	·11		·13	18
19	·06	·02	·06	·15		·45	·22		·04	·06		·14	19
20	·02	·09		·66		·05	·09		·10	·24		·04	20
21	·10			·18			·04		·42	·03	—		21
22	·06			·05	·28		·08		·16			·19	22
23					·56	·01	·47	·04	·02			·02	23
24		·18		·02	·01	·04			·03		·05		24
25					·03	·03	·12	·14			·02		25
26					·02		·31	·07		—	·15	·10	26
27		·06		·12			·06	·30	·05	·02	·08	·02	27
28		·05	·15	·02				·02			·32	·06	28
29									1·34		·04	—	29
30		X	·44						·02		·06	·08	30
31		X	·02	X		X			X	·07	X	·02	31
Total	2·58	·98	·84	3·85	2·12	1·10	3·24	1·50	6·30	1·31	2·21	1·98	YEAR'S TOTAL 28·01
Rain Days.	16	14	8	19	14	9	17	11	23	16	15	23	185

W. 8,000, IX. 17.

81 [illegible] months 11-3-20

904
~~119~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Cheshunt
in the County of Hertfordshire
by M. N. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·03		·02	·13		·29			·02		·84	1
2	·26	·02	·02		·05		·09		·15	·04	·10	·25	2
3	·24		·24		·02		·13		·03		·05	·30	3
4	·08	·03	·23			·09	·60	·05			·02	·16	4
5	·03	·23	·49				·05		·10		·02	·22	5
6			·07									·09	6
7	·02		·28								·18		7
8	·08		·07	·02							·05		8
9	·05		·06	·04	·02						·25		9
10	·25		·04	·04							·01	·03	10
11	·05		·07	·25			·33					·02	11
12	·02		·12	·04		·03	·06			·03	·03		12
13	·03			·24						·05			13
14	·22			·32			·05		·21	·04			14
15	·30	·02	·03	·14						·02	·01	·13	15
16	·06	·67		·08							·07	·04	16
17		·54	·04	·04							·20		17
18		·19	·04					·02	·02		·05	·06	18
19		·14	·48			·27	·08	·16	·20		·11	·02	19
20	·41	·07	·04			·73	·21	·18	·01				20
21	·18	·37	·03			·09	·16					·10	21
22		·10					·10		·23		·04	·35	22
23						·04		·01	·11		·02	·01	23
24				·25			·05	·06		·06	·07		24
25	·05			·12	·06			·22				·04	25
26	·12		·10	·06			·02	·03	·10			·30	26
27	·75	·09	·06	1·24				·50				·06	27
28		·06	·10	·06				·71	·01		·10	·24	28
29	·05			·04				·18		·21	·11	·04	29
30		X	·02	·24		·12		·05		·03	·21	·25	30
31	·03	X		X		X			X		X	·02	31
Total	3·59	2·56	2·63	3·24	·28	1·37	2·22	2·17	1·17	·50	1·70	3·57	YEAR'S TOTAL 25·00
Rain Days.	22	14	21	18	5	7	14	12	11	9	20	22	175

W, 6,500, VII 18. W W C

Sed A 1 B 85

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cheshunt

in the County of

by Metropolitan Water Board.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·50	·05		·28			·28	·01	.23	1
2			·02	·02			·02	·62	·05	·15		.09	2
3		·04		·03					·04	·11		.09	3
4		·02		·05			·12	·07		·10		.04	4
5			·07	–	·02		·58	·02	·05			.03	5
6			·12	–	·08		·22					.02	6
7			·08	·13	·02		·14					.02	7
8	·15			·12			·07	·03				.	8
9	·34	·02	·02	·03				·04				.	9
10	·47	·04	·08	·03		·02	·09					.01	10
11	·25		·05	·43	·02	·06	·15					.20	11
12	·07			·10		·47						.	12
13	·08		·05	·17							·05	.	13
14			·33	·27		·06			·15	·10	·18	.01	14
15		·04	·10	·17					·53		·06	.02	15
16			·01	·35					·16	·06		.	16
17				·05	·10	·10			·35			.03	17
18	·03			–				·49	·08			.03	18
19	·14			·23		·04						.02	19
20	·05	·14		·24		·54			·13			.	20
21				–			·73		·43			.07	21
22				·30					·20			.18	22
23				–			·80					.32	23
24			·05	–								.04	24
25		·03	·05	·02	·01		·15		·03			.	25
26	·03		·03	·01	1·44	·01	·03				·02	.02	26
27	·20	·05		·27		·05					·44	.10	27
28	·36		·20	·02	·04	·01	·02					.01	28
29	·16		·06	·04	·06	–	·03				·06	.31	29
30	·02	✕		–	·02	·01	·38		·26		·15	.16	30
31	·02	✕	·01	✕		✕			✕	·23	✕	.11	31
TOTAL	2·37	·38	1·33	3·58	1·86	1·37	3·81	1·27	2·46	1·03	·97	2·16	YEAR'S TOTAL 22·59 ✓
Days with ·01 in. or more	15	8	17	23	11	11	16	6	13	7	8	24	159 ✓
	11	5	12	16	6	7	12	4	12	7	6	13	111

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CHESHUNT
MANOR HOUSE
HERTFORDSHIRE
1914 – 1920

1915 missing

ALL IN 1914

FORM A.
BRITISH RAINFALL
11 FEB 1915

Lat. 51° 42′ Long. 0° 2′ W
Time of Observation 9 . A.M.
Nearest Railway Station Cheshunt. G.E.Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 83 ft.

red daily at 9 a.m. and the result entered to the orm to this almost universal rule, he is earnestly ary of the following year in the space provided ctions for the measurement of rain, ticulars as to the British Rainfall vers," sent post-free on application to .

Jan. 1, following.

Da							ly.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							–	–	–	–	·04	·45	1
2	·03	–	–	·01	–	–	·09	·35	–	–	·35	·08	2
3	–	–	·13	–	·14	–	·12	–	–	–	·15	–	3
4	·14	–	·02	–	–	–	–	·06	–	–	·21	·36	4
5	·03	–	·05	·34	–	·06	·41	·49	–	–	–	–	5
6	–	·09	–	·01	·04	–	·02	·01	–	–	·55	·16	6
7	–	–	–	·07	·58	·12	·16	–	–	–	·02	·13	7
8	·06	–	·84	·04	·06	–	·12	·09	–	–	–	·03	8
9	·19	·43	·68	–	·04	–	–	–	·03	–	–	1·31	9
10	·08	·15	·03	–	–	·49	–	–	·12	–	–	·01	10
11	–	·25	·36	–	·02	·66	–	–	×	–	·25	·33	11
12	·03	·05	·11	·08	–	·01	·03	–	×	–	·04	×	12
13	–	·33	·13	·01	–	–	–	–	×	·02	–	× ·72	13
14	–	·06	–	–	–	–	·15	–	× ·52	·10	–	·42	14
15	·06	–	·59	–	–	–	·01	–	·03	·04	·15	·06	15
16	–	–	·02	–	–	–	·09	–	·05	–	–	·01	16
17	–	·31	–	–	–	–	–	–	·13	–	–	·18	17
18	–	–	·10	–	–	–	–	–	–	–	–	·26	18
19	–	·05	–	–	–	·02	·06	–	–	–	·18	–	19
20	–	·13	·28	–	–	–	–	–	·21	–	–	·27	20
21	–	–	–	–	–	·18	–	–	–	·02	–	·10	21
22	–	·55	–	·02	·28	·03	·09	–	–	·13	–	–	22
23	–	·01	·20	–	–	·02	·03	–	–	–	–	·01	23
24	–	–	·01	·04	·18	–	·12	–	–	–	·10	–	24
25	·03	–	·17	–	·01	–	–		–	·40	·01	·13	25
26	–	–	·03	–	–	–	–	·14	–	·03	·16	–	26
27	·03	–	·01	–	–	–	–	–	–	–	–	·71	27
28	·01	–	–	–	–	–	–	–	–	·05	–	1·15	28
29	·06	–	·11	–	–	–	–	–	–	·22	·46	—	29
30	–	╳	·01	–	–	–	–	–	–	·02	·54	·12	30
31	·01	╳	–	╳	·15	╳	·02	–	╳	–	╳	·02	31
Total	·76	2·41	3·98	·62	1·50	1·59	1·52	1·14	1·09	1·03	3·21	7·02	YEAR'S TOTAL 25·87
Rain Days.	13	12	21	9	10	9	15	6	10?	10	15	24	154

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
11 FEB 1915

Kept at The Manor House. Cheshunt
in the County of Herford
by Cheshunt Urban District Council
J. C. Sharpe. Engineer & Surveyor.

Lat. 51° 42' Long. 0° 2' W
Time of Observation 9. A.M.
Nearest Railway Station Cheshunt. G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·04	-	-	-	-	-	-	-	·04	·45	1
2	·03	-	-	·01	-	-	·09	·35	-	-	·35	·08	2
3	-	-	·13	-	·14	-	·12	-	-	-	·15	-	3
4	·14	-	·02	-	-	-	-	·06	-	-	·21	·36	4
5	·03	-	·05	·34	-	·06	·41	·49	-	-	-	-	5
6	-	·09	-	·01	·04	-	·02	·01	-	-	·55	·16	6
7	-	-	-	·04	·58	·12	·16	-	-	-	·02	·13	7
8	·06	-	·84	·04	·06	-	·12	·09	-	-	-	·03	8
9	·19	·43	·68	-	·04	-	-	-	·03	-	-	1·31	9
10	·08	·15	·03	-	-	·49	-	-	·12	-	-	·01	10
11	-	·25	·36	-	·02	·66	-	-	×	-	·25	·33	11
12	·03	·05	·11	·08	-	·01	·03	-	×	-	·04	×	12
13	-	·33	·13	·01	-	-	-	-	×	·02	-	× ·72	13
14	-	·06	-	-	-	-	·15	-	× ·52	·10	-	·42	14
15	·06	-	·59	-	-	-	·01	-	·03	·04	·15	·06	15
16	-	-	·02	-	-	-	·09	-	·05	-	-	·01	16
17	-	·31	-	-	-	-	-	-	·13	-	-	·18	17
18	-	-	·10	-	-	-	-	-	-	-	-	·26	18
19	-	·05	-	-	-	·02	·06	-	-	-	·18	-	19
20	-	·13	·28	-	-	-	-	-	·21	-	-	·27	20
21	-	-	-	-	-	·18	-	-	-	·02	-	·10	21
22	-	·55	-	·02	·28	·03	·09	-	-	·13	-	-	22
23	-	·01	·20	-	-	·02	·03	-	-	-	-	·01	23
24	-	-	·01	·04	·18	-	·12	-	-	-	·10	-	24
25	·03	-	·17	-	·01	-	-	-	-	·40	·01	·13	25
26	-	-	·03	-	-	-	-	·14	-	·03	·16	-	26
27	·03	-	·01	-	-	-	-	-	-	-	-	·71	27
28	·01	-	-	-	-	-	-	-	-	·05	-	1·15	28
29	·06	-	·11	-	-	-	-	-	-	·22	·46	—	29
30	-	×	·01	-	-	-	-	-	-	·02	·54	·12	30
31	·01	×	-	×	·15	×	·02	-	×	-	×	·02	31
Total	·76	2·41	3·98	·62	1·50	1·59	1·52	1·14	1·09	1·03	3·21	7·02.	YEAR'S TOTAL 25·87
Rain Days.	13	12	21	9	10	9	15	6	10?	10	15	24	154

W. 8,000. X. 14.

987

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Manor House Cheshunt.

in the County of Hertford

by Cheshunt Urban District Council
J. E. Sharp. Engineer + Surveyor.

Lat. 51° 42' Long. 0° 2' W.
Time of Observation 9 A.M.
Nearest Railway Station Cheshunt.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 83. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	0·04	0·02	—	—	0·08	0·02	0·25	—	1
2	—	0·02	0·10	—	0·19	0·12	—	—	—	0·36	0·01	—	2
3	0·53	0·27	0·18	—	—	—	0·05	—	0·74	0·24	0·63	0·01	3
4	0·27	0·12	—	—	0·02	0·30	—	—	—	0·06	—	—	4
5	0·03	—	0·01	—	0·02	0·15	—	—	—	0 11	0·86	—	5
6	0·01	0·08	0·21	0·29	—	0·08	0·35	—	—	0·02	0·43	—	6
7	0·09	—	0·21	—	0·12	0·15	0·05	—	—	—	0·57	0·04	7
8	—	002	0·02	—	0·48	0·01	—	—	—	—	0·06	0·31	8
9	0·01	—	—	—	0·33	0·30	—	—	—	0·12	—	—	9
10	—	0·11	0·08	—	0·01	—	0·11	—	—	0·01	—	0·21	10
11	0·05	0·14	—	0·19	0·02	0·32	—	—	—	—	—	0·01	11
12	0·04	—	002	0·10	0·45	0·14	0·03	—	—	0·09	0·01	—	12
13	0·01	0·40	0·17	0·11	0·15	0·07	0·10	0·45	—	0·01	—	—	13
14	—	0·32	0·01	—	0·05	—	—	0·36	—	—	—	0·19	14
15	—	0·18	0·30	—	—	—	—	0·15	—	0·07	—	—	15
16	—	0·04	0·09	0·13	—	—	0·14	0·11	—	0·03	—	—	16
17	0·07	0·07	—	0·11	—	—	0·33	1·22	0·25	0·47	—	0·01	17
18	0·01	0·06	—	0·12	—	—	—	—	—	0·03	—	—	18
19	0·14	0·01	0·16	0·11	—	—	—	—	0·25	—	1·22	0·09	19
20	0·16	—	0·25	004	—	—	—	0·12	—	—	0·03	0·42	20
21	0·04	—	0·63	—	—	—	0·70	—	—	—	0·01	0·41	21
22	—	0·03	0 05	—	0·02	—	—	—	—	0·01	0·01	0·47	22
23	0·03	0·30	0·01	—	—	0·13	—	0·04	—	—	0·05	0·46	23
24	—	0·05	0·04	—	0·04	0·18	—	0·03	—	0·05	0·03	—	24
25	—	0·41	—	—	0·02	—	—	0·23	—	0·08	—	—	25
26	—	—	0·70	—	—	0·01	—	—	0·04	0·03	0·06	—	26
27	0·04	0·18	0·79	—	—	—	—	0·55	0·18	0·51	—	—	27
28	0·01	0·32	0·40	—	—	0·03	—	—	0·07	—	—	0·18	28
29	—	0·10	0·01	—	—	0·16	—	1·58	—	0·38	—	0·11	29
30	—	×	—	—	—	0·06	—	0·11	—	0·60	—	—	30
31	—	×	—	×	—	×	—	0·02	×	0·10	×	0·03	31
Total	1·54	3·29	3·84	1·20	1·96	2·23	1·86	4·97	1·61	3·40	4·23	2·95	YEAR'S TOTAL 33·08
Rain Days.	17	21	22	9	15	17	9	13	7	22	15	15	182

W. 8,000, VIII. 16

954

FORM A.
BRITISH RAINFALL.

7. JAN 1918

REGISTER OF RAINFALL IN 19

Kept at Manor House, Cheshunt.
in the County of Hertford
by Cheshunt Urban District Council
J E Sharpe · Engineer

Lat. 51° 42′ Long. 0° 2′ W.
Time of Observation 9 a.m.
Nearest Railway Station Cheshunt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·24	—	—	—	·86	—	—	·12	—	1
2	·01	·01	—	·45	—	·03	—	·06	·02	—	·02	—	2
3	·01	—	—	·05	—	—	—	·37	—	·20	—	—	3
4	—	·11	·13	—	—	—	·01	—	—	·42	·20	—	4
5	·18	—	·03	·26	—	—	—	·35	·70	·09	·09	—	5
6	—	—	—	·03	—	·04	—	·01	·02	—	·05	—	6
7	·18	—	—	—	—	—	—	—	—	·31	·01	·02	7
8	·11	—	—	·10	—	—	·75	·14	—	·21	·13	—	8
9	·02	—	·07	·16	—	—	·08	·05	·01	—	·03	·33	9
10	·26	—	—	·16	—	—	—	·05	—	—	—	·10	10
11	·08	·01	·56	·09	—	—	—	—	—	·38	—	—	11
12	—	—	·02	·01	—	—	—	·02	—	·60	·01	·01	12
13	—	—	·02	—	—	—	—	·02	·02	—	—	—	13
14	·07	—	·01	·11	—	—	—	·10	—	·07	·01	·04	14
15	·05	—	—	—	—	—	·03	·02	—	·04	—	—	15
16	·03	·10	—	·19	·13	·06	·04	—	—	·61	·01	·22	16
17	—	—	—	·08	·76	—	·22	·02	·41	·27	—	—	17
18	·04	·03	—	·09	·06	·11	·05	—	·14	·01	—	—	18
19	·01	·11	·12	—	—	·01	—	·04	·36	—	—	—	19
20	—	·17	·07	—	1·50	—	·06	—	—	—	·12	—	20
21	·07	—	·01	—	·02	—	—	—	—	·01	·02	—	21
22	—	·01	·03	·02	—	·02	—	·10	—	·08	—	—	22
23	—	·08	—	—	·14	—	—	·17	—	—	—	·03	23
24	—	—	—	—	—	·03	—	·04	—	·18	—	—	24
25	—	·07	·05	—	—	—	—	—	—	—	·13	—	25
26	—	—	·06	—	—	—	—	·34	·02	—	153	·03	26
27	—	—	—	—	—	·03	—	·73	—	—	—	·03	27
28	—	·01	·01	—	—	·78	—	·09	—	—	—	·04	28
29	—	—	—	—	·16	·09	·87	·10	—	·18	—	~~·12~~	29
30	·01	✕	·22	—	—	—	1·50	·09	—	·01	—	·12	30
31	·03	✕		✕	—	✕	·29	·02	✕	—	✕	·03	31
Total	1·16	·71	1·41	2·04	2·77	1·20	3·90	3·79	1·70	3·67	1·48	1·60	YEAR'S TOTAL 24·83
Rain Days.	18 16	17 11	16	15	8	10	12	24	9	17	15	15	162

W. 8,000, IX. 17.

(171)

36

W. J. L. cnd for auth

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Manor House, Cheshunt.

in the County of Hertford

by Cheshunt Urban District Council
J. Sharpe. Engineer

Lat. 51° 42' Long. 0° 2' W.
Time of Observation 9 am.
Nearest Railway Station Cheshunt
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 83 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·12	-	-					·10	·14	1
2	·01	·05		·04	-	-		·19				·16	2
3	-	·	·03	-	·48	-	-	-	·06	-	·59	·01	3
4	-	·08	·14	-	-	-	-	·68	·61	·02	·62	·02	4
5	-	·02	·01	-	·13	-	-	·11	·02	-	-	-	5
6	·10	·16	-	-	·11	-	-	·01	-	·05	-	·09	6
7	·05	·10	-	·39	·09	-	-	·05	-	·08	·11	-	7
8	-	·04	-	·01	-	-	-	-	·22	·04	-	·03	8
9	·04	-	-	·02	-	·05	·22	-	·44	·09	-	·14	9
10	·10	·04	-	·06	-	-	·39	-	·04	·03	·05	·29	10
11	·01	-	-	·02	-	-	·12	-	·05	·16	·05	·04	11
12	-	·07	-	-	·33	-	·04	-	·01	·01	-	·12	12
13	·01	·02	-	-	·12	-	-	-	·14	-	-	·02	13
14	·22	-	·01	-	-	-	-	-	-	·23	-	-	14
15	1·24	-	-	1·12	-	-	·18	-	·38	-	-	·24	15
16	·21	-	-	·44	-	·31	-	-	·21	·01	-	·01	16
17	·18	-	·01	·26	·02	·02	·91	-	·04	-	-	·16	17
18	·49	-	-	-	-	·16	·01	-	1·96	·09	-	·12	18
19	-	·02	·05	·14	-	·44	·22	-	·03	-	-	·16	19
20	·05	·10	-	-	-	·06	-	-	·08	·30	·02	·03	20
21	·10	-	-	·70	-	-	·22	-	-	·03	·01	-	21
22	·05	-	-	·05	·30	-	·05	-	·40	·01	-	·18	22
23	·01	-	-	·01	·46	·01	·63	·05	·04	-	·03	·02	23
24	—	·18	-	-	·02	·03	·01	-	·05	-	·01	-	24
25	-	-	·01	-	-	·02	·17	·11	-	-	·17	-	25
26	-	-	-	-	·01	-	·34	·05	-	-	·08	·13	26
27	·01	·04	·01	-	-	-	-	·27	·05	·02	·33	·02	27
28	-	·04	·13	·17	-	-	·05	·02	-	-	·03	-	28
29	·02	-	-	-	-	-	-	-	1·38	-	-	·07	29
30	-	X	-	-	-	-	-	-	·02	-	-	·09	30
31	-	X	·50	X	-	X	-	·02	X	·06	X	·02	31
Total	2·90	·96	·90	3·55	2·07	1·10	3·46	1·56	6·23	1·23	2·20 ~~2·10~~	2·31	YEAR'S TOTAL 28·47 ~~28·34~~
Rain Days.	18	14	10	17	12	9	16	12	23	17	15	25	188

W. 6,500, VII. 18. W W C

902

7 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Manor House, Cheshunt,

in the County of Hertford

by Cheshunt Urban Dist. Council (J E Sharpe. Engineer Surveyor to the Council).

Lat. 51° 42" Long. 0° 2' W.

Time of Observation 9 am

Nearest Railway Station Cheshunt

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.34	-	-	-	0.06	-	0.41	-	-	0.01	-	0.90	1
2	0.25	0.05	0.02	-	0.10	-	0.09	-	0.17	0.03	0.12	0.19	2
3	0.25	-	0.25	-	0.01	-	0.09	-	0.11	-	0.06	0.28	3
4	-	0.02	0.30	0.01	-	0.06	0.55	0.04	-	-	0.02	0.16	4
5	0.11	0.25	0.48	-	-	-	-	-	0.07	-	0.02	0.21	5
6	0.02	-	0.07	-	-	-	0.19	-	-	-	0.01	-	6
7	0.03	-	0.27	-	-	-	0.01	-	-	-	0.18	0.09	7
8	0.05	-	-	0.01	-	-	-	-	-	-	-	-	8
9	0.14	-	0.11	0.02	-	-	-	-	-	-	0.37	-	9
10	0.22	-	0.06	0.04	-	-	-	-	-	-	0.01	0.03	10
11	0.03	-	0.09	0.26	0.01	-	0.26	-	-	-	-	0.01	11
12	-	-	0.12	-	-	0.03	-	-	-	0.03	0.02	-	12
13	0.02	-	-	0.25	-	-	0.15	-	-	0.03	-	-	13
14	0.28	0.01	-	0.32	-	-	0.07	-	0.19	0.02	-	-	14
15	0.30	-	-	0.17	-	-	-	-	-	-	-	0.13	15
16	0.04	0.72	0.02	0.08	-	-	-	-	-	-	0.11	0.04	16
17	0.01	0.66	0.04	0.02	-	-	-	-	-	-	0.21	0.03	17
18	0.01	0.17	0.04	-	-	-	-	0.01	0.03	-	0.05	0.09	18
19	-	0.14	0.57	-	-	0.23	-	0.11	0.23	0.02	0.14	0.02	19
20	0.40	0.06	0.05	-	-	0.83	0.30	0.21	0.03	-	0.01	-	20
21	0.19	0.37	0.03	-	-	-	0.16	-	-	0.01	-	0.12	21
22	0.01	0.12	-	-	-	0.11	0.13	-	0.16		-	0.35	22
23	-	0.01	-	-	-	0.01	0.01	-	0.08	-	0.06	0.01	23
24	-	-	-	0.25	-	-	0.04	0.09	-	0.06	0.09	-	24
25	-	-	-	0.12	0.04	-	-	0.24	-	-	-	-	25
26	0.14	0.09	0.09	-	-	-	-	0.04	0.10	-	-	0.41	26
27	0.78	0.05	-	1.41	-	0.01	-	0.44	-	-	-	-	27
28	-	-	0.15	0.05	-	-	-	0.77	0.01	-	0.14	0.28	28
29	0.05		-	0.02	-	-	-	0.20	-	0.25	-	0.04	29
30	-		0.03	0.24	-	0.14	-	0.06	-	0.03	0.34	0.26	30
31	0.02		-		-		-	-		0.01		0.02	31
TOTAL	3.69	2.72	2.79	3.27	0.22	1.42	2.46	2.21	1.18	0.50	1.96	3.67	YEAR'S TOTAL 26.09
Days with ·01 in. or more	23	14	19	16	5	8	14	11	11	11	18	21	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

885

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Manor House Cheshunt

in the County of Hertford

by Cheshunt Urban District Council

J E Sharpe Engineer Surveyor

Lat. 51° 42' Long. 0° 2' W

Time of Observation 9 a.m.

Nearest Railway Station Cheshunt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	0.59	·	·	·	·	0.01	0.45	0.01	0.24	1
2	·	·	0.01	·	0.07	·	0.29	0.62	0.05	·	·	0.11	2
3	·	0.05	·	·	·	·	·	·	0.04	0.16	·	·	3
4	·	·	0.01	0.07	·	·	0.13	0.06	·	0.11	·	·	4
5	·	0.02	0.08	·	0.02	·	0.58	0.03	0.08	0.01	·	0.16	5
6	·	·	·	·	0.08	·	0.23	·	·	·	·	0.03	6
7	0.01	·	0.28	0.20	·	·	0.14	·	·	·	0.01	0.02	7
8	0.15	0.01	·	0.12	·	·	0.10	0.01	·	·	·	·	8
9	0.35	0.02	·	0.03	0.03	·	·	0.02	·	·	·	·	9
10	·	0.03	0.08	·	·	0.02	·	·	·	·	·	0.02	10
11	0.58	·	0.05	0.45	0.02	0.07	0.24	·	·	·	·	·	11
12	0.07	·	·	0.10	·	·	·	·	·	·	·	0.34 snow	12
13	0.08	0.01	·	0.13	·	0.40	·	·	·	·	·	0.02	13
14	·	·	·	0.34	·	0.08	·	·	0.18	0.21	0.24	0.02	14
15	·	0.03	0.51	0.15	·	·	·	·	0.55	0.02	0.08	0.02	15
16	·	0.01	0.01	0.25	·	·	·	·	0.13	·	·	·	16
17	·	·	·	·	0.12	0.26	·	·	0.44	0.07	0.01	0.03	17
18	0.03	·	·	0.10	·	·	·	0.56	0.10	·	·	·	18
19	0.14	0.01	·	0.22	·	·	·	·	·	·	·	0.05	19
20	0.05	0.18	·	0.24	·	·	·	·	0.18	·	·	0.01	20
21	·	·	·	·	·	0.64	0.82	·	0.50	·	·	0.07	21
22	0.01	·	·	0.32	·	·	·	0.02	0.20	·	·	0.22	22
23	·	0.01	·	·	·	·	1.07	·	0.01	·	·	0.33	23
24	·	0.03	0.07	·	·	·	·	·	·	·	·	·	24
25	0.02	·	0.05	0.02	0.01	·	0.18	·	·	0.02	·	·	25
26	0.02	·	0.05	0.02	1.60	·	·	·	0.02	·	·	0.17	26
27	0.21	0.04	·	0.28	·	0.08	·	·	·	0.01	0.43	·	27
28	0.40	·	0.23	0.01	0.04	0.01	0.02	·	·	·	·	0.02	28
29	0.24	0.01	0.05	0.07	·	·	0.03	·	·	·	0.05	0.34	29
30	0.02		·	·	0.18	0.01	0.43	·	0.26	·	0.16	0.21	30
31	0.02		·		0.01		·	·		0.22		0.12	31
TOTAL	2.40	0.46	1.48	3.71	2.18	1.57	4.26	1.32	2.75	1.28	0.99	2.55	YEAR'S TOTAL 24.95
Days with ·01 in. or more	17	14	13	20	11	9	13	7	15	10	8	21	158
Days with ·04 in. or more	10	3	10	16	6	6	11	3	12	6	5	12	100

916

8 - JAN 1912

Chipperfield

Little Callipers
Hertfordshire
1911 AND 1915

Kept at C
in the County of
by A. W

1911

Lat. Lon.
Time of Observation 9 a.m.
Diameter 5
Height of top above Ground 1 foot ~~7 in~~
" " Sea Level 407 ft

NOTE.—Full inst... ...nts respecting the Systematic Observation and
Record of the Rainfall o... ... SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.							Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.							in.	in.	in.	in.	
1											·10		1
2	·07											·15	2
3											·12	·04	3
4	·05	·0									·17	·25	4
5	·53									·10		·04	5
6			·06							·11		·43	6
7	·05										·23	·16	7
8	·10		·15								·11	·30	8
9	·09			·03								·03	9
10		·07	·16									·67	10
11	·32		~~·47~~		·43						·74		11
12	·03		·43								·30		12
13			·04		·84				·45			·46	13
14		04											14
15		05	·15		12					·46	·05	·32	15
16						·16				·04	·39	·10	16
17		·17				·20					·15	·31	17
18		04	·05			·15					·27	·35	18
19						·19			·05		·26	·10	19
20							~~·34~~	34	·26			·62	20
21		·15					~~·35~~	35		·15		·10	21
22	·07		·04			·20				·25		·60	22
23		·12	·20			·50			·10	·24		·20	23
24		·10								·50		·19	24
25		~~05~~	03			·21	·	·15					25
26		05		·17		·06	·15			·10		·22	26
27		·35	·07				·05		·11			·14	27
28		·40		·24				·06	~~11~~		·10		28
29				·05		·12	·59		·16	·24			29
30							·11			·18			30
31					·35			·15					31
Totals	1·31	1·60 1·58	1·47	1·60	2·09	1·78	·94	1·05	1·13	2·37	2·99	5·98 5·68	24·31
Total from Jan. 1	1·31	2·89	4·36	5·96	8·05	9·83	10·77	11·82	12·95	15·32	18·31	[illegible]	
	9	12	12	7	6	9	5	5	6	11	13	22	117

K/4,000/1/99 EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

916
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Chipperfield
in the County of Herts 2
by A. W. Rivington

RAIN GAUGE.
Lat. Lon.
Time of Observation 9 am
Diameter 5
Height of top above Ground 1 foot ~~7in~~
" " Sea Level 407 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·42			·04				·10		1
2	·07			·54	·15							·15	2
3											·12	·04	3
4	·05	06	·09	15	·20						·17	·25	4
5	·53									·10		·04	5
6			·06							·11		·43	6
7	·05										·23	·16	7
8	·10		·15								·11	·30	8
9	·09			·03								·03	9
10		·07	·16									·67	10
11	·32		·~~47~~		·43						·74		11
12	·03		·43								·30		12
13			·04		·84				·45			·46	13
14		04											14
15		05	·15		12					·46	·05	·32	15
16						·15				·04	·39	·10	16
17		·17				·20					·15	·31	17
18		04	·05			·15					·27	·35	18
19						·19			·05		·26	·10	19
20							·~~34~~	34	·26			·62	20
21		·15					·~~35~~	35		·15		·10	21
22	·07		·04			·20				·25		·60	22
23		·12	·20			·50			·10	·24		·20	23
24		·10								·50		·19	24
25		~~05~~	03			·21		·15					25
26		05		·17		·06	·15			·10		·22	26
27		·35	·07				·05		·11			·14	27
28		·40		·24				·06	~~11~~		·10		28
29				·05		·12	·59		·16	·24			29
30							·11			·18			30
31					·35			·15					31
Totals	1·31	1·60 1·58	1·47	1·60	2·09	1·78	·94	1·05	1·13	2·37	2·99	5·98 5·68	24·31
Total from Jan. 1	1·31	2·89	4·36	5·96	8·05	9·83	10·77	11·82	12·95	15·32	18·31	24·29	
	9	12	12	7	6	9	5	5	6	11	13	22	117

K/4,000/1/99

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

REGISTER OF RAINFALL IN 1915

FORM A2.
BRITISH RAINFALL.
996
3 JAN 1916

Kept at Little Callipers Chipperfield

in the County of Herts 2

by A. W. Rivington

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 407 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Kings Langley
Distance 2 miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	·18	·03		.03			.02	.04		·15	36	1
2	.09	.27	·30	·10				.82		.10			2
3	·56		.08	·10			.15	25				43	3
4	·11											46	4
5	·04	·47			17			.05		.02		22	5
6	·20			·37			52					21	6
7	·05	·50	·09				32	04				25	7
8	·07	·45	.02	·04									8
9		·05		10		.02		12			.20	68	9
10	20		·04					05				07	10
11											.86		11
12	.10	·04		·27	32			22			.65	05	12
13		·50			1.37								13
14		·05					77		·07			65	14
15	·25	·03			·03			.05			.10	25	15
16		·50					80						16
17		·53			.50		.11						17
18		·15	·14		.05								18
19		·03	·07				.15						19
20	·35						~~67~~					25	20
21	·07	·03										.04	21
22	·92	·18	·40				.67					20	22
23		·30					17		.11	62		32	23
24							.13		.66	15		27	24
25			.10	·02		05	.11			03		20	25
26		·22					.02		05			50	26
27						.27	35			10		14	27
28		.07				03	.02		1.08	23			28
29							.20	.15			.30		29
30	.~~30~~ 02					.82					11	05	30
31								03		1.08	~~2.37~~	20	31
Total	3.63	4.57	1.27	1.00	2.47	1.19	4.49	1.80	2.07	2.33	2.37	5.80	TOTAL for year 32.93
No. of Rain Days	15	19	10	7	7	5	15	11	6	8	7	21	131

7,000. X. '09.

FORM A.
BRITISH RAINFALL.

13 APR 1915

REGIST

CODICOTE LODGE

HERTS

1914 - 1920

Kept at Codicote L
4 miles, West
Greenwich.
a.m.
elwyn G.N.R.

in the County of Hertford

5 in.

by F. A. Akers

e Ground 1 ft. in.

Sea Level 340·0 ft.

IMPORTANT NOTE.—I
the result entered to the previous day. If an Observer
ersal rule, he is earnestly requested to add the reading a
r in the space provided for it at the end of this par
ent of rain, the selection and placing of r
tish Rainfall Organization are given in "Ru
application to Dr. H. R. Mill, 62, Camden S

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	—	—	—	·30	·23	—	—	·06	·01	1
2	·02	—	·01	·04	—	—	·07	·17	—	—	·07	·13	2
3	—	—	·02	—	·15	—	·40	·26	—	—	·04	·01	3
4	·15	—	·01	·26	·01	—	—	·13	—	—	·35	·47	4
5	—	—	·07	·30	—	·08	·60	·48	—	—	—	—	5
6	—	·12	—	—	·05	·06	·08	·02	—	—	·40	·21	6
7	—	·28	·27	·12	·58	·04	—	·01	—	—	—	·45	7
8	·10	·15	·80	·03	·05	·25	·10	·10	—	—	—	·02	8
9	·15	—	·55	·06	·01	·40	—	·01	·04	—	—	·95	9
10	·10	·16	·07	·05	·08	—	—	—	·20	—	—	·02	10
11	—	·20	·36	—	·13	·68	—	—	·04	—	·36	·38	11
12	—	·08	·20	—	—	—	·03	—	·40	—	·03	·35	12
13	—	·33	·20	—	—	—	—	—	·15	·16	·05	·38	13
14	—	·06	·33	—	—	—	·05	—	—	·32	·15	·59	14
15	·09	·01	·20	—	—	—	—	·01	·03	·02	·05	·07	15
16	—	—	·05	—	—	—	·11	—	·01	—	·03	—	16
17	—	·40	·05	—	—	—	—	—	·25	—	—	·18	17
18	—	—	·08	—	—	—	—	—	—	—	—	·30	18
19	—	·07	·12	—	—	·40	·05	—	·04	—	·20	·04	19
20	—	·20	·30	—	—	·01	·03	—	·03	·01	—	·10	20
21	—	·50	·12	—	—	·17	—	·21	—	·03	—	·10	21
22	—	—	·02	—	·14	·05	·10	·05	—	·65	—	—	22
23	—	·05	·09	—	·10	—	·25	—	—	·17	—	·02	23
24	—	—	·07	·01	—	·01	·10	·01	—	·08	·12	—	24
25	·05	—	·16	—	—	—	—	·10	—	·35	·01	·10	25
26	·06	—	·05	—	—	—	·01	·07	—	·02	·16	·52	26
27	—	—	·01	—	—	—	—	—	—	—	·02	·22	27
28	—	·05	—	—	·05	—	—	—	—	·01	·42	1·25	28
29	·04		·06	—	—	—	—	—	—	·35	·15	—	29
30	—	X	·04	—	—	—	—	—	—	·05	·40	·37	30
31	—	X	—	X	·10	X	·03	—	X	—	X	·02	31
Total	·76	2·66	4·32	·87	1·45	2·15	2·31	1·86	1·19	2·22	3·07	7·26	YEAR'S TOTAL 30·12
Rain Days.	9	15	28	8	12	11.	16.	15.	10	13.	19	26	182.

W. 8,000. X. 14.

13 APR 1915

FORM A.
BRITISH RAINFALL.

REGISTE

Kept at Codicote Lodge N. Welwyn
in the County of Hertfordshire
by F. A. Akers

N Lat. 51 degrees 57 miles Long. 14 miles West of Greenwich.
Time of Observation 9 a.m.
Nearest Railway Station Welwyn G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	·30	·23	—	—	·06	·01	1
2	·02	—	·01	·04	—	—	·07	·17	—	—	·07	·13	2
3	—	—	·02	—	·15	—	·40	·26	—	—	·04	·01	3
4	·15	—	·01	·26	·01	—	—	·13	—	—	·35	·47	4
5	—	—	·07	·30	—	·08	·60	·48	—	—	—	—	5
6	—	·12	—	—	·05	·06	·08	·02	—	—	·40	·21	6
7	—	·28	·27	·12	·58	·04	—	·01	—	—	—	·45	7
8	·10	·15	·80	·03	·05	·25	·10	·10	—	—	—	·02	8
9	·15	—	·55	·06	·01	·40	—	·01	·04	—	—	·95	9
10	·10	·16	·07	·05	·08	—	—	—	·20	—	—	·02	10
11	—	·20	·36	—	·13	·68	—	—	·04	—	·36	·38	11
12	—	·08	·20	—	—	—	·03	—	·40	—	·03	·35	12
13	—	·33	·20	—	—	—	—	—	·15	·16	·05	·38	13
14	—	·06	·33	—	—	—	·05	—	—	·32	·15	·59	14
15	·09	·01	·20	—	—	—	—	·01	·03	·02	·05	·07	15
16	—	—	·05	—	—	—	·11	—	·01	—	·03	—	16
17	—	·40	·05	—	—	—	—	—	·25	—	—	·18	17
18	—	—	·08	—	—	—	—	—	—	—	—	·30	18
19	—	·07	·12	—	—	·40	·05	—	·04	—	·20	·04	19
20	—	·20	·30	—	—	·01	·03	—	·03	·01	—	·10	20
21	—	·50	·12	—	—	·17	—	·21	—	·03	—	·10	21
22	—	—	·02	—	·14	·05	·10	·05	—	·65	—	—	22
23	—	·05	·09	—	·10	—	·25	—	—	·17	—	·02	23
24	—	—	·07	·01	—	·01	·10	·01	—	·08	·12	—	24
25	·05	—	·16	—	—	—	—	·10	—	·35	·01	·10	25
26	·06	—	·05	—	—	—	·01	·07	—	·02	·16	·52	26
27	—	—	·01	—	—	—	—	—	—	—	·02	·22	27
28	—	·05	—	—	·05	—	—	—	—	·01	·42	1·25	28
29	·04		·06	—	—	—	—	—	—	·35	·15	—	29
30	—	X	·04	—	—	—	—	—	—	·05	·40	·37	30
31	—	X	—	X	·10	X	·03	—	X	—	X	·02	31
Total	·76	2·66	4·32	·87	1·45	2·15	2·31	1·86	1·19	2·22	3·07	7·26	YEAR'S TOTAL 30·12
Rain Days.	9	15	28	8	12	11.	16.	15.	10	13.	19	26	182.

W. 8,000. X. 14.

1033

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

11 3 JAN 1916

Kept at Codicote Lodge Nr. Welwyn

in the County of Hertfordshire 3

by F. A. Akers

Lat. 51d. 57m 9½ Lon. Long. 14 miles

Time of Observation 9 a. m.

Nearest Railway Station Welwyn G. N. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 340. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·10	·20	—	·04	—	—	—	·20	·03	·10	·36	1
2	·26	·20	·23	·12	~~[illegible]~~	·03	—	1·13	·08	·04	·02	·10	2
3	·38	—	·02	·15	—	—	·20	·69	·01	—	—	·17	3
4	·07	—	·01	—	—	—	—	·18	—	·06	·03	·45	4
5	·03	·43	·01	·05	·03	—	—	·03	—	·04	—	·27	5
6	·20	·01	·02	·28	—	—	1·20	—	—	—	—	·12	6
7	·10	·38	·13	·02	—	—	·43	·02	—	—	—	·18	7
8	·02	·33	·01	·03	—	—	—	·03	—	—	·01	—	8
9	—	·05	—	·04	—	·04	—	·01	—	—	·22	·58	9
10	·32	—	·03	—	—	—	—	—	—	—	·03	·09	10
11	—	—	·03	—	—	—	—	—	—	—	·75	—	11
12	·10	·02	—	·31	·38	—	—	·35	—	·08	·79	·07	12
13	·03	·64	—	—	1·41	—	·53	—	—	—	—	—	13
14	·01	·06	—	—	—	—	—	·01	·03	—	—	·50	14
15	·21	·01	—	—	·04	—	—	·11	—	—	·05	·11	15
16	·04	·42	—	—	—	—	·58	·19	—	—	·10	·08	16
17	—	·33	—	—	·32	—	·22	—	—	—	—	·01	17
18	·01	·12	·10	—	·03	—	—	—	—	—	·07	—	18
19	—	·04	·14	—	—	—	·09	—	—	—	—	—	19
20	·29	—	—	·05	—	—	—	·01	—	—	—	·35	20
21	·16	·01	—	—	—	—	·02	—	—	·02	—	·05	21
22	·05	·03	·31	—	—	—	·40	—	·01	—	—	·15	22
23	·02	·12	·20	—	—	—	·26	—	·15	·33	—	·30	23
24	—	·01	·06	—	—	—	·36	—	·27	·03	—	·32	24
25	—	—	—	·04	—	·03	·07	—	—	·04	—	·22	25
26	—	·12	—	—	—	—	·12	—	—	—	—	·35	26
27	—	·01	—	—	—	·17	·07	—	·01	·45	—	·11	27
28	—	·20	·01	—	—	·30	—	·02	1·22	·10	—	—	28
29	—		—	—	—	—	·09	·20	—	—	·11	·06	29
30	·03	✕	—	—	—	·93	—	—	·01	—	·07	·01	30
31	·06	✕	—	✕	—	✕	—	·03	✕	·92	✕	·18	31
Total	2·82	3·64	1·51	1·09.	2·25	1·50	4·64	3·01	1·99	2·14	2·35	5·19	YEAR'S TOTAL 32·13.
Rain Days.	21.	22.	16.	10	7	6	15	15	10	12	13	25	172.

W. 8,000. X. 15.

8L

Ex 8L

10 146 B

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Codicote Lodge, Welwyn
in the County of Hertfordshire
by F. A. Akers

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.02			.02	.01		.07	.05	.02		1
2	.53	.01	.21		.21	.05			.06	.42	.07		2
3	.01	.36	.15				.01		.20	.20	.21		3
4	.25	.10	.01			.41				.23	.35		4
5	.03	.01	.01	.08	.02	.06				.08	.45		5
6	.01	.08	.15	.25		.02	.30			.05	.52		6
7	.09		.09		.10	.02	.04			.02	.52	.03	7
8			.16		.30	.02						.36	8
9	.01		.01		.26					.04		.04	9
10		.13	.01	.09		.20	.04		.01		.01	.03	10
11	.08	.14	.21	.14	.01	.14			.01			.08	11
12	.01	.02	.02	.05	.45	.18	.28	.15	.01	.22			12
13	.02	.55	.01	.15	.10	.09	.23	.20		.01			13
14		.05	.41	.04	.07			.22		.07			14
15		.45	.18				.04	.38		.03		.12	15
16		.01	.01	.17	.08		.08	.06		.04		.03	16
17	.10	.05		.17			.03	.11	.28	.33			17
18	.01	.05	.04	.15				.15	.18	.04	.61		18
19	.04	.02	.16	.09					.37		.60	.15	19
20	.24		.44	.08				.01			.04	.40	20
21			1.06				.21					.47	21
22		.02	.02		.05	.01				.04		.50	22
23	.02	.15				.03		.04		.01	.06	.09	23
24		.33	.03		.02	.23		.04		.04	.02	.28	24
25		.08	.08		.04			.17		.23	.10	.15	25
26		.46	.02			.05		.03	.01	.04	.01		26
27	.08	.09	1.00			.27		.21	.11	.15			27
28		.45	.10			.28		.02	.01	.10		.26	28
29		.13	.28			.29		1.27		.45		.10	29
30		X			.24	.06		.15		.37		.02	30
31		X		X		X		.03	X	.05	X	.01	31
Total	1.63	3.74	4.89	1.46	1.95	2.43	1.27	3.24	1.32	3.31	3.59	3.12	YEAR'S TOTAL 31.95
Rain Days:	17	23	27	12	14	19	11	17	12	25	15	18	210
	9	17	16	12	11	13	8	13	7	21	11	13	

W. 8,000. X. 15.

8L Ese 8L 973

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Codicotē Lodge

in the County of Hertfordshire

by F. A. Akers

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04				1·14	·04		·09		1
2	·01		·01	·37		·12		·16			·02		2
3		·01		·02				·40		·40	·13		3
4		·02						·09		1·02			4
5	·19	·08	·15	·24				·06	·76	·09	·07		5
6			·03	·01					·19	·03	·04		6
7	·26					·01	·25			·36	·03		7
8	·26			·14			1·01	·09		·42	·17	·12	8
9	·06		·08	·16				·35	·01		·09	·15	9
10			·18	·21				·32		·01	·04	·02	10
11	·39	·04	·41	·06				·15		·28			11
12	·09		·02	·01	·01					·29			12
13	·15		·04					·13	·03	·04			13
14	·06			·11				·10		·01		·01	14
15	·09			·02			·04	·04		·03			15
16	·02	·13		·36	·15	·03	·06	·06		·76		·07	16
17	·02	·01		·16	·96		·28		·38	·30			17
18	·07	·03		·15	·02		·18	·12	·50	·01			18
19		·12	·08	·01	·17	·01		·03	·27				19
20		·19	·12		·71		·02	·01	·08		·10		20
21			·06	·07	·01						·06		21
22			·08					·04		·14			22
23		·11	·02		·09			·12		·04		·05	23
24	·01	·04				·20		·18		·33	·02	·03	24
25		·02	·06								·08		25
26			·05			·01		·15	·09		·32		26
27			·02			·08		·75				·05	27
28		·01	·09			·74		·10				·04	28
29			·02			·06	·54	·83		·33		·13	29
30		X	·07				·95	·12				·02	30
31	·09	X	·20	X		X	·37	·01	X		X		31
Total	1·77	·81	1·79	2·14	2·12	1·26	3·70	5·55	2·35	4·89	1·26	·69	YEAR'S TOTAL 28·33
Rain Days.	15	13	20	17	8	9	10	25	10	19	14	11	171

W. 8,000, VIII. 16

3.56

81

~~134~~ 54

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Codicote Lodge
in the County of Hertfordshire
by F. A. Akers

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·14							·14	·08	1
2		·08		·14				·10	·02	·01	·04	·19	2
3		·01	·04	·01	·64			·03	·13		·65	·02	3
4		·07	·07					·02	·27	·01	·46	·03	4
5		·02	·01		·17			·11	·08	·10		·01	5
6	·09	·09		·23	·12			·03		·01		·05	6
7		·08		·16	·09				·18	·14	·10		7
8	·07			·01					·08	·03	·03	·05	8
9		·03		·01		·08	·30		·32	·13		·21	9
10	·07			·07			·18		·01			·22	10
11				·01	·15		·21		·09	·33	·04	·02	11
12	·02	·09			·25		·03		·07			·01	12
13		·02		·01	·14		·37		·14			·15	13
14	·23			·06		·09	·07		·21	·20		·22	14
15	·08			·82		·04	·15		·01			·10	15
16	·04			·97	·02	·02			·95			·02	16
17	·75			·37			·28		·01			·11	17
18	·07					·18	·16		·33	·05		·50	18
19	·07	·02	·05	·15		·18	·19		·01	·07		·21	19
20	·02	·10		·55		·04	·05		·13	·15		·03	20
21	·09			·27		·03			·45	·09			21
22	·06				·85		·10		·05			·17	22
23	·01				·69	·01	·60	·07	·10		·03	·03	23
24		·20			·01	·02			·09		·10		24
25						·02	·33	·21			·01		25
26							·20	·20		·03	·18	·23	26
27		·03	·01	·13			·18	·29	·11		·10	·02	27
28	·01	·07	·25	·01				·02			·35	·13	28
29	·01								1·45		·04		29
30		X	·37						·03		·05	·12	30
31		X	·03	X		X			X	·08	X	·07	31
Total	2·69	·91	·83	4·12	3·13	·71	3·40	1·08	5·32	1·43	2·32	3·00	YEAR'S TOTAL 28·94
Rain Days.	16	14	8	19	11	11	16	10	25	15	15	26	186

W. 8,000, IX. 17.

81 919

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Codicote Lodge, Welwyn

in the County of Hertfordshire

by F. A. Akers

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·01			·11		·25			·05	·01	1·15	1
2	·37	·06	·03		·11		·17		·23	·05	·17	·48	2
3	·44	·15	·32		·02		·12		·05		·08	·25	3
4	·09	·06	·27			·06	·14	·11	·03			·18	4
5	·07	·16	·55				·18		·12		·02	·21	5
6	·01	·20	·10		·01					·01	·05	·13	6
7	·02		·43								·15	·01	7
8	·18		·07	·07							·03		8
9	·01		·03	·14	·06						·18		9
10	·06		·05	·07						·01	·02	·03	10
11	·03		·06	·22			·34				·01	·01	11
12			·20	·02		·08	·12			·07	·01		12
13	·05		·01	·23						·10	·03	·02	13
14	·26			·30			·12		·11	·07			14
15	·36	·02	·10	·16							·03	·33	15
16	·04	·67		·08							·13	·05	16
17		·53	·02	·01							·25	·04	17
18		·63	·06					·10	·04		·02	·11	18
19	·04	·17	·65			·23	·09	·27	·30		·08	·02	19
20	·21	·07	·10			·57	·35	·54				·03	20
21	·36	·40	·05			·03	·33					·06	21
22		·12	·01			·02	·08		·27		·03	·37	22
23						·10	·03	·01	·05	·01	·02	·01	23
24				·24	·02		·01	·04		·15	·13	·05	24
25	·09			·15	·07	·02		·31				·01	25
26	·19	·37	·15	·03			·02	·22	·14			·38	26
27	·04	·07	·09	·37				·49			·02	·04	27
28	·10		·09	1·21				·70		·07	·14	·31	28
29	·26			·08				·15		·27	·10	·05	29
30		×	·04	·26		·15		·09		·05	·27	·38	30
31		×	·02	×		×			×		×	·01	31
Total	3·67	3·69	3·50	3·64	·40	1·26	2·35	3·03	1·34	·91	1·98	4·72	YEAR'S TOTAL 30·49
Rain Days.	23	16	24	17	7	9	15	12	10	12	24	27	196

W, 6,500, VII. 18. W W C

150 873

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Codicote Lodge, Welwyn

in the County of Hertfordshire

by F. A. Akers.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·60	·15		·20	·12	·01	1·07		·29	1
2				·09			·19	·33	·06			·13	2
3		·03		·31			·04		·09	·07		·03	3
4				·35			·15	·12	·02	·19		·07	4
5			·05		·08		·59	·03	·05			·06	5
6			·19		·08		·54					·01	6
7	·01		·17	·12			·15					·03	7
8	·13	·02		·35	·03		·06	·10		·01			8
9	·31			·12				·04					9
10	·29	·05	·07			·02	·09						10
11	·36		·04	·55	·05	·03	·10						11
12	·06			·12		·54					·02		12
13	·03	·03		·16		·05					·13		13
14		·01	·35	·28		·08	·08		·15	·28	·30		14
15	·01	·04	·14	·18			·01		·20	·06	·05		15
16			·02	·07					·08	·06		·02	16
17	·04		·02	·03	·15	·14	·08		·25			·04	17
18	·01			·01				·55	·23			·03	18
19	·15			·14	·06	·10		·04					19
20	·05	·09		·28		·45			·05			·01	20
21							·53	·05	·40			·08	21
22	·01			·19					·15			·09	22
23	·01						·74					·41	23
24	·02		·10									·05	24
25		·02	·08		·01		·28						25
26	·15		·07	·01	·10	·02	·02					·02	26
27	·26	·05	·01	·25		·24	·06				·66	·17	27
28	·48		·10		·15	·04	·05					·01	28
29	·15		·10		·20		·12				·14	·29	29
30	·02				·02	·06	·29		·32		·17	·20	30
31	·02		·11				·01			·35		·14	31 25·15
TOTAL	2·57	·34	1·62	4·21	1·08	~~1·75~~ 1·77	4·38	1·38	2·06	2·09	1·47	2·18	YEAR'S TOTAL ~~25·13~~
Days with ·01 in. or more	21	9	16	20	12	12	22	9	14	8	7	21	171
·04"	12	4	13	17	9	9	19	8	12	7	6	13	129

(4[illegible]). Wt.2[illegible]958—218. 7500. 10/19. Gp.132. A.&E.W.

Croxley Green
Chess Side
Hertford Shire
1911 – 1920

INFALL IN 19*11*

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

RAIN GAUGE
Pattern
Diameter of top *5* in.
Height of top above Ground ft. *7* in.
" " " Sea Level *250* ft.

Time of Observation *9 am*

Nearest Railway Station
Name *Rickmansworth*
Distance *1 m* Direction *S.W.*

sured daily at 9 a.m., and the result entered to the
nform to this almost universal rule, he is earnestly
nuary of the following year in the space provided
ructions for the measurement of rain,
particulars as to the British Rainfall
servers," sent post-free on application to
W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							·03	·05					1
2	·05			·27	·18						·24	·22	2
3	·03				·19						·09	·04	3
4	·06		·08	·10						·10	·15	·42	4
5								·01		·04	·01	·10	5
6	·45		·09	·05								·88	6
7	·05									·12	·40		7
8	·16		·19								·15	·21	8
9	·06										·01		9
10	·04		·20		·04						·10	·62	10
11					·46						·63		11
12	·19		·45		·07				·01		·28		12
13	·04				·40				·52	·28		·48	13
14		·12			·11							·49	14
15		·06								·04	·07		15
16						·21					·44	·10	16
17						·20					·24	·29	17
18		·14	·15			·33					·39	·32	18
19						·23			·09	·13	·28	·22	19
20								·46	·12	·04		·83	20
21		·17						·41		·58		·07	21
22	·12		·01			·12				·12		·71	22
23		·09	·20			·45			·22			·25	23
24		·15				·08		·03		·84		·19	24
25		·06		·10	·01	·23	·25			·17		·04	25
26		·45	·06	·18	·01	·03	·07					·37	26
27			·06	·03			·03		·13			·18	27
28				·30			·14	·15			·07		28
29							·13		·23	·33	·07		29
30				·09	·06	·24		·10	·02	·19			30
31					·46								31
Total	1·25	1·24	1·49	1·82	1·99	2·12	·65	1·21	1·34	2·98	3·62	7·03	TOTAL for year
No. of Rain Days.	11	8	10	9	11	10	6	7	8	13	17	21	26·74 ✓

W. 8,000, X. '11.

131

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

✓

Kept at Cless Side Croxley Green

in the County of Herts 2

by S. Dugdale Addie

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 250 ft.

Time of Observation 9 am

Nearest Railway Station
Name Rickmansworth
Distance 1 m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·70			·03	·05					1
2	·05			·27	·18						·24	·22	2
3	·03				·19						·09	·04	3
4	·06		·08	·10						·10	·15	·42	4
5								·01		·04	·01	·10	5
6	·45		·09	·05								·88	6
7	·05									·12	·40		7
8	·16		·19								·15	·21	8
9	·06										·01		9
10	·04		·20		·04						·10	·62	10
11					·46						·63		11
12	·19		·45		·07				·01		·28		12
13	·04				·40				·52	·28		·48	13
14		·12			·11							·49	14
15		·06								·04	·07		15
16						·21					·44	·10	16
17						·20					·24	·29	17
18		·14	·15			·33					·39	·32	18
19						·23			·09	·13	·28	·22	19
20								·46	·12	·04		·83	20
21		·17						·41		·58		·07	21
22	·12		·01			·12				·12		·71	22
23		·09	·20			·45			·22			·25	23
24		·15				·08		·03		·84		·19	24
25		·06		·10	·01	·23	·25			·17		·04	25
26		·45	·06	·18	·01	·03	·07					·37	26
27			·06	·03			·03		·13			·18	27
28				·30			·14	·15			·07		28
29							·13		·23	·33	·07		29
30				·09	·06	·24		·10	·02	·19			30
31					·46								31
Total	1·25	1·24	1·49	1·82	1·99	2·12	·65	1·21	1·34	2·98	3·62	7·03	TOTAL for year ✓
No. of Rain Days.	11	8	10	9	11	10	6	7	8	13	17	21	26·74

W. 8,000, X. '11.

131

FORM A.
BRITISH RAINFALL.
20 JAN 1913

Ex M.S.

REGISTER OF RAINFALL IN 1912

Kept at Croxley Green

in the County of Herts 2.

by Ingleby Oddie

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·16	·18	·02	·20	·30			1
2			·09			·06	·33	2				·17	2
3	·07		·10			·20	·02	·39	·02				3
4	·36		·75		·23	·31		·03			·26	·08	4
5	·62	·21	·15			·03		·46			·02		5
6	·51					·68		·35	·05			·11	6
7	·02				·05		·04	·25					7
8	·44	·41	·26			·01		·13					8
9	·05	·21	·02	·04		·03		·03				·25	9
10		·03						·22			·11	·16	10
11	·12											·15	11
12		·54	·12		·07	·12			·01		·07		12
13											·10		13
14			·05					·03		·10		·02	14
15	·07	·03	·13			·52		·02				·22	15
16	·15		·09		·25	·02		·15		·11	·07		16
17	·30		·33			·13		·10				·07	17
18	·33		·16					·28				·13	18
19	·13		·15				·24	·76					19
20	·04	·12	·25		·27		·02	·49		·33			20
21		·08	·35		·14			·11			·10		21
22	·44	·22	·13				·14	·08		·02		·06	22
23	·46	·34	·46				·08	·49			·17	·19	23
24	·36	·01						·12					24
25						·21					·28		25
26		·03					·15	·77		·46	·40	·60	26
27						·04				·18		·22	27
28		·06					·03			·58	·38		28
29		·06				·56	·13	·44	1·45	·13		·33	29
30			·03		·53	·02			·88	·37			30
31			·34		·19		·31						31
Total	4·47	2·35	4·02	·04	1·73	3·12	1·67	5·65	2·61	2·58	1·96	2·70	YEAR'S TOTAL 32·90
Rain Days.	17	14	20	1	8	16	12	22	6	10	11	15	152

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
17 JAN 1914

Kept at Croxley Green
in the County of Herts 2
by Dudley Oddie

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Rickmansworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 253 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·15	·13	·07					·18		·11	·18	1
2		·11					·15			·02	·06		2
3				·21	·72							·09	3
4					·03		·08			·21	·04	·03	4
5	·47					·03	·11		·10	·03			5
6		·03	·06		·11	·12	·02			·51		·15	6
7		·15			·14	·04	·03			·20		·05	7
8					·12	·20							8
9		·17			·02		·21		·04	·10	·10	·03	9
10			·03	·03							·31		10
11	·55			·50				·22		·62	·12		11
12											·60		12
13	·04										·27		13
14	·09		·09	·08				·06		·13	·10		14
15	·11		·28				·40		·16				15
16	·10		·38	·60					·03				16
17				·16			·15					·13	17
18	·06		·33	·12							·04		18
19	·40		·10				·11		·36				19
20	·10		·03	·03	~~·04~~	·04				·48			20
21	·10		·12	·04			·02			·13	·50		21
22	·50		·12	·04					·21				22
23			·03			·03		·12	·02			·18	23
24				·03				·10					24
25		·10		·17									25
26		·03	·17	·15				·07		·54			26
27				·10									27
28	·33		·19							·14		·20	28
29			·10	·68	·41			·10		·03		·03	29
30	·31									·14			30
31			·10					·30					31
Total	3·26	·78	2·30	3·03	1·55	·46	1·28	·97	1·10	3·28	2·25	1·09	YEAR'S TOTAL 21·37
Rain Days.	14	7	16	16	7	6	10	7	8	14	11	10	126

W.7,000, XI. 13

Exe DL

Chess Side

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
11 JAN 1915

Kept at Croxley Green

in the County of Herts 2

by Dudley Oddie

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Rickmansworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·10			·06	·03	1
2				·04			·30	·30			·04	·16	2
3			·06	·01	·23								3
4	·20		·13	·06	·09			·10			·48	·43	4
5				·13	·20	·07	·56	·40					5
6		·13	·14	·06	·04	·20	·03	·02			·21	·21	6
7	·03	·18	·21		·67	·29	·10	·01				·11	7
8	·05		·61	·03	·05	·25	·48	·13					8
9		·11	·61	·09		·49			·04			1·28	9
10	·03			·06	·08	·50			·19				10
11			·58						·04		·28	·22	11
12		·05	·10				·25		·27		·02	·35	12
13		·36	·24						·16	·03	·05	·46	13
14		·10	·52				·02			·36	·11	·35	14
15	·08		·25					·02				·03	15
16			·04						·10				16
17		·45	·11						·21			·28	17
18		·06	·09									·41	18
19		·02	·05				·11				·17	·08	19
20		·35	·30			·07						·13	20
21		·43	·05			·15						·06	21
22		·18	·03		·10	·07	·05	·05		·54			22
23		·11	·10		·20					·09			23
24			·04							·10	·11		24
25			·10					·12		·39		·08	25
26			·09				·03	·07			·16	·53	26
27			·02									·26	27
28					·04					·10	·38	1·35	28
29	·10		·14							·25	·11		29
30		X	·07							·05	·36	·41	30
31		X		X	·08	X	·06		X		X	·04	✓ 31
Total	·49	2·53	4·68	·48	1·78	2·03	1·99	1·32	1·01	1·91	2·54	7·26	YEAR'S TOTAL 28·02
Rain Days.	6	13	25	8	11	9	11	11	7	9	14	22	146

✓

W. 8,000. X. 14.

980

FORM A.
BRITISH RAINFALL
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Chess Side Croxley Green

in the County of Herts 2

by S Dugleby Oddie

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Rickmansworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	46		·02		02		02		14	02	14	42	1
2	13	22	28	10	02			80	25	08	20	15	2
3	50		03	11		02	03	36				34	3
4	02							03			73	42	4
5	02	44						01		03		24	5
6	22	04		35			68	04				22	6
7	12	28	03				20	04				36	7
8	04	64					10	05					8
9		04		07		05		08				63	9
10	30							08				09	10
11	·02		06					35					11
12	08			18				22			44	08	12
13					1.63			01					13
14		59					88	06	10			69	14
15	15	61			05			64				18	15
16		59					66	01				13	16
17					50		10				16		17
18		10	10		12								18
19							19						19
20	51			07								18	20
21	20									02		07	21
22	65	21	32				78					22	22
23		38	04			02	14		64	45		28	23
24			05				12		60	18		24	24
25	22			05		04	21			08		15	25
26		07				06	17					53	26
27						32	16		02	38		08	27
28						07			1.24	10			28
29		05				15	05	08			11		29
30		X				18		[illegible]		13	16	04	30
31		X		X		X		04	X	1.03	X	16	31
Total	3.64	4·26	·93	·93	2·34	·91	4·49	2·90	2·99	2·50	1·94	5·90	YEAR'S TOTAL 33.73
Rain Days.	16	14	9	7	6	9	16	17	7	11	7	23	142

W. 8,000. X. 15.

✓

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Chess Side Croxley Green
in the County of Herts
by S Douglas Oddie

Lat. ...... Long. ......
Time of Observation 9 am
Nearest Railway Station Rickmansworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 7 in.
" " " " Sea Level 250 ft.

IMPORTANT ~~NOTE~~.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	14				24	03			13		09		1
2	47		08		22	10			18	47			2
3		66	04						16	21	21		3
4	25	16				45			02	18	55		4
5	01	02		05	05	16				10	62		5
6		05	41	16		08	35			04	40		6
7	11		44		11	08	42			02	60		7
8					31	09						25	8
9					21							07	9
10		16	10	07		31	06						10
11	05	14	11	16		16						14	11
12	03	03	10	02	32	12	04	18		10			12
13		47	46	13		06	21	31		07			13
14		10			14			18	02			19	14
15		45	28				11	38		10			15
16		01	48	15	05		21	23					16
17	11	07		05				35	30	44			17
18		09	04	13					26	05	60		18
19	08	01	25	32				13	30		60		19
20	17		28	04							03	55	20
21	03		73				06	20				46	21
22			05		03	03				06		40	22
23	04	75				10		02		03	03	10	23
24		25	[illegible]			16		03		10	03	20	24
25		35	09		06			15		05	15		25
26		11				09		11		03			26
27	08		84			21		41	13	19			27
28		31	24			11			10	11		20	28
29		06				17		1.34	01	14		15	29
30		X			04	03		06		45			30
31		X		X		X		06	X	42	X		31
Total	1.57	4.25	5.02	1.28	1.78	2.54	1.46	4.14	1.61	3.36	3.91	2.71	YEAR'S TOTAL 33.63
Rain Days.	13	20	18	11	12	19	8	16	11	21	12	~~10~~ 11	172

W. 8,000, VIII. 16

Exd C.R.

919

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Croxley Green

in the County of Herts

by S. Ingleby Oddie

Lat. .... Long. ....

Time of Observation As before

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·34				·85		[illegible]	·10		1
2				·10	~~·06~~	·06		·07	·03	[illegible]			2
3								·45		·29	·03		3
4		·38	·14				·05	·12		·51	·08		4
5	·26			·22					·15	·09	·13		5
6					~~·06~~	·05			·08	·12	·10		6
7	·28				~~·25~~	·25	·11			·15	·03		7
8	·25			·16			·90	·42		·27	·18	·04	8
9							·03	·13				·19	9
10			·27	·18			·20	·05			·10		10
11	·45		·37	·05			·20			·30			11
12	·05		·05	·01				·21		·50			12
13			·06	·02				·26	·03				13
14	·07			·24				·15		·11			14
15				·02		1·17	·05			·03			15
16	·06	·10		·22	·10		·09			·84		·15	16
17				·13	·75				·48	·34			17
18	·06	·10		·14	·09	·21		·10	·24	·18			18
19		·17	·08			·02			·48				19
20		·15	·07		·50			·08			·07		20
21			·03	·03	·03					·04	·04		21
22		·08				·15		·03		·07			22
23		·03			·10			·12					23
24						·06		·03		·34	·04	·10	24
25		·02	·12								·05		25
26			·03			·05		·26	·05		·36		26
27						·03		·65					27
28						1·57		·29					28
29						·08	·94	·11		·46			29
30		X	·25		·05		1·21	·16				·17	30
31		X	·08	X		X	·45		X		X		31
Total	1·50	1·03	1·55	1·86	1·62	3·70	4·23	4·54	1·54	4·64	1·31	·65	YEAR'S TOTAL 28·17
Rain Days.	9	8	12	14	7	12	11	20	8	17	13	5	136

W. 8,000, IX. 17.

Exd E.F.B.

4

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

6. 1. 19

Kept at Croxley Green

in the County of Herts

by Ingleby Oddie

Lat. .... Long. ....

Time of Observation [illegible]

Nearest Railway Station Croxley

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·12		·35							·18	·10	1
2		·03						·20			·40	·25	2
3				·12	·60			·07	·08		·35		3
4		·07						·02	·40	·05	·45	·05	4
5			·08		·11			·10	·05	·08			5
6	·15	·22		·30	·10							·12	6
7		·13		·13	·15			·03	·10	·10	·15		7
8		·05							·20	·05	·05	·07	8
9	·03			·07		·15	·42		·19			·15	9
10	·64	·07					·46		·13	·15		·25	10
11				·02	·13		·38		·13	·50	·05	·13	11
12		·11			·13		·27		·07			·07	12
13					·24		·16		·10			·13	13
14	·28		·02			·26	·05		·30	·13		·10	14
15	·55			·50		·08	·11		·07			·16	15
16	·51			·95		·05			1·07	·06			16
17	·11			·28	·02	·32	·18	·05				·15	17
18	·60					·15	·15		·30	·16		·10	18
19	·10		·03	·10		·05	·10		·06	·06		·10	19
20	·05	·16	·07	·55			·08		·10	·14		·02	20
21	·13			·43					·38	·03		·02	21
22	·10				·16		·07		·06			·17	22
23	·05				·36		·65	·06	·07			·05	23
24		·18				·03	·05		·10		·30		24
25						·07	·12	·23			·05		25
26							·23	·16		·03		·17	26
27				·08			·08	·32				·10	27
28		·10	·21			·15		·02			·30	·15	28
29									1·18			·02	29
30		X	·33						·10		·02	·03	30
31		X	·05	X		X		·04	X		X	·07	31
Total	2·70	1·24	·73	3·88	2·00	1·19	3·56	1·26	5·06	1·54	2·30	2·55	YEAR'S TOTAL 28·01
Rain Days.	13	11	7	13	10	10	17	12	22	13	11	25	164

W. 8,000, IX. 17.

412

868

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Croxley Green
in the County of Herts
by J. Fidely Oddie

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Rickmansworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	—	—	—	.15	—	.42	—	—	—	—	1.20	1
2	.23	—	—	—	.15	—	.06	—	—	.13	.18	.20	2
3	.27	—	.24	—	.03	—	.17	—	.11	—	.06	.30	3
4	.10	—	.34	—	—	.11	.12	—	.04	—	—	.15	4
5	.02	.30	.65	—	—	—	.07	—	.05	—	.03	.10	5
6	.02	—	.10	—	—	—	—	—	.16	—	.03	.15	6
7	.06	—	.48	—	—	—	—	—	—	—	.04	.05	7
8	.18	—	.10	—	—	—	—	—	—	—	~~.05~~	—	8
9	.01	—	—	.05	.11	—	—	—	—	—	.05	—	9
10	.15	—	.10	.06	—	—	—	—	—	.02	—	.12	10
11	.05	—	.17	.21	—	—	.36	—	—	—	.05	.05	11
12	.01	—	.05	—	—	.11	—	—	—	.10	—	.03	12
13	.01	—	—	.25	—	—	—	—	—	—	—	—	13
14	.33	—	—	.58	—	—	.10	—	.38	—	—	~~.45~~	14
15	.40	—	.10	.30	—	—	—	—	—	—	.08	.45	15
16	.15	.55	—	.03	—	—	—	—	~~.10~~	—	.10	~~.06~~	16
17	.01	.50	—	—	—	—	—	—	—	—	.24	.05	17
18	—	.15	.07	—	—	—	—	.05	—	—	.13	.07	18
19	.05	.12	.65	—	—	.20	.10	.12	.10	—	.17	—	19
20	.30	.07	.05	—	—	.80	.29	.25	.02	—	.03	.07	20
21	.20	.33	—	—	—	.08	.13	—	—	—	—	—	21
22	—	.22	—	—	—	—	.13	.03	.80	—	.05	.40	22
23	—	—	—	—	—	—	—	.02	.12	—	—	—	23
24	—	—	—	.15	—	—	.16	.05	—	.27	.16	—	24
25	—	—	—	.12	—	—	—	.42	—	—	—	.05	25
26	.16	.20	.16	.15	—	—	—	.03	.11	—	—	.50	26
27	—	—	.05	.67	—	—	—	.35	—	—	—	.02	27
28	1.00	—	.13	.08	—	—	.15	.35	—	—	.21	.24	28
29	—	—	—	.11	—	—	—	.20	—	.20	—	—	29
30	.05	✕	—	.22	—	.20	—	.12	—	.05	.35	.55	30
31	—	✕	—	✕	—	✕	—	—	✕	—	✕	.02	31
Total	4.36	2.44	3.44	2.98	.44	1.50	2.26	1.99	1.89	.77	1.96	4.77	YEAR'S TOTAL 28.80
Days with ·01 in. or more	23	9	16	14	4	6	13	12	10	6	17	21	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Feb 1/20 Total 1.50 — details missing — not recorded daily

820

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

9 JAN 1921

Kept at Chess Side, Croxley Green
in the County of Herts
by Ingleby Oddie

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Rickmansworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·60	·15		·20		·02	·50		·18	1
2							·20	·76	·08			·10	2
3		·08		·08					·13			·08	3
4		·03		·06			·03	·10		·15		·06	4
5							·85	·10	·02			·03	5
6					·20		·30	·04				·08	6
7			↓	·20	·05		·10						7
8	·10			·23			·03	·10					8
9	·55		Details	·07									9
10	·35		missing			·04	·12						10
11	·12		Total	·28	·07	·04	·18						11
12	·08			·10		·50	·02						12
13				·33							·07		13
14				·22		·44	·10		·15	·52	·25		14
15	·12	·08		·18			·05		·33	·15	·08		15
16			↓	·25		·20			·33	·05			16
17				·02	·20		·03		·05				17
18	·10			·02	·04			·60	·12			·15	18
19	·08		↓	·10				·07					19
20	·08		1.10	·21		·42						·15	20
21							·58						21
22				·25								·20	22
23							·75					·25	23
24			·12									·08	24
25			·04				·24						25
26	·08		·10		·46		·10					·04	26
27	·34			·26		·18	·08				·36	·10	27
28	·28		·18	·09	·20	·02	·10		·35		·06		28
29	·18		·03		·02				·12		·15	·31	29
30	·08	×				·05	·60		·10		·20	·23	30
31		×		×		×			×	·10	×	·10	31
TOTAL	2·54	·19	1·57	3·55	1·39	1·89	4·66	1·77	1·80	1·47	1·17	2·14	YEAR'S TOTAL 24·14
Days with ·01 in. or more	14	3	?	19	9	9	20	7	12	6	7	16	121
Days with ·04 in. or more	14	2		17	8	8	16	7	10	6	7	15	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

81 ✓

REGIST

HERTS.
ELSTREE – BAYS HILL
1911–1914

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Bays Hill,
in the County of Hertford
by H. S. Winter

in.
ound ft. in.
a Level ft.
me
stance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·70			·04	·04					1
2				·18	·62						·30	·	2
3		·06		·01						·08	·14	·	3
4			·08	·13						·04	·13	·37	4
5	·72											·28	5
6			·11							·07		·14	6
7										·02	·31	·73	7
8			·27								·20	·13	8
9	·58											·13	9
10		·07	·17								·06		10
11	·20			·05	·19						·73	·42	11
12	·46		·40		·14	·01					·09	·05	12
13	·02		·22		·18				·02	·19	·07	·25	13
14		·05			·50				·55			·39	14
15		·07	·20									·03	15
16						·40				02	·45	·09	16
17						·19					·78	·18	17
18		·16	·22			·20					·16		18
19						·18			·28	·02	·27	·40	19
20				·48				·20	·19	·05		·70	20
21		·12				·01		·23		·54			21
22						·04				·07		–	22
23		·20				·68			·30				23
24			·14			·10		·02		1·07 ?			24
25		·22	·01			·24	·40		·01			1·60	25
26						·10	·11	·03			·04		26
27		·61							·14		·01		27
28		·42	·12		·03			·08			·03		28
29						·20	·13		·29				29
30			·01		·05				·02	·66			30
31					·52								31
Total	1·98	1·98	1·95	1·55	2·23	2·35	·68	·60	1·80	2·83	3·77	5·89	TOTAL for year 27·61
No. of Rain Days			12		10	12	4	6	9	14	16		

9,000, IX. '10.

8L

137

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bays Hill, Elstree
in the County of Hertfordshire 2
by H. S. Winter

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·70			·04	·04					1
2				·18	·62						·30	·	2
3		·06		·01						·08	·14	·	3
4			·08	·13						·04	·13	·37	4
5	·72											·28	5
6			·11							·07		·14	6
7										·02	·31	·73	7
8			·27								·20	·13	8
9	·58											·13	9
10		·07	·17								·06		10
11	·20			·05	·19						·73	·42	11
12	·46		·40		·14	·01					·09	·05	12
13	·02		·22		·18				02	·19	·07	·25	13
14		·05			·50				·55			·39	14
15		·07	·20									·03	15
16						·40				·02	·45	·09	16
17						·19					·78	·18	17
18		·16	·22			·20					·16		18
19						·18			·28	·02	·27	·40	19
20				·48				·20	·19	·05		·70	20
21		·12				·01		·23		·54			21
22						·04				·07		-	22
23		·20				·68			·30				23
24			·14			·10		·02		1·07			24
25		·22	·01			·24	·40		·01			1·60	25
26						·10	·11	·03			·04		26
27		·61							·14		·01		27
28		·42	·12		·03			·08			·03		28
29						·20	·13		·29				29
30			·01		·05				·02	·66			30
31					·52								31
Total	1·98	1·98	1·95	1·55	2·23	2·35	·68	·60	1·80	2·83	3·77	5·89	TOTAL for year 2761
No. of Rain Days			12		10	12	4	6	9	14	16		

9,000, IX. '10.

82 Feb from Hopkinson. [illegible] 141

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bays Hill, Elstree

in the County of Hertfordshire 2

by H. S. Winter

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
,, ,, ,, Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.23	.25		.03	.32		.20	1
2			.23	.08		.03	.37	.10					2
3						.16	.03	.30	.04			.11	3
4	1.12				.32	.20		.03			.28		4
5		.67						.32			.03		5
6								.18				.12	6
7					.02		.04	.32					7
8	.40					.50		.17	.03				8
9	.03					.15	.07	.03					9
10								.21	.07			.27	10
11	.01		1.93			.03						.16	11
12	.06	.45			.20				.03			.13	12
13						.09			.02		.23		13
14					.05			.09		.07			14
15					.25	.46		.03				.31	15
16		.04			.10	.09		.14		.08	.10		16
17						.13		.20					17
18	.55							.07				.14	18
19	.18		.57				.21	.34		.02			19
20								.10		.38			20
21			.12		.07			.11		.09			21
22	.30				.06		.14	.31				.03	22
23	.43	.85	.46				1.78	.37		.07			23
24	.30							.07				.28	24
25						.20		.81			.54		25
26							.03	.27			.41	.23	26
27													27
28						.13	.02	.13	.03	1.00	.36	.23	28
29						.22	.18	.29	1.43	.60			29
30					.38		.02	.08	.84	.18			30
31			.31		.04		.22	.22				.08	31
Total	3.38	2.01	3.62	.08	1.49	2.62	3.36	5.29	2.52	2.81	1.95	2.29	TOTAL for Year 31.42
No. of Rain Days.	15	...	...	...	10	14	13	26	9	12	8	19	...

W. 8,000, X. '11.

81

145

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Elstree, Bays Hill

in the County of Hertfordshire

by H. S. Winter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·05		·30					·24				1
2		·20					·09				·10	·18	2
3	·37		·15	·20					·04				3
4					·75		·28				·09	·04	4
5	·09						·08		·12			·05	5
6		·05			·12	·21	·23		·02	·58			6
7		·13				·20	·08			·09			7
8		·02			·05					·10	·16	·12	8
9		·17	·12	·06				·05	·06		·04		9
10	·03			·13			·21	·10			·28	·06	10
11	·53			·56	·03					·36	·28		11
12								·02			·60		12
13	·04							·10	·04		·30		13
14	·12										·02		14
15	·13	·08		·45			·20		·01	·15			15
16							·54		·07				16
17	·15			·30			·21				·03		17
18				·10								·08	18
19	·30						·13		·40		·08		19
20	·10		1·93	·09						·28			20
21	·40			·11			·03			·20	·67		21
22								·16					22
23				·01		·03			·14			·20	23
24								·06	·06		·01		24
25		·04		·18									25
26		·03		·09						·70		·23	26
27										·02			27
28					·60					·10			28
29	·33			·70				·12		·01		·02	29
30	·24			·09				·09		·09			30
31	·04							·24					31
Total	2·87 ✓	·77 ✓	2·20 ✓	3·37 ✓	1·55 ✓	·44 ✓	2·08 ✓	·94 ✓	1·20 ✓	2·68 ✓	2·66 ✓	·98 ✓	YEAR'S TOTAL 21·74
Rain Days.	17	9		17	5	3	11	9	11	12	13	9	

W. 7,500, XI. ·12

82

133

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bays Hill, Elstree
in the County of Hertfordshire 2
by H. S. Winter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07										1
2	·05												2
3			·08	·02	·21								3
4	·22		·03	·21	·18								4
5			·04	·15	·04	·05							5
6		·18			·06	·16							6
7		·20	·31	·16	·72								7
8		·25	·90	·19	·03	·21							8
9	·20		·51	·10		·35							9
10					·07								10
11		·42	·18	·07									11
12		·05	·15			·60							12
13			·25										13
14		·42	·36										14
15			·10										15
16													16
17			·06										17
18		·85	·18										18
19			·17										19
20			·25										20
21		·31	·01										21
22		·06			·47								22
23		·06	·09		·18	·08							23
24													24
25			·16										25
26	·05		·09										26
27													27
28		·06											28
29	·14		·06										29
30			·10										30
31					·22								31
Total	·66	2·86	4·15	·90	2·18	1·45							YEAR'S TOTAL
Rain Days.	5	16	22	7	10	6							

W.7,000, XI. 13

8L

970

~~140~~

RE

FORM A.
BRITISH RAINFALL.

FURNEAUX PELHAM

HERTS

1915 - 1920

Kept at Furneaux

in the County of Her

by G. W. Bi

in.

ve Ground 1 ft. - in.

Sea Level ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the r ar in the space provided for it at the end of ement of rain, the selection and plac ritish Rainfall Organization are given application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·06	·43	1
2											·01	·01	2
3												·19	3
4											·02	·40	4
5											·10	·23	5
6												·16	6
7												·20	7
8													8
9											·20	·53	9
10												·10	10
11											·74		11
12											·62	·01	12
13													13
14												·44	14
15											·37	·11	15
16												·02	16
17													17
18											·13		18
19													19
20												·38	20
21												·03	21
22												·15	22
23												·29	23
24												·29	24
25												·11	25
26												·27	26
27												·07	27
28													28
29											·11	·09	29
30		X									·05		30
31		X		X		X			X		X	·13	31
Total											2·41	4·64	YEAR'S TOTAL
Rain Days.											11	23	

W. 8,000. X. 14.

82

970 ~~140~~

RE

FORM A.
BRITISH RAINFALL.

Kept at Furneaux Pelham, Buntingford
in the County of Hertfordshire
by G. W. Bindloss

Ex Dt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·06	·43	1
2											·01	·01	2
3												·19	3
4											·02	·40	4
5											·10	·23	5
6												·16	6
7												·20	7
8													8
9											·20	·53	9
10												·10	10
11											·74		11
12											·62	·01	12
13													13
14												·44	14
15											·37	·11	15
16												·02	16
17													17
18											·13		18
19													19
20												·38	20
21												·03	21
22												·15	22
23												·29	23
24												·29	24
25												·11	25
26												·27	26
27												·07	27
28													28
29											·11	·09	29
30		X									·05		30
31		X		X		X			X		X	·13	31
Total											2·41	4·64	YEAR'S TOTAL
Rain Days.											11	23	

W. 8,000. X. 14.

Entd FWD

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.
3 JAN 17

Kept at Furneaux Pelham
in the County of Hertford
by G Warren Bindloss.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Braughing - 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	–	·04	–	·12	·01	–	–	·01	–	·15	–	1
2	·34	–	·14	–	·13	·01	–	–	·10	·33	–	–	2
3	–	·42	·13	–	–	–	·03	–	·50	·23	·50	–	3
4	·26	·15	·02	–	–	·27	–	–	·08	·15	·35	–	4
5	·02	–	·01	·01	·01	·21	·18	–	–	·05	·48	·03	5
6	–	·03	·07	·28	·04	·08	·02	–	–	·03	·43	–	6
7	·10	–	·12	–	·15	·18	·21	–	–	·08	·49	·05	7
8	–	–	·20	–	·34	·11	–	–	–	–	–	·33	8
9	·01	–	·01	–	·27	·01	–	–	–	·06	–	·08	9
10	–	·06	·06	·11	–	·30	–	–	·01	·01	–	·06	10
11	·06	·15	·15	·16	·01	·18	–	–	–	–	–	·03	11
12	·01	·02	–	·01	·46	·22	·16	·16	·01	·17	–	–	12
13	–	·48	·13	·15	·44	·15	·31	·18	–	·01	–	–	13
14	–	·51	–	·09	·02	·02	–	·13	–	·10	–	·10	14
15	–	·13	·28	–	–	–	·01	·35	·01	·01	–	·01	15
16	–	–	·05	·15	·03	–	·19	·30	–	·09	–	–	16
17	·06	·05	–	·22	–	–	·03	·37	·25	·27	–	–	17
18	–	·09	·02	·12	–	–	–	·02	·06	·01	·47	–	18
19	·03	–	·06	·06	–	–	–	–	·29	–	·78	·10	19
20	·18	–	·30	·03	–	–	–	·02	–	–	·05	·27	20
21	·01	–	·81	–	–	–	·25	–	–	–	·01	·50	21
22	–	·04	·02	–	·11	–	–	–	–	·02	–	·48	22
23	–	·41	–	–	–	·04	–	·02	–	·06	·05	·07	23
24	–	·02	·01	–	–	·18	–	–	–	·05	·02	·31	24
25	–	·32	·08	–	–	–	–	·26	–	·08	·09	·10	25
26	–	·10	·03	–	–	·01	–	·04	–	·01	–	–	26
27	·10	·12	·76	–	–	·09	–	·14	·05	·44	–	–	27
28	–	·31	·53	–	–	·27	–	–	·01	·14	–	·14	28
29	·01	·19	·12	–	–	·18	–	1·50	·02	·17	–	·11	29
30	–	X	–	–	·12	·04	–	·30	–	·33	–	–	30
31	–	X	–	X	–	X	–	·01	X	·02	X	–	31
Total	1·26	3·60	4·15	1·39	2·25	2·56	1·39	3·80	1·40	2·92	3·87	2·77	YEAR'S TOTAL 31·36
Rain Days.	14	19	25	12	14	20	10	15	13	25	13	17	197

W. 8,000. X. 15.

9841
~~456~~

Ex Bd

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Furneux Pelham

in the County of Hertfordshire

by E. W. Bindlow

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·08				1·07	·03		·12		1
2	·02	·02		·39		·02		·31			·03		2
3								·62		·41	·08		3
4		·07						·11		·68			4
5	·25		·03	·21				·84	·15	·08	·10		5
6				·02		·04			·04	·04	·03		6
7	·28					·01	·23			·66		·02	7
8	·09			·08			·91	·16		·21	·10	·06	8
9	·04		·07	·05			·01	·09	·01		·10	·20	9
10	·30		·20	·16				·08		·02			10
11	·09	·03	·52	·04						·37			11
12	·07		·02		·15			·01		·29	·01	·01	12
13	·09		·05				·10	·03	·06	·04			13
14			·01	·08				·06		·02			14
15	·02		·01				·05	·07		·01		·02	15
16	·01	·04		·20		·01	·03			·60		·14	16
17	·01	·01		·13	·64		·23		·37	·32			17
18	·05			·11	·02	·03	·07	·07	·38				18
19	·01	·08	·05		·28	·01			·23				19
20		·16	·16		2·32				·03		·15	·01	20
21	·04	·01	·05		·03						·04		21
22			·10					·06		·19			22
23		·05	·03		·20			·14		·07		·02	23
24		·02				·16	·01	·17		·10	·03	·01	24
25			·10				·01				·06		25
26			·07			·06		·22	·03		·52	·06	26
27			·01					·60				·03	27
28		·02				·53		·13				·05	28
29			·06		·28	·26	1·04	·04		·31		·11	29
30	·02	✕	·11				·88	·19		·01		·02	30
31	·07	✕	·19	✕		✕	·34	·03	✕		✕	·01	31
Total	1·46	·52	1·84	1·55	3·92	1·13	3·91	5·10	1·33	4·43	1·37	·77	YEAR'S TOTAL 27·33
Rain Days.	17	12	19	12	8	10	13	22	10	19	13	15	170

4·26

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

Kept at Furneux Pelham
in the County of Hertfordshire
by G. W. Bindloss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01		.05							.07	.10	1
2	.02	.06		.11				.10			.01	.15	2
3			.07		.49			.03	.08		.50	.05	3
4		.04	.06					.02	.42		.38	.02	4
5		.01	.01		.12			.13	.10	.04			5
6	.05	.14		.24	.01			.01				.05	6
7	.11	.07		.06	.02	.01			.05	.14	.08	.01	7
8		.01					.01		.11		.06	.02	8
9	.04	.03		.01		.24	.24		.39	.23		.13	9
10	.06			.01			.42				.02	.22	10
11				.01	.15		.22		.02	.25	.04	.05	11
12	02	.13			.08		.18		.10	.01		.02	12
13		.02		.01	.18		.14		.05			.14	13
14	.20					.17	.03		.26	.36		.18	14
15	1.13			1.37			.18					.05	15
16	.33			.45					.23				16
17	.11			.37			.83	.01				.15	17
18	.38			.01		.15	.34		.96	.05		.27	18
19	.07	.01	.16	.03		.05	.17		.01	.08		.10	19
20	.01	.07		.36		.04	.09		.10	.21	.01	.03	20
21	.04			.06		.01			.27	.22			21
22	.02				.07		.04		.05		.01	.20	22
23	.02				.54		.53	.04	.02		.01	.05	23
24		.18			.05	.03			.06		.06		24
25			.01			.01	.10	.13			.08		25
26							.32			.05	.19	.13	26
27				.16			.02	.22	.09		.08	.02	27
28	.02	03	.15	.02		.02		.01			.33	.07	28
29									1.44		.04		29
30			.35						.09		.08	.12	30
31			.01							.10		.06	31
Total	2.64	.81	.82	3.33	1.71	.73	3.86	.70	4.90	1.74	2.05	2.39	YEAR'S TOTAL 25.68
Rain Days.	18	14	8	17	10	10	17	10	21	12	18	25	180

W. 8,000; IX. 17.

929
~~126~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Furneux Pelham
in the County of Hertfordshire
by G. W. Bindloss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.05		.02	.12	.15	.13			.03		.80	1
2	.18		.01		.12		.41		.26	.04	.16	.51	2
3	.28		.29				.11		.04		.10	.21	3
4	.06		.17			.06	.13	.06				.15	4
5	.02	.30	.29				.78		.15		.02	.22	5
6			.05							.01	.01	.04	6
7	.02		.40								.14	.02	7
8	.08		.06	.03							.09		8
9	.02		.01	.01							.11		9
10	.07		.04	.07							.01		10
11	.05		.07	.20			.31				.03	.02	11
12			.20			.02	.11		.01	.08	.01		12
13	.05			.34					.01	.06		.05	13
14	.20			.43			.01		.15				14
15	.13		.12	.08						.09	.05	.21	15
16	.06	.65		.05				.01				.03	16
17		.42	.03	.02							.24	.02	17
18		.53	.02					.03	.03			.09	18
19	.01	.10	.57			.13	.12	.29			.14	.03	19
20	.27	.05	.07			.86	.28	.55			.02	.02	20
21	.35	.30	.03			.03	.50				.01	.04	21
22		.09					.14		.37		.05	.51	22
23						.08	.06	.01				.03	23
24				.28		.03	.01	.03	.03		.09	.03	24
25	.01				.03	.02		.32			.01	.04	25
26	.21	.32	.13	.04				.35	.07			.35	26
27	.87	.14	.03	1.67				.23				.04	27
28			.03	.19				.87		.07	.12	.28	28
29	.04			.04				.11		.27	.21	.03	29
30				.28		.14		.04		.03	.29	.27	30
31	.03		.03							.01		.02	31
Total	3.42	2.95	2.65	3.75	.27	1.52	3.10	2.90	1.12	.69	1.91	4.06	YEAR'S TOTAL 28.34
Rain Days	22	11	21	16	3	10	14	13	10	10	21	26	177

W. 6,500, VII. 18. W W C

153 883

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Furneaux Pelham

in the County of Hertfordshire

by G. N. Pindloss

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·48	·04		·26	·13	·02	·74		·17	1
2			·01	·03			·19	·35	·09	·08		·12	2
3		·02		·09		·01	·16		·05	·06		·11	3
4				·12			·06	·07	·04	·02		·27	4
5			·06		·05		·61	·02	·14			·14	5
6			·11		·06		·38					·01	6
7		·01	·03	·15	·01		·10					·03	7
8	·23	·01		·35			·17	·08					8
9	·35			·20				·06					9
10	·29	·10	·11	·05			·10					·01	10
11	·18		·01	·32	·02	·02	·13					·11	11
12	·06		·07	·10		·39							12
13	·01	·03	·08	·17		·04					·08	·01	13
14	·01	·01	·23	·15		·04	·10		·09	·13	·22	·01	14
15		·01	·18	·11			·01		·30		·03	·05	15
16				·07					·21	·03		·01	16
17	·04		·01	·01	·10				·17			·04	17
18	·04				·04			·52	·08		·02	·09	18
19	·22			·22				·04			·01	·01	19
20	·06	·12		·48		·57			·06				20
21							·62	·09	·26			·08	21
22				·18				·02	·18			·07	22
23							·73					·37	23
24	·02		·06						·01		·01	·04	24
25	·01	·02	·09	·05	·47	·01	·18		·01				25
26	·08		·04	·04	·16		·04						26
27	·23	·03		·27		·19					·22	·15	27
28	·47		·22		·09	·01	·05					·03	28
29	·06		·09		·07		·03				·17	·26	29
30			·01		·01	·01	·38		·14		·14	·16	30
31	·04				·01					·23		·17	31
TOTAL	2.40	·36	1.41	3.64	1.13	1.29	4.30	1.38	1.85	1.29	·90	2.52	YEAR'S TOTAL 22.47
Days with ·01 in. or more	18	10	17	21	13	10	19	10	16	7	9	25	175
·04	14	2	12	19	9	5	17	8	13	5	5	17	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

1806

GILSTON PARK
HERTFORDSHIRE
1911–1920

FALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Ke

in

by

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

pre … daily at 9 a.m., and the result entered to the
req … to this almost universal rule, he is earnestly
for … of the following year in the space provided
the … s for the measurement of rain,
Org … ulars as to the British Rainfall
Dr. … " sent post-free on application to

Jan. 1, following.

Date.							y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
1							5	·06					1
2	·30			·13	·18						·17	·13	2
3		·04		·02	·13					·04	·06	·07	3
4	·05	·03	·10	·17							·13	·17	4
5	·04			·08						·11		·16	5
6	·26		·10									·38	6
7	·03										·21	·27	7
8	·21		·14							·17	·21	·18	8
9	·16		·04	·02							·03	·02	9
10		·08	·09								·04	·39	10
11	·20				·94						·49		11
12	·16		·41		·14				·07		·32	·03	12
13			·12		·40				·46	·18	·02	·18	13
14			·06		·41	·02						·47	14
15		·05	·31							·04	·04	·03	15
16			·02			·85					·25	·06	16
17						·04					·33	·14	17
18		·14	·02			·06					·58	·20	18
19						·09			·12	·04	·28	·06	19
20	·02		·03			·12			·10	·08		·60	20
21		·11						·32		·47	·02	·13	21
22	·10		·14			·05		·14		·05		·43	22
23		·16	·28			·95			·31		·02	·15	23
24		·06	·06			·06	·06			1·51		·18	24
25		·04	·04	·09		·23	·75			·03		·03	25
26			·02	·16		·03				·15	·04	·15	26
27		·31	·07	·09					·16		·06	·09	27
28		·25		·21	·06			·10			·02	·02	28
29				·04		·14	·35		·34	·19			29
30				·09	·08				·06	·15		·03	30
31													31
Total	1·57	1·27	2·05	1·31	2·34	2·64	1·21	·62	1·62	3·21	3·32	4·75 4·75	TOTAL for year 25·91
No. of Rain Days	12	11	18	12	8	12	4	4	8	14	20	27	150

9,000, IX. '10.

DL ✓

1806

FALL IN 1911

145

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Gilston Park

in the County of Hertfordshire 3

by Mr E. Leach

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·21			·05	·06					1
2	·30			·13	·18						·17	·13	2
3		·04		·02	·13					·04	·06	·07	3
4	·05	·03	·10	·17							·13	·17	4
5	·04			·08						·11		·16	5
6	·26		·10									·38	6
7	·03										·21	·27	7
8	·21		·14							·17	·21	·18	8
9	·16		·04	·02							·03	·02	9
10		·08	·09								·04	·39	10
11	·20				·94						·49		11
12	·16		·41		·14				·07		·32	·03	12
13			·12		·40				·46	·18	·02	·18	13
14			·06		·41	·02						·47	14
15		·05	·31							·04	·04	·03	15
16			·02			·85					·25	·06	16
17						·04					·33	·14	17
18		·14	·02			·06					·58	·20	18
19						·09			·12	·04	·28	·06	19
20	·02		·03			·12			·10	·08		·60	20
21		·11						·32		·47	·02	·13	21
22	·10		·14			·05		·14		·05		·43	22
23		·16	·28			·95			·31		·02	·15	23
24		·06	·06			·06	·06			1·51		·18	24
25		·04	·04	·09		·23	·75			·03		·03	25
26			·02	·16		·03				·15	·04	·15	26
27		·31	·07	·09					·16		·06	·09	27
28		·25		·21	·06			·10			·02	·02	28
29				·04		·14	·35		·34	·19			29
30				·09	·08				·06	·15		·03	30
31													31
Total	1·57	1·27	2·05	1·31	2·34	2·64	1·21	·62	1·62	3·21	3·32	4·75 4·75	TOTAL for year 25·91
No. of Rain Days	12	11	18	12	8	12	4	4	8	14	20	27	150

9,000, IX. '10.

Dh ✓ June from Hopkinson

Ex. [illegible]

149

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gilston Park

in the County of Hertfordshire 3

by E. Leach

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06			·04	·10		·06	·35		·17	1
2			·20	·03		·29	·27	·09					2
3	·12	·04	·05		·16	·26		·37	·02			·08	3
4	·25	·03	·64		·15	·27		·05			·36		4
5	·11	·05	·10					·12	·02		·09		5
6	·24	·06					·06	·10				·07	6
7	·02		·03		·02	·54		·95				·05	7
8	·31	·31	·15			·03		·42	·15				8
9	·03	·06		·07	·05	·16						·15	9
10		·04					·03	·35	·05		·12	·11	10
11	·06	·24				·04		·11	·04		·07	·08	11
12	·07	·08	·07		·09	·07			·02				12
13		·02	·02			·03	·05	·22			·18	·02	13
14			·02		·03	·04		·08		·10	·02	·04	14
15			·09		·15	·29		·04				·19	15
16	·23		·02		·09	·09		·15		·05	·09		16
17	·66		·32			·13		·06					17
18	·04		·10					·08		·03	·05	·14	18
19	·13	·09	·08	·02			·16	·50					19
20			·11					·12		·45			20
21		·04	·43		·10			·13		·05	·07		21
22	·28	·10	·09		·11		·12	·15		·02		·03	22
23	·43	·26	·22		·03		·13	·54			·17	·06	23
24	·35					·63		·13				·15	24
25						·20		·78			·23	·42	25
26		·03				–	·34	·39		·28	·50	·33	26
27						·04				·13		·15	27
28		·05				[illegible]	·10	·04	·10	·29	·26	·19	28
29		·02		·02		·08	·24	·25	1·24	·27	·08		29
30					·07	·04	·23	·27	·94	·12			30
31			·25					·25		·02		·05	31
Total	3·33	1·52	3·05	·14	1·05	2·67	1·83	6·74	2·64	2·16	2·29	2·48	TOTAL 29·90
No. of Rain Days.	16	17	20	4	12	19	12	27	10	13	14	19	183

W. 8,000, X. '11.

DL Wrt. Pr Feb & Oct. 26·2·14

completed by Hopkinson 27·11·14

REGISTER OF RAINFALL IN 1913

27 JAN 1914

154

FORM A. BRITISH RAINFALL.

Kept at Gilston Park Dupl by BR

in the County of Hertfordshire 3

by E. Leach

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·14	·07	·15					·12	·03	·09	·05	1
2		·13			·07		·13		·02		·05		2
3	·02		·06		·71							·04	3
4	·17		·05	·12	·10		·15			·20	·04	·05	4
5	·06						·34			·64	·02	·18	5
6	·02	·02	·02		·08	·13	·04				·07		6
7		·10			·06	·02	·06	·09		·55	·06		7
8			·09		·18	·06				·10	·05		8
9		·22		·03	·04	·03			·09		·03	·10	9
10			·05	·03			·04	·03			·27		10
11	·77			·43	·15			·10		·38	·14		11
12					·02						·36		12
13								·04			·54		13
14	·09		·07	·08			·83		·04	·20	·16		14
15	·23	·10	·38	·23			·17		·03				15
16	·08		·23	·15					·11				16
17			·07	·06		1·74	·18					·03	17
18			·15	·11			·17		·27		·02		18
19	·18		·03	·03	·02				·10		·03	·04	19
20	·21		·06	·04						·48			20
21			·17	·13			·02			·24	·53		21
22	·38		·10						·13				22
23							·02	·33	·03			·12	23
24				·04									24
25		·03		·13								·02	25
26			·18	·04						·73		·16	26
27		·02	·03	·09				·21		·05			27
28	·16		·19	·04						·23			28
29	·17		·04	·12	·22			·11		·03		·04	29
30	·28			·17				·11		·10	·16		30
31								·48		·03			31
													YEAR'S TOTAL
Total	2·88	·76	2·04	2·22	1·65	1·98	2·15	1·50	·94	3·99	2·62	·83	23·56
Rain Days.	15	8	19	20	11	5	12	9	10	15	17	11	152

W. 7,500, XI. ·12

82 144

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Gilston Park

in the County of Hertfordshire 3

by E. Leach

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05				·10	·28			·08		1
2							·04	·04			·13	·05	2
3	·03		·34		·11		·13				·08	·16	3
4	·09		·02	·25	·03			·06			·54	·31	4
5	·03		·05	·14	·10	·05	·32	·35					5
6		·10			·03	·13	·02	·03			·53	·21	6
7		·26	·19	·09	·33	·03						·12	7
8	·09	·22	·56	·05	·09	·19	·29	·11				·03	8
9	·28		·67	·14		·48						·85	9
10	·14	·17	·08	·08	·05							·05	10
11		·27	·33		·03	·68			·14		·40	·28	11
12		·03	·09				·03		·43			·35	12
13		·28	·16						·18	·10	·06	·34	13
14		·05	·45				·30			·24	·14	·31	14
15	·08	·02	·18								·04	·06	15
16		·27	·06										16
17			·07				·02		·25			·12	17
18			·08									·24	18
19		·09	·13			·03	·45 ·49		·08		·18	·10	19
20		·11	·18			·13			·17	·02		·11	20
21		·53	·09			·04				·03		·14	21
22			·03	·04	·18					·15			22
23			·12		·26		·26			·15			23
24			·03	·09			·09			·02	·13		24
25	·06		·11							·35		·09	25
26			·02				·05	·13		·05	·21	·60	26
27	·03		·03				·04					·24	27
28		·03								·06	·32	1·12	28
29	·04		·06							·28	·15		29
30			·06							·03	·45	·14	30
31					·24		·03					·05	31
Total	·87	2·43	4·24	·88	1·45	1·76	2·17	1·00 1·00	1·25	1·48	3·44	6·07	YEAR'S TOTAL 27·04
Rain Days.	10	14	28	8	11	9	15	7	6	12	15	24	158

W.7,000, XI. 13

Dl

corr. & completed by Hopkinson 9.11.16

1024
457

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Gilston Park

in the County of

by E. Leach

3 W. Dl

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·15	·08		·03				·03		·09	·41	1
2	·08	·19	·19	·11		·02		·56				·09	2
3	·36		·04	·20			·02	·20	·07	·04		·30	3
4	·07							·16				·35	4
5	·04	·20		·03	·10							·21	5
6	·17	·03	·08	·26			·72	·04				·32	6
7	·11	·31	·08	·02			·36	·03				·15	7
8	·02	·48		·02			·02	·02			·04		8
9		·10		·03		·04		·15			·25	·59	9
10	·35		·04					·16				·20	10
11	·04							·02			·86		11
12	·10		·02	·18	·34			·09		·06	·43		12
13	·06	·36			1·36								13
14		·05					·83	·05	·03			·42	14
15	·22				·07		·60	·45			·44	·11	15
16	·02	·40						·30				·10	16
17		·25			·36		·18						17
18		·26	·25		·09						·10		18
19		·08					·11						19
20	·31			·03				·03				·37	20
21	·13						·02			·02		·04	21
22	·58	·13	·32				·44					·12	22
23		·13	·23			·08	·20			·16		·28	23
24		·03	·04				·15		·35			·18	24
25				·07		·04	·21			·05		·10	25
26		·07				·02						·28	26
27		·02	·03			·24	·54			·34		·09	27
28		·20				·13		·03	1·43	·12			28
29			·05			·03	·04	·13			·10	·07	29
30	·04	×				·28					·08		30
31	·03	×		×		×		·04	×	·71	×	·16	31
Total	3·12	3·44	1·45	·95	2·35	·88	4·44	2·46	1·91	1·50	2·39 2·93	4·94	YEAR'S TOTAL 29·83
Rain Days.	19	19	13	10	7	9	15	17	5	8	9	22	153

W. 8,000. X. 14.

8L Exe 8L 996 ~~125~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Gilston Park
in the County of Hertfordshire
by E. Leach

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17		·04		·07			–	·05		·19		1
2	·38	·03	·14		·13				·23	·40	·02		2
3		·43	·19			·03	·07		·36	·22	·61		3
4	·26	·10				·45			·05	·02	·37		4
5	·04		·03		·03	·22				·09	·52		5
6		·04	·06	·34	·13	·04	·06			·03	·51		6
7	·12		·26			·03	·29			·02	·60	·08	7
8			·06		·35					·16		·35	8
9					·20							·09	9
10		·11	·10	·13		·14	·07					·13	10
11	·10	·12	·05	·15		·11		·32					11
12	·04	·02		·03	·45	·21	·10	·22	·03	·14			12
13		·49	·24	·11	·31	·12	·10	·19					13
14		·38	·05	·07	·08			·40				·10	14
15		·15	·26	·02			·05	·35	·02	·09			15
16		·04	·10	·17	·06		·28	·11		·06			16
17	·08	·08		·08			·06	·34	·42	·34			17
18		·09	·03	·12				·09	·06	·04	·51		18
19	·08		·10	·12					·21		·61		19
20	·18		·33	·04			·13				·03	·51	20
21			·84									·46	21
22		·04	·05		·04					·05	·04	·50	22
23		·36				·06		·04			·06	·12	23
24						·15		·03		·06		·30	24
25		·35	·12					·36		·05	·07		25
26		·13						·05		·05			26
27	·14	·04	·83			·04			·04	·48			27
28		·31	·41			·13		·33	·06			·22	28
29		·13				·19		1·47	·04	·30		·11	29
30						·10		·23		·54		·02	30
31					·05			·03		·09		·04	31
Total	1·59	3·44	4·29	1·38	1·90	2·02	1·21	4·56	1·57	3·23	4·14	3·03	YEAR'S TOTAL 32·36
Rain Days.	11	20	21	12	12	15	10	16	12	20	13	14	176

W. 8,000. X. 15.

Jh ✓

963 ~~125~~

REGISTER [illegible] OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Gilston Park

in the County of Herts

by E. Leach

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15				·87	·06				1
2				·46				·15			·05		2
3				·06				·39		·21	·09		3
4		·10						·30		·40			4
5	·23		·08	·14				·53	·15	·03	·12		5
6						·08			·04		·03		6
7	·25						·17	·05		·34			7
8	·13			·17			·71	·42		·26	·14	·20	8
9	·07		·06	·14			·03	·17				·12	9
10	·30		·14	·09				·07			·11		10
11	·10		·40	·12						·29			11
12	·08		·02		·15			·03		·43			12
13	·04		·03	·04				·04	·04	·12			13
14				·19				·30		·03		·05	14
15	·07							·04		·03		·03	15
16		·12		·33	·08		·21			·63		·19	16
17				·14	·58		·20	·06	·36	·32			17
18	·06			·10	·05	·07	·21		·31				18
19		·12	·08		·16	·05			·36				19
20	·07	·18	·10		·84				·03		·17		20
21			·08		·05	·02				·02	·07		21
22			·07					·08		·10			22
23		·09			·21			·14		·07			23
24		·03				·04		·04		·25	·02		24
25			·13				·75				·09		25
26			·07					·27	·03		·75	·09	26
27						·10		·71					27
28		·05				·38		·12				·05	28
29					·08	·10	·96	·18		·24		·12	29
30	·06	✗	·16				1·10	·13		·03	·02		30
31		✗	·12	✗		✗	·38	·02	✗	·14	✗	·03	31
Total	1·46	·69	1·54	2·13	2·20	·84	4·72	5·11	1·38	3·94	1·66	·88	YEAR'S TOTAL 26·55
Rain Days.	12	7	14	13	9	8	10	23	9	19	12	9	145

W. 8,000, VIII. 16

3·85

01 Sc.01 46 ~~122~~

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

27.1.19

Kept at Gelston Park

in the County of Herts 3

by E. Leach

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17							·11	·08	1
2		·09		·05				·11	·04		·05	·12	2
3			·05		·49			·32	·09	·02	·47	·04	3
4		·07	·11						·43	·02	·58	·03	4
5		·02			·08			·16	·06				5
6	·13	·12		·32	·06				·07	·06		·09	6
7		·11		·13	·03			·03	·11	·11	·08		7
8	·19	·02					·02		·10	·03	·06	·02	8
9		·03		·02		·09	·25		·33	·18		·12	9
10	·06			·05			·45				·04		10
11					·13		·15		·02	·02	·06	·03	11
12		·11			·14		·05		·11	·26		·02	12
13		·02			·15		·05		·10			·08	13
14	·22					·16	·07		·26	·27		·22	14
15				1·12			·11		·15			·07	15
16	·83			·61		·10	·02		·03				16
17	·56			·35		·25	1·51					·20	17
18	·15			·02		·15	·11		1·36	·07		·36	18
19	·45		·19	·16		·13	·13		·03	·06		·11	19
20	·08	·11		·35		·07	·14		·06	·22			20
21	·02			·15		·03			·27	·18		·03	21
22	·06			·05	·07		·07		·08			·20	22
23	·02				·90		·57	·04	·07			·04	23
24		·21			·11	·03	·02		·09		·10		24
25						·03	·13	·13			·23		25
26					·08		·29	·23		·08	·14	·18	26
27				·16			·03		·05		·12	·02	27
28		·11	·31			·09					·33	·09	28
29									1·25		·04		29
30		X	·39						·09		·08	·12	30
31		X		X	—	X			X	·06	X	·04	31
Total	2·77	1·02	1·05	3·71	2·24	1·13	4·17	1·02	5·25	1·64	2·49	2·31	YEAR'S TOTAL 28·80
Rain Days.	12	12	5	15	11	11	19	7	24	15	15	~~18~~ 23	169

W. 8,000, IX. 17.

81

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Gilston Park

in the County of

by E. Leach

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·05		·06	·15		·19			·09	·03	·88	1
2	·23		·02		·13		·32		·09		·14	·26	2
3	·22		·28				·06		·06		·11	·27	3
4	·08		·18			·10	·21	·10				·18	4
5	·04	·30	·40				·02		·08		·04	·22	5
6			·06								·02	·12	6
7	·03		·33								·10		7
8	·10		·06	·06							·11		8
9	·07		·04	·04							·22	—	9
10	·17		·05	·09							·02		10
11	·03		·09	·29			·22					·04	11
12			·13	·03			·14			·07	·04		12
13	·04			·23						·10		·02	13
14	·22			·38			·27		·22	·04			14
15	·20	·07	·06	·11						·15	·07	·11	15
16	·11	·72		·02							·10	·04	16
17		·62	·04	·02			—				·28	·02	17
18		·29	·04						·04		·03	·09	18
19		·09	·48			·22	·10	·24	·10		·14	·04	19
20	·29	·05	·09			·82	·23	·29				·02	20
21	·28	·33	·03			·03	·25		·04		·02	·05	21
22		·10				·06	·12		·45		·08	·36	22
23						·02	·10						23
24				·25			·03	·05			·14		24
25	·06			·15	·11	·02		·21				·03	25
26	·20	·23	·16	·08			·07	·07	·29			·31	26
27	·64	·13	·03	1·53				·38		·04		·03	27
28			·09	·15				·67		·06	·13	·23	28
29	·04			·06				·16		·24	·18	·05	29
30		✕		·28		·14		·09		·03	·24	·29	30
31	·02	✕	·02	✕		✕			✕		✕	·04	31
Total	3·41	2·98	2·68	3·83	·39	1·41	2·33	2·26	1·37	·82	2·24	3·70	YEAR'S TOTAL 27·42
Rain Days.	21	12	21	18	3	8	15	10	9	9	21	23	170

W. 6,500. VII. 18. w w c

865

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gilston Park

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·54	·06		·29			·38	·03	·27	1
2								·49	·08	·15		·10	2
3		·03		·31			·03		·06	·09		·05	3
4				·08	·02			·06		·03		·11	4
5			·09		·03		·69	·03	·11			·05	5
6			·19		·09		·24					·03	6
7	·03		·10	·19			·11					·04	7
8	·10			·21			·07	·04					8
9	·31	·04		·09				·03					9
10	·20	·05	·13	·03			·12				·03	·02	10
11	·20		·04	·23	·04	·05	·17					·15	11
12	·09		·06	·09		·30							12
13	·09	·03	·08	·16		·06	·03				·04		13
14			·33	·17		·04	·03		·14	·05	·20		14
15			·14	·29					·56		·10	·06	15
16				·25		·06			·17	·05			16
17	·05			·03	·10	·09	·02		·19			·04	17
18	·02		·05	·21				·60	·19			·03	18
19	·17			·41				·04				·02	19
20	·11	·25				·63	·77		·16				20
21								·04	·68			·08	21
22				·24					·10			·12	22
23							·62					·37	23
24			·08						·02			·03	24
25	·03	·04	·06	·03	·02		·17					·03	25
26	·06		·04	·05	·14	·06	·02						26
27	·23	·02	·02	·33	·03	·12	·02				·24	·12	27
28	·48		·26	·02	·16		·04				·02		28
29	·14		·05		·03		·05				·07	·36	29
30	·02	X			·02		·33		·21		·14	·16	30
31		X		X		X			X	·34	X	·11	31
TOTAL	2·33	·46	1·72	3·96	·74	1·41	3·82	1·33	2·67	1·09	·87	2·35	YEAR'S TOTAL 22·75
Days with ·01 in. or more	17	7	16	21	12	9	19	8	13	7	9	22	160
Days with ·04 in. or more	13	4	15	17	6	9	13	6	12	6	6	16	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL 140

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI 11

HERTS
GOFF'S OAK HOUSE
1911 – 1920

Kept at Goff's Oak

in the County of Hertf

by W. M. Cuningha

5 in.

e Ground 1 ft. 9 in.

Sea Level 310 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·42			·11	·04					1
2	·19			·20	·18		·01				·24	·13	2
3	·01	01		·01	·17	·13				06	·08	·09	3
4	·04	·02	·10	·18						·05	·11	·31	4
5	·02			05						·08		·11	5
6	·31		·10							·01	·02	·33	6
7	·02									·13	·30	·28	7
8	·15		·17								·19	·18	8
9	·12		·03	·02									9
10	·03	·12	·07	·01							·05	·31	10
11	·27	—			·94						·61		11
12	·05		·51		·07	·24			·06		·28		12
13			·20		·12				·56	·36	·02	·24	13
14	·01	·03	·03		·32	·02						·50	14
15		·04	·28							·02	·03	·03	15
16			·02			·49					·33	·05	16
17			·09			·08					·37	·14	17
18		·15	·01			·19					·53	·26	18
19					·03	·11			·21	·16	·32	·09	19
20			·03					·28	·08	·07	·01	·67	20
21	·01	·11	·04			·05		·11		·61		·11	21
22	·11		·12			·02			·29	·16	·02	·43	22
23	·01	·11	·31			1·06						·14	23
24		·09	·05			·07	·03	·03		1·15		·16	24
25		·04	·02	·04	·01	·19	·65	·01		·01		·01	25
26		·01	·03	·10	·01	·05	·03			·18	·02	·21	26
27		·49	·06	·05					·16		·06	·08	27
28		·29		·20	·01		·17	·05				·01	28
29				·03		·15	·30		·24	·20	·02		29
30			·01		·03	·01				·17		·01	30
31					·26								31
Total	1·38	1·51	2·29	1·31	2·15	2·86	1·30	·52	1·60	3·42	3·61	4·88	TOTAL for year 26·83
No. of Rain Days	16	13	22	12	12	15	7	6	7	16	20	25	171

9,000, IX. '10.

140

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Goff's Oak House
in the County of Hertfordshire 3
by W. M. Cuningham

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 310 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·42			·11	·04					1
2	·19			·20	·18		·01				·24	·13	2
3	·01	·01		·01	·17	·13				·06	·08	·09	3
4	·04	·02	·10	·18						·05	·11	·31	4
5	·02			·05						·08		·11	5
6	·31		·10							·01	·02	·33	6
7	·02									·13	·30	·28	7
8	·15		·17								·19	·18	8
9	·12		·03	·02									9
10	·03	·12	·07	·01							·05	·31	10
11	·27				·94						·61		11
12	·05		·51		·07	·24			·06		·28		12
13			·20		·12				·56	·36	·02	·24	13
14	·01	·03	·03		·32	·02						·50	14
15		·04	·28							·02	·03	·03	15
16			·02			·49					·33	·05	16
17			·09			·08					·37	·14	17
18		·15	·01			·19					·53	·26	18
19					·03	·11			·21	·16	·32	·09	19
20			·03					·28	·08	·07	·01	·67	20
21	·01	·11	·04			·05		·11		·61		·11	21
22	·11		·12			·02			·29	·16	·02	·43	22
23	·01	·11	·31			1·06						·14	23
24		·09	·05			·07	·03	·03		1·15		·16	24
25		·04	·02	·04	·01	·19	·65	·01		·01		·01	25
26		·01	·03	·10	·01	·05	·03			·18	·02	·21	26
27		·49	·06	·05					·16		·06	·08	27
28		·29		·20	·01		·17	·05				·01	28
29				·03		·15	·30		·24	·20	·02		29
30			·01		·03	·01				·17		·01	30
31					·26								31
Total	1·38	1·51	2·29	1·31	2·15	2·86	1·30	·52	1·60	3·42	3·61	4·88	TOTAL for year 26·83
No. of Rain Days	16	13	22	12	12	15	7	6	7	16	20	25	171

9,000, IX. '10.

Dl

Ex. H86

146

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Goff's Oak House

in the County of Hertfordshire 3

by W. M. Cuningham

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·15	·04		·08	·40		·18	1
2		·04	·14	·01		·33	·40	·21	·03			·01	2
3	·08		·13		·18	·15	·01	·46	·01			·08	3
4	·25		·49		·22	·10		·06			·30		4
5	·15	·09	·13					·12			·05		5
6	·30	·03						·08				·08	6
7	·01		·05		·03	·50		·15				·05	7
8	·30	·38	·14			·01		·14			·01	·01	8
9	·15	·10		·10		·29	·04	·03	·01			·13	9
10	·01	·05	·02					·33	·03		·14	·16	10
11	·05	·33	·01			·06		·11	·04			·09	11
12	·08	·09	·07		·13	·15				·03	·10		12
13		·10	·01		·01	·01	·01				·17	·03	13
14					·04			·14		·02		·02	14
15		·02	·06		·19	·39					·02	·18	15
16	·17		·03		·11	·02		·17		·04	·07		16
17	·57		·25			·10		·06					17
18	·05		·11					·29		·02	·03	·19	18
19	·18	·08	·10				·08	·28					19
20	·02	·01	·13				·01	·12		·43			20
21		·04	·34		·11			·10		·08	·06		21
22	·37	·13	·02		·05		·12	·15		·03		·03	22
23	·37	·26	·30		·01		·14	·44		·03	·18	·13	23
24	·52	·02	·01					·08				·09	24
25						·15		·81			·29	·53	25
26		·02					·10	·38		·42	·44	·24	26
27			·01			·06	·05			·18		·20	27
28		·05				·03	·07	·06	·12	·30	·33	·18	28
29		·02		·02		·05	·21	·20	1·46	·40	·10		29
30	·01		·02		·12		·09	·01	·94	·14			30
31			·32		·10		·22	·18				·05	31
Total	3·64	1·86	2·96	·13	1·30	2·55	1·59	5·16	2·72	2·52	2·29	2·66	TOTAL for year 29·38
No. of Rain Days.	19	19	24	3	13	17	15	26	9	14	15	21	195

W. 8,000, X. '11.

8L.

REGISTER OF RAINFALL IN 1913

27 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Goff's Oak House & RM
in the County of Hertfordshire 3
by W. M. Cuningham

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.18	10	.17					.18		.08	.04	1
2	.03	.16					.10		.08	01	.02		2
3			.02	.19	.42		.01					.03	3
4	.20		.01	.01	.17	.01	.13			.13	.05	.02	4
5	.07				.01	.04	.38		.08	.14	.01	.06	5
6	.01	.03	.05		.09	.21	.04		.02	.24	.02		6
7		.10			.11	.03	.26	.03		.41	.08		7
8			.01		.14	.15				.06	.05		8
9		.18	.01	.03	.04	.01			.10		.04	.10	9
10			.03	.15			.29	.02	.01		.27		10
11	.36			.39	.12			.03		.37	.09		11
12		.01			.02						.53		12
13	.06							.06	.02		.41		13
14	.07	.01	.07	.08			.67	.09		.21	.06		14
15	.15	.08	.24	.24			.32		.15				15
16	.08		.30	.14					.08				16
17	.02		.05	.04			.17		.03		.01	.02	17
18	.01		.22	.07			.02				.02	.02	18
19	.16					.04	.19		.28			.01	19
20	.07		.08	.03		.02				.48			20
21	.02		.24	.17			.03			.20	.59		21
22	.38		.08	.01					.17				22
23						.03	.02	.20	.02			.15	23
24	.02			.01		.01							24
25		.02		.11		.04	.01						25
26		.02	.27	.02				.20		.78		.22	26
27		.01	.03	.04				.01		.03			27
28	.16		.19	.07						.15			28
29	.08		.05	.50	.44			.28		.04		.02	29
30	.25			.10				.12		.14	.06		30
31			.02					.27		.04			31
Total	2.24 ✓	.80 ✓	2.07 ✓	2.57 ✓	1.56 ✓	.59 ✓	2.64 ✓	1.31 ✓	1.22 ✓	3.43 ✓	2.39 ✓	.69 ✓	YEAR'S TOTAL 21.51
Rain Days.	20	11	20	21	10	11	15	11	13	16	17	11	176

W. 7,500, XI. 12

8l /

EX 94 L

121

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Goff's Oak House

in the County of Hertfordshire

3

by W. M. Cuningham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·22			·05	·06	1
2	·02			·01			·05	·09			·15	·13	2
3			·09	·02	·16		·10				·13		3
4	·17		·01	·19	·18			·04			·23	·24	4
5	·02		·04	·14	·06	·08	·45	·49					5
6		·08			·03	·11	·01	·02			·19	·17	6
7		·18	·18	·07	·54	·05	·12					·14	7
8	·05	·25	·65	·04	·06	·23	·09	·10				·02	8
9	·19		·68	·04		·36			·04			1·35	9
10	·08	·15	·03	·07	·04				·08			·02	10
11	·02	·20	·32		·02	·63			·09		·11	·22	11
12		·04	·09				·04		·30			·40	12
13		·30	·13						·19	·02		·35	13
14		·06	·52				·38		·01	·33	·16	·44	14
15	·04	·09	·17				·01	·02	·02	·04	·02	·07	15
16	·01		·03				·06		·04		·02		16
17		·34	·06						·13			·18	17
18		·02	·10									·26	18
19		·03	·12			·01	·03		·03	·01	·15	·12	19
20		·17	·19			·04			·10	·02		·08	20
21		·40	·08			·20				·20	·01	·07	21
22			·02		·17	·03	·13	·02					22
23		·01	·09		·24	·04	·03			·12		·02	23
24	·01		·01	·03	·01	·01	·09			·01	·11		24
25	·02		·16					·10		·31		·10	25
26			·03				·02	·06		·03	·14	·44	26
27	·03		·03					·01			·01	·21	27
28	·01	·01								·02	·44	1·14	28
29	·07		·11							·22	·13		29
30	·01		·05							·02	·47	·16	30
31	·01				·17		·02					·02	31
Total	·76	2·33	4·05	·61	1·68	1·79	1·63	1·17	1·03	1·35	2·52	6·41	YEAR'S TOTAL 25·33
Rain Days.	16	16	27	9	12	12	16	11	11	13	17	25	185

W.7,000, XI. 13

Dl

1018
~~134~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Goff's Oak House
in the County of Hertfordshire 3 Est Dl
by W. M. Cuningham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.10	.10		.05		.01		.11	.03	.13	.38	1
2	.29	.14	.18	.08				.78	.02	.04		.19	2
3	.32		.03	.20			.01	.51	.04			.33	3
4	.06									.02		.34	4
5	.02	.24			.44					.05		.21	5
6	19	.03	.01	.23	.05		.55	.17				.35	6
7	.14	.24	.06	.01			.34				.01	.15	7
8	.05	.38	.02	.01			01	09		.01			8
9		.09		.03		.06		.03			26	.60	9
10	.25		.03			.02		.81				.16	10
11	.01		.02		.01						.80	.01	11
12	.08	.01		.30	.40			09		.02		.02	12
13	.02	.27			1.48						.38		13
14		.04			.01		95	06	.04			.39	14
15	.21	.02			.06			.08			.31	.07	15
16	.05	.28		.01			.61	.06				.05	16
17		.28			.54		.19						17
18		.16	.16		.15						.05		18
19		.06	.02				.10			.01			19
20	.35			.03	.01							.27	20
21	.15											.06	21
22	.88	.42	.32	.01			.54					.13	22
23		.10	.05			.06	.12		.16	.28		.24	23
24			.03			.01	.27		.13	.03		.31	24
25				.08			.16		1.26	.01		.09	25
26		.08					.15					.37	26
27		.01	.03			.49	.29			.40		.02	27
28		.08	.01			.04	.02	.01		.17			28
29			.02			.06	.09	.14			.13	.03	29
30	.03	X				.27			.02	.02	.15		30
31	.07	X		X		X		.05	X	.69	X	.14	31
Total	3.55	3.03	1.09	.99	3.20	1.01	4.41	2.88	1.78	1.78	2.22	4.91	YEAR'S TOTAL 30.85
Rain Days.	19	20	16	11	11	8	17	15	8	14	9	24	172

W. 8,000. X. 14.

8h ✓

Exe 8h

988
~~131~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Goff's Oak House
in the County of Hertfordshire
by W. M. Cuningham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·03	07	·01		·10	·04	·24		1
2	·32	·01	·14		19	·07	·01		·11	·38	·02		2
3		·25	·20		·01		·04		·36	·28	·54		3
4	29	·13	·01		·01	·36			·01	·05	·36		4
5	·03		·01		·03	·12				·09	·35		5
6		·04	·35	·31	·04	·14	·35			·02	·43		6
7	·08		·33		·12	·07	·13			·01	·51	·04	7
8		·01	·01		56						·05	·36	8
9					·30	·04				·09		·07	9
10	·01	·13	·09	·08		·35	·16			·01		·12	10
11	·06	·13	·03	·12	·02	·14							11
12	03	·02		·08	·39	·16	·04	·27	·01	·08			12
13	·01	·44	19	·09	·14		·13	16		·01			13
14		·30			·06			·76		·04			14
15		·15	·38				·04	·25		·01		·20	15
16		·03	·13	·12	·06		·10	·13		·05			16
17	07	·06		·12			·30	3·51	·25	·49			17
18		·05	·04	16				16	·14	·03	·51		18
19	10	·01	·13	·10					·18		·65	·10	19
20	·16		·33	·05				·02			·01	·61	20
21	·02		·63				·11					·15	21
22		·07	·04		·02							·41	22
23	02	·42				·13		·03		}	·05	·07	23
24		·03	·04		·01	·21		·03		·19 }	·02	·35	24
25		·39	·10					·20		·05	·08		25
26		·15			·07	·03		·08		·02			26
27	·16	·02	·80			·01		·26	·02	·49			27
28		·32	·41			·03			·18			·17	28
29		·09				·17		1·44	·04	·36		·09	29
30		X				·05		13		·45		·02	30
31		X		X		X		·03	X	·09	X	·02	31
Total	1·46	3·25	4·39	1·23	2·06	2·15	1·42	7·46	1·40	3·33	3·82	2·78	YEAR'S TOTAL 34·75
Rain Days.	15	23	21	10	17	17	12	16	11	24	14	15	195

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Goffs Oak House

in the County of Hertfordshire

by W. M. Cuningham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·22				·98	·04	·01	·11		1
2	·01			·37		·03		·07			·02		2
3				·02				·39		·17	·25		3
4		·12	·10				·06	·25		·45			4
5	·16		·04	·25				·07	·48	·10	·12		5
6			·03	·01		·02			·02	·02	·04		6
7	·16						·11			·28		·01	7
8	·17			·10			·71	·18		·23	·12	·27	8
9	·03		·04	·18			·02	·17	·01		·03	·13	9
10	·25		·13	·16				·05			·02	·01	10
11	·07		·45	·12						·33			11
12	·07		·02	·01				·01		·62			12
13	·04		·04					·03	·02	·06			13
14				·20	·19			·03				·05	14
15	·06						·01	·03		·03		·02	15
16	·05	·11		·20		·05	·01			·56		·17	16
17		·01		·09			·20		·36	·27			17
18	·05	·01		·14	·67	·16	·11	·05	·16	·01			18
19		·14	·11		·07	·02			·39				19
20	·06	·14	·08		·29		·09				·14		20
21	·03		·03	·01	·78						·04	·01	21
22			·07		·03			·08		·09			22
23		·09				·01		·15		·01		·02	23
24		·05			·11	·01		·13		·17	·04	·01	24
25			·06								·06		25
26			·15					·26	·03		·44	·01	26
27								·70				·03	27
28		·01	·02			·92		·09				·03	28
29						·04	·41	·13		·18		·10	29
30	·04	X	·29		·39		1·54	·15				·01	30
31	·03	X	·06	X		X	·41	·01	X	·01	X	·01	31
Total	1·28	·68	1·72	2·08	2·53	1·26	3·68	4·01	1·51	3·60	1·43	·89	YEAR'S TOTAL 24·67
Rain Days.	16	9	17	15	8	9	12	22	9	19	13	16	165

W. 8,000, VIII. 16

Dl

Ex Dl

37
~~49~~

FORM A.
BRITISH RAINFALL.
27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Goffs Oak House
in the County of Hertfordshire
by W. N. Cuningham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.05									.12	.05	1
2	.01			.11				.32		.01	.03	.16	2
3		.01	.04	.01	.80			.37	.08		.69	.01	3
4		.05	.13	.01			.01	.03	.52	.02	.39	.01	4
5		04	.01		.11			.10	.05	.07			5
6	.10	.16	.01	.26	.12			.05				.06	6
7	.06	.10		.13	.11			.03	.15	.10	.09		7
8	.02	.03					.01	.01	.08	.04	.06	.03	8
9		.05		.02		.08	.30		.40	.08		.19	9
10	.05			.07			.58		.11	.02	.02	.25	10
11					.12		.17		.05	.17	.05	.04	11
12		.08			.24		.09		.02	.01			12
13		.04		.03	.17		.08		.17			.10	13
14	.30				.01	.26	.06		.27	.20		.12	14
15	1.21			1.39			.12		.17			.08	15
16	.23			.75		.08				.01			16
17	.16		.01	.37	.03		.46		.05			.15	17
18	.48					.17	.08		1.37	.09		.13	18
19	.04	.03	.04	.14		.55	.21		.04	.09		.19	19
20	.01	.07		.45		.06	.10		.05	.27	.02	.04	20
21	.09			.16		.01	.35		.32	.05		.01	21
22	.06			.02	.33		.08		.12			.17	22
23	.01				.47	.01	.54	.05	.03			.04	23
24		.23		.02		.04			.04		.05		24
25					.06	.03	.18	.15		.01			25
26							.30	.12		.01	.11	.12	26
27		.06		.14			.07	.33	.05		.09	.03	27
28		.04	.13					.06			.32	.08	28
29			.03						1.48		.03		29
30		×	.40					.01	.03		.08	.12	30
31		×		×		×		.02	×	.08	×	.05	31
Total	2.83	1.04	.80	4.08	2.57	1.29	3.79	1.65	5.65	1.33	2.15	2.23	YEAR'S TOTAL 29.41
Rain Days.	15	15	9	17	12	10	19	14	23	18	15	24	191

W. 8,000, VIII. 16

82 ~~Cor 82~~

903
~~115~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Goff's Oak House
in the County of Hertfordshire
by W. M. Cuningham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·05	·01	·01	·17		·38			·03	·02	·31	1
2	·26		·01				·21		·25	·04	·14	·69	2
3	·25		·26				·24		·11		·06	·27	3
4	·11	·02	·30		·01		·32	·08			·01	·18	4
5	·03	·28	·49			·10	·05		·16		·02	·22	5
6			·08	·01							·03	·10	6
7	·03		·33								·12		7
8	·05		·11	·03							·06		8
9	·02		·02	·02	·02						·37		9
10	·26		·05	·05								·03	10
11	·04		·08	·28			·25						11
12			·15	·03			·15			·04	·03		12
13	·03	·02	·01	·14		·03			·01	·08			13
14	·22			·33			·06		·25			·03	14
15	·26		·06	·19						·04	·02	·12	15
16	·11	·71		·09							·09	·02	16
17	·01	·79	·11	·02								·02	17
18		·20	·06		·01			·03	·05			·07	18
19	·02	·13	·46			·28	·17	·16	·13		·37	·01	19
20	·33	·07	·05			·86	x	·25	·03				20
21	·17	·35	·04			·03	x ·55					·10	21
22		·15	·02			·03	·03		·32		·06	·35	22
23						·02	·01	·03	·15			·01	23
24				·26		·02	·02	·08		·10	·09		24
25	·03			·17	·02			·25				·04	25
26	·10	·13	·11	·02					·11			·33	26
27	1·12	·05	·04	1·43							·29	·04	27
28			·14	·07				1·24		·01		·23	28
29				·04				·19		·22		·05	29
30		✕	·05	·25		·14		·06		·03		·23	30
31	·07	✕		✕		✕			✕	·01	✕	·01	31
Total	3·82	2·95	3·04	3·44	·23	1·51	2·44	2·37	1·57	·60	1·78	3·46	YEAR'S TOTAL 27·21
Rain Days.	22	13	24	19	5	9	14	10	11	10	16	23	176

W, 6,500, VII. 18. w y c

143 856

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Goffs Oak House

in the County of Hertfordshire

by W. M. Cuningham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·72	·10		·26			·39		·22	1
2			·02				·04	·62	·08	·50		·16	2
3		·06		·03					·05	·25		·10	3
4		·02		·07			·12	·07					4
5			·08		·04		·64	·03	·07	·24		·03	5
6			·14		·11		·25	·01					6
7	·02		·12	·15	·01		·15					·05	7
8	·14	·01		·28	·01		·06	·05					8
9	·30	·01		·03				·04					9
10	·38	·03	·08			·07	·11						10
11	·20		·05	·39	·03	·08	·21					·22	11
12	·07			·13		·37							12
13	·10	·01	·10	·10		·01							13
14		·01	·29	·23		·09	·02		·14	·09	}		14
15	·01	·03	·05	·15			·02		·52	·04	·33 }		15
16			·01	·34					·18				16
17	·02			·06	·11	·31			·37	·09			17
18	·07				·01			·54					18
19	·11			·39									19
20	·06	·14		·25		·62			·52			·29	20
21		·01		·01			·77	·03	·07				21
22	·01			·30									22
23							·80					·30	23
24			·06	·01								·05	24
25	·01		·05	·01		·01	·15		·19				25
26	·05		·05	·01	·51		·02						26
27	·15	·07		·28		·08					·57		27
28	·42		·23	·02	·07	·02	·04						28
29	·18	·01	·05	·08	·05		·04				·05		29
30	·02	×		·01		·01	·45		(06)		·19		30
31	·01	×		×	·04	×			×	·23	×	·69	31
TOTAL	2·33	·41	1·38	4·05	1·09	1·67	4·15	1·39	2·25	1·83	1·14	2·11	YEAR'S TOTAL 23·80
Days with ·01 in. or more	20	12	15	24	12	11	18	8	10	8	5	10	153
·04	13	3	13	16	8	7	15	5	10	8	5	9	113

(40283). Wt. 21958—218 7500. 10/19. Gp.132. A.&E.W.

GORHAMBURY

HERTS

1911 - 1916
1918 - 1920

✓

REC 911

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

Kept at St. Albans Gor

in the County of Her

by W Newberry

p 5 in.
bove Ground 1 ft. - in.
„ Sea Level 423 ft.

on Name
Distance Direction

IMPORTANT NOTE and the result entered to the previous day. If an Obse universal rule, he is earnestly requested to add the readi g year in the space provided for it at the end of this surement of rain, the selection and placing British Rainfall Organization are given in ' on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	.10			.27			.06	.05			.10	.20	2
3	.03	.05		.52	.16						.09	.05	3
4	.05		.09		.20					.05	.22	.38	4
5		.16								.06		.08	5
6	.41		.07							.10		.46	6
7	.05										.32	.30	7
8	.15		.18								.11	.17	8
9	.10										.10	.02	9
10	.02											.58	10
11	.27	.09			.21						.73		11
12			.55								.51		12
13			.15		.74				.45	1.16		.40	13
14					.78							.39	14
15		.02	.20							.04	.06	.01	15
16		.08				.16					.42	1.02	16
17			.10			.22					.15	.25	17
18						.39					.33	.30	18
19						.24			1.04	.04	.27	.20	19
20		.03						.39		.05		.67	20
21		.14						.25		.55		.09	21
22			.05			.18				.02		.60	22
23		.16	.30			.73	.01		.15				23
24		.10							.01	.65			24
25		.05		.20		.25	.16			.14			25
26				.14			.39	.04			.01	.23	26
27		.41	.15				.10	.01	.11			.10	27
28		.43		.26							.06		28
29				.03		.19	.15		.21	.25			29
30				.01		.04				.27			30
31					.81								31
Total	1.18	1.72	1.84	1.43	2.90	2.40	.87	.74	1.97	3.38	3.48	6.50	TOTAL for year 28.41
No. of Rain Days.	9	12	10	7	6	9	6	5	6	13	15	21	119

W. 8,000, X. '11.

✓

REC 911

FORM A2.
BRITISH RAINFALL.
18 MAR 1912

Kept at St Albans Gorhambury

in the County of Herts 2

by W Newberry J Hopkinson

Rain Gauge	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. - in.
	,, ,, ,, Sea Level	423 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	.10			.27			.06	.05			.10	.20	2
3	.03	.05		.52	.16						.09	.05	3
4	.05		.09		.20					.05	.22	.38	4
5		.16								.06		.08	5
6	.41		.07							.10		.46	6
7	.05										.32	.30	7
8	.15		.18								.11	.17	8
9	.10										.10	.02	9
10	.02											.58	10
11	.27	.09			.21						.73		11
12			.55								.51		12
13			.15		.74				.45	1.16		.40	13
14					.78							.39	14
15		.02	.20							.04	.06	.01	15
16		.08				.16					.42	1.02	16
17			.10			.22					.15	.25	17
18						.39					.33	.30	18
19						.24			1.04	.04	.27	.20	19
20		.03						.39		.05		.67	20
21		.14						.25		.55		.09	21
22			.05			.18				.02		.60	22
23		.16	.30			.73	.01		.15				23
24		.10							.01	.65			24
25		.05		.20		.25	.16			.14			25
26				.14			.39	.04			.01	.23	26
27		.41	.15				.10	.01	.11			.10	27
28		.43		.26							.06		28
29				.03		.19	.15		.21	.25			29
30				.01		.04				.27			30
31					.81								31
Total	1.18	1.72	1.84	1.43	2.90	2.40	.87	.74	1.97	3.38	3.48	6.50	TOTAL for year 28.41
No. of Rain Days.	9	12	10	7	6	9	6	5	6	13	15	21	119

W. 8,000, X. '11.

from Herts Nat His Soc

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-6 MAR 1913

Kept at Gorhambury St Albans

in the County of Hertfordshire 2

by W Newberry G Hopkinson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.07		.08			.22	.04	.03	.03	.33			1
2			.08			.08	.32				.27		2
3		.01	.10			.18		.25	.02		.06	.10	3
4	.21		.72		.30	.30		.11					4
5	.17	.11	.20		.02			.39					5
6		.02		.02	.04			.21				.06	6
7	.28					.68	.02	.15				.04	7
8	.49	.32	.22					.05				.02	8
9	.06	.16				.48		.02				.24	9
10								.24			.25	.07	10
11	.10	.03						.09	.05		.02	.15	11
12	.07	.07	.12		.01	.11							12
13		.26	.03			.08		.16				.02	13
14		.02						.03		.02			14
15			.13			.38		.10		.07		.11	15
16			.07		.15	.04					.05		16
17	.80		.34		.09	.14		.11			.02		17
18	.02		.14					.55				.10	18
19	.16	.08	.16				.34	.84		.01		.08	19
20			.17				.02	.08		.34			20
21		.02	.79					.17		.10	.03		21
22	.35	.19	.03		.25		.09	.18		.02			22
23	.42	40	.35		.04		1.52	.52			.15		23
24	.27	01				.01		.15				.19	24
25						.20		.44			.30	.23	25
26						.04	.16	.46		.48	.64	.49	26
27			.01			.15				.27		.21	27
28		.04						.09		.61	.34	.22	28
29		.05				.38	.32	.44	1.40	.18		.27	29
30					.35		.04	.06	.93	.21	.05		30
31			.10		.10		.22	.12				.09	31
Total	3.47	1.79	3.84	.02	1.35	3.47	3.09	6.04	2.43	2.64	2.18	2.69	YEAR'S TOTAL 33.01
Rain Days.	14	16	19	1	10	16	11	27	5	12	12	18	161

W. 7,500, XI. 12

Copy from Herts Nat Hist Soc

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at St Albans Gorhambury
in the County of Hertfordshire Z
by W Newberry J Hopkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.18	.11	.12					.25		.35		1
2	01	.07					.09		.02	.68	.06	.05	2
3	09		.01	.07	.56					.01		.12	3
4	.27		.07		.02		.20			.17	.05	.04	4
5	.10		.03		.01	.01	.18		.08	.05	.02	.03	5
6		.05	07		.08	.27	.11			.20		.07	6
7		.23			.21	.01	.07			.52	.06	.03	7
8					.12	.05				.21		.02	8
9		.12			.01	.02			.07		.12	.05	9
10				.08			.50	.02			.35	.01	10
11	.33			.43	.02			.17		.26	.31		11
12					.03					.01	.67		12
13									.09		.33		13
14	.10		.09				.39	.10		.16	.09		14
15	.08		.28	.14			.09						15
16	.12		30								.01		16
17	.03		.06	.03		13	.12				.03	.06	17
18	.01		.21	.16			.05				.04		18
19	.48						.07		.49			.02	19
20	.06		.03			.02				.50	.10		20
21	10			.02	.02		.03			.12	.41		21
22	.36		.27	.03					.20				22
23						.05		.09	.04		.02	.11	23
24											.01		24
25	.05			.24									25
26			.19	.13				.18		.57		.12	26
27			.10	.09						.05			27
28	.09		.14	.14				.09		.10		.01	28
29	.18		05	.53	.35					.03		.05	29
30	34			.02				.10		.25	.03	.01	30
31								.36		.02			31
Total	2.87	.65	2.01	2.23	1.43	56	1.90	1.11	1.24	3.91	3.06	.80	YEAR'S TOTAL 21.77
Rain Days.	19	5	16	15	11	8	12	8	8	18	19	16	155

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - APR 1915

Kept at Gorhambury St Albans
in the County of Herts 2
by W. Newberry

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station L.&N.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12							·17			·05	·01	1
2				·02			·09	08			05	18	2
3			·03	01	·22		23	11			17	01	3
4	15			30	02			18			22	55	4
5	04		06	25	06	·10	57	60			01	02	5
6		·13			06	06	11	02			25	31	6
7		35	15	11	22	05	10	01				37	7
8	07	20	1·14	07	08	31	15	15	·01		10	01	8
9	25		58	10	02	32		03	15			1·15	9
10	04	15	03	05	05			01	18			02	10
11		32	43		08	71			05		17	30	11
12		07	10				11		30		01	13	12
13	02	40	21				03		31		05	45	13
14		17	37						01	·10	20	39	14
15			17				02		02	35	02	08	15
16	05		07				02		04	08	04		16
17		42	09				01		20	01		35	17
18		05	07			02	04					45	18
19		06	12			02			03		19	05	19
20		37	27			34			·06			23	20
21		47	10							03		10	21
22		11	06		14		03	05		65	01		22
23		12	12		05	·01	15	01		13			23
24	01		03	04	01		10	12		11	12		24
25	04	01	15				01	·06		40	·01		25
26			05				01			03	25	73	26
27	05		01							01	04	32	27
28	08	03			12					05	38	1·12	28
29			11							30	15	02	29
30			·07							05	·41	45	30
31	·02				·08		·07			·01		·03	31
Total	·94	3·43	4·59	·95	1·21	1·94	1·85	1·60	1·36	2·31	2·90	7·83	YEAR'S TOTAL 30·91
Rain Days.	13	17	25	9	14	10	18	14	12	15	22	26	195

W. 8,000. X. 14.

Cofor Herts Nat His Soc

G R R

1064

FORM A.
BRITISH RAINFALL.

13 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at St Albans Gorhambury

in the County of Hertfordshire 2

by Mr W Newbury

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.52	.14	.15		.05		.01		.16	.06	.15	.45	1
2	.18	.31	.28	.11		.03		.88	.01	.05	.01	.17	2
3	.45	.01	.04	.18			.17	.86	.17			.33	3
4	.08		.01	.01				.01	.01	.03	.01	.45	4
5	.04	.50			.15			.04		.02		.26	5
6	.21	.11	.02	.31			.70					.10	6
7	.08	.58	.10	.01			.32	.01			.01	.28	7
8	.10	.63	.12	.04			.12						8
9	.43	.05	.01	.08		.05	.01	.09			.22	.85	9
10			.02					.05				.10	10
11	.03		.03					01			.90		11
12	.08	.02	.02	.25	.38			.18		.07	.65	.05	12
13	.01	.52	.01		1.46			.13					13
14		.05			.02		.63	.14	.06			.63	14
15	.38				.04		.01	.15			.26	.30	15
16	.01	.62					.75	.15				.12	16
17		.55			.43		.20	.01			.01		17
18		.16	.20		.02								18
19		.06	.02	.02	.01		.21				.02		19
20	.35	.01					.63					.30	20
21	.18	.03					.35			.02		.05	21
22	1.00	.41	.37				.08					.29	22
23	.02	.26	.32	.01		.04	.11		.30	.53		.30	23
24		.01	.10			.01	.10		.46	.12		.32	24
25		.01	.02	.06		.04	.14		.01	.06	.02	.30	25
26		.16	.01			.10	.01		.08	.01		.45	26
27		.01				.25	.08		.01	.45		.19	27
28		.11	.01			.20	.02		1.34	.19			28
29			.01			.02		.18	.01		.19	.01	29
30	.03					.07		.03		.04	.10	02	30
31	.02									1.02		.22	31
Total	4.20	5.32	1.87	1.08	2.56	.81	4.65	2.92	2.62	2.67	2.55	6.54	YEAR'S TOTAL 37.79
Rain Days.	20	24	21	11	9	10	20	16	12	14	13	24	194

W. 8,000. X. 15.

2

Ent. [illegible]

974

FORM A.
BRITISH RAINFALL.
30. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Gorhambury, St. Albans.

in the County of Herts.

by W. Newberry per J. Hopkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49		·02		·04				·10	·03	·32		1
2	·52	·03	·16		·34	·03			·09	·39	·06		2
3	·01	·90	·06						·24	·30	·24		3
4	·34	·09	·02			·56			·02	·04	·54		4
5	·04	·03		·02	·05	·15				·13	·66		5
6	·02	·07	·37	·21		·09	·42			·08	·60		6
7	·13		·28		·07	·01	·20			·04	·53	·03	7
8			·02		·52						·02	·36	8
9					·37					·13		·06	9
10		·15		·08		·39	·16			·01		·03	10
11	·10	·14	·23	·18		·14						·10	11
12	·05	·05	·08	·13	·41	·17	·09	·12		·10			12
13		·52	·24	·08		·06	·39	·49		·02			13
14		·48	·01	·06	·11			·24		·07			14
15		·18	·45	·03			·04	·37		·01			15
16		·04	·33	·18	·05		·20	·10		·03			16
17	·15	·05		·29			·03	·40	·25	·57			17
18	·01	·10	·04	·25					·09	·03	·65	·12	18
19	·09	·03	·25	·15					·37		·74	·10	19
20	·28		·18	·01							·02	·50	20
21	·01		·68				·09					·57	21
22		·10	·04		·05	·01				·06	·01	·39	22
23	·02	·50		·01		·06		·02		·02	·07	·08	23
24		·04	·01		·07	·25		·01		·10	·04	·27	24
25		·58	·10					·16		·21	·11		25
26		·10	·01			·07		·15		·07			26
27	·15	·07	·74			·21		·21	·08	·15			27
28		·42	·45			·07			·22	·12		·50	28
29		·09				·28		1·25		·52	·02	·10	29
30		X			·14	·03		·06		·38		·01	30
31		X		X		X		·03	X	·08	X	·03	31
Total	2·41	4·76	4·77	1·68	2·22	2·58	1·62	3·61	1·46	3·69	4·63	325	YEAR'S TOTAL 36·68
Rain Days.	16	23	23	14	12	17	9	14	9	26	16	16	195

W. 8,000, VIII. 16

[illegible] Used Cfr.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

2 · 1 · 19

Kept at Gorhambury. St albans

in the County of Hertfordshire

by J. Ison

Lat. 51 - 45 - N Long. 0 - 20 - W

Time of Observation 9. a m

Nearest Railway Station St albans

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·9	0·	0·	0·	0·	0·	0·	·19	0·3	1
2				·12	0·	0·	0·	·13	0·	0·	·12	·23	2
3				0·	·51	0·	0·	0·	·12	0·	·60	0·2	3
4			(·05)	0·	0·	0·	0·	0·3	·34	0·3	·60	0·4	4
5				0·	·11	0·	0·	·16	·10	·13	0·	0·1	5
6				·25	0·6	0·	0·	0·	0·	·15	0·	0·9	6
7				·9	·15	0·	0·	0·	·10	0·3	·11	0·	7
8				0·1	0·	0·	0·1	0·	·10	0·	0·7	0·4	8
9				0·1	0·	0·6	·37	0·	·38	·20	0·	·24	9
10			0·	0·6	0·	0·	·26	0·	0·2	0·1	0·	·18	10
11			0·	0·3	0·9	0·	·31	0·	0·4	·48	0·6	0·4	11
12			0·	0·	·18	0·	·10	0·	0·	0·	0·	0·	12
13			0·	0·	·28	0·	·10	0·	·13	0·	0·	·14	13
14			0·	0·	0·	·10·	·14	0·	·26	·25	0·	·21	14
15			0·	1·14	0·	0·	·11	0·	0·1	0·	0·	·10	15
16			0·	·64	0·	0·	0·	0·	·87	0·6	0·	0·1	16
17			0·	·41	0·	·35	·16	0·	0·2	0·	0·	·15	17
18			0·	0·	0·	·24	·16	0·	·25	0·7	0·	·17	18
19			0·3	0·9	0·	0·5	·24	0·	0·	0·6	0·	·26	19
20			0·	·73	0·	0·4	0·3	0·	·17	·20	0·	0·4	20
21			0·	·60	0·	0·	0·1	0·	·47	0·4	0·	0·1	21
22			0·	0·	·17	0·	0·5	0·	0·9	0·	0·	·25	22
23			0·	0·	·58	0·	·73	0·5	0·4	0·	0·	0·4	23
24			0·	0·	0·	0·4	0·3	0·	·10	0·	·18	0·	24
25			0·	0·	0·	0·8	·18	·46	0·	0·	0·6	0·	25
26			0·	0·	0·	0·	·12	0·9	0·	0·3	·15	·23	26
27			0·	·10	0·	0·	0·3	·26	·10	0·	·10	0·7	27
28			·25	0·5	0·	0·4	0·	0·2	0·	0·	·27	·18	28
29			0·	0·	0·	0·	0·	0·	1·33	0·	0·2	0·	29
30		✕	·37	0·	0·	0·	0·	0·	0·7	0·	0·8	0·5	30
31		✕	0·3	✕	0·	✕	0·	0·1	✕	0·9	✕	0·1	31
Total	(2·75)	(1·25)	(·73)	4·42 ✓	2·13 ✓	1·00 ✓	3·12 4 ✓	1·21 ✓	5·11 ✓	1·83 ✓	2·61 ✓	2·84 ✓	YEAR'S TOTAL (29·62)
Rain Days.	(16)	(15)	(7)	16 ✓	9 ✓	9 ✓	19 ✓	9 ✓	22 ✓	15 ✓	14 ✓	26 ✓	(177)

W. 8,000, IX. 17.

889

cnd for arith

FORM A.
BRITISH RAINFALL.

5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Gorhambury St Albans

in the County of Hertford

by J. Ison

Lat. 51½° N Long. 0° 20 W.

Time of Observation 9 a.m

Nearest Railway Station Gt Midland St Albans

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·48	0·3	0·—	0·—	0·13	0·—	0·55	0·—	0·—	0·2	0·3	124	1
2	0·21	0·—	0·3	0·—	0·5	0·—	0·9	0·—	0·15	0·27	0·14	0·51	2
3	0·45	0·—	0·33	0·—	0·1	0·—	0·2	0·—	0·8	0·—	0·5	0·32	3
4	0·7	0·4	0·32	0·—	0·—	0·8	0·12	0·4	0·8	0·—	0·—	0·21	4
5	0·1	0·31	0·64	0·—	0·—	0·—	0·28	0·—	0·12	0·—	0·2	0·26	5
6	0·2	0·—	0·10	0·—	0·7	0·—	0·—	0·—	0·—	0·—	0·2	0·12	6
7	0·4	0·—	0·61	0·—	0·—	0·—	0·—	0·—	0·—	0·—	0·12	0·—	7
8	0·20	0·—	0·9	0·11	0·—	0·—	0·—	0·—	0·—	0·—	0·1	0·—	8
9	0·—	0·—	0·2	0·7	0·8	0·—	0·—	0·—	0·—	0·—	0·19	0·—	9
10	0·8	0·—	0·12	0·3	0·—	0·—	0·—	0·—	0·—	0·—	0·3	0·8	10
11	0·5	0·—	0·11	0·22	0·—	0·—	0·28	0·—	0·—	0·—	0·1	0·3	11
12	0·—	0·—	0·27	0·6	0·—	0·10	0·13	0·—	0·—	0·7	0·2	0·—	12
13	0·3	0·2	0·—	0·34	0·—	0·—	0·—	0·—	0·—	0·4	0·—	0·6	13
14	0·36	0·1	0·—	0·42	0·—	0·—	0·6	0·—	0·12	0·8	0·—	0·—	14
15	0·37	0·—	0·15	0·17	0·—	0·—	0·—	0·—	0·—	0·8	0·3	0·51	15
16	0·2	0·74	0·—	0·2	0·—	0·—	0·—	0·—	0·—	0·—	0·13	0·4	16
17	0·—	0·67	0·—	0·—	0·—	0·—	0·—	0·—	0·—	0·—	0·23	0·3	17
18	0·—	0·23	0·9	0·—	0·—	0·—	0·—	0·7	0·4	0·—	0·7	0·15	18
19	0·3	0·14	0·69	0·—	0·—	0·17	0·36	0·14	0·10	0·—	0·11	0·1	19
20	0·33	0·9	0·12	0·—	0·—	0·65	0·14	0·50	0·—	0·—	0·—	0·—	20
21	0·32	0·46	0·5	0·—	0·—	0·—	0·20	0·—	0·—	0·—	0·1	0·9	21
22	0·—	0·16	0·—	0·—	0·—	0·3	0·13	0·—	0·27	0·—	0·1	0·37	22
23	0·—	0·—	0·—	0·—	0·—	0·8	0·—	0·8	0·4	0·3	0·—	0·—	23
24	0·—	0·—	0·—	0·14	0·—	0·2	0·11	0·5	0·—	0·20	0·15	0·2	24
25	0·9	0·—	0·—	0·6	0·6	0·—	0·—	0·38	0·—	0·—	0·—	0·7	25
26	0·16	0·28	0·13	0·33	0·—	0·—	0·—	0·14	0·10	0·—	0·—	0·42	26
27	0·62	0·2	0·1	1·57	0·—	0·—	0·—	0·44	0·—	0·—	0·3	0·8	27
28	0·—	0·—	0·11	0·4	0·—	0·—	0·—	0·82	0·—	0·1	0·17	0·30	28
29	0·4		0·—	0·7	0·—	0·—	0·—	0·17	0·—	0·22	0·10	0·5	29
30	0·—	✕	0·7	0·26	0·—	0·16	0·—	0·6	0·—	0·4	0·32	0·68	30
31	0·2	✕	0·—	✕	0·—	✕	0·—	0·—	✕	0·—	✕	0·1	31
Total	4·00	3·20	4·06	~~3·81~~ 3·91	·40	1·29	2·47	2·89	1·10	1·06	2·00	5·66	YEAR'S TOTAL 3204 ~~31·94~~
Rain Days.	22	14	20	16	6	8	13	12	10	11	23	24	179

W. 8,000, VIII. 16

4.00

—421

841

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

4 JAN 192[illegible]

Kept at Gorhambury, St. Albans
in the County of Hertfordshire
by J. Ison

Lat. 51½ Long. 0° 20 W
Time of Observation 9 A.M.
Nearest Railway Station Midland. St. Albans
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·	0·	0·	1·01	0·18	0·	0·32	0·	0·	0·51	0·	0·30	1
2	0·	0·	0·01	0·02	0·	0·	0·26	0·49	0·08	0·02	0·	0·15	2
3	0·	0·05	0·	0·17	0·	0·	0·27	0·	0·08	0·03	0·	0·09	3
4	0·	0·	0·	0·08	0·	0·	0·04	0·15	0·	0·37	0·	0·05	4
5	0·	0·	0·05	0·	0·14	0·	0·73	0·03	0·04	0·	0·	0·12	5
6	0·	0·	0·17	0·	0·09	0·	0·38	0·	0·	0·	0·	0·05	6
7	0·02	0·	0·02	0·16	0·	0·	0·20	0·	0·	0·	0·	0·01	7
8	0·17	0·05	0·	0·27	0·08	0·	0·15	0·08	0·	0·	0·	0·	8
9	0·36	0·	0·	0·15	0·	0·	0·01	0·03	0·	0·	0·	0·	9
10	0·34	0·05	0·08	0·	0·	0·05	0·04	0·	0·	0·	0·03	0·02	10
11	0·27	0·	0·06	0·27	0·05	0·08	0·13	0·	0·	0·	0·	0·02	11
12	0·06	0·03	0·01	0·14	0·	0·45	0·02	0·	0·	0·	0·02	0·	12
13	0·14	0·03	0·09	0·38	0·	0·	0·	0·	0·	0·	0·07	0·01	13
14	0·01	0·01	0·35	0·30	0·	0·24	0·07	0·	0·13	0·42	0·37	0·04	14
15	0·01	0·06	0·20	0·23	0·	0·	0·01	0·	0·22	0·01	0·17	0·01	15
16	0·	0·	0·	0·10	0·	0·20	0·~~20~~	0·	0·12	0·08	0·	0·	16
17	0·02	0·	0·	0·13	0·15	0·	0·05	0·	0·20	0·	0·	0·03	17
18	0·06	0·	0·	0·01	0·03	0·	0·	0·35	0·20	0·	0·	0·06	18
19	0·13	0·	0·	0·16	0·05	0·06	0·	0·04	0·	0·	0·	0·01	19
20	0·05	0·09	0·	0·34	0·	0·48	0·	0·	0·	0·	0·	0·05	20
21	0·	0·	0·	0·01	0·	0·	0·48	0·05	0·32	0·	0·	0·11	21
22	0·	0·	0·	0·25	0·	0·	0·	0·	0·20	0·	0·	0·20	22
23	0·01	0·	0·	0·	0·	0·	0·01	0·	0·	0·	0·	0·44	23
24	0·03	0·	0·13	0·01	0·	0·	0·	0·	0·	0·	0·	0·05	24
25	0·	0·07	0·05	0·02	0·	0·	0·35	0·	0·	0·	0·	0·	25
26	0·15	0·	0·10	0·	0·46	0·01	0·03	0·	0·	0·	0·03	0·03	26
27	0·34	0·07	0·01	0·18	0·	0·24	0·	0·	0·	0·	0·67	0·17	27
28	0·46	0·	0·24	0·	0·28	0·02	0·09	0·	0·	0·	0·	0·	28
29	0·24	0·	0·04	0·05	0·01	0·	0·04	0·	0·	0	0·17	0·29	29
30	0·03	✕	0·	0·	0·	0·05	0·35	0·	0·33	0·	0·04	0·23	30
31	0·02	✕	0·	✕	0·03	✕	0·	0·	✕	0·22	✕	0·15	31
Total	2·92 ✓	0·51 ✓	1·61 ✓	4·44 ✓	1·55 ✓	1·88 ✓	5·03 ✓	1·22 ✓	1·92 ✓	1·66	1·57 ✓	2·69 ✓	YEAR'S TOTAL 27·80 27 inches
Rain Days.	21 ✓	10 ✓	16 ✓	23 ✓	12 ✓	11 ✓	22	8 ✓	11 ✓	8 ✓	9	25 ✓	176 ✓
Days with 0·04	13 ✓	7 ✓	12 ✓	~~17~~ 18	~~8~~ 9	9 ✓	17 18	6 ✓	11 ✓	5 ✓	6 ✓	17 ✓	~~128~~ 131

W. 8,000, VIII. 16

GRAVELEY RECTORY
HERTS
1911 - 1920

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Gra
in the County of
by Rev' R E

Ansor
5 in.
Ground ft. 10 in.
Sea Level 325 ft.
9 am
ame Stevenage
istance 2 Direction S

IMPORTANT NOT … the result entered to the previous day. If an Ob … rsal rule, he is earnestly requested to add the read … in the space provided for it at the end of this … nt of rain, the selection and placin … sh Rainfall Organization are given in … lication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	.	.	.				4	.	.	.		.	1
2	8	-	.	17	15	.	.	.	-	.	13	10	2
3	.	5	.	.	15	36	.	.	.	5	7	5	3
4	9	9	14	.	.	.	.	.	.	17	12	37	4
5	5		.	3	.	.	.	.	.	8	3	15	5
6	22	4	7	.	.	.	.	.	.	4	4	41	6
7	.	.	3	.	-	.	.	.	.	15	42	27	7
8	23	.	15	.	.	.	.	.	.	.	12	20	8
9	.	.	.	5	.	.	.	.	.	.	.	5	9
10	19	16	12	5	5	.	.	.	.	.	13	43	10
11	24	.	.	.	19	3	.	.	.	.	42	.	11
12	.	.	47	.	.	.	.	.	.	60	30	.	12
13	8	-	14	.	20	.	.	.	.	7	.	26	13
14	.	-	17	.	63	4	.	.	28	.	.	42	14
15	.	-	.	.	.	.	.	.	.	5	8	.	15
16	.	6	13	.	.	21	.	.	.	.	36	15	16
17	.	.	-	3	.	7	.	.	.	.	10	12	17
18	.	15	4	.	.	5	.	.	.	.	46	20	18
19	.	.	.	.	.	20	.	.	.	7	28	10	19
20	5	5	3	.	.	.	.	.	.	5	.	69	20
21	4	14	.	.	.	.	.	32	20	37	4	14	21
22	10	5	56	.	.	.	.	42	.	5	4	65	22
23	.	17	28	.	.	19	.	.	21	.	.	18	23
24	.	8	.	.	.	115	.	.	.	50	.	13	24
25	.	6	.	6	.	10	18	.	.	.	.		25
26	.	7	3	17	.	19	.	.	.	15	8	15	26
27	.	25	8	.	5	8	.	.	15	.	.	7	27
28	4	21	.	30	.	.	.	13	.	-	10	4	28
29	.	-	5	.	.	.	.	.	20	22	.	.	29
30	.	-	5	.	.	17	17	.	.	24	.	4	30
31	.	.	.	.	1.57	5	.	.	4		.	.	31
Total	1.41	1.63	2.54	1.03	2.99	2.89	.39	.87	1.08	2.86	3.32	5.27	TOTAL for year 26.28
No. of Rain Days	12	15	17	9	8	14	3	3	6	16	19	24	146

2628

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Graveley Rectory

in the County of Herts 4

by Rev' R E C Walker

RAIN GAUGE
Pattern Brit Assoc
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 325 ft.

Time of Observation 9 am

Nearest Railway Station
Name Stevenage
Distance 2 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	17	·	·	4	·	·	·		·	1
2	8	-	·	17	15	·	·	·	-	·	13	10	2
3	·	5	·	·	15	36	·	·	·	5	7	5	3
4	9	9	14	·	·	·	·	·	·	17	12	37	4
5	5		·	3	·	·	·	·	·	8	3	15	5
6	22	4	7	·	·	·	·	·	·	4	4	41	6
7	·	·	3	·	-	·	·	·	·	15	42	27	7
8	23	·	15	·	·	·	·	·	·	·	12	20	8
9	·	·	·	5	·	·	·	·	·	·	·	5	9
10	19	16	12	5	5	·	·	·	·	·	13	43	10
11	24	·	·	·	19	3	·	·	·	·	42	·	11
12	·	·	47	·	·	·	·	·	·	60	30	·	12
13	8	-	14	·	20	·	·	·	·	7	·	26	13
14	·	-	17	·	63	4	·	·	28	·	·	42	14
15	·	-	·	·	·	·	·	·	·	5	8	·	15
16	·	6	13	·	·	21	·	·	·	·	36	15	16
17	·	·	-	3	·	7	·	·	·	·	10	12	17
18	·	15	4	·	·	5	·	·	·	·	46	20	18
19	·	·	·	·	·	20	·	·	·	7	28	10	19
20	5	5	3	·	·	·	·	·	·	5	·	69	20
21	4	14	·	·	·	·	·	32	20	37	4	14	21
22	10	5	56	·	·	·	·	42	·	5	4	65	22
23	·	17	28	·	·	19	·	·	21	·	·	18	23
24	·	8	·	·	·	115	·	·	·	50	·	13	24
25	·	6	·	6	·	10	18	·	·	·	·		25
26	·	7	3	17	·	19	·	·	·	15	8	15	26
27	·	25	8	·	5	8	·	·	15	·	·	7	27
28	4	21	·	30	·	·	·	13	·	·	10	4	28
29	·	-	5	·	·	·	·	·	20	22	·	·	29
30	·	-	5	·	·	17	17	·	·	24	·	4	30
31	·	·	·	·	1.57	5	·	·	4		·	·	31
Total	1.41	1.63	2.54	1.03	2.99	2.89	.39	.87	1.08	2.86	3.32	5.27	TOTAL for year 26.28
No. of Rain Days	12	15	17	9	9	14	3	3	6	16	19	24	146

9,000, IX. '10.

✓

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Graveley Rectory

in the County of Herts 4

by Revd R E C Walker

Lat. 51.55 N Long. 0.12 W

Time of Observation 9 am

Nearest Railway Station Stevenage GN

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			5	9	·	8	6	8	33	31	·	15	1
2	·	·	·	·	·	17	68		3	·	·	·	2
3	11	·	16	·	33	12	·	30	·	·	·	·	3
4	11	·	66	·	12	18	3	·	·	·	36	·	4
5	16	·	29	·	·	·	·	.15	·	·	11	·	5
6	27	6	·	·	6	4	9	28	·	·	·	11	6
7	4	·				84		·					7
8	37		18	7				33	7			7	8
9	4	38				20		38				25	9
10		11	20						10		14	10	10
11	13	15	·	·	·			6	7		6	17	11
12	12	·	11			10		15					12
13						9		5			24	·	13
14					7								14
15	4	15	17		15	21		6		5		13	15
16	21				6	7		4		6	7		16
17	36		22			10		7			3		17
18	11		18					34				13	18
19	20	9	16				37	44				3	19
20			11				5	10		28			20
21	4		72		28			30		24	9		21
22	67.	13	11		6		7	15				5	22
23	54	65	23		5		80	47			14	13	23
24	25						10	22				18	24
25						3		61			26	56	25
26		3				15	25	50		30	41	23	26
27			4							32		16	27
28							4	5		40	84	28	28
29		5				16	16	87	1.26	23			29
30	5				18		11	5	65	15			30
31					4		22	20		3		8	31
Total	3.82	1.80 1.80	3.59	.16	1.40	2.54	3.03	5.75	2.51	2.37	2.25	2.75	YEAR'S TOTAL 31·97
Rain Days.	19	10	16	2	11	15	14	25	7	11	12	17	159

W. 7,500, XI. ·12

Copy fm Hert Nat His Soc

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 MAR 1914

Kept at Graveley Rectory

in the County of Hertfordshire 4

by Rev R. E. C Walker J Hopkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.16	.10	.15					.39		.03	.07	1
2	.04	.16					.21		.10				2
3	.05		.11		.70		.04						3
4	.18	.04			.07		.05			.72	.08	.20	4
5	.10						.20			.09		.15	5
6		.08	.08		.17	.18	.23			.16			6
7		.19			.12					.61	.05		7
8					.24	.06		.05	.16	.18	.09	.07	8
9		.21	.05		.05	.15					.03		9
10	.03			.18	.08		.52	.06			.30		10
11	.57	.03		.44						.18	.22		11
12	.03										.32		12
13	.06										.40		13
14	09		.09				.67			.22	.10		14
15	.18			.32			.15						15
16	.08		.38	.19					.08				16
17	.05			.13		.90	.05					.16	17
18			.16	.17			.03				.03		18
19	.24						.17		.60			.08	19
20	.30		.11	.04		.04				.33			20
21			.13	.16	.05		.03			.13	.30		21
22	.42		.12	.10				.07	.16				22
23			.05			.05	.03	.04	.04			.08	23
24				.04				.06					24
25		.07		.15		.11						.04	25
26			.27	.05				.14		.54		.09	26
27	.04		.07	.08									27
28			.38	.09								.11	28
29	.16		.11	.46	.40			.13					29
30	.30			06				.07		.23	10	.04	30
31								.66		.03			31
Total	2.98	.94	2.21	2.81	1.88	1.49	2.38	1.28	1.53	3.42	2.05	1.09	YEAR'S TOTAL 24.06
Rain Days.	19	8	15	17	9	7	13	9	7	12	13	11	140

W.7,000, XI. 13

EXML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Graveley Rectory
in the County of Herts 4
by Revd R E C Walker

Lat. 51 57' N Long. 13' W
Time of Observation 9 a m
Nearest Railway Station Stevenage
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	-	-	-	.	37	-	.	-	9	8	1
2	4	-	.	4	-	.	5	15	.	.	11	3	2
3	3	-	6	.	14	.	46	13	-	.	14	.	3
4	21	-	-	26	4	.	.	8	-	-	31	26	4
5	3	-	8	28	8	13	46	22	-	.	3	-	5
6	-	11	-	11	4	13	9	4	.	.	26	19	6
7	-	28	24	11	.	3	8	3	.	.	.	25	7
8	10	15	77	9	3	37	8	12	-	3	.	4	8
9	28	-	56	11	5	43	-	-	4		.	1.03	9
10	14	20	-	8	7	41	.	-	15		.	.	10
11	-	} -	32	.	10	-	-	-	4		32	27	11
12	-	21	19	-	.	-	-	.	43		.	38	12
13	-	33	16	-	.	-	.	-	11	13	8	35	13
14	4	6	34	.	.	-	8	-	-	37	15	61	14
15	.	4	21	-	-	-	-	-	3		6	.	15
16	-	.	7	-	-	-	5	-	-		6.	.	16
17	-	42	5	-	-	-	-	-	24		.	15	17
18	-	-	.	-	-	-	-	-	-		.	41	18
19	-	7	16	-	-	5	4	-	9		23	6	19
20	-	19	39	-	-	-	.	-	-		.	8	20
21	-	48	11	-		-	-	-	-	6	-	8	21
22	-	4	5	3	18	34	14	-	-	61	-	.	22
23	-	27	7	-	16	-	.	-	-	16	-	.	23
24	-	-	8	4	3	5	8	7	-	12	11	.	24
25	11	-	13	-	-	-	-	9	-	37	-	17	25
26	-	-	11	-	-	-	3	12	-	6	12	46	26
27	4	-	4	.	-	-	-	3	-	3	.	19	27
28	3	-	-	-	8	-	-	.	-	8	63	1.24	28
29	6	-	9	-	.	-	-	.	-	28	14	.	29
30	-	✕	7	-	-	-	-	.	-	6	25	37	30
31	-	✕	-	✕	17	✕	7	.	✕	3	✕	6	31
Total	1.11	2.85.	4.35	1.15.	1.17	1.94	2.08	1.08	1.13	2.37	3.09	6.76	YEAR'S TOTAL 29.08
Rain Days.	12	15	23	10	13	9	14	11	8	14	17	22	168

W. 8,000. X. 14.

1049

Exd L N

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN

Kept at Graveley Rectory
in the County of Hertford B
by Revd R E C Walker

Lat. 51.55'N Long. 15' W
Time of Observation 9 a m
Nearest Railway Station Stevenage G N R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	47	10	8	-	11	-	-	-	11	-	-	32	1
2	30	-	10	14	.	5	-	√81	8	7	12	11	2
3	42	-	14	15	.	-	13	10	-	-		15	3
4	11	-	-	.	-	-	-	22	-	-		56 -	4
5	-	42	-	.	3	-	.	4	-	4		24	5
6	23	5	.	30	-	-	√1.13	8	-	6	3	6	6
7	7	32	13	5	-	-	39	10	-	-	[illegible]	30	7
8	-	35	.	4	-	.	4	4	-	-		[illegible] -	8
9	-	6	.	.	-	-	-	-	-	-	4	49	9
10	29	-	8	3	-	-	-	21	-	-	20	10	10
11	5	-	5	.	5	-	-	.	-	-	-	[illegible] -	11
12	8	4	3	√41	35	-	-	6	-	11	√79	-	12
13	4	√48	-	-	√1.38	-	-	.	-		65	-	13
14	-	8	-	-	.	-	37	72	7		-	47	14
15	-	-	-	-	6	-	-	24	-		-	12	15
16	-	32	-	3	3	-	54	22	-		26	14	16
17	-	38	-	-	23	-	21	-	-		-	[illegible] -	17
18	-	11	17	-	3	-	.	-	-			-	18
19	-	4	-	-	.	-	.	-	-	3		-	19
20	25	-	-	8	.	-	.	-	.	4		33	20
21	21	10	-	-	3	-	3	-	-	7		7	21
22	√97	.	√43	-	.	-	38	-	.	.		20	22
23	5	22	25	3	-	4	10	.	21	26		25	23
24	3	.	8	.	-	9	21	-	23	4		23	24
25	-	-	3	5	-	6	4	.		3		19	25
26	-	12	-	-	-	-	17	-		.		29	26
27	-	6	.	-	-	√26	11	.	√105	44		6	27
28	-	-	4	-	-	7	.	6	-	10		-	28
29	-	-	-	-	-	18	19	25	-	3	10	10	29
30	5	X	-	.	.	03	.	-	.	-	8	3	30
31	5	X	-	X		X	.	4	X	√64	X	21	31
Total	3.67	3.25	1.61	1.31	2.30	78	4.04	319	1.75	1.96	2.27	5.02	YEAR'S TOTAL 31.15
Rain Days.	17	17	13	11	10	8	15	15	6	14	9	23	158

W. 8,000. X. 15.

Entd FW

1021

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Graveley Rectory

in the County of Herts

by Rev^d R E C Walker

Lat. 51-57N Long. 13' W

Time of Observation 9 am

Nearest Railway Station Stevenage GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13	-	·	-	13	5	—	~~8~~	3	5	38	-	1
2	35	6	30	-	30	3	-	-	-	39	4	-	2
3	-	45	-	-	-	4	4	-	22	24	18	-	3
4	26	9	-	-	-	49	-	-	-	53.	36	-	4
5	5	-	·	-	6	28	10	-	3	7	45	-	5
6	-	-	-	-	-	18	14	-	-	9	50	-	6
7	6	·	-	-	-	-	48	-	-	15	50	-	7
8	-	-	48	-	·	-	-	-	-	-	-	8	8
9	-	-	-	-	30	-	-	-	-	5	-	30	9
10	9	18	11	10	25	20	3	-	3	-	-	15	10
11	10	13	6	20	5	19	-	-	,	-	-	3	11
12	5	-	24	5	55	23	19	13	3	-		3	12
13	3	48	-	13	32	8	12	15	·			-	13
14	-	38	15	8	-	·	-	4	-			10	14
15	-	14	23	7	5	-	6	10	-			-	15
16	-	5	20	25.	8	·	15	5	-	14		·	16
17	10	9	3	24	-	-	7	64	28	25		3	17
18	·	-	-	13	-	-	-	18	✓2	-	60	6	18
19	-	10	20	5	-	-	-	8	-	-	80	18	19
20	21	-	46	8	-	·	·	5	3	-	6	44	20
21	-	-	85	-	-	-	42	-	-	-	3	53	21
22	-	15	4	·	12	3	-	~~8~~	-	5	-	52	22
23	-		-	-	-		-	5	·	-	10	1.2	23
24	-	41	5	3	7	48	-	4	-	8	6	35	24
25	-	28	17	-	-	·	-	16	·	10	10	-	25
26	-	-	7	-	-	10	-	7	·	7	6	4	26
27	10	-	1.01	-	-	30	-	-	6	20	-	7	27
28	-	-	15	-	·	29	-	-	-	6	-	18	28
29	-	20	-	-	-	15	-	1.12	-	38	-	13	29
30	-	×	-	-	4	9	-	21	-	32	-	13	30
31	-	×	-	×	-	×	-	-	×	6	×	3	31
Total	1.53	3.09	4.80	1.41	2.32	3.21	1.80	3.07	.83	3.28	4.22	3.50	YEAR'S TOTAL 33.16
Rain Days.	12	15	18	12	13	17	11	15	9	19	15	20	176

W. 8,000, VIII. 16

989

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Graveley Rectory
in the County of Herts
by Rev R E C Walker

Lat. 51.57 N Long. 13° W
Time of Observation 9 am
Nearest Railway Station Stevenage G N R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	1.60	5	-	14	-	1
2	2	10	-	20	-	6	-	19	.	-	5	-	2
3	3	-	3	5	.	.	.	50	-	64	12	-	3
4	3	12	9	22	.	.	-	31	.	60	.	.	4
5	20	.	6	3	.	.	.	38	23	11	12	.	5
6	9	.	-	.	.	5	.	.	3	37	6	.	6
7	20	-	~~4~~	~~13~~	.	3	28	.	-	23	3	.	7
8	27		4	12	.	.	1.30	5	-	-	11	12	8
9	.	6	5	24	.	.	3	85	10	-	8	14	9
10	-	12	15	16	.	.	-	18	.	-	4	.	10
11	48	8	46	11	-	.	-	3	-	34	.	.	11
12	10	3	3	3	3	-	.	8	-	25	.	.	12
13	19	-	6	-	.	-	-	18	4	5	-	5	13
14	.	-	2	9	3	.	.	16	.	.	.	.	14
15	.	.	.	8	8	.	3	.	.	.	.	.	15
16	.	10	.	5	6	5	21	9	.	69	.	3	16
17	3	.	-	25	65	6	25	5	40	34	-	2	17
18	8	-	-	20	7	2	24	-	45	-	-	-	18
19	3	-	10	3	19	-	-	.	36	-	-	.	19
20	3	-	11	.	75	-	-	.	-	-	15	3	20
21	4	11	7	.	4	.	.	.	.	.	7	.	21
22		18	5	3	.	.	.	6	-	21	.	.	22
23	-	-	-	.	11	.	.	12	-	10	-	5	23
24	-	6	-	.	3	12	.	10	-	14	10	.	24
25	-	-	5	.	.	.	5	.	.	.	.	.	25
26	.	.	3	.	.	.	.	29	5	-	36	-	26
27	.	.	.	.	.	91	.	76	.	.	3	7	27
28	-	5	4	-	.	60	.	16	-	-	.	.	28
29	-	-	6	.	.	30	61	16	-	27	-	21	29
30	.	X	.	.	.	.	81	9	.	.	.	.	30
31	.	X	28	X	.	X	44	10	X	.	X	.	31
Total	1.82	1.01	1.78	1.83 1.88	2.02 ~~1.99~~	1.40	4.25 ~~4.55~~	6.43 ~~6.38~~	1.71 ~~2.01~~	4.34	1.46	.72	YEAR'S TOTAL 28.77
Rain Days.	15	11	19	16	11	10	11	23	9	14	14	9	162

W. 8,000, IX. 17.

Exd. E.F.E.

70

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3. 1. 19

Kept at Graveley Rectory
in the County of Herts
by Revd R E C Walker

Lat. 51.57 N Long. .13" W
Time of Observation 9 a m
Nearest Railway Station Stevenage G N R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	7	-	10	-	-	-	-	.	-	18	5	1
2	3	11	-	25	-	-	-	11	4	8	9	18	2
3	-	4	11	-	37	-	-	.	11	.	75	8	3
4	-	6	9	-	-	-	-	9	35	4	38	3	4
5	2	3	.	.	25	.	-	15	15	8	-	-	5
6	-	12	-	30	-	-	-	5	11	7	-	-	6
7	-	10	.	13	15	5	-	2	5	5	15	.	7
8	.	3	.	-	-	-	-	-	10	5	-	9	8
9	20	5	-	3	-	11	5	-	30	18	-	11	9
10	8	-	.	9	-	-	31	-	.	3	-	18	10
11	-	14	-	5	9	.	18	-	8	74	8	8	11
12	-	6	.	-	19	-	19	-	5	.	.	-	12
13	7	-	-	5	29	-	11	-	18	34	-	18	13
14	21	-	-	11	-	18	11	-	30	.	-	17	14
15	52	-	.	116	-	-	5	-	5	-	-	11	15
16	67	-	-	34	.	-	-	3	135	-	-	-	16
17	9	.	-	30	5	-	34	2	5	-	-	15	17
18	45	-	.	-	-	15	40	-	35	11	-	30	18
19	6	.	13	24	-	10	18	-	6	3	-	18	19
20	4	11	-	50	-	5	8	-	17	30	4	-	20
21	10	-	-	25	-	6	-	-	85	-	-	-	21
22	5	-	-	-	25	-	9	11	11	-	-	25	22
23	4	.	-	-	52	-	42	-	5	-	-	5	23
24	-	20	-	-	-	5	-	.	11	-	15	-	24
25	-	-	-	3	-	8	9	30	.	5	18	-	25
26	-	-	.	-	5	-	29	8	5	4	19	18	26
27	3	.	3	.	-	-	18	21	11	-	5	5	27
28	3	9	20	15	-	-	-	11	-	-	45	11	28
29	-		-	-	-	-	-	-	159	-	11	3	29
30	-	X	32	-	-	-	-	.	8	.	9	18	30
31	-	X	13	X	-	X	-	-	X	11	X	4	31
Total	2.69	1.21	1.01	4.08	2.21	.83	3.07	1.28	6.80	2.39	2.89	2.78	YEAR'S TOTAL 31.15
Rain Days.	17	14	7	17	10	9	16	12	26	16	14	22	180

W, 6,500, VII. 18. W W C

4 RR

933

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Graveley Rectory
in the County of Herts
by Revd R E C Walker

Lat. 51. 57" N Long. 13" W
Time of Observation 9 am
Nearest Railway Station Stevenage GNR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	39	-	-	7	10	5	40	-	-	9	3	1.42	1
2	26	-	3	-	14	-	23	,	31	,	28	32	2
3	40	-	30	-	3	-	14	,	5	,	18	20	3
4	11	-	38	-	-	11	29	10	3	,	.	15	4
5	12	12	45	-	-	-	17	-	12	.	4	18	5
6	2	.	11	-	5	.		-	,	.	5	6	6
7	5	-	48	-	-	.		-	.	,	14	.	7
8	18	-	.	11	-	.		.	,	.	3	.	8
9	-	-	11	8	-	.			.	,	7	.	9
10	5	-	5	5	.	.			.	.	.	4	10
11	8	-	7	15	.	.	53		-	.	.	,	11
12	-	.	45	-	.	9	10		-	10	,	,	12
13	11	.	-	25	.	.		3	5	11	10	3	13
14	30	6	-	37	.	.	11		14		40	50	14
15	41		-	20	.	.			,		5	9	15
16	5	6	10	7	.	-			-		,	,	16
17	-	38	5	2	.	.			.		.	.	17
18	-	36	11	.	5	.		7·8	8		1·0		18
19	3	17	73	.	-	3	11	37	11	5	4	15	19
20	25	5	25	.	.	78	45	45	.		3	.	20
21	45	42	8	-	.	.	70		.		.	6	21
22	.	14	3.	.	.	3	11	.	18		4	30	22
23	-	-	.	.	.	8	5		3	5	.	4	23
24	-	-	,	.	-	,	8	8	.	6	5	3	24
25	.	-	.		5	5	.	25	,		,	4	25
26	24	37	11	35	-	-	9	10	6		.	40	26
27	81	14	3	1.05	-	-	.	50	,		,	5	27
28	-	-	6	6	-	-	-	80	7	5	14	26	28
29	-	-	.	.	-	5	-	.	,	26	6	4	29
30	-	✕	3	30	-	23	-	18	.	5	32	40	30
31	-	✕	.	✕	-	✕	-	-	✕	-	✕	4	31
TOTAL	4.31 ✓	2.27 ✓	4.01 ✓	3.13 ✓	.40 ✓	1.50 ✓	3.56 ✓	3.04 ✓	1.23 ✓	82 ✓	2.15 ✓	4.80 ✓	YEAR'S TOTAL 31.22
Days with ·01 in. or more	19 ✓	11 ✓	21 ✓	14 ✓	6 ✓	10 ✓	15 ✓	11 ✓	12 ✓	9 ✓	19 ✓	22 ✓	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cndly summary stats 887

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Graveley Rectory

in the County of Herts

by Revd R E C Walker

Lat. 51.56" N Long. 12" W

Time of Observation 9 am

Nearest Railway Station Stevenage GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				65·	15	·	25	12	3	1.16	·	23	1
2				11·	·	3	7	11	9	3	·	13	2
3		3		20	·	4	30	·	5	9		3	3
4							20	13	3	16		6	4
5				07	7	·	70	6	8		·	15	5
6					9		60	·	·	·	·	6	6
7			15				10	7					7
8	22	3	·	32	3	·	10	·	·	·	·	·	8
9	31	·	·	30	·	·	·	·	·	·	·	·	9
10	15	10	30	·	·	·	8	12	·	·	·	·	10
11	50	·	·	31	7	·	7						11
12	4		5	11			3				7		12
13			10	15	·	·	·				6	5	13
14		4	29	30	·	20		·	10	23	24	·	14
15		3	29	15		30			24	3	6		15
16	3	·	·		·	·	5		12	5	7		16
17	5			05			15		15			15	17
18	9	3						68	9		3		18
19	15	11		07		5		8					19
20	5	·	·	33		50	·	·	·	·	·	30	20
21							38	9	40			5	21
22				(·10)			3		57	·	· ·	·	22
23			11				78				3	10	23
24	3		6		2·6					3		41	24
25	2	4	5	03	15		32					·	25
26	13			05			3					3	26
27	24	10		28	·	33	11				50	15	27
28	46		17	·	6	3	5	·			5	3	28
29	13	10	10		7		4				16	20	29
30	4	×	2		·	8	32	3	14	·	17	29	30
31	·	×	·	×	4	×	3		×	48	×	3	31
TOTAL	2.64	61	169	3.58	99	1.56	4.79	1.49	2.09	2.26	1.48	2.45	YEAR'S TOTAL 25.59 ✓
Days with ·01 in. or more	5	6	2	1	2	3	4	2	3	4	4	5	~~42~~ 168
Days with ·04 in. or more	12	4	11	16	8	7	19	9	11	6	9	14	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

13 APR 1912

RE 19 11

HERTS
HADLEY BOURNE
1911—1916; 1920

Kept at Hadley B
in the County of Hert
by Alfred Wilso

mowdon
top 5 in.
above Ground 1 ft. in.
„ Sea Level 430 ft.
9 a m
tion { Name High Barnet
Distance 1 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	.45	—	.03	.15	-.05	.04	—	—	—	—	1
2		—	—	.52	.02	—	.02	—	—	—	—	—	2
3		—	—	.30	.25	—	—	—	—	—	.28	.21	3
4		.02	—	.03	.23	—	—	—	—	.09	.11	.10	4
5		.03	.10	.17	—	—	—	—	—	.05	.24	.31	5
6		—	—	.06	—	—	—	—	—	.05	.02	.11	6
7		—	—	—	—	—	—	—	—	.10	.02	.39	7
8		—	.08	—	—	—	—	—	—	—	.35	.29	8
9		—	.23	—	—	—	—	—	—	—	.18	.17	9
10		—	.04	.04	—	—	—	—	—	.01	—	.03	10
11		.11	.15	.05	.14	—	—	—	—	—	.07	.40	11
12	(1.50)	—	.45	—	.77	.08	—	—	—	—	.67	.02	12
13		—	.06	—	.04	—	—	—	.05	—	.24	—	13
14		—	—	—	.16	—	—	—	.50	.79	.02	.25	14
15		.05	—	—	.65	—	—	—	—	—	—	.48	15
16		.07	.27	—	—	.36	—	—	—	.04	.05	.04	16
17		—	—	—	—	.09	—	—	—	.02	.41	.08	17
18		—	.16	—	—	.31	—	—	—	—	.45	.18	18
19		.18	.02	—	—	.15	—	—	—	—	.49	.37	19
20		.04	—	—	.03	—	—	—	.15	.10	.27	.11	20
21	→	.04	.02	—	—	—	—	.30	.17	.07	—	.68	21
22	-.02	.12	—	—	—	.07	—	.12	—	.64	—	.10	22
23	-.10	—	.04	—	—	.88	—	—	—	.12	—	.45	23
24	-.01	.13	.26	—	—	.05	—	—	.36	—	.04	.18	24
25		.14	.05	—	—	.25	.02	.04	—	1.08	—	.18	25
26		.05	.05	.10	—	.15	1.05	—	.02	.02	—	—	26
27		—	.03	.18	—	—	.07	.03	—	.18	.03	.32	27
28		.53	.09	.07	.03	—	—	.02	.14	—	.02	.10	28
29				.26	—	.18	.02	.07	.25	—	.03	—	29
30	-.02			.06	—	—	.12		.02	.29	.02	—	30
31	-	.45	~~.45~~	.03 .03	.06 .15	.05	~~.04~~	-	-	.19	-	.02 (—)	31
Total	1.65	~~1.51~~	~~2.55~~	~~1.87~~	~~2.41~~	~~2.72~~	~~1.35~~	~~.62~~	1.66	3.84	4.01	5.57	TOTAL for year (29.76)
	1.65	1.96	2.10	1.90	2.53	2.62	1.34	.58					
No. of Rain Days.	16	~~13~~ 14	~~18~~ 17	~~13~~ 14	12	12	7	~~7~~ 6	9	17	21	25	~~154 days~~ (170)

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 APR 1912

REGISTER OF RAINFALL IN 1911

Kept at Hadley Bourne

in the County of Herts

by Alfred Wilson

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 430 ft.

Time of Observation 9 a m

Nearest Railway Station
Name High Barnet
Distance 1 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	.45	—	.03	.15	.05	.04	—	—	—	—	1
2		—	—	.52	.02	—	.02	—	—	—	—	—	2
3		—	—	.30	.25	—	—	—	—	—	.28	.21	3
4		.02	—	.03	.23	—	—	—	—	.09	.11	.10	4
5		.03	.10	.17	—	—	—	—	—	.05	.24	.31	5
6		—	—	.06	—	—	—	—	—	.05	.02	.11	6
7		—	—	—	—	—	—	—	—	.10	.02	.39	7
8		—	.08	—	—	—	—	—	—	—	.35	.29	8
9		—	.23	—	—	—	—	—	—	—	.18	.17	9
10		—	.04	.04	—	—	—	—	—	.01	—	.03	10
11		.11	.15	.05	.14	—	—	—	—	—	.07	.40	11
12	(1.50)	—	.45	—	.77	.08	—	—	—	—	.67	.02	12
13		—	.06	—	.04	—	—	—	.05	—	.24	—	13
14		—	—	—	.16	—	—	—	.50	.79	.02	.25	14
15		.05	—	—	.65	—	—	—	—	—	—	.48	15
16		.07	.27	—	—	.36	—	—	—	.04	.05	.04	16
17		—	—	—	—	.09	—	—	—	.02	.41	.08	17
18		—	.16	—	—	.31	—	—	—	—	.45	.18	18
19		.18	.02	—	—	.15	—	—	—	—	.49	.37	19
20		.04	—	—	.03	—	—	—	.15	.10	.27	.11	20
21	—	.04	.02	—	—	—	—	.30	.17	.07	—	.68	21
22	.02	.12	—	—	—	.07	—	.12	—	.64	—	.10	22
23	.10	—	.04	—	—	.88	—	—	—	.12	—	.45	23
24	.01	.13	.26	—	—	.05	—	—	.36	—	.04	.18	24
25		.14	.05	—	—	.25	.02	.04	—	1.08	—	.18	25
26		.05	.05	.10	—	.15	1.05	—	.02	.02	—	—	26
27		—	.03	.18	—	—	.07	.03	—	.18	.03	.32	27
28		.53	.09	.07	.03	—	—	.02	.14	—	.02	.10	28
29				.26	—	.18	.02	.07	.25	—	.03	—	29
30	.02			.06	—	—	.12		.02	.29	.02	—	30
31		.45	~~.45~~	.03 ~~.03~~	.06 ~~.15~~	.05	~~.04~~	—	—	.19	—	.02 (—)	31
Total	1.65 1.65	~~1.51~~ 1.96	~~2.55~~ 2.10	~~1.87~~ 1.90	~~2.41~~ 2.53	~~2.72~~ 2.62	~~1.35~~ 1.34	~~.62~~ .58	1.66	3.84	4.01	5.57	TOTAL for year (29.76)
No. of Rain Days.	16	~~13~~ 14	~~18~~ 17	~~13~~ 14	12	12	7	~~7~~ 6	9	17	21	25	~~154~~ days (170)

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Hadley Bourne, Barnet.
3
in the County of Hertford
by Bee Weber

Lat. 40' Long. 12'
Time of Observation 9 a m
Nearest Railway Station High Barnet 1 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.12	.04	—	.16	.08	—	.04	.31	—	.19	1
2	—	.04	.12	.01	—	.09	.35	.19	—	—	—	.01	2
3	.06	—	.13	—	.06	.14	.04	.37	.03	—	—	.10	3
4	.24	.01	.66	—	.29	.13	—	.03	—	—	.26	—	4
5	.17	.11	.11	—	—	—	—	.15	—	—	.06	—	5
6	.50	.03	—	—	—	.02	—	.20	—	—	—	.06	6
7	.01	—	.03	—	.03	.47	.03	.26	—	—	—	.06	7
8	.40	.43	.20	—	—	.02	.02	.12	.02	—	.02	.07	8
9	.09	.10	.01	.04	.02	.11	.05	.11	—	—	—	.21	9
10	.01	.05	—	—	—	.04	—	.41	.06	—	.15	.17	10
11	.06	.33	.02	—	—	.03	—	—	.06	—	—	.13	11
12	.07	.13	.12	—	.17	.08	—	—	—	.03	.10	—	12
13	.01	.02	.02	—	—	.06	.01	—	—	—	.12	.07	13
14	—	—	.04	—	.04	—	.03	.09	—	.07	—	.05	14
15	.01	.03	.12	—	.27	.37	—	.03	—	—	.03	.25	15
16	.38	—	.07	—	.10	.05	—	.22	—	.09	.07	—	16
17	.60	—	.35	—	—	.10	—	.07	—	—	—	—	17
18	.08	—	.15	—	—	—	—	.20	—	.03	.04	.13	18
19	.20	.05	.11	—	—	—	.14	.46	—	—	.01	—	19
20	.03	—	.13	—	.03	—	.02	.17	—	.43	—	—	20
21	.02	.09	.46	—	.05	—	—	.13	—	.07	.06	—	21
22	.27	.21	.12	—	.08	—	.23	.18	—	—	—	.04	22
23	.36	.30	.32	—	—	—	.77	.51	—	.09	.20	.19	23
24	.49	.04	—	—	—	—	.02	.10	—	—	—	.16	24
25	—	.02	—	—	—	.17	—	.60	—	—	.30	.50	25
26	—	.04	—	—	—	—	.23	.39	—	.50	.40	.37	26
27	—	—	.03	—	—	.02	—	—	—	.20	—	.22	27
28	—	.05	—	—	—	.06	.06	.07	.03	.42	.32	.21	28
29	—	.04	—	—	—	.14	.21	.25	1.13	.63	.09	—	29
30	— [illegible]	—	— [illegible]	—	.24	—	—	.03	.88	.18	—	—	30
31	.02	—	.34	—	.02	—	.19	.18	—	—	—	.06	31
Total	4.08	2.12	3.78	.09	1.40	2.26	2.48	5.52	2.25	3.05	2.23	3.25	YEAR'S TOTAL 32.51 ✓
Rain Days.	22	20	23	3	13	19	17	26	8	13	16	21	201 ✓

W. 7,500, XI. ·12

~~W~~. 7. 2 cndby B Hyman stats 25·11·14

REGISTER ~~OF RAINFALL~~ IN 1913

FORM A. BRITISH RAINFALL.

13 JAN 1914

Kept at Hadley Bourne

in the County of Hertford 3

by Mr A. Wilson, gardener to Mrs Weber

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·16	·13	·31	—	—	—	—	·18	·02	·08	·10	1
2	·06	·15	·02	—	—	—	·06	—	·06	—	·07	—	2
3	—	—	·03	·20	·48	—	—	—	·01	—	—	·04	3
4	·24	—	·03	·02	·11	—	·15	—	—	·18	·06	·02	4
5	·09	·02	—	—	—	·02	·10	—	—	·06	·02	·03	5
6	—	·20	·07	—	·10	26 ·26	·08	—	·12	·18	·03	·07	6
7	—	·16	—	·02	·15	·02	·25	·01	·03	·44	·10	—	7
8	—	·03	·05	·03	·14	·18	—	—	—	·09	·05	—	8
9	—	·14	·04	·12	·03	·01	—	—	·06	—	·04	·09	9
10	·03	—	—	·05	—	—	·50	·04	—	—	·28	—	10
11	·72	—	—	·52	·05	—	—	·07	—	·43	·08	—	11
12	—	·02	—	—	·03	—	—	—	—	·02	·54	—	12
13	·06	·01	·02	—	—	—	—	·03	·05	—	·34	—	13
14	·08	·02	·11	·07	·01	—	·35	·12	·02	·19	·17	—	14
15	·17	·05	·25	·33	—	—	·24	—	—	—	—	—	15
16	·09	—	·31	·15	—	—	—	—	·10	—	—	—	16
17	·03	·02	·05	·21	—	—	·18	·02	·20	—	·03	·03	17
18	·03	—	·17	·13	·02	—	—	—	—	—	·08	·02	18
19	·23	—	·12	·02	·01	·02	·14	—	·29	—	—	·02	19
20	·10	—	·07	·05	—	·01	—	—	—	·50	·05	—	20
21	·03	—	·18	·15	—	—	·06	—	—	·20	·66	—	21
22	·43	—	·13	·03	—	—	—	·04	·16	—	—	—	22
23	—	—	·02	—	—	·04	—	·10	·04	—	·02	·17	23
24	·02	—	—	·03	—	—	—	·02	—	·01	·02	—	24
25	—	·03	—	·18	—	·02	·01	—	—	·02	—	·01	25
26	—	·02	·23	·11	—	—	—	·12	—	·62	—	·29	26
27	—	·01	·03	·10	—	—	—	—	—	·02	—	—	27
28	·23	—	·28	·08	—	—	—	—	—	·10	·01	—	28
29	·08	—	·11	·45	·65	—	—	—	·01	·02	·01	·03	29
30	·29		—	·09	—	—	—	·09	—	·13	·08	—	30
31	—		·04		—		—	·30		·02		—	31
Total	3.06	1.04	2.49	3.45	1.78	·58	2.12	·96	1.33	3.25	2.82	·92	YEAR'S TOTAL 23.80
Rain Days.	20	15	23	24	12	9	12	12	14	19	22	13	195

W.7,000; XI. 13

FORM A.
BRITISH RAINFALL.
-2 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Hadley Bourne
in the County of Hertford 3
by A. Wilson. Headgardener to Mrs Weber

Lat. 12 N Long. 40
Time of Observation 9 a.m.
Nearest Railway Station High Barnet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	—	—	·02	·26	—	—	·06	·08	1
2	.02	—	—	·02	—	—	·12	·27	—	—	·09	·16	2
3	—	·01	·12	—	·20	—	·27	—	—	—	·03	·01	3
4	·15	—	·02	·21	·04	—	—	·08	—	—	·37	·34	4
5	·05	—	·09	·17	·19	·07	·55	·27	—	—	—	—	5
6	—	·14	—	—	·07	·14	·02	·03	—	—	·29	·23	6
7	—	·26	·30	·15	·72	·06	·17	—	—	—	—	·15	7
8	·06	·30	·77	·10	·04	·16	·13	·15	·01	—	—	·03	8
9	·16	—	·64	·09	—	·35	—	·01	·13	—	—	1·42	9
10	·04	·16	·04	·08	·07	—	—	—	·11	—	—	·02	10
11	—	·29	·51	—	·02	·64	—	—	·13	—	·16	·34	11
12	·03	·05	·12	—	—	—	·06	—	·30	—	·01	·48	12
13	—	·41	·12	—	—	—	—	—	·20	~~·07~~	·04	·56	13
14	—	·12	·49	—	—	—	·04	—	—	·33	·12	·33	14
15	·05	—	·26	—	—	—	—	—	·06	·06	·06	·07	15
16	—	—	·05	—	—	—	·02	·04	·05	—	·03	—	16
17	—	·49	·06	—	—	—	—	—	·16	—	·01	·25	17
18	—	·03	·12	—	—	—	—	—	—	—	—	·33	18
19	—	·04	·22	—	—	·02	·05	—	·10	—	·18	·14	19
20	—	·24	·20	—	—	·01	—	—	·11	—	—	·15	20
21	—	·50	·08	—	—	·03	—	—	—	·02	—	·11	21
22	—	·02	·03	·01	·40	·03	·18	·04	—	·29	—	—	22
23	—	·03	·11	—	·20	·03	·03	—	—	·10	—	·02	23
24	·02	—	·02	·05	—	—	·09	—	—	·03	·15	—	24
25	·04	—	·15	—	—	—	·01	·14	—	·36	·02	·18	25
26	·02	—	·03	—	—	—	·06	·08	—	·05	·20	·50	26
27	·05	—	·01	—	—	—	—	·02	—	—	·01	·25	27
28	·02	·03	—	—	·04	—	—		—	·02	·50	1.16	28
29	·13	—	·12	—	—	—	—		—	·27	·17	—	29
30	·01	X	·09	—	—	—	—		—	·03	·60	·26	30
31	·02	X	—	X	·20	X	—		X	—	X	·03	31
Total	·87	3.12	4.83	·88	2.19	1.54	1.82	1.39	1·36	1·63	3.10	7.60	YEAR'S TOTAL 30·33
Rain Days.	16	17 33	27 60	9 69	12 81	11 92	16 108	12 120	11 131	12 143	20 163	26 189	189

W. 8,000. X. 14.

~~W~~ M L Cnd 9.iii.16

1016

FORM A. BRITISH RAINFALL 26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hadley Bourne

in the County of Hertford 3

by { J. A. Wilson, gardener to Mrs Veber

Lat. 12 Long. 40

Time of Observation 9 a m

Nearest Railway Station High Barnet Hadley Wood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~1 ft. in.

" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·17	·06	—	—	—	—	—	·16	·04	·23	·42	1
2	·36	·15	·27	·10	·02	·02	—	·64	—	·05	—	·15	2
3	·49	—	·04	·20	—	—	·02	·75	·02	—	—	·38	3
4	·06	—	—	—	—	—	—	·91	—	·01	—	·34	4
5	·05	·38	—	—	—	—	—	·02	—	·05	—	·32	5
6	·20	·04	·02	·28	·02	—	·97	·04	—	—	—	·33	6
7	·15	·31	·07	—	—	—	·45	·02	—	—	·03	·18	7
8	·04	·56	·07	·04	—	—	·12	·05	—	—	—	—	8
9	—	·11	—	·07	—	·05	—	·10	—	·02	·31	·61	9
10	·30	—	·03	—	—	—	—	·12	—	—	—	·16	10
11	·04	—	·02	—	·02	—	—	—	—	—	·82	—	11
12	·09	·03	—	·25	·42	—	—	·13	—	—	·44	·06	12
13	—	·41	—	—	1·53	—	—	—	—	·02	—	—	13
14	·02	·65	—	—	·03	—	1·28	·26	·07	—	—	·68	14
15	·29	—	—	—	·10	—	·14	·13	—	—	·28	·15	15
16	·01	·40	—	—	—	—	·77	·05	—	—	—	·02	16
17	—	·43	—	—	·01	—	·15	·06	—	—	—	—	17
18	—	·17	·10	—	·10	—	—	—	—	—	·04	—	18
19	—	·11	·02	—	·02	—	·13	—	—	—	—	—	19
20	·35	—	—	·04	·02	—	—	—	—	—	—	·30	20
21	·17	—	—	—	—	—	—	—	—	—	—	·04	21
22	·88	·20	·32	·02	—	—	·02	—	—	—	—	·19	22
23	—	·25	·31	—	—	·03	·71	—	·25	·35	—	·27	23
24	—	—	·05	—	—	·02	·20	—	·35	·12	—	·32	24
25	—	—	·06	·11	—	·02	·18	—	—	·02	—	·26	25
26	—	·14	—	—	—	·14	·22	—	—	—	—	·48	26
27	—	·02	·03	—	—	·40	·11	—	—	·41	—	·04	27
28	—	·06	·01	—	—	·21	·36	—	1·34	·17	—	—	28
29	—	—	·01	—	—	·10	—	·13	—	—	·16	·02	29
30	·06	X	—	—	—	·37	·35	—	—	·04	·15	—	30
31	·04	X	—	X	—	X	—	·07	X	1·11	X	·23	31
Total	4·08 4·08	3·99	1·49	1·11	2·89	1·36	6·18	3·48	2·22	2·41	2·46	5·95	YEAR'S TOTAL 37·62 37·62
Rain Days.		19	17	9	11	10	17	16	6	13	9	23	
	19	38	55	64	75	85	102	118	124	137	146	169	169

W. 8,000. X. 15.

986

FORM A.
BRITISH RAINFALL.

12 APR 1917

REGISTER OF RAINFALL IN 1916

Kept at Hadley Bourne

in the County of Hertford

by Mr A. Wilson, gardener to Mrs Weber

Lat. 12 Long. 40

Time of Observation 9 a m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	—	—	—	·12	·03	·01	—	·10	Greenwich time ·02	·29	—	1
2	·56	·02	·16	—	·26	—	—	—	·18	·38	·01	—	2
3	—	·40	·20	—	—	—	·04	—	·26	·33	·48	—	3
4	·31	·07	—	—	—	·53	·03	—	·03	·11	·44	—	4
5	·03	·01	·02	·02	·04	·08	—	—	—	·15	·61	·03	5
6	·01	·10	·33	·23	·02	·09	·30	—	—	·07	·48	—	6
7	·10	—	·29	—	·11	·13	·12	—	—	·06	·62	·04	7
8	—	·03	·09	—	·49	·01	—	—	—	·02	·04	·31	8
9	·01	·01	—	—	·37	·24	—	—	—	·12	—	·04	9
10	—	·14	·11	·09	—	·34	·06	—	—	·02	·01	·05	10
11	·09	·15	·03	·17	—	·17	—	—	·01	—	—	·08	11
12	·03	·03	·03	·16	·35	·15	·04	·20	·02	·06	—	—	12
13	—	·44	·20	·08	·05	·18	·17	·23	—	·04	—	—	13
14	—	·43	·01	·02	·10	—	—	·72	—	·10	—	·15	14
15	—	·24	·40	—	—	—	·04	·09	—	·01	—	—	15
16	—	·02	·18	·16	·05	—	·25	·18	—	·02	—	—	16
17	·14	·06	—	·05	—	—	·03	·60	·35	·54	—	—	17
18	·02	·08	·06	·08	—	—	—	·28	·13	·03	·64	—	18
19	·18	·02	·15	·21	—	—	—	·01	·12	—	·70	·14	19
20	·20	—	·18	·05	—	—	—	·02	—	—	·03	·36	20
21	·03	—	·72	—	Summer Time started	—	·10	—	—	—	—	·49	21
22	—	·04	·08	—	·01	—	—	—	—	·04	—	·50	22
23	·03	·31	—	·01	—	·14	—	·03	—	·04	·07	·16	23
24	—	·04	·02	—	—	·45	—	·03	—	·07	·03	·44	24
25	—	·55	·11	—	·08	—	—	·17	—	·06	·13	—	25
26	—	·22	—	—	—	·03	—	·03	—	·04	—	—	26
27	·09	·03	·89	—	—	·11	—	·42	·09	·41	—	—	27
28	—	·42	·32	—	—	·23	—	—	·16	·02	·02	·22	28
29	—	·10	—	—	—	·23	—	1·96	·02	·43	—	·13	29
30	—	✕	—	·02	·07	·05	—	·11	—	·54	—	—	30
31	—	✕	—	✕	—	✕	—	·05	✕	·12	✕	·03	31
Total	2·04	3·96	4·58	1·35	2·12	3·19	1·19	5·13	1·47	3·85	4·60	3·17	YEAR'S TOTAL 36·65
Rain Days.	16	25 41	22 63	14 77	14 91	18 109	12 121	17 138	12 150	27 177	16 193	16 209	209

854

1 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hadley Bourne
in the County of Hertford
by A. Wilson, gardener to E. Weber Esq.

Lat. 12 Long. 40
Time of Observation 9 a m
Nearest Railway Station High Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·64	0·13	—	0·36	—	—	0·49	—	0·31	1
2	—	—	0·03	—	—	—	0·05	0·60	0·08	0·05	—	0·14	2
3	—	0·10	—	0·21	—	—	—	—	0·09	0·04	—	0·09	3
4	—	0·04	—	0·08	—	—	0·03	0·08	—	0·18	—	0·23	4
5	0·02	—	0·09	—	0·04	—	0·65	0·06	0·08	—	—	0·04	5
6	—	—	0·14	—	0·14	—	0·33	0·02	—	—	—	0·02	6
7	—	—	0·07	0·22	—	—	0·23	—	—	—	—	0·05	7
8	0·09	0·04	—	0·19	—	—	0·03	0·09	—	—	—	—	8
9	0·40	0·02	—	0·02	—	—	—	—	—	—	—	—	9
10	0·47	0·05	0·09	—	—	0·11	0·13	—	—	—	0·02	—	10
11	0·18	—	0·07	0·36	0·03	0·10	0·29	0·02	—	—	—	0·18	11
12	0·08	—	—	0·14	—	0·35	—	—	—	—	—	—	12
13	0·12	0·01	0·11	0·23	—	—	—	—	—	—	0·05	0·01	13
14	—	—	0·29	0·21	—	0·24	0·03	—	0·10	0·50	0·24	0·03	14
15	0·01	0·05	0·11	0·22	—	—	0·01	—	0·50	0·10	0·12	0·01	15
16	—	—	—	0·34	—	0·05	—	—	0·23	0·20	—	0·02	16
17	0·02	—	—	0·05	—	0·06	—	—	0·48	—	—	0·03	17
18	0·06	—	—	—	0·18	—	—	0·57	0·16	—	—	0·02	18
19	0·15	—	—	0·24	—	—	—	—	—	—	—	—	19
20	0·05	0·12	—	0·31	—	0·64	—	—	[illegible]	—	—	0·04	20
21	—	—	—	—	—	—	0·73	0·04	0·64	—	—	0·12	21
22	—	—	—	0·33	—	—	—	—	0·19	—	—	0·26	22
23	0·02	—	—	—	—	—	1·49	—	—	—	—	0·39	23
24	0·03	0·02	0·09	—	—	—	—	—	—	—	—	0·05	24
25	—	0·03	0·03	0·06	—	—	0·17	—	—	—	—	—	25
26	0·09	—	0·11	0·02	0·08	—	0·03	—	—	—	—	0·04	26
27	0·26	0·08	—	0·32	—	—	0·03	—	—	—	0·02	0·15	27
28	0·58	—	0·14	0·04	0·07	0·10	0·11	—	—	—	—	0·02	28
29	0·26	—	0·11	—	—	0·01	0·02	—	—	—	0·12	0·38	29
30	0·04	☒	—	—	0·05		0·59	—	0·52	—	0·24	0·25	30
31	0·03	☒	—	☒	0·04	☒	—	—	☒	0·26	☒	0·17	31
Total	2·96	0·56	1·48	4·23	0·76	1·65	5·31	1·48	3·07	1·82	1·61	3·05	Year's Total 24·98
Days with ·01 in. or more	20	11	14	20	9	9	19	8	11	8	7	25	161
Days with ·04 in. or more	14	6	12	18	8	8	12	3 6	0 11	7 8	1 6	17	~~94~~ 126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HAILEYBURY
COLLEGE
HERTFORDSHIRE
1911 – 1920

DL ✓

144

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Herts

FALL IN 1911

K

in

by

Rain Gauge
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction ____

p d daily at 9 a.m., and the result entered to the
r rm to this almost universal rule, he is earnestly
f ry of the following year in the space provided
t ons for the measurement of rain,
C ticulars as to the British Rainfall
I rs," sent post-free on application to

Jan. 1, following.

Da							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
1				·29			·01	·02					1
2	·14			·17	·15						·12	·12	2
3				·01	·14					·05	·06	·02	3
4	·03	·01	·08	·05						·01	·12	·27	4
5	·02			·03						·07	·01	·19	5
6	·30		·05									·39	6
7	·02			·01						·12	·27	·29	7
8	·17		·14								·19	·22	8
9	·11		·02	·02									9
10	·02	·10	·07								·04	·39	10
11	·20				·44						·62		11
12	·05		·44		·05				·09		·33		12
13			·20		·78				·46	·63	·03	·19	13
14			·01		·43	·01						·50	14
15		·03	·29							·02		·03	15
16			·01			·44					·35	·09	16
17						·07					·30	·13	17
18		·12	·01			·05					·39	·15	18
19					·01	·08			·17	·10	·26	·07	19
20	·02		·02					·26	·17	·05		·61	20
21	·01	·09	·02			·02		·25		·50		·05	21
22	·12		·14			·01				·09		·50	22
23	·01	·18	·33			1·08			·30			·14	23
24		·07	·03			·02	·03			1·01		·25	24
25		·03	·02	·10		·21	·38			·03		·02	25
26			·01	·14		·01	·01	·01		·17	·01	·18	26
27		·31	·06	·04					·18		·08	·06	27
28		·29		·21	·02		·05	·04			·04		28
29				·05		·15	·13		·25	·20			29
30				·05	·03					·14		·02	30
31					·49								31
Total	1·22	1·23	1·95	1·17	2·54	2·15	·61	·58	1·62	3·19	3·22	4·88	TOTAL for year 24·36
No. of Rain Days	14	10	19	13	10	12	6	5	7	15	17	24	152

9,000, IX. '10.

144

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Haileybury College

in the County of Hertfordshire 3

by P. H. Latham

Rain Gauge: Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·29			·01	·02					1
2	·14			·17	·15						·12	·12	2
3				·01	·14					·05	·06	·02	3
4	·03	·01	·08	·05						·01	·12	·27	4
5	·02			·03						·07	·01	·19	5
6	·30		·05									·39	6
7	·02			·01						·12	·27	·29	7
8	·17		·14								·19	·22	8
9	·11		·02	·02									9
10	·02	·10	·07								·04	·39	10
11	·20				·44						·62		11
12	·05		·44		·05				·09		·33		12
13			·20		·78	·			·46	·63	·03	·19	13
14			·01		·43	·01						·50	14
15		·03	·29							·02		·03	15
16			·01			·44					·35	·09	16
17						·07					·30	·13	17
18		·12	·01			·05					·39	·15	18
19					·01	·08			·17	·10	·26	·07	19
20	·02		·02					·26	·17	·05		·61	20
21	·01	·09	·02			·02		·25		·50		·05	21
22	·12		·14			·01				·09		·50	22
23	·01	·18	·33			1·08			·30			·14	23
24		·07	·03			·02	·03			1·01		·25	24
25		·03	·02	·10		·21	·38			·03		·02	25
26			·01	·14		·01	·01	·01		·17	·01	·18	26
27		·31	·06	·04					·18		·08	·06	27
28		·29		·21	·02		·05	·04			·04		28
29				·05		·15	·13		·25	·20			29
30				·05	·03					·14		·02	30
31					·49								31
Total	1·22	1·23	1·95	1·17	2·54	2·15	·61	·58	1·62	3·19	3·22	4·88	TOTAL for year 24·36
No. of Rain Days	14	10	19	13	10	12	6	5	7	15	17	24	152

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Haileybury College

in the County of Hertfordshire 3

by P. H. Latham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·02	·10		·11	·37		·14	1
2		·01	·12	·01		·34	·39	·03					2
3	·07		·04		·13	·16	·01	·42	·02			·06	3
4	·21		·65		·14	·11		·06			·28		4
5	·10	·07	·12					·05	·02		·07	·01	5
6	·08	·04						·09				·03	6
7			·01			·53	·01	·53				·04	7
8	·31	·41	·19			·02	·01	·72	·06		·01	·02	8
9	·04	·06		·08		·40	·03	·06				·15	9
10		·05						·46	·02	·01	·12	·13	10
11	·06	·20				·03		·03	·04			·09	11
12	·07	·08	·07		·08	·11					·05		12
13	·01	·01				·08		·23	·01		·15	·01	13
14			·01		·03			·08		·06		·02	14
15	·01	·04	·06		·16	·31		·03			·01	·20	15
16	·19		·02		·07	·03		·12		·04	·10		16
17	·51		·34			·10		·06					17
18	·06		·08					·10			·04	·12	18
19	·18	·04	·11	·02			·06	·50					19
20	·01		·12				·01	·15		·58			20
21		·02	·45		·13			·10		·06	·05		21
22	·29	·12	·05		·04		·04	·11		·01		·03	22
23	·32	·25	·26				·09	·41	·02		·15	·05	23
24	·53	·01				·04	·02	·08				·13	24
25						·17		·91			·25	·41	25
26		·03					·13	·47		·37	·57	·33	26
27				·01		·03				·16		·16	27
28		·04				·02	·02		·04	·31	·34	·21	28
29		·03	·02			·11	·20	·22	1·32	·41	·04		29
30					·16	·08	·01	·10	1·04	·13			30
31	·01		·19		·01		·15	·21				·04	31
Total	3·06	1·51	3·01	·12	·95	2·69	1·28	6·33	2·70	2·51	2·23	2·38	TOTAL for year 28·77
No. of Rain Days.	19	18	20	4	10	19	16	27	11	12	15	21	192

W. 8,000, X. '11.

82

153

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Haileybury College

in the County of Hertfordshire 4 RQ 3

by P. H. Latham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.12	.08	.13					.12	.01	.08	.05	1
2	.02	.13			.08		.08		.02		.05		2
3			.03	.12	.50							.06	3
4	.18		.05		.09		.14			.17	.06	.03	4
5	.05					.04	.27		.03	.24	.01	.10	5
6		.02	.03		.09	.25	.05		.01	.12	.04		6
7		.13			.08	.04	.22	.05		.40	.07		7
8			.01		.18	.06				.08	.06		8
9		.18	.01		.03	.02			.10		.04	.10	9
10	.03		.04	.07			.22	.02			.29		10
11	.41			.45	.33			.07		.37	.07		11
12		.01			.03						.36		12
13	.04							.02			.43		13
14	.06	.01	.05	.05			.60	.09		.17	.13		14
15	.22	.07	.33	.23			.21		.05				15
16	.04		.30	.13					.08				16
17	.01	.02	.04			.47	.09	.01			.01	.02	17
18	.02		.17	.15					.18		.02	.02	18
19	.20		.02	.05			.16		.20			.02	19
20	.27		.09	.04		.02				.49	.01		20
21			.15	.23			.02			.19	.43		21
22	.42		.11						.14				22
23						.03	.01	.15	.02			.12	23
24	.02			.02									24
25		.02		.11		.02						.01	25
26			.24	.05				.19		.73		.15	26
27		.02	.03	.06						.07			27
28	.16		.19	.04					.01	.17			28
29	.10		.04	.33	.36			.31		.01		.02	29
30	.31			.09				.10		.14	.08		30
31			.01					.30		.04			31
Total	2.60	.73	2.02	2.35	1.77	.95	2.07	1.31	.96	3.40	2.24	.70	YEAR'S TOTAL 21.10
Rain Days.	19	11	21	18	10	9	12	11	12	16	18	12	169

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Haileybury College

in the County of Herts 3 E4 RA

by P H Latham

Lat. 51°45'N Long. 0 2' W

Time of Observation 9 am

Nearest Railway Station Hertford

Diameter of Rain Gauge 8·01 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	—	·06	·25	—	—	·06	·04	1
2	·02	—	—	·01	—	—	·08	·07	—	—	·27	·17	2
3	—	—	·18	·02	·15	—	·18	—	—	—	·13	—	3
4	·13	·01	·01	·26	·01	—	—	·08	—	—	·34	·25	4
5	·03	·01	·05	·16	·08	·07	·44	·62	—	—	—	—	5
6	—	·10	—	—	·03	·13	·02	·04	—	—	·17	·22	6
7	·08	·24	·16	·10	·41	·08	·02	—	—	—	—	·14	7
8	·08	·22	·60	·04	·11	·17	·48	·11	—	—	—	·02	8
9	·20	—	·66	·06	—	·47	—	—	—	—	—	·96	9
10	·10	·15	·06	·08	·04	—	—	—	·10	—	—	·02	10
11	—	·33	·37	—	·04	·69	—	—	·06	—	·22	·24	11
12	—	—	·08	—	—	—	·02	—	·42	·01	—	·30	12
13	·03	·33	·14	—	—	—	—	—	·16	·08	·05	·32	13
14	—	·06	·39	—	—	—	·28	—	—	·21	·15	·51	14
15	—	·01	·20	—	—	—	—	—	—	—	·05	·07	15
16	·03	—	·05	—	—	—	·03	—	·03	—	·02	—	16
17	—	·32	·03	—	—	—	—	—	·17	—	—	·13	17
18	—	·04	·10	—	—	—	—	—	—	—	—	·27	18
19	—	·04	·15	—	—	—	·08	—	·03	—	·17	·07	19
20	—	·19	·21	—	—	·05	—	—	·20	—	—	·07	20
21	—	·48	·10	—	—	·11	—	—	—	·02	—	·11	21
22	—	—	·04	·06	·32	·02	·05	·03	—	·29	—	—	22
23	—	—	·09	—	·25	—	·28	—	—	·15	—	·03	23
24	·02	—	·01	·06	—	—	(·05)	·01	—	·03	·12	—	24
25	·03	—	·11	—	—	—	(—)	·07	—	·33	—	·05	25
26	—	—	·03	—	—	—	(·03)	·07	—	·02	·15	·66	26
27	·03	—	·03	—	—	—	(·01)	—	—	—	·01	·30	27
28	—	·01	—	·01	—	—	(—)	—	—	·02	·27	1·06	28
29	·04	✕	·09	·02	—	—	(—)	—	—	·27	·15	—	29
30	—	✕	·05	—	—	—	(—)	—	—	·02	·46	·18	30
31	·01	✕	—	✕	·15	✕	(·03)	—	✕	—	✕	·05	31
Total	0·83 ✓	2·54 ✓	4·01 ✓	0·88 ✓	1·59 ✓	1·79 ✓	2·14 ✓	1·35 ✓	1·17 ✓	1·45 ✓	2·79 ✓	6·24 ✓	YEAR'S TOTAL 26·78 ✓
Rain Days.	14	16	27	12	11	9	17	10	8	12	17	25	178

W. 8,000. X. 14.

Dl

1023
136

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Haileybury College
in the County of Hertfordshire
by A. A. Lea

3 W. Dl
Two the same

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·13	·06		·04				·03	·04	·07	·45	1
2	·14	·18	·18	·06		·02		·74	·02	·03		·11	2
3	·28		·02	·21			·05	·58	·07			·26	3
4	·06			·03				·04		·04		·39	4
5	·02	·22		·27	·34					·05	·01	·26	5
6	·21	·02	·02				·58	·01				·23	6
7	·09	·42	·03				·42	·02				·16	7
8	·01	·45	·02				·01	·02					8
9		·07		·02		·09		·13			·24	·61	9
10	·32	·01	·03					·20			·02	·17	10
11	·02		·02		·02						·74		11
12	·09	·03		·23	·37			·07		·07	·37	·01	12
13	·05	·30			1·44			·01					13
14		·05					·90	·12	·03			·32	14
15	·25				·05			·64			·39	·12	15
16	·01	·42					·72	·64				·04	16
17		·34			·45		·18	·52					17
18		·17	·14		·07						·07		18
19		·08	·03				·12						19
20	·25			·07				·03				·32	20
21	·07						·01					·06	21
22	·76	·12	·33				·44					·09	22
23		·07	·07			·01	·11		·16	·26		·31	23
24		·01	·03			·01	·16		·18	·02		·21	24
25		·02		·05		·03	·07			·04		·14	25
26		·07				·04	·02					·29	26
27			·02			·32	·34			·41		·06	27
28		·18	·01			·21		·02	1·34	·15			28
29						·08	·07	·21			·15	·08	29
30	·03					·14			·01		·07		30
31	·05									·71		·17	31
Total	3·09	3·36	1·01	·94	2·78	·95	4·20	4·00	1·84	1·82	2·13	4·86	YEAR'S TOTAL 30·98 30·98
Rain Days.	19	21	15	8	8	10	16	17	8	11	10	23	166

W. 8,000. X. 14.

8L ✓ Exe DL and by Hopkinson

995
~~133~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Haileybury College

in the County of Hertfordshire

by A. A. Lea

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·01			·02				·05	·19		1
2	·37	·01	·11		·22	·01			·23	·41	·03		2
3		·46	·17				·03		·37	·26	·54		3
4	·27	·14	·01		·01	·42			·01	·01	·37		4
5	·03		·01		·02	·14	·01			·09	·48		5
6		·05	·12	·31	·02	·05	·34			·03	·50		6
7	·11		·13		·09	·12	·05			·02	·59	·03	7
8			·02		·37	·01						·32	8
9	·01				·22					·12		·10	9
10		·10	·09	·06		·11	·10	·01		·01		·10	10
11	·05	·17	·03	·12	·01	·08			·01			·01	11
12	·05	·03	·01	·02	·48	·17	·07	·22		·12	·01		12
13	·01	·56	·16	·09	·15	·15	·54	·24		·02			13
14		·37	·01		·05			·37 ·39		·03		·09	14
15		·12	·31	·02			·05	·06		·02		·02	15
16		·04	·07	·10			·12	·04		·02			16
17	·08	·07		·07			·07	·94	·33	·40			17
18		·06	·05	·11				·09	·06	·03	·45		18
19	·07	·02	·17	·10				·01	·20		·70	·14	19
20	·19		·33	·02							·02	·34	20
21			·81				·19				·01	·49	21
22		·03	·03		·03					·03		·39	22
23		·38				·12		·02		·08	·06	·09	23
24			·01		·02	·38		·02		·04	·03	·29	24
25		·21	·07		·05			·25		·07	·08	·01	25
26		·10				·02		·01		·03			26
27	·11	·04	·70			·07		·23	·04	·46			27
28		·28	·37			·29		·01	·11	·02		·20	28
29		·10				·23		1·31	·01	·36	·01	·08	29
30		×			·02	·03		·13		·50		·01	30
31		×		×		×		·02	×	·09	×	·01	31
Total	1·45	3·34	3·80	1·02	1·76	2·42	1·57	3·98 ~~4·00~~	1·37	3·32	4·07	2·72	YEAR'S TOTAL 30·8~~4~~2
Rain Days.	13	21	24	11	15	18	11	18	10	26	16	18	201

W. 8,000. X. 15.

8h
Sample

cont & completed by Hopkins on

962
~~124~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Haileybury College
in the County of Hertfordshire
by E. A. Campbell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–			·21		–		·82	·05		·14		1
2	·01 22	·01		·32		·01		·07		·01	·02		2
3	–			·02				·44		·20	·17		3
4	– ·01	·13	·05				·01	·22		·42			4
5	·20 ·02		·03	·16				·57	·66	·10	·11		5
6	– ·02		·03	02		·05			·11	·02	·03		6
7	·24 09						·20			·33	·01	·01	7
8	·12 37			·13			·79	·18		·30	·13	·15	8
9	·02 22		·05	·09				·25		·01	·08	·09	9
10	·25		·20	·18				·05			·01	·02	10
11	·09 01	·02	·48	·05						·32			11
12	·05 48		·03					·01	·02	·44	·01	·01	12
13	·03 ·15		·02	·03			·01	·03		·06			13
14	·02 ·05		·01	·22				·02		·03	·01		14
15	.							·03		·03		·01	15
16	·06	·09		·28	·15	·01	·18			·53		·32	16
17	–	·02		·12	·66		·19	·05	·33		·01		17
18	·05	·01		·08	·04	·12	·11		·36				18
19	.	·09	·03		·65	·02			·30				19
20	·02	·17	·09		·55		·02		·01		·14		20
21	–		·02	·01	·02						·04	·03	21
22	·02 ·03		·04					·08		·12			22
23	–	·08	·01		·13			·12		·01		·02	23
24	– ·02	·04				·03		·03		·32	·04		24
25	– ·05	·02	·07				·05				·07		25
26	–	·01	·08			·01		·41	·04		·58	·02	26
27	–		·05			·07		·72				·03	27
28	.	·01				·53		·12				·03	28
29	–		·01		·67	·04	·35	·26		·18		·10	29
30	·01 ·02	X	·19				1·17	·08		·02	·02	·01	30
31	·03	X	·03	X		X	·29	·02	X	·01	X	·01	31
Total	1·22 ~~1·76~~	·70	1·52	1·92	2·87	·89	3·37	4·58 ~~4·31~~	1·88	3·46	1·62	·86	YEAR'S TOTAL 24·89
Rain Days.	16 15	13	20	15	8	10	12	22	9	20	18	15	178

W. 8,000, VIII. 16

Ex. Df

44

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

102. 19

Kept at Haileybury College
in the County of Herts
by A. A. Lea Esq.

Lat. 51°46′40″N Long. 0°1′20″W
Time of Observation 9 a.m. (G.T.)
Nearest Railway Station St. Margarets
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·19	–	–	–	–	–	–	·12	·11	1
2	–	·05	–	·04	–	–	–	·32	·01	–	·01	·15	2
3	–	·05	·04	–	·53	–	–	·22	·09	–	·58	·02	3
4	–	·09	·09	–	–	–	–	·02	·43	·01	·51	·03	4
5	·01	·02	–	–	·09	–	–	·15	·04	·07	–	–	5
6	·11	·16	–	·28	·13	–	–	·01	·02	–	–	·05	6
7	·03	·10	–	·11	·01	–	–	·02	·14	·08	·09	–	7
8	–	·01	–	·02	–	–	·01	–	·07	·06	·07	·04	8
9	·02	·02	–	·02	–	·13	·24	–	·44	·13	–	·22	9
10	·07	–	–	·06	–	·02	·45	–	–	–	·02	·25	10
11	·01	–	–	·03	·08	–	·18	–	·03	·17	·06	·02	11
12	–	·07	–	–	·31	–	·04	–	·03	·01	–	·01	12
13	–	·01	–	–	·11	–	·09	–	·16	–	–	·06	13
14	·20	–	–	–	–	·16	–	–	·25	·22	–	·24	14
15	1·21	–	–	1·57	–	–	–	–	–	–	–	·07	15
16	·32	–	–	·06	–	·16	–	–	·17	–	–	·02	16
17	·14	–	–	·34	·01	–	·67	·01	·01	–	–	·20	17
18	·50	–	–	–	–	·18	·12	–	1·32	·06	–	–	18
19	·06	–	·14	·19	–	·07	·18	–	·01	·07	·01	·13	19
20	·02	·11	–	·38	–	·05	·08	–	·08	·18	·01	·04	20
21	·09	–	–	·13	–	·03	–	–	·28	·06	·01	–	21
22	·05	–	–	·02	·24	–	·09	–	·13	–	–	·18	22
23	·01	–	–	–	·97	·02	·51	·04	·11	–	·01	·04	23
24	–	·17	–	–	–	·01	·01	–	·07	–	·12	–	24
25	–	–	–	–	·24	·06	·05	·15	–	·02	·07	–	25
26	–	–	–	–	·01	–	·30	·04	–	·06	·15	·15	26
27	–	·02	–	·11	–	–	·02	·24	·06	–	·10	·02	27
28	·02	·02	·28	–	–	·02	–	·01	–	–	·34	·06	28
29	–	×	·03	–	–	–	–	–	1·38	–	·04	–	29
30	–	×	·35	–	–	–	–	–	·04	–	·05	·07	30
31	–	×	·01	×	–	×	–	–	×	·12	×	·05	31
Total	2·87	0·91	0·94	3·55	2·73	0·91	3·04	1·23	5·37	1·32	2·37	2·23	YEAR'S TOTAL 27·47
Rain Days	17	15	7	16	12	12	16	12	24	15	19	24	189

W, 6,500, VII. 18. w w c

Checked F H Latham.

82 ✓ Ese 62

910 ~~46~~ A

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Haileybury College

in the County of Hertfordshire

by P. H. Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·03		·02	·19	·01	·32	·02		·02		1·04	1
2	·24		·01		·09		·07		·23		·10	·27	2
3	·25		·28				·04		·04		·08	·27	3
4	·05	·01	·24		·01	·08	·55					·15	4
5	·03	·29	·45				·02	·08	·16		·02	·21	5
6			·06	·03						·01	·02	·08	6
7	·02		·41								·22		7
8	·08		·06	·04							·09		8
9	·01		·04	·02							·19		9
10	·20		·04	·06								·02	10
11	·03		·07	·28			·28					·02	11
12			·14	·03		·03	·06			·02	·04		12
13	·05	·03		·29						·06			13
14	·20			·38			·11		·19	·05			14
15	·16	·03	·05	·12						·02	·03	·12	15
16	·14	·67		·04							·09	·04	16
17		·72	·02	·02							·26	·02	17
18		·21	·03					·02	·05		·04	·07	18
19	·02	·12	·43			·30	·08	·15	·09		·10	·02	19
20	·34	·09	·06			·85	·15	·28				·01	20
21	·21	·40	·02				·25				·01	·38	21
22	·02	·11				·01	·08		·51		·06	·04	22
23						·10	·02	·01	·08		·01		23
24				·25		·02	·05	·07		·04	·16		24
25	·04			·09	·09			·34			·01		25
26	·16	·17	·14						·18			·35	26
27	·73	·06	·04	1·59				·52				·05	27
28			·09	·05				·65			·14	·25	28
29	·03			·03				·14		·17	·18	·04	29
30		X		·28		·13		·07		·02	·22	·32	30
31	·01	X		X		X	·02		X		X	·01	31
Total	3·34	2·94	2·68	3·62	·38	1·53	2·10	2·35	1·53	·41	2·07	3·78	YEAR'S TOTAL 26·73
Rain Days.	23	14	20	18	4	9	15	12	9	9	21	22	176

W, 6,500. VII. 18. W W C

July & Aug/ estd from nr. stns 864

29 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Haileybury College
in the County of Herts
by C. C. Champion

Lat. 51° 46′ 45″ N Long. 0° 2′ W
Time of Observation 9 A M
Nearest Railway Station Hertford
Diameter of Funnel of Rain Gauge 8·01 in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·65		·02				·36	·02	·27	1
2	·01		·01								—	·10	2
3	·01	·04		·26							—	·03	3
4				·05	·07						—	·11	4
5			·06		·08						—	·02	5
6			·13		·08						—	·01	6
7		·01	·12	·18							—	·02	7
8	·09	·01		·26	·29						—	—	8
9	·34	·01		·03	·03						—	—	9
10	·22	·04	·11	·05	·01						—	·01	10
11	·21		·04	·31	·04	·02					—	—	11
12	·08			·12		·04					—	·175	12
13	·13	·02	·10	·13		·68					·05	—	13
14		·02	·29	·24		·01					·23	·025	14
15		·01	·16	·20		·05			·52	1[illegible]	·09	·075	15
16			·01	·27							—	—	16
17	·02			·01	·11						—	·02	17
18	·01		·02			·03					—	·02	18
19	·15			·31							—	·07	19
20	·05	·10		·39		·06					—	—	20
21						·56					—	·10	21
22				·27							—	·14	22
23											—	·33	23
24	·01	·01	·07								—	·07	24
25		·02	·08	·01	·03						—	—	25
26	·06		·08	·02	·20						—	·07	26
27	·28	·07		·27		·06					·38	·14	27
28	·38		·29	·01	·05	·10					—	—	28
29	·13		·03		·01	·01					·12	·43	29
30			·01		·01						·20	·19	30
31	·02											·12	31
TOTAL	2·20	·36	1·61	4·04	1·01	1·64	(4·00)	(1·25)	2·28	1·10	1·09	2·29	YEAR'S TOTAL (22·87)
Days with ·01 in. or more	18	12	17	21	13	12			12	7	7	23	
											6	11	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS
HAILEYBURY — HAILEY HOUSE
1915 — 1920

REGIST

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at Haileybury, Ha

in the County of

by P. H. Latham

in Gauge .... in.
bove Ground .... ft. .... in.
Sea Level .... ft.

IMPORTANT NOTE.– d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·12	·06	—	·04	—	—	—	·03	·03	·08	·41	1
2	·14	·13	·17	·06	—	·01	—	·71	·04	·03	—	·10	2
3	·29	—	·03	·20	—	—	·04	·52	·06	—	—	·26	3
4	·07	—	·01	—	—	—	—	·05	—	·06	—	·37	4
5	·03	·20	—	·03	·48	—	—	·02	—	·04	·01	·26	5
6	·18	·02	·02	·28	·01	—	·56	—	—	—	—	·25	6
7	·10	·43	·03	·01	—	—	·40	·02	—	—	—	·15	7
8	·01	·46	·02	—	—	—	·01	·02	—	—	—	—	8
9	—	·08	—	·01	—	·09	—	·13	—	—	·23	·64	9
10	·32	—	·02	—	—	·01	—	·19	—	—	·03	·18	10
11	·01	—	·02	—	·01	—	—	—	—	—	·74	·02	11
12	·08	·02	—	·23	·40	—	—	·07	—	·05	·40	·02	12
13	·05	·34	—	—	1·36	—	—	—	—	—	—	—	13
14	—	·04	—	—	—	—	·87	·13	·02	—	—	·36	14
15	·25	—	—	—	·05	—	·01	·05	—	—	·31	·13	15
16	·01	·39	—	—	—	—	·73	·85	—	—	—	·04	16
17	—	·34	—	—	·43	—	·18	·50	—	—	·03	—	17
18	—	·19	·21	—	·08	—	·01	—	—	—	·06	—	18
19	—	·09	—	—	—	—	·11	—	—	—	—	—	19
20	·26	—	·01	·06	—	—	—	·02	—	—	—	·32	20
21	·14	—	—	—	—	—	—	—	—	—	—	·04	21
22	·68	·11	·33	—	—	—	·43	—	—	—	—	·11	22
23	·01	·12	·07	—	—	·01	·12	—	·15	·25	—	·32	23
24	—	·01	·02	—	—	—	·24	—	·18	·02	—	·21	24
25	—	—	—	·05	—	·03	·08	—	·01	·03	—	·13	25
26	—	·07	—	—	—	·04	·03	—	·01	·01	—	·28	26
27	—	—	·01	—	—	·32	·32	—	—	·37	—	·07	27
28	—	·17	—	—	—	·20	—	·02	1·24	·16	—	·01	28
29	—		·01	—	—	·08	·07	·20	—	—	·15	·07	29
30	·03	X	—	—	—	·16	—	—	·02	—	·07	·01	30
31	·04	X	—	X	—	X	—	·03	X	·67	X	·16	31
Total	3·07	3·33	1·04	0·93	2·86	0·95	4·21	3·53	1·76	1·72	2·11	4·92	YEAR'S TOTAL 30·43
Rain Days.	20	19	16	9	9	10	17	17	10	12	11	26	176

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at Haileybury, Hailey House

in the County of

by P. H. Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·12	·06	—	·04	—	—	—	·03	·03	·08	·41	1
2	·14	·13	·17	·06	—	·01	—	·71	·04	·03	—	·10	2
3	·29	—	·03	·20	—	—	·04	·52	·06	—	—	·26	3
4	·07	—	·01	—	—	—	—	·05	—	·06	—	·37	4
5	·03	·20	—	·03	·48	—	—	·02	—	·04	·01	·26	5
6	·18	·02	·02	·28	·01	—	·56	—	—	—	—	·25	6
7	·10	·43	·03	·01	—	—	·40	·02	—	—	—	·15	7
8	·01	·46	·02	—	—	—	·01	·02	—	—	—	—	8
9	—	·08	—	·01	—	·09	—	·13	—	—	·23	·64	9
10	·32	—	·02	—	—	·01	—	·19	—	—	·03	·18	10
11	·01	—	·02	—	·01	—	—	—	—	—	·74	·02	11
12	·08	·02	—	·23	·40	—	—	·07	—	·05	·40	·02	12
13	·05	·34	—	—	1·36	—	—	—	—	—	—	—	13
14	—	·04	—	—	—	—	·87	·13	·02	—	—	·36	14
15	·25	—	—	—	·05	—	·01	·05	—	—	·31	·13	15
16	·01	·39	—	—	—	—	·73	·85	—	—	—	·04	16
17	—	·34	—	—	·43	—	·18	·50	—	—	·03	—	17
18	—	·19	·21	—	·08	—	·01	—	—	—	·06	—	18
19	—	·09	—	—	—	—	·11	—	—	—	—	—	19
20	·26	—	·01	·06	—	—	—	·02	—	—	—	·32	20
21	·14	—	—	—	—	—	—	—	—	—	—	·04	21
22	·68	·11	·33	—	—	—	·43	—	—	—	—	·11	22
23	·01	·12	·07	—	—	·01	·12	—	·15	·25	—	·32	23
24	—	·01	·02	—	—	—	·24	—	·18	·02	—	·21	24
25	—	—	—	·05	—	·03	·08	—	·01	·03	—	·13	25
26	—	·07	—	—	—	·04	·03	—	·01	·01	—	·28	26
27	—	—	·01	—	—	·32	·32	—	—	·37	—	·07	27
28	—	·17	—	—	—	·20	—	·02	1·24	·16	—	·01	28
29	—		·01	—	—	·08	·07	·20	—	—	·15	·07	29
30	·03	X	—	—	—	·16	—	—	·02	—	·07	·01	30
31	·04	X	—	X	—	X	—	·03	X	·67	X	·16	31
Total	3·07	3·33	1·04	0·93	2·86	0·95	4·21	3·53	1·76	1·72	2·11	4·92	YEAR'S TOTAL 30·43
Rain Days.	20	19	16	9	9	10	17	17	10	12	11	26	176

W. 8,000. X. 15.

994

FORM A.
BRITISH RAINFALL.

12 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hailey House Haileybury College

in the County of Herts

by P. H. Latham Esq.

Lat. 51°46'40" N Long. 0° 1'20" W.
Time of Observation 9 am.
Nearest Railway Station St Margarets
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	·02	—	—	·02	—	—	·08	·05	·19	—	1
2	·35	·01	·09 S+R	—	·22	·01	—	—	·25	·41	·03	—	2
3	—	·45	·15 S+R.	—	—	—	·03	—	·35	·25	·53	—	3
4	·24	·13	·01	—	—	·44	—	—	·01	·01	·37	—	4
5	·02	—	—	—	·02	·14	—	—	—	·08	·53	—	5
6	—	·04	·17 S	·30 R+S	—	·04	·33	—	—	·02	·51	—	6
7	·10	—	·16 S	—	·11	·12	·07	—	—	·02	·55	·03	7
8	—	—	·01	—	·37	·01	—	—	—	—	—	·32	8
9	·01	—	—	—	·21	—	—	—	—	·10	—	·10	9
10	—	·09	·09	·06	—	·10	·10	—	—	·02	—	·08	10
11	·04	·16	·01	·12	·01	·08	—	—	—	—	—	·02	11
12	·04	·02	·01	·02	·46	·17	·06	·23	·01	·11	—	—	12
13	·01	·50	·16	·08	·14	·14	·54	·20	—	·01	—	—	13
14	—	·41	—	—	·05	—	—	·44	—	·03	—	·11 S	14
15	—	·12	·28	·02	—	—	·04	·07	—	·01	—	—	15
16	—	·05	·07	·11	·06	—	·12	·06	—	·02	—	—	16
17	·09	·06	—	·07	—	—	·06	1·13	·34	·38	—	—	17
18	—	·06	·03	·12	—	—	— ~~·13~~	·09	·06	·03	·50	·01	18
19	·05	—	·16	·11	—	—	— ~~·09~~	·01	·21	—	·72	·10 S	19
20	·18	—	·30	·02	—	—	— ~~·01~~	—	—	—	·02	·36	20
21	—	—	·76	—	—	—	·11	—	—	—	—	·48	21
22	—	·04	·03	—	·03	—	—	—	—	·02	—	·41	22
23	—	·375	—	—	—	·11	—	·03	—	·06	·04	·12	23
24	—	·05 S	—	—	—	·32	—	·02	—	·03	·03	·23 R+S	24
25	—	·35 S	·08	—	·07	—	—	·25	—	·06	·07	·10	25
26	—	·11 S	—	—	—	·02	—	·02	—	·02	—	—	26
27	·12	·06 S	·91 S+R	—	—	·07	—	·22	·04	·46 TL	—	—	27
28	—	·36 S	·38 S+R	—	—	·27	—	—	·10	·01	—	·20	28
29	·01	·10	—	—	—	·21	—	1·26	·01	·35	—	·09	29
30	—	X	—	—	·02	·03	—	·13	—	·53	—	·01	30
31	—	X	—	X	—	X	—	·02	X	·09	X	·01	31
Total	1·35	3·54	3·88	1·03	1·77	2·30	1·46	4·18	1·46	3·18	4·09	2·78	YEAR'S TOTAL 31·02
Rain Days.	14	21	21	11	13	18	10	16	11	26	13	18	192

W. 8,000, VIII. 16

961

FORM A.
BRITISH RAINFALL.

9 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at HAILEY HOUSE, Haileybury College

in the County of Herts

by P. H. Latham Esq.

Lat. 51° 46′ 40″ N Long. 0° 1′ 20″ W.

Time of Observation 9 a.m. Greenwich

Nearest Railway Station St. Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	—	·19 S	—	—	—	·84	·05	—	·14	—	1
2	·01	·01	—	·36 S	—	·01	—	·08	—	—	·02	—	2
3	—	—	—	·02	—	—	—	·42	—	·19	·17	—	3
4	—	·13 S	·04	—	—	—	—	·24	—	·39	—	—	4
5	·20	—	·04	·14 S	—	—	—	·57	·64 T.S	·10	·10	—	5
6	—	—	·02	·02	—	·05	—	—	·13	·07	·03	—	6
7	·25	—	—	—	—	—	·21	—	—	·26	·01	—	7
8	·12	—	—	·13 S	—	—	·79	·18	—	·27	·11	·16	8
9	·02	—	·05	·10 S	—	—	—	·26	—	·01	·07	·09	9
10	·25	—	·19	·17	—	—	—	·07	—	—	·01	·02	10
11	·10	·01	·49	·08	—	—	—	—	—	·33	—	—	11
12	·05	·03	·02	—	—	—	—	·01	—	·45	—	—	12
13	·03	—	·02	·04	—	—	·01	·03	·03	·06	—	·01	13
14	—	—	—	·21	—	—	—	·03	—	·03	—	—	14
15	·02 S	—	—	—	—	—	—	·03	—	·03	—	·03	15
16	·03 S	·08	—	·40	·15	—	·17	—	—	·57	—	·19 R+S	16
17	—	·02	—	·12	·65	—	·19	·05	·32	·30	—	—	17
18	·05	·01	—	·08	·04	·12 TS	·12	·01	·34	—	—	—	18
19	—	·09	·03	—	·62	·02	—	—	·28	—	—	—	19
20	·03	·17	·10	—	·50	—	·02	—	·02	—	·14	—	20
21	—	—	·02 S	·01	·03	—	—	—	—	—	·04	—	21
22	·02	—	·03 S	—	—	—	—	·08	—	·12	—	—	22
23	—	·08	—	—	·13	—	—	·13	—	·01	—	·02	23
24	—	·04	—	—	—	·03	—	·05	—	·30	·04	—	24
25	—	·03	·07 S	—	—	—	—	—	—	—	·09	—	25
26	—	—	·08 S	—	—	·01	—	·42	·02	—	·55 R+S	·01	26
27	—	—	·01	—	—	·06	—	·70	—	—	—	·04	27
28	—	·01	·01	—	—	·57	—	·13	—	—	—	·02	28
29	—	×	—	—	·69	·04	·30	·27	—	·18	—	·19	29
30	·01	×	·20 S	—	—	—	1·14	·09	—	·02	·02	·07	30
31	·02	×	·08 S	×	—	×	·30	·02	×	·01	×	—	31
Total	1·21	0·71	1·50	2·07	2·81	0·91	3·25	4·71	1·83	3·70	1·54	0·85	YEAR'S TOTAL 25·09
Rain Days.	16	13	18	15	8	9	10	23	9	20	15	12	168

W. 8,000, IX. 17.

CK 9MX

43

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

18.1.19

Kept at HAILEY HOUSE, Haileybury College

in the County of Herts.

by P. H. Latham.

Lat. 51° 46′ 40″ N Long. 0° 1′ 20″ W

Time of Observation 9 a.m. (G.T.)

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	–	·17	–	–	–	–	–	–	·11	·08	1
2	·01	·06	–	·04	–	–	–	·47	·02	–	·05	·13	2
3	–	·01	·03	–	·52	–	–	·14	·09	·01	·55	·02	3
4	–	·09	·08	–	–	–	–	·02	·43	·01	·54	·02	4
5	·09	·02	–	–	·09	–	–	·15	·06	·08	–	–	5
6	–	·12	–	R	·13	–	–	–	·02	–	–	·04	6
7	·09	·09	–	R	·01	·01	–	·02	·13	·08	·08	–	7
8	–	·01	–	R	–	–	–	–	·08	·04	·06	·03	8
9	·03	·02	–	R	–	·12	·23	–	·43	·15	–	·21	9
10	·07	–	–	R	–	·02	·40	–	–	–	·02	·24	10
11	–	–	–	R	·09	–	·16	–	·03	·17	·06	·02	11
12	·03	·06	–	–	·22	–	·04	–	·04	–	–	–	12
13	–	·01	–	–	·18	–	·09	–	·16	–	–	·06	13
14	·20	–	–	–	–	·16	·04	–	·24	·23	–	·21	14
15	1·12 R S	–	–	R	–	–	·13	–	–	–	–	·07	15
16	·265	–	–	R	–	·13	–	–	·17	–	–	·02	16
17	·17	–	–	R	·01	–	·65	·02	·02	–	–	·20	17
18	·48	–	–	– }3·23	–	·16	·11	–	1·45	·05	–	·28	18
19	·06	·01	·15	R	–	·06	·18	–	·02	·06	–	·13	19
20	·02	·09	–	R	–	·05	·09	–	·09	·16	–	·04	20
21	·09	–	–	R	–	·02	–	–	·29	·06	–	–	21
22	·04	–	–	R	·22	–	·07	–	·12	–	–	·19	22
23	·01	–	–	–	·97	–	·55	·04	·12	–	–	·04	23
24	–	·18	–	–	·01	·02	·01	–	·05	–	·03	–	24
25	–	–	–	–	·11	·07	·06	·15	–	·01	·06	–	25
26	–	–	–	–	·03	–	·30	·05	–	·05	·15	·13	26
27	–	·02	–	·13	–	–	·01	·24	·06	–	·09	·02	27
28	–	·02	·25	–	–	·01	–	·02	–	–	·33	·06	28
29	–	X	–	–	–	–	–	–	1·35	–	·03	–	29
30	–	X	·37	–	–	–	–	–	·04	–	·06	·08	30
31	–	X	·01	X	–	X	–	–	X	·11	X	·04	31
Total	2·78	0·81	0·89	3·57	2·59	0·83	3·12	1·32	5·51	1·27	2·22	2·36	YEAR'S TOTAL 27·27
Rain Days.	17	15	6	(16)	13	12	17	11	24	15	15	24	(185)

W. 6,500, VII. 18. w w o

P.T.O.

Remarks.

During my Easter vacation in April my gardener, who measures & records the rainfall daily, was taken ill suddenly & had to undergo an operation.

On my return on the 26th I recorded 3.23" in the gauge which I have recorded overleaf, as shown.

The Rain days (where I have written R) were entered from the Haileybury College days of rain as I have assumed that R fell in my gauge on similar days. The Haileybury College gauge is about 250 yards from the Hailey House gauge.

J H Latham.

12/1/19

Ex. H6b

909

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at HAILEY HOUSE. Haileybury College

in the County of Herts

by P. H. Latham Esq.

Lat. 51° 46′ 40″ N Long. 0° 1′ 10″ W

Time of Observation 9. a.m. (G.T.)

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·025	–	·02	·18	–	·32	–	–	·03	–	·99	1
2	·24	·025	·04	–	·10	–	·08	–	·22	–	·10	·24	2
3	·24	–	·26	–	–	–	·04	–	·05	–	·07	·27	3
4	·05	–	·23	–	–	·08	·51	·07	–	–	–	·15	4
5	·03	·295	·45	–	–	–	·02	–	·15	–	·03	·21	5
6	–	–	·06	–	–	–	–	–	–	–	·03	·07	6
7	·02	–	·38	·03	–	–	–	–	–	–	·21	–	7
8	·08	–	·07	·02	–	–	–	–	–	–	·08	–	8
9	·01	–	·03	·02	–	–	–	–	–	–	·19	–	9
10	·20	–	·03	·05	–	–	–	–	–	–	–	·03	10
11	·03	–	·07	·26	–	–	·28	–	–	–	–	·02	11
12	–	–	·14	·03	–	·03	·06	–	–	·02	·02	–	12
13	·03	–	–	·26	–	–	–	–	–	·05	·01	–	13
14	·21	–	–	·40	–	–	·12	–	·19	·04	–	–	14
15	·16	·06	·05	·12	–	–	–	–	–	·03	·03	·13	15
16	·14	·69	–	·03	–	–	–	–	–	–	·09	·04	16
17	–	·70 S+R	·02	·02	–	–	–	–	–	–	·27	·02	17
18	–	·18 S+R	·04	–	–	–	–	·01	·04	–	·04	·05	18
19	–	·12	·40	–	–	·30	·07	·15	·09	–	·09	·03	19
20	·35	·10	·07	–	–	·79	·16	·28	–	–	–	·01	20
21	·23 R+S	·41	·02	–	–	–	·26	–	–	–	·01	·04	21
22	–	·10	–	–	–	·01	·08	–	·50	–	·06	·37	22
23	–	–	–	–	–	·09	·02	–	·08	–	·01	·01	23
24	–	–	–	·23	–	·03	·04	·07	–	·04	·14	–	24
25	·04	–	–	·09	·07	–	–	·33	–	–	·01	–	25
26	·16	·17	·13	·01	–	–	–	–	·18	–	–	·38	26
27	·735	·06	·04	1·63 S+R	–	–	–	·52	–	–	–	·05	27
28	–	–	·105	·06	–	–	–	·67	–	·01	·14	·26	28
29	·025	×	–	·02	–	–	–	·14	–	·17	·21	·05	29
30	–	×	–	·27	–	·14	–	·07	–	·02	·24	·31	30
31	·015	×	–	×	–	×	·01	–	×	–	×	–	31
TOTAL	3·30	2·92	2·63	3·57	0·35	1·47	2·07	2·31	1·50	0·41	2·08	3·73	YEAR'S TOTAL 26·34 ✓
Days with ·01 in. or more	21	13	20	19	3	8	15	10	9	9	22	22	171 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cord by college

863

24 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hailey House Haileybury College.

in the County of Herts

by P. H. Latham.

Lat. 55° 46′ 42″ N. Long. 0° 6′ 10″ W.

Time of Observation 9 a.m.

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·64	–	–	·24	–	–	·35	·04	·26	1
2	–	–	–	–	–	–	·06	·46	·02	·08	–	·10	2
3	–	·03	–	·29	–	–	·09	–	·10	·14	–	(·02)	3
4	·02	–	–	·05	·01	–	·23	·07	–	·09	–	·12	4
5	–	–	·07	–	·04	–	·48	–	·06	–	–	·08	5
6	–	–	·14	–	·09	–	·28	·01	–	–	–	·01	6
7	–	–	·11	·16	–	–	·14	–	–	–	–	·02	7
8	·08	·01	–	·27	·02	–	·15	·05	–	–	–	–	8
9	·32	·01	–	·03	–	–	–	–	–	–	–	–	9
10	·21	·03	·09	·06	–	–	·11	–	–	–	–	·01	10
11	·21	–	·04	·29	·02	·05	·18	–	–	–	–	·14	11
12	·08	–	–	·12	–	·66	–	–	–	–	·01	–	12
13	·13	–	·10	·13	–	–	–	–	–	–	·03	–	13
14	–	·03	·27	·22	–	·06	·03	–	·14	·04	·20	–	14
15	–	·01	·11	·22	–	–	·02	–	·47	–	·06	·03	15
16	–	–	–	·29	–	–	–	–	·13	·06	–	–	16
17	·02	–	–	·01	·10	·04	·01	–	·37	–	–	·03	17
18	·01	–	·01	–	–	–	·03	·60	·04	–	–	·02	18
19	·16	–	–	·37	–	·06	–	–	–	–	–	·62	19
20	·05	·10	–	·39	–	·53	–	–	·10	–	–	–	20
21	–	–	–	–	–	–	·71	·03	·49	–	–	·08	21
22	–	–	–	·26	–	–	–	–	·07	–	–	·14	22
23	–	–	–	–	–	–	·70	–	–	–	–	·33	23
24	–	–	·05	–	–	–	–	–	–	–	–	·02	24
25	–	·03	·07	·01	·01	–	·19	–	·02	–	·02	–	25
26	·07	–	·07	·02	·19	·06	–	–	–	–	–	·02	26
27	·25	·06	–	·24	–	·10	–	–	–	–	·36	·12	27
28	·39	–	·19	·01	·05	–	·03	–	–	–	–	–	28
29	·13	–	·03	–	–	–	·05	–	–	–	·13	·44	29
30	–	×	·01	–	·02	·01	·26	–	·25	–	·19	·10	30
31	·02	×	–	×	·02	×	–	–	×	·25	×	·12	31
TOTAL	2·15	0·31	1·36	4·08	0·57	1·57	3·99	1·22	2·26	1.01 ~~0·96~~	1·04	2·23	YEAR'S TOTAL 21·79
Days with ·01 in. or more	16	9	15	21	11	9	20	6	13	7	9	22	158
Days with ·04 in. or more	12	2	12	16	5	8	15	4	11	7	6	13	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIST

HERTS

HARPENDEN - BEESTHORPE

1912 - 1914

FORM A.
BRITISH RAINFALL.

4 - JAN 19

Kept at Harpanden 30 a.m.

in the County of Herts. arpanden m.R. 1 mile

by Catesby Paget 5 in.

Ground — ft. 6 in.

Sea Level about 350 ft.

IMPORTANT NOTE.—R he result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·00	·00	·07	·00	·00	·11	·03	·01	·07	·30	·00	·15	1
2	·00	·00	·07	·04	·00	·16	·41	·00	·00	·00	·00	·01	2
3	·09	·00	·04	·00	·00	·18	·00	·24	·02	·01	·00	·12	3
4	·14	·00	·69	·00	·41	·27	·01	·06	·00	·00	·28	·00	4
5	·09	·00	·28	·00	·00	·00	·00	·30	·03	·00	·07	·02	5
6	·35	·12	·00	·00	·01	·00	·00	·43	·00	·00	·00	·05	6
7	·03	·00	·01	·00	·02	·64	·00	·20	·00	·00	·00	·07	7
8	·42	·38	·21	·00	·00	·00	·00	·21	·04	·00	·00	·03	8
9	·04	·14	·00	·09	·01	·56	·03	·00	·00	·00	·00	·28	9
10	·00	·03	·00	·00	·00	·01	·00	·17	·05	·00	·14	·08	10
11	·11	·26	·00	·00	·00	·00	·00	·01	·06	·00	·02	·15	11
12	·09	·29	·13	·00	·02	·21	·04	·00	·00	·00	·12	·01	12
13	·01	·02	·00	·00	·00	·08	·00	·00	·02	·02	·23	·01	13
14	·01	·00	·05	·00	·03	·00	·00	·05	·00	·01	·07	·00	14
15	·00	·04	·07	·00	·13	·32	·00	·07	·00	·00	·00	·18	15
16	·37	·00	·04	·00	·06	·01	·00	·07	·00	·06	·01	·00	16
17	·06	·00	·28	·00	·00	·10	·00	·10	·00	·00	·03	·00	17
18	·24	·00	·14	·00	·00	·00	·00	·37	·00	·02	·01	·12	18
19	·19	·07	·11	·00	·00	·00	·62	·88	·00	·00	·00	·00	19
20	·03	·00	·13	·00	·00	·00	·04	·05	·00	·30	·00	·00	20
21	·02	·04	·80	·00	·32	·00	·00	·17	·00	·09	·04	·00	21
22	·39	·14	·06	·00	·07	·00	·09	·13	·00	·02	·00	·02	22
23	·37	·36	·36	·00	·01	·00	1.39	·48	·00	·01	·18	·25	23
24	·23	·01	·00	·00	·00	·04	·02	·17	·00	·00	·00	·13	24
25	·00	·00	·00	·00	·00	·18	·00	·45	·00	·06	·30	·57	25
26	·00	·02	·00	·00	·00	·00	·06	·52	·00	·44	·42	·26	26
27	·00	·00	·00	·00	·00	·06	·06	·00	·00	·23	·00	·19	27
28	·00	·03	·02	·00	·00	·03	·02	·06	·05	·56	·38	·25	28
29	·00	·02	·00	·00	·00	·24	·12	·47	1.41	·20	·01	·00	29
30	·00		·00	·00	·32	·01	·05	·00	·79	·12	·00	·00	30
31	·00		·11		·18		·25	·19		·01		·06	31
Total	3·32	1.97	3·67	·13	1·59	3·21	3·24	5·86	2·54	2·46	2·31	3·01	YEAR TOTAL 33·31
Rain Days.	20	16	20	2	13	18	16	25	10	17	16	22	195

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

4 JAN 19

Kept at Harpenden
in the County of Herts. 2
by Catesby Paget

Lat. ______ Long. ______
Time of Observation 8·30 a.m.
Nearest Railway Station Harpenden M.R. 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level about 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·07	·00	·00	·11	·03	·01	·07	·30	·00	·15	1
2	·00	·00	·07	·04	·00	·16	·41	·00	·00	·00	·00	·01	2
3	·09	·00	·04	·00	·00	·18	·00	·24	·02	·01	·00	·12	3
4	·14	·00	·69	·00	·41	·27	·01	·06	·00	·00	·28	·00	4
5	·09	·00	·28	·00	·00	·00	·00	·30	·03	·00	·07	·02	5
6	·35	·12	·00	·00	·01	·00	·00	·43	·00	·00	·00	·05	6
7	·03	·00	·01	·00	·02	·64	·00	·20	·00	·00	·00	·07	7
8	·42	·38	·21	·00	·00	·00	·00	·21	·04	·00	·00	·03	8
9	·04	·14	·00	·09	·01	·56	·03	·00	·00	·00	·00	·28	9
10	·00	·03	·00	·00	·00	·01	·00	·17	·05	·00	·14	·08	10
11	·11	·26	·00	·00	·00	·00	·00	·01	·06	·00	·02	·15	11
12	·09	·29	·13	·00	·02	·21	·04	·00	·00	·00	·12	·01	12
13	·01	·02	·00	·00	·00	·08	·00	·00	·02	·02	·23	·01	13
14	·01	·00	·05	·00	·03	·00	·00	·05	·00	·01	·07	·00	14
15	·00	·04	·07	·00	·13	·32	·00	·07	·00	·00	·00	·18	15
16	·37	·00	·04	·00	·06	·01	·00	·07	·00	·06	·01	·00	16
17	·06	·00	·28	·00	·00	·10	·00	·10	·00	·00	·03	·00	17
18	·24	·00	·14	·00	·00	·00	·00	·37	·00	·02	·01	·12	18
19	·19	·07	·11	·00	·00	·00	·62	·88	·00	·00	·00	·00	19
20	·03	·00	·13	·00	·00	·00	·04	·05	·00	·30	·00	·00	20
21	·02	·04	·80	·00	·32	·00	·00	·17	·00	·09	·04	·00	21
22	·39	·14	·06	·00	·07	·00	·09	·13	·00	·02	·00	·02	22
23	·37	·36	·36	·00	·01	·00	1.39	·48	·00	·01	·18	·25	23
24	·23	·01	·00	·00	·00	·04	·02	·17	·00	·00	·00	·13	24
25	·00	·00	·00	·00	·00	·18	·00	·45	·00	·06	·30	·57	25
26	·00	·02	·00	·00	·00	·00	·06	·52	·00	·44	·42	·26	26
27	·00	·00	·00	·00	·00	·06	·06	·00	·00	·23	·00	·19	27
28	·00	·03	·02	·00	·00	·03	·02	·06	·05	·56	·38	·25	28
29	·00	·02	·00	·00	·00	·24	·12	·47	1.41	·20	·01	·00	29
30	·00		·00	·00	·32	·01	·05	·00	·79	·12	·00	·00	30
31	·00		·11		·18		·25	·19		·01		·06	31
Total	3·32	1.97	3·67	·13	1·59	3·21	3·24	5·86	2·54	2·46	2·31	3·01	YEAR'S TOTAL 33·31
Rain Days.	20	16	20	2	13	18	16	25	10	17	16	22	195

W. 7,500, XI. 12

A.C.

-4 JAN 1913

BEESTHORPE,
HARPENDEN,
HERTS.

4 Jan. 1912

Dear Sir

I enclose my record of rainfall for 1912 but am afraid it not of much use as I know the gauge is in too sheltered a position

Yrs faithfully

C Paget

Dr. H. R. Mill
62 Camden Sq. NW

P.T.O.

I find I measured about three inches less on the year than they did at the Rothamstead Laboratory on their 5 in. gauge.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Exd DS

2

Kept at Beesthorpe, Harpenden
in the County of Herts
by Geoffrey Pagett

Lat. Long.
Time of Observation 8·30 a.m.
Nearest Railway Station Harpenden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·13	·07	·05	·02	·00	·00	·00	·54	·00	·19	·07	1
2	·00	·11	·00	·01	·32	·00	·10	·00	·03	·10	·07	·00	2
3	·07	·00	·07	·06	·69	·00	·01	·00	·00	·00	·00	·13	3
4	·35	·00	·04	·00	·05	·00	·10	·00	·00	·08	·03	·00	4
5	·09	·00	·00	·00	·02	·02	·07	·00	·06	·05	·00	·09	5
6	·00	·04	·06	·01	·12	·39	·17	·00	·04	·19	·00	·04	6
7	·00	·22	·00	·00	·16	·02	·03	·00	·00	·65	·00	·01	7
8	·00	·02	·04	·00	·15	·22	·00	·00	·00	·20	·10	·00	8
9	·00	·20	·01	·03	·03	·07	·00	·00	·07	·00	·02	·00	9
10	·03	·00	·05	·11	·05	·00	·08	·03	·00	·00	·45	·00	10
11	·46	·00	·00	·53	·02	·00	·00	·34	·00	·30	·31	·00	11
12	·00	·01	·00	·00	·05	·00	·00	·01	·00	·00	·42	·00	12
13	·02	·00	·01	·01	·00	·00	·00	·05	·17	·00	·24	·00	13
14	·09	·00	·08	·05	·00	·00	·39	·09	·00	·14	·12	·00	14
15	·07	·03	·16	·21	·00	·00	·10	·00	·04	·00	·02	·00	15
16	·07	·00	·28	·23	·00	·00	·00	·00	·00	·00	·00	·00	16
17	·00	·02	·09	·07	·00	·31	·06	·00	·00	·00	·01	·14	17
18	·05	·00	·14	·22	·01	·00	·02	·00	·01	·00	·14	·00	18
19	·44	·00	·09	·06	·00	·00	·16	·00	·43	·00	·00	·01	19
20	·19	·00	·10	·04	·00	·03	·00	·00	·00	·48	·00	·00	20
21	·03	·00	·14	·13	·04	·00	·02	·00	·00	·11	·42	·00	21
22	·53	·00	·18	·02	·00	·00	·00	·04	·17	·00	·00	·00	22
23	·00	·00	·02	·00	·00	·05	·03	·05	·06	·00	·00	·00	23
24	·00	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·10	24
25	·00	·02	·00	·16	·00	·01	·00	·00	·00	·00	·00	·00	25
26	·00	·02	·21	·19	·00	·00	·00	·13	·00	·61	·00	·10	26
27	·00	·00	·02	·08	·00	·00	·00	·00	·00	·02	·00	·00	27
28	·28	·00	·17	·11	·00	·00	·00	·00	·00	·08	·00	·03	28
29	·03		·10	·59	·31	·00	·00	·07	·00	·02	·00	·00	29
30	·31		·00	·01	·00	·00	·00	·08	·00	·16	·06	·00	30
31	·00		·02		·00		·00	·32		·00		·00	31
Total	3·15	·82	2·15	3·02	2·04	1·12	1·34	1·21	1·62	3·19	2·60	·72	YEAR'S TOTAL 22·98
Rain Days.	18	11	23	24	15	9	14	11	11	15	15	10	176

W. 7,500, XI. ·12

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Chenies, Harpenden
in the County of Herts 2
by Geoffrey Paget

Lat. Long.
Time of Observation 8·30. a.m
Nearest Railway Station Harpenden. Mid Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·45

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·01	·00	·00	·00	·01	·23	·00	·00	·04	·00	1
2	·02	·00	·00	·02	·00	·00	·00	·02	·00	·00	·05	·16	2
3	·00	·00	·00	·00	·17	·00	·32	·16	·00	·00	·15	·02	3
4	·10	·00	·01	·27	·02	·00	·00	·03	·00	·00	·30	·51	4
5	·05	·00	·04	·28	·04	·09	·50	·49	·00	·00	·01	·00	5
6	·00	·10	·00	·01	·04	·07	·08	·01	·00	·00	·26	·21	6
7	·00	·23	·19	·43	·40	·06	·00	·00	·00	·00	·01	·46	7
8	·06	·12	1·05	·11	·06	·28	·13	·11	·00	·00	·00	·02	8
9	·19	·00	·60	·05	·00	·32	·00	·01	·07	·00	·00	1·09	9
10	·04	·13	·02	·06	·06	·00	·00	·00	·00	·00	·00	·00	10
11	·00	·20	·00	·00	·07	·82	·00	·00	·20	·00	·11	·28	11
12	·00	·05	·08	·00	·00	·01	·06	·00	·35	·00	·00	·44	12
13	·00	·29	·16	·00	·00	·00	·00	·00	·22	·06	·05	·42	13
14	·00	·07	·36	·00	·00	·00	·04	·00	·00	·35	·00	·47	14
15	·06	·01	·18	·00	·00	·00	·02	·00	·01	·06	·20	·03	15
16	·00	·00	·00	·00	·00	·00	·08	·00	·00	·00	·04	·00	16
17	·00	·43	·10	·00	·00	·00	·00	·00	·14	·00	·00	·23	17
18	·00	·00	·05	·00	·00	·00	·00	·00	·01	·00	·00	·36	18
19	·00	·05	·09	·00	·00	·02	·03	·00	·04	·00	·16	·04	19
20	·00	·25	·32	·00	·00	·00	·00	·00	·00	·00	·00	·12	20
21	·00	·34	·06	·00	·00	·09	·00	·01	·00	·00	·00	·04	21
22	·00	·15	·03	·00	·30	·17	·05	·05	·00	·68	·00	·00	22
23	·00	·11	·08	·00	·07	·00	·04	·00	·00	·14	·00	·00	23
24	·00	·01	·08	·02	·00	·00	·09	·00	·00	·08	·09	·00	24
25	·04	·00	·15	·00	·00	·00	·00	·15	·00	·34	·12	·15	25
26	·01	·00	·07	·00	·00	·00	·00	·01	·00	·03	·02	·40	26
27	·05	·00	·02	·00	·00	·00	·00	·00	·00	·00	·00	·22	27
28	·00	·02	·00	·00	·06	·00	·00	·00	·00	·10	·34	·90	28
29	·03	×	·07	·00	·00	·00	·00	·00	·00	·33	·10	·00	29
30	·00	×	·04	·00	·00	·00	·00	·00	·00	·04	·33	·37	30
31	·00	×	·00	×	·09	×	·05	·00	×	·00	×	·03	31
Total	·65	2·56	3·86	·95	1·38	1·93	1·50	1·28	1·04	2·21	2·38	6·97	YEAR'S TOTAL 26·71
Rain Days.	11 10	17	24	9	12	10	14	12	8	11	18	23	169 168

W. 8,000. X. 14.

82

HATFIELD
COUNTY SURVEYORS OFFICE
HERTFORDSHIRE
1912 – 1920

ALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

157

Ke

in t

by

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

pre daily at 9 a.m., and the result entered to the
req to this almost universal rule, he is earnestly
for of the following year in the space provided
the ns for the measurement of rain,
Org culars as to the British Rainfall
Dr s," sent post-free on application to

Jan. 1, following.

Date							y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·08	·30		·12	1
2								·10					2
3								·31	·02			·09	3
4									·02		·25		4
5								·19			·04		5
6								·17				·04	6
7								·24	·03			·02	7
8								·37			·01	·01	8
9								·04		·01		·18	9
10								·37	·09		·20	·11	10
11									·05		·03	·09	11
12										·01	·08		12
13											·17	·02	13
14								·07		·01		·02	14
15								·04			·01	·17	15
16								·07		·06	·01		16
17								·20					17
18										·01	·03	·10	18
19								·35		·02			19
20								·34		·35			20
21								·12		·09	·06		21
22								·12		·01		·02	22
23								·39			·13	·09	23
24								·74				·16	24
25											·29	·48	25
26								·38		·39	·53	·22	26
27										·19		·15	27
28								·05	·09	·35	·34	·29	28
29								·16	1·36	·19	·01	·01	29
30								·11	·91	·22			30
31								·16		·01		·07	31
Total								5·09	2·65	2·22	2·19	2·46	TOTAL for year
No. of Rain Days.								..	9	16	16	21	

W. 8,000, X. '11.

82

157 B

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

ALL IN 1912

Kept at Hatfield 2410L

in the County of Hertfordshire

by Urban A. Smith

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·08	·30		·12	1
2								10					2
3								} ·31	·02			·09	3
4									·02		·25		4
5								·19			·04		5
6								·17				·04	6
7								·24	·03			·02	7
8								·37			·01	·01	8
9								·04		·01		·18	9
10								} ·37	·09		·20	·11	10
11									·05		·03	·09	11
12										·01	·08		12
13											·17	·02	13
14								·07		·01		·02	14
15								·04			·01	·17	15
16								·07		·06	·01		16
17								} ·20					17
18										·01	·03	·10	18
19								·35		·02			19
20								·34		·35			20
21								·12		·09	·06		21
22								·12		·01		·02	22
23								·39			·13	·09	23
24								} ·74				·16	24
25											·29	·48	25
26								·38		·39	·53	·22	26
27										·19		·15	27
28								·05	·09	·35	·34	·29	28
29								·16	1·36	·19	·01	·01	29
30								·11	·91	·22			30
31								·16		·01		·07	31
Total								5·09	2·65	2·22	2·19	2·46	TOTAL for year
No. of Rain Days.								...	9	16	16	21	

W. 8,000, X. '11.

88 15·5

FORM A. BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hatfield Ex Rd

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·14	·06	·07					·18		·21	·02	1
2	·01	·10			·04		·10		·01	·01	·03		2
3	·03		·03	·09	·58							·05	3
4	}		·05		·11		·09			·36	·03	·03	4
5	·26}					·01	·16		·07	·07		·03	5
6		·05	·03		·12	·30	·09			·29	·01		6
7		·09			·07	·02	·20	·02		·25	·06	·03	7
8			·01	·01	·12	·05				·17	·05		8
9		·17	·01	·08	·02	·01			·05			·07	9
10	·02		·07	·15			·27	·02			·31		10
11	·75			·50				·20		·26	·36		11
12		·01			·02			·01			·40		12
13	·04			·01				·03	·03		·30		13
14	·08	·02	·08	·04			·54	·06		·15	·09		14
15	·12	·03	·25	·20			·17		·13				15
16	·08		·29	·14					·06				16
17	·01	·02	·03	·03		·21	·09				·01	·10	17
18	·02		·09	}			·02		·07		·02	·01	18
19	·25		·02	·32}			·14		·25			·01	19
20	·09		·04	·03		·01				·32			20
21	·04		·17	·14			·01			·13	·36		21
22	·43		·18					·10	·17				22
23			·02					·08	·02			·11	23
24	·02			·01		·03							24
25		·02		·20		·03							25
26		·01	·24	·10				·12		·60		·18	26
27		·01	·03	·04						·02			27
28	·24		·19	·06						·10		·02	28
29	·05		·09	·46	·57			·05		·05		·01	29
30	·25			·03				}		·13	·07		30
31			·01					·28}		·01			31
Total	2·79 ✓	·67 ✓	1·99 ✓	2·71 ✓	1·65 ✓	·67 ✓	1·88 ✓	·97 ✓	1·04 ✓	2·92 ✓	2·31 ✓	·67 ✓	YEAR'S TOTAL 20·27
Rain Days.	20	12	22	22	9	9	12	12	11	16	15	13	173

W. 7,500, XI. ·12

81/

145

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hatfield. C. S. Office 3

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·10	·161			·07	·02	1
2	·01			·01			·12	·184			·06	·09	2
3			·03		·15		·43	·020			·01		3
4	·16			·21				·108			·32	·34	4
5			·05	·24	·13	·06	·51	·634			·01		5
6		·09			·02	·10	·13	·030			·08	·21	6
7		·17	·17	·07	·27	·02	·03	·006				·13	7
8	·07	·12	·63	·05	·10	·26	·09	·094					8
9	·15		·58	·06	·01	·30		·006	·08			1·13	9
10	·06	·14	·01	·06	·04			·007	·17				10
11		·18	·30		·06	·72			·02		·29		11
12	·03	·05	·09				·03		·31		·02	·62	12
13	·01	·22	·25						·16	·08	·03	·66	13
14		·05	·31				·11			·29	·14	·50	14
15	·05	·01	·15				·01				·02	·05	15
16			·05				·09		·08				16
17		·31	·04						·07			·17	17
18		·02	·09									·22	18
19		·05	·17			·16	·02		·04		·30		19
20		·19	·20						·06	·01		·16	20
21		·51	·09			·11	·07			·01		·08	21
22		·01	·01		·32	·05		·030		·39			22
23		·06	·04		·17		·03			·12	·01		23
24			·01	·02			·11	·004		·05	·11		24
25	·02		·14					·104		·26			25
26			·04				·01	·038		·01	·10	·60	26
27	·04							·003		·04	·01	·25	27
28		·01			·02					·22	·35	1·22	28
29	·03		·08								·10		29
30			·03								·29	·27	30
31					·10		·02					·01	31
Total	·63	2·19	3·58	·72	1·39	1·78	1·91	1·429	·99	1·48	2·32	6·73	YEAR'S TOTAL 25·149
Rain Days.	11	17	25	8	12	9	17	13 ~~15~~	9	11	19	21	2 174

W.7,000, XI. 13

8l

cnd for auth 9·III·16

1026
+38

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hatfield, C. I. Office

in the County of Hertfordshire 3 w St

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·09	·06		·03				·08	·04	·05	·37	1
2	·33	·17	·18	·14		·01		·86	·04	·03		·17	2
3	·41		·02	·11				·45				·18	3
4	·07						·06						4
5	·01	·43			·04			·02		·06		·66	5
6	·18	·06	·01	·23			1·21					·12	6
7	·07	·33	·07				·39					·23	7
8	·02	·36	·02	·02			·02	·09					8
9		·02		·04		·04		·02			·16	·55	9
10	·33		·03					·10				·10	10
11	·04		·01								·93		11
12	·06	·03		·21	·37			·05		·04	·44		12
13	·02	·44			1·27			·05					13
14		·04					·79	·31	·03			·45	14
15	·30				·04			·53			·26	·05	15
16	·02	·40					·66	·03					16
17		·22			·46		·13					·01	17
18		·15	·19		·05								18
19		·04	·01				·12				·06		19
20	·29			·04								·29	20
21	·16	·03								·01		·06	21
22	·80	·34	·37		·01		·44					·10	22
23		·09	·35				·09		·37			·33	23
24			·01			·01	·16		·44	·41		·15	24
25				·07		·02	·06			·03		·30	25
26							·19		·01			·20	26
27		·08				·24	·49			·36		·30	27
28		·15				·09			1·17	·08			28
29						·06	·07	·15			·10	·03	29
30	·02	✕				·60					·12	·01	30
31	·06	✕		✕		✕		·02	✕	1·00	✕	·18	31
Total	3·55 3·45	3·47	1·33	·86	2·27	1·07	4·88	2·68	2·14	2·06	2·12	4·84	YEAR'S TOTAL 31·27 31·27
Rain Days.	19	19	13	8	8	8	15	13	7	10	8	22	151

W. 8,000. X. 14.

8L

Exe 8L

998
~~136~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Hatfield, County Surveyor's Office

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01		·03	·04			·10	·05	·29		1
2	·45	·01	·17		·21	·02			·09	·39	·01		2
3		·36	·12				·02		·10	·21	·41		3
4	·30	·06				·26			·05	·08	·54		4
5	·03		·01	·07	·01	·19				·09	·38	·01	5
6	·14	·04	·26	·23		·15	·32			·02	·44		6
7	·05		·21		·10	·18				·02	·42	·01	7
8			·01		·61							·31	8
9					·21		·11			·12		·03	9
10		·14	·16	·05		·37	·15					·12	10
11	·07	·11	·04	·10	·01	·20							11
12	·03			·01	·46	·14	·06	·12	·01	·09			12
13	·01	·50		·10	·07	·07	·75	·51		·01			13
14		·47		·04	·09			·26				·15	14
15		·14	·59				·03	·22		·04			15
16		·04	·17	·11	·06		·09	·16		·06			16
17	·08	·07		·10			·13	·16	·29	·43			17
18		·05	·04	·14				·12	·10	·01	·56		18
19	·07		·12	·11				·02	·20		·52	·15	19
20	·16	·02	·28								·16	·39	20
21			·80				·18					·53	21
22		·11	·01		·04					·01		·54	22
23		·32				·04		·02		·01	·05	·09	23
24		·03	·05		·06	·11		·03		·07	·02	·36	24
25		·44						·14		·10	·09		25
26		·15	·30			·05		·11		·04		·01	26
27	·11	·15	1·00			·28		·08	·09	·29			27
28		·30	·40			·01			·09	·08		·34	28
29		·15				·15		1·18		·49			29
30		X			·05	·02		·10		·27			30
31		X		X		X		·03	X	·09	X	·02	31
Total	1·56	3·66	4·75	1·06	2·01	2·28	1·84	3·26	1·12	3·07	3·89	3·06	YEAR'S TOTAL 31·56
Rain Days.	13	21	20	11	14	17	10	16	10	24	13	15	184

W. 8,000. X. 151

Dr ✓

965
~~126~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Hatfield, County Surveyors Office
in the County of Hertfordshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·29				·75	·05		·06		1
2	·01			·19		·05		·10			·04		2
3				·01				·36		·23	·13		3
4		·13	·21					·50		·39			4
5	·16		·01	·14				·08	1·97	·09	·10		5
6			·05	·01					·07		·04		6
7	·19		·01			·06	·17			·34			7
8	·21						·74	·08		·29	·15	·19	8
9	·10		·05	·20			·01	·36			·03		9
10	·27		·11	·17				·16		·01		·12	10
11	·05	·03	·40	·05						·28			11
12	·15		·03					·06		·38			12
13	·07		·03	·02				·16	·02	·04			13
14	·02			·14	·02			·16				·13	14
15	·03			·01						·02	·01		15
16	·02	·12		·28	·16	·01	·06			·62		·24	16
17		·01		·10	·81		·18	·01	·32	·28			17
18	·06	·01		·13	·05	·15	·18	·01	·50				18
19	·02	·12	·03			·01			·33				19
20	·07	·16	·09		·78		·05		·01		·11		20
21			·02	·06	·02						·03		21
22			·07			·01		·06		·10			22
23		·05			·09			·09					23
24		·05				·01		·07		·34	·01		24
25			·02					✓			·03		25
26			·06			·03		·13	·06		·30	·04	26
27			·02			·05		·73					27
28			·02			1·31		·10				·06	28
29			·02			·07	·89	·09		·30		·12	29
30		×	·15				·97	·07				·02	30
31		×	·10	×		×	·53		×		×	·02	31
Total	1·43	·73	1·50	1·80	1·93	1·76	3·78	4·13	3·33	3·71	1·04	·94	YEAR'S TOTAL 26·08
Rain Days.	15	10	20	15	8	11	10	22	9	16	13	9	158
	10	7	10	11	6	6	9	19	7	14	8	7	

W. 8,000, VIII. 16

47
~~123~~

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Hatfield, County Surveyors Office
in the County of Hertfordshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·07							·26	·04	1
2				·11				·15		·01	·04	·13	2
3		·07	·03	·01	·56			·03	·09		·59		3
4		·04	·07						·30	·01	·34	(·03)	4
5		·01	·01		·13			·14	·10	·05			5
6	·10	·13		·25	·10			·02				·07	6
7		·09		·13	·10								7
8	·09								·17	·25	·13	·01	8
9		·02		·04		·08	·24		·30	·07		·19	9
10				·06			·27		·01			·22	10
11	·06			·03	·11		·21		·03	·34	·04	·02	11
12		·06			·10		·06		·03				12
13	·01	·03			·27		·16		·12				13
14	·18					·14	·09		·17	·15		·28	14
15	1·01			1·34			·19		·01			·09	15
16	·22			·45		·03			·53	·02			16
17	·19			·43		·04	·34						17
18	·35						·29		·60	·02		·35	18
19	·05	·02	·08	·08			·16			·04		·22	19
20	·02	·08		·76			·05		·16	·23		·01	20
21	·09			·29		·28			·29	·05	·02		21
22	·05			·02	·27		·05		·08	·01		·20	22
23					·67		·61		·03			·01	23
24		·15				·03	·01		·05		·04		24
25						·06	·11				·01		25
26					·01		·15	·22		·01	·12	·15	26
27		·07					·10		·07		·08		27
28		·04		·10		·23		·26			·25	·10	28
29				·01	—			—	1·52		·02		29
30		✕	·48						·02		·09	·08	30
31		✕	·03	✕		✕			✕		✕	·01	31
Total	2·42	·82	·70	4·18	2·32	·89	3·09	·82	4·68	1·26	2·03	2·20	YEAR'S TOTAL 25·41
Rain Days.	13	14	6	17	10	10	17	6	21	15	14	20	163

W. 8,000, IX. 17.

82

912
~~118~~

REGISTER W 82 OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Surveyor's Office, Hatfield

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.47			.01	.14	.01	.27			.03		.97	1
2	.06	.04	.02				(.14)		.24	.05	.12	.19	2
3	.41		.29				(.02)		.08		.05	.23	3
4	.10	.02	.30		.04	.08	(.13)	.06	.01		.01	.16	4
5	.03	.29	.65				.20		.13		.03	.20	5
6	.01		.06								.02	.10	6
7	.03		.37								.15		7
8	.07		.07								.03		8
9	.05		.02	.09	.13						.26		9
10	.08		.03								.01	.04	10
11	.01		.05	.27			.28					.01	11
12			.18			.04	.10			.04	.02		12
13		.04		.36			.01			.05			13
14				.41			.05		.15	.04			14
15	.41		.10	.16						.01		.31	15
16	.09	.72		.03							.12	.04	16
17		.92	.02	.01							.27		17
18		.16	.06					.03	.04		.05	.06	18
19	.02	.12	.71			.21	.08	.10	.08		.08		19
20	.22	.07	.08			.86	.19	.29			.01		20
21	.34	.33	.04			.05	.17					.07	21
22		.11		.16			.13		.28			.33	22
23				.11			.01		.06		.04		23
24						.01	.01	.10		.12	.11	.02	24
25	.08				.10			.27				.02	25
26	.12	.24	.12	.05					.12		.03	.30	26
27	.90	.03	.04	1.49			.01	.61				.02	27
28			.11	.04				.75		.02	.35	.24	28
29	.04			.03				.12		.20	.06	.02	29
30		✕	.05	.24		.14		.05		.02	.21	.30	30
31	.02	✕	.03	✕		✕	.01		✕		✕	.01	31
Total	3.56	3.09	3.40	3.46	.41	1.40	1.81 ✓	2.38	1.19	.58	1.97	3.64	YEAR'S TOTAL 26.89
Rain Days.	24	13	22	16	4	8	17 ✓	10	10	10	22	21	177

W. 6,500, VII. 18. w w c

ext P8A now from Herts N.H.S. 18 FEB 1921 866

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hatfield

in the County of Herts

by A Ernest Prescott.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 269·52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·54	-	-	-	-	-	1·20	-	·46	1
2	-	-	·01	-	·11	-	·57	·45	-	-	-	·07	2
3	-	·04	-	·13	·01	-	-	-	·15	·07	-	-	3
4	-	-	-	-	-	-	·15	·10	-	-	-	-	4
5	-	-	·04	·08	·01	-	·57	·02	·07	-	-	-	5
6	-	-	·15	-	·09	-	·25	-	-	-	-	-	6
7	-	-	·12	·17	-	-	·07	-	-	-	-	-	7
8	·11	-	-	·21	·06	-	·16	-	-	-	-	-	8
9	·32	·02	-	·03	-	-	·09	·08	-	-	-	-	9
10	·20	·04	·09	-	-	-	-	-	-	-	-	-	10
11	·17	-	·04	·61	·04	-	·15	-	-	-	-	-	11
12	·05	-	-	·10	·02	-	·01	-	-	-	-	-	12
13	·14	·01	·06	·28	-	-	·09	-	-	-	-	-	13
14	-	-	·29	-	-	·66	-	-	·12	·23	·15	-	14
15	-	·03	·14	·30	·01	-	-	-	·40	-	-	-	15
16	-	-	·01	·15	-	·02	-	-	·42	-	-	-	16
17	·01	-	-	·02	·05	·14	-	-	·17	-	-	-	17
18	·07	-	-	-	·13	-	-	·60	-	-	-	-	18
19	·08	-	-	·11	-	-	-	-	·18	-	-	-	19
20	·04	·09	-	·25	-	-	-	-	·75	-	-	-	20
21	-	-	-	-	-	·49	·65	-	·07	-	-	·30	21
22	-	-	-	·16	-	-	·01	-	-	-	-	-	22
23	-	-	-	·01	-	-	·81	-	-	-	-	-	23
24	-	-	·06	-	-	-	-	-	-	-	-	-	24
25	·01	·04	·07	·05	-	-	·20	-	-	-	-	-	25
26	·07	-	·06	·02	·05	-	·01	-	-	-	-	-	26
27	·29	·05	-	·20	-	·15	-	-	-	-	-	·40	27
28	·45	-	·13	-	·09	-	·02	-	-	-	·27	-	28
29	·10	-	·08	·01	-	-	-	-	-	-	-	-	29
30	·02	✕	-	·01	-	·03	·37	-	·36	-	·25	·20	30
31	·01	✕	·01	✕	·05	✕	-	-	✕	·26	✕	-	31
													YEAR'S TOTAL
TOTAL	2·14	·32	1·36	3·44	·72	1·49	4·18	1·25	2·39	1·76	0·67	1·43	21·15
Days with ·01 in. or more	17	8	16	21	13	6	17	5	10	4	3	5	12 5
Days with ·04 in. or more	13	5	13	15	9	4	13	4	10	4	3	5	98

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS.
HATFIELD— HOLWELL HOUSE
1911— 1917

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REC 911

Kept at Holwell ... p 5 in.
... above Ground 1 ft. 5 in.
in the County of Herf ... ,, Sea Level 240 ft.
by W. E. Laur ... am Name Cole Green
Distance 3/4 m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·22	~~75~~		·02	·03					1
2	·10			·43	·15						·13	·12	2
3		·07		·02	·22					·09	·06		3
4	·06	·03	·08	·15						·07	·13	·31	4
5				·04						·06		·28	5
6	·32		·07									·33	6
7	·04									·09	·29	·41	7
8	·15		·13								·13	·20	8
9	·13			·03									9
10		·~~11~~	·12	·06							·04	·43	10
11	·24				·20	·07					·53		11
12	·07		·45		·02	·07			·05		·21		12
13			·11		·03				·41	·55	·10	·21	13
14					·32							·44	14
15		·04	·26							·03	·04	·02	15
16			·02			·27					·30	·06	16
17			·02			·23					·20	·15	17
18		·13				·11					·49	·14	18
19					·07	·29			·12	·06	·26	·12	19
20	·02		·03			·06		·22	·13	·05		·67	20
21	·07	·21				·02		·22		·35		·13	21
22	·11		·08			·02				·22		·52	22
23	·07	·15	·38			·82			·22			·13	23
24		·08	·03			·03				·85		·24	24
25		·05	·05	·03		·20	·43	·04		·11		·07	25
26				·46	·04	·04	·04			·14	·03	·19	26
27		·30	·09	·07					·16			·07	27
28		·40		·19	·03		·03	·07					28
29				·02		·16	·17		·25	·19			29
30				·04	·04			·07		·15		·07	30
31					·57								31
Total	1·20	1·51	1·92	1·40	1·63	2·27	·69	·59	1·34	2·95	2·94	5·13	TOTAL for year
No. of Rain Days.	12	11	15	13	11	14	5	6	7	15	15	23	23·57

147

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Holwell House
Hatfield
in the County of Hertford 3
by W. E. Laurie Esq.

RAIN GAUGE
Pattern —
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 240 ft.

Time of Observation 8 am

Nearest Railway Station
Name Cole Green
Distance 3/4 m Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·22	~~75~~		·02	·03					1
2	·10			·43	·15						·13	·12	2
3		·07		·02	·22					·09	·06		3
4	·06	·03	·08	·15						·07	·13	·31	4
5				·04						·06		·28	5
6	·32		·07									·33	6
7	·04									·09	·29	·41	7
8	·15		·13								·13	·20	8
9	·13			·03									9
10		·77	·12	·06							·04	·43	10
11	·24				·20	·07					·53		11
12	·07		·45		·02	·07			·05		·21		12
13			·11		·03				·41	·55	·10	·21	13
14					·32							·44	14
15		·04	·26							·03	·04	·02	15
16			·02			·27					·30	·06	16
17			·02			·23					·20	·15	17
18		·13				·11					·49	·14	18
19					·07	·29			·12	·06	·26	·12	19
20	·02		·03			·06		·22	·13	·05		·67	20
21	·07	·21				·02		·22		·35		·13	21
22	·11		·08			·02				·22		·52	22
23	·07	·15	·38			·82			·22			·13	23
24		·08	·03			·03				·85		·24	24
25		·05	·05	·03		·20	·43	·04		·11		·07	25
26				·16	·04	·04	·04			·14	·03	·19	26
27		·30	·09	·07					·16			·07	27
28		·40		·19	·03		·03	·07					28
29				·02		·16	·17		·25	·19			29
30				·04	·04			·07		·15		·07	30
31					·57								31
Total	1·20	1·51	1·92	1·40	1·63	2·27	·69	·59	1·34	2·95	2·94	5·13	TOTAL for year 23·57
No. of Rain Days.	12	11	15	13	11	14	5	6	7	15	15	23	147

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
17 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Holwell House

in the County of Hertford 3

by W. E. Laurie Esq

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 240 ft.

Time of Observation 9 am

Nearest Railway Station
Name Cole Green
Distance 1 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			06						06	33		14	1
2			08			36	45	32	02				2
3	06		07		14	16	02	34	07			10	3
4	20		52		18	11		06			26		4
5	06	10	22					15	02		07		5
6	35	03						33				04	6
7			03			60		07				02	7
8	33	35	21			05	10	92	01				8
9	06	11		09		15	04					17	9
10		03	12			05		28	04		17	13	10
11	08	25				03			06			10	11
12	07	18	09		02	11					10		12
13	02	03	07			12	04	02				02	13
14	30		03		03			08		04		02	14
15	69	02	11		13	33		05				17	15
16	7		02		16	05		13		06	24		16
17			30			09		03					17
18	04		14					04		02	02	10	18
19	14	06	11				19	67					19
20	06	07	10		04		04	35		37			20
21		02	46		03			11		10	06		21
22	44	12	04		02		14	05				02	22
23	39	23	26				23	41			15	08	23
24	34	07						12				17	24
25						15		67			19	32	25
26		02					10	54		35	65	41	26
27										15		17	27
28		05				07		02	14	39	36	52	28
29		08				17	17	15	1·16	35			29
30					10	06	07	20	1.07	19			30
31			23		07		14	20				04	31
Total	3·63	1.70	3.21	·09	·86	2.60	1.67	6·25	2·53	2.35	2.27	2.74	TOTAL for year 29·90
No. of Rain Days.	17	18	21	1	11	17	13	26	10	11	11	19	175

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN 1914

REGISTER OF RAINFALL IN 1913

Same as last year

Kept at Holwell House

in the County of Hertford 3

by W. E. Laurie Esq

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	13	08	09					21	01	16	11	1
2	06	13			41		05			02	11		2
3			05		52							07	3
4	21		06	06	16	01	12			10	03	03	4
5	05					01	23		10	20	01		5
6		06	03		11	26	07			13			6
7		14			04		12	02		55	05		7
8			07		16	08				12	04		8
9		19		02	02	01			09		03	08	9
10	02		07	16	06		64	07			28		10
11	78			44				31		32	29		11
12					01						28		12
13	05							01	05		35		13
14	06	02	08	05			7	07		17	17		14
15	14		28	20			63		06				15
16	08		28	18					06			05	16
17		08	05	04		08	09						17
18	02		07	32					14		03	02	18
19	25		07	04					25			07	19
20	14		04	02		23				36			20
21	07		20	18			01			18	39		21
22	38		16	03					14				22
23						02		16	04			11	23
24			01	01									24
25		01		18		03							25
26		01	26	08						67		16	26
27			03	11				18		07			27
28	17		34	07						13			28
29	05		08	43	46			14		05			29
30	31			05				10		10			30
31								18		02			31
Total	2.83	·77	2.25	2.76	1.95	·73	1.96	1.18	1.14	3.14	2.21	·64	YEAR'S TOTAL 21.56
Rain Days.	18	9	20	21	10	~~11~~ 9	9	10	10	17	14	9	156

W.7,000, XI. 13

2/85 [illegible]
Ese 8L
Dec. 28. est. 23.III.15
referred 10.III.15
written 15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 11 JAN 1915

Kept at Holwell House
in the County of Hertford 3
by W. E. Laurie Esq

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Cole Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 240 ft.

red to the
s earnestly
provided

Jan. 1, following.

Chd 15
Suggest - explain 1.25 for Dec. 28

TELEGRAMS, ESSENDON.
STATION, COLE GREEN, G.N.R.
TELEPHONE, HATFIELD, 36.

HOLWELL HOUSE,
HATFIELD.

16 MAR 1915

15. Mar 15.

Dear Sir

Replying to your Enquiry of the 10th I have now made enquiries about the rain fall here registered on the 28. Dec. I was not at home at the time. My head gardener who takes the rain fall says that one of his undergardeners remembers that about that date

---

D												c.	Date.
												1	1
												5	2
												7	3
												2	4
													5
												0	6
												9	7
												2	8
												08	9
10	14	08	03	07	04							6	10
11		30	37		04	79			20		13	33	11
12	01	05	06						38			40	12
13	01	26	19						18		06	48	13
14		06	34				10		01	20	07	50	14
15	04	01	17							03	10	05	15
16			01				01				02		16
17		36	03						21			15	17
18		04	08									26	18
19		04	18			13			03		19	06	19
20		21	28			02			19			08	20
21		47	09							03		12	21
22			10		36	05	07	04		42			22
23		02	09		21		08			14			23
24				04						03	12		24
25	03		14				04	06		27			25
26			03					12		02	13	6	26
27	04		01									32	27
28										01	31	(1.25) ~~06~~	28
29	03		04							24	10		29
30		X	06							02	39	21	30
31		X		X	13	X			X		X	07	31
Total	69	2.40	3.94	·78	1.48	1.84	1.53	1.46	1.26	1.51	2.28	~~5.64~~ (6.83)	YEAR'S TOTAL (26.00) ~~24.81~~
Rain Days.	12	15	25	7	10	9	9	9	8	11	17	24	156

W. 8,000. X. 14.

Dec. 28. est. 23.III.15

referred to III.15

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at *Holwell House*

in the County of *Hertford* *3*

by *W. E. Laurie Esq*

Lat. Long.

Time of Observation *9 am*

Nearest Railway Station *Cole Green*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *6* in.

" " " " Sea Level *240* ft.

26			03					12		[illegible]		[illegible]	26
27	04		01									32	27
28					–					01	31	(1.25) ~~26~~	28
29	03		04							24	10		29
30		X	06							02	39	21	30
31		X		X	13	X			X		X	07	31
Total	69	2.40	3.94	·78	1.48	1.84	1.53	1.46	1.26	1.51	2.28	~~5.64~~ (6.83)	YEAR'S TOTAL (26.00) ~~24.81~~
Rain Days.	12	15	25	7	10	9	9	9	8	11	17	24	156

W. 8,000. X. 14.

---

be found the rain gauge blown over & set it up again. This must have been the cause of the error. Mr. Clinton Baker of Bayfordbury about 3 miles from here registered 1.~~25~~ 24 on that date. If you have a return from Hatfield, I am about ½ way between Hatfield and Bayfordbury and I would suggest taking the mean between these 2 places for my rainfall on that date.

Yours faithfully

W. E. Laurie.

OST CARD
ESS TO BE WRITTEN ON THIS SIDE.

R Mill
Camden S
London
N W

Eve DL

Dec. 28 est. 23.III.15

referred 10.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Holwell House
in the County of Hertford 3
by W. E. Laurie Esq.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Cole Green.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 240 ft.

…red to the
…earnestly
…provided

Jan. 1, following.

Altered to A

5 APR 1915

HOLWELL HOUSE,
HATFIELD,
HERTS.

2. Ap. 15.

Dear Sir

Thanks for yours of the 1st. I note & approve that you will enter 1.25 as my rainfall on 28 Dec

yrs ffy

W. E. Laurie

---

about ½ way between Hatfield and Bayfordbury and I would suggest taking the mean between these … they … date

he found the rain gauge blown over & set it up again. This must have been the cause of the error. Mr. Clinton Baker of Bayfordbury about 3 miles from here registered 1.~~26~~ 24 on that date.

If you have a return from Hatfield, I am

D												c.	Date.
												1	1
												5	2
												7	3
												2	4
													5
												0	6
												9	7
												2	8
												08	9
												6	10
												33	11
												40	12
												48	13
												0	14
												5	15
													16
												5	17
												6	18
												6	19
												8	20
												2	21
													22
													23
													24
													25
26			03										26
27	04		01									32	27
28										01	31	~~08~~ 1.25	28
29	03		04							24	10		29
30		✕	06							02	39	21	30
31		✕		✕	13	✕			✕		✕	07	31
Total	69	2.40	3.94	·78	1.48	1.84	1.53	1.46	1.26	1.51	2.28	~~5.64~~ 6.83	YEAR'S TOTAL ~~24.81~~ 26.00
Rain Days.	12	15	25	7	10	9	9	9	8	11	17	24	156

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

JAN 1915

6 in.

0 ft.

ed to the

earnestly

provided

Jan. 1, following.

Dr. H. R. Mill, 62, Camden Square, London,

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02					20			05	01	1
2	03							11			06	05	2
3			05		18		56				03	01	3
4	09			22				02			20	32	4
5	04		05	26	14	09	42	78			12		5
6		12			02	12	15	04			26	20	6
7		21	14	08	29	01						19	7
8	09	17	70	06	07	24	10	09				02	8
9	14		68	05		39			06			1.08	9
10	14	08	03	07	04							06	10
11		30	37		04	79			20		13	33	11
12	01	05	06						38			40	12
13	01	26	19						18		06	48	13
14		06	34				10		01	30	07	50	14
15	04	01	17							03	10	05	15
16			01				01				02		16
17		36	03						21			15	17
18		04	08									26	18
19		04	18			13			03		19	06	19
20		21	28			02			19			08	20
21		47	09							03		12	21
22			10		36	05	07	04		42			22
23		02	09		21		08			14			23
24				04						03	12		24
25	03		14				04	06		27			25
26			03					12		02	13	61	26
27	04		01									32	27
28					–					01	31	(1.25) ~~06~~	28
29	03		04							24	10		29
30		✕	06							02	39	21	30
31		✕		✕	13	✕			✕		✕	07	31
Total	69	2.40	3.94	·78	1.48	1.84	1.53	1.46	1.26	1.51	2.28	~~5.64~~ (6.83)	YEAR'S TOTAL (26.00) ~~24.81~~
Rain Days.	12	15	25	7	10	9	9	9	8	11	17	24	156

W. 8,000. X. 14.

Ex MS

1025

FORM A.
BRITISH RAINFALL
18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Holwell House

in the County of Hertford 3

by W. S. Laurie Esq.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Cole Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	41	11	12		02				14	03	17	36	1
2	24	17	19	02				96	03	04			2
3	35		03	23			07	69				35	3
4	07											44	4
5	02	45	05					02		08		23	5
6	17	02		29			1.12					19	6
7	09	35					43	01				23	7
8	02	39					02						8
9		16		04		04		11			19	47	9
10	34		04					33			02	11	10
11			02								84		11
12	06			26	25			07		06	43	02	12
13	06	50			1.49			08					13
14		05					92	13	03			39	14
15	33				05			08			32	12	15
16		36					59	10				01	16
17		36			48		19	02					17
18		14	14		08								18
19		11					15						19
20	20		01									33	20
21	07	02			04		02					04	21
22	97	22	32				41					13	22
23			13				13		26	22		36	23
24		70	02			05	25		23	07		29	24
25				10		01	06			04		19	25
26		10					01		01			23	26
27						51	61			34		13	27
28		13				08			1.24	18			28
29						09	10	19			13	07	29
30	03	X				85					13		30
31	08	X		X		X			X	69	X	22	31
Total	3.61	3.74	1.07	94	2.41	1.63	5.08	2.79	1.94	1.75	2.23	4.91	YEAR'S TOTAL 32.10 ✓
Rain Days.	17	18	11	6	7	7	16	13	7	10	8	22	142 ✓

W. 8,000. X. 15.

✓ 997

W cordly sun stats

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Holwell House

in the County of Herts

by W. E. Laurie Esq

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station Ashetone

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10					·03			01	08	28		1
2	48		14		20				17	39	07		2
3		44	18			~~31~~	04		26	17	42		3
4	31	11				31				18	37		4
5	03		03		02	12				08	59	03	5
6		05	21	31		07	05			02	49		6
7	15		17		10	17	39				71	03	7
8			01		40							26	8
9					24							16	9
10		04	12	07		32	07			10		03	10
11	06	20	04	10	02	13						11	11
12	03	04		6	53	15	07	18		08			12
13	02	49	11	29	16	17	24	28		07			13
14		37	01		08			40				16	14
15		13	43	01				31		03			15
16		05	13	13	08		10	10		04			16
17	08	04		09			09	22	32	34			17
18		08	04	07					20	03	54		18
19	09	07	16	12				20	16		71	15	19
20	20		26	02				03			05	31	20
21			92				15					63	21
22		02	05		03					03	02	53	22
23		27	07			08		03			06	11	23
24		03	02			16				02	02	37	24
25		39	09		06			16		10	08		25
26		10	~~1.13~~			03		03		03			26
27	11	08	1.13			08		14	04	47			27
28		37	39			07			12	04		22	28
29		12				18		(1·36)		41		09	29
30		✗			02	04		15		39			30
31		✗		✗		✗		03	✗	07	✗	01	31
Total	1.66	3.43	4.65	1.27	1.94	2.11	1.20	3.62	1.28	3.17	4.41	3.20	YEAR'S TOTAL 31.94
Rain Days.	12	21	22	11	13	16	9	15	8	22	14	16	179

W. 8,000, VIII. 16

Esx D.P

964

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

11 FEB 1918

Kept at Holwell House
in the County of Herts.
by W. E. Laurie. Esq.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Cole Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				12				82	07		12		1
2	01			34		04		09			02		2
3				02				31		18	15		3
4		13	09					25		52			4
5	21		03	13				27	49	09	12		5
6			03	04					12		05		6
7	20					10	20			37			7
8	18			13			69	11		29	13	17	8
9	09		04	08			04	29			03	12	9
10	22		12	14				10			03	02	10
11	10	03	46	42				01		28			11
12	10		03	~~03~~	03			08		38			12
13	06	11	05	03			01	23	02	04			13
14	03			18				12					14
15	02							11		01			15
16	02			41	08		11			65		15	16
17		02		10	92		16		33	30			17
18	06	02		18	03	07	18		39				18
19		08	02	02	19	06			42				19
20	03	17	11		74		05		01		10		20
21	04		05		01						09		21
22			06					11		12			22
23		08			11			13		01		·03	23
24		04				02		09		35	01	01	24
25		03	05								07		25
26			09			01		21	05		47	03	26
27			02					86				01	27
28			03			60		15				03	28
29			01		03	35	58	13		21		11	29
30	03	×	11				86	09		04			30
31	07	×	19	×		×	52		×		×	02	31
Total	1.47	71	1.59	2·34	2.14	1.25	3.40	4.56	1·90	3.84	1.39	0·70	YEAR'S TOTAL 25·29
Rain Days.	17	10	19	15	9	8	11	21	9	16	13	11	159

W. 8,000, IX. 17.

HEMEL HEMPSTEAD
APSLEY MILLS
HERTS
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

R 19 11

Kept at Apsley Mi

in the County of Hert

by John Dickinson

er of top .... in.
of top above Ground .... ft. .... in.
" " Sea Level .... ft.
ation ....
y Station { Name .... Distance .... Direction ....

IMPORTANT NO a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.030	-	-	.300	.015	-	.058	.048	-	.003	.004	.003	1
2	.055	-	-	.480	.015	-	.004	.006	-	.003	.130	.188	2
3	.010	.015	-	.005	.013	-	-	-	-	.002	.118	.020	3
4	.048	.050	.100	.080	.015	-	-	-	.003	.080	.160	.352	4
5	.150	.015	.005	.105	.012	-	-	.025	-	.090	-	.232	5
6	.020	.003	.060	.005	.012	-	-	.008	-	.003	-	.338	6
7	.065	.004	.020	.004	.010	-	-	-	-	.110	.398	.412	7
8	.115	-	.170	-	.010	-	-	-	-	-	.148	.182	8
9	.100	.002	.030	.012	.010	-	-	-	-	-	.012	.575	9
10	.005	.090	.220	.016	.009	.005	-	-	-	-	.040	.025	10
11	.345	-	.012	-	.510	-	-	-	-	-	.657	.005	11
12	.010	-	.605	-	.005	-	-	-	-	-	.340	.018	12
13	.020	-	.030	-	.760	-	-	-	.440	.550	.100	.428	13
14	-	.023	-	-	.440	-	-	-	-	.002	.008	.370	14
15	-	.058	.242	.004	.005	-	-	-	-	.020	.073	.035	15
16	-	-	.015	-	-	.160	-	-	.004	.002	.435	.106	16
17	-	.004	.035	-	-	.205	-	-	.003	.003	.200	.290	17
18	-	.145	.015	-	-	.415	-	-	.001	.003	.300	.350	18
19	-	.006	.005	-	-	.275	-	-	.102	.030	.300	.134	19
20	-	.008	.010	-	-	-	-	.200	.300	.075	-	.770	20
21	.020	.270	.005	-	-	.038	-	.220	.005	.450	.010	.100	21
22	.035	.004	.060	-	-	.150	-	.004	.003	.175	-	.580	22
23	.005	.205	.305	-	-	.620	.008	-	.230	-	.005	.200	23
24	.004	.130	.010	-	-	.215	-	.030	-	.750	-	.208	24
25	.003	.060	.030	.010	.070	.084	.010	.030	.032	-	.020	.007	25
26	.002	-	-	.045	.004	.075	.240	.018	-	.140	.020	.270	26
27	-	.412	.090	.025	.005	-	.075	.005	.115	-	.030	.145	27
28	-	.480	-	.020	.010	-	.875	.090	-	.007	.070	.005	28
29	-		-	.020	-	.200	.140	-	.250	.275	.010	.003	29
30	-		.015	.015	.100		-	.045	.025	.285	.005	-	30
31	-		-		.740		-	-		.005		-	31
Total	1.042	1.984	2.089	1.146	2.770	2.442	1.410	.729	1.513	3.063	3.593	6.351	TOTAL for year 28.132
No. of Rain Days.	15	15	22	13	19	12	7	11	9	14	23	25	187

W. 8,000, X. '11.

✓

R 19 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Apsley Mills.

in the County of Hertfordshire. 2

by John Dickinson & Co., Ltd.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.030	–	–	.300	.015	–	.058	.048	–	.003	.004	.003	1
2	.055	–	–	.480	.015	–	.004	.006	–	.003	.130	.188	2
3	.010	.015	–	.005	.013	–	–	–	–	.002	.118	.020	3
4	.048	.050	.100	.080	.015	–	–	–	.003	.080	.160	.352	4
5	.150	.015	.005	.105	.012	–	–	.025	–	.090	–	.232	5
6	.020	.003	.060	.005	.012	–	–	.008	–	.003	–	.338	6
7	.065	.004	.020	.004	.010	–	–	–	–	.110	.398	.412	7
8	.115	–	.170	–	.010	–	–	–	–	–	.148	.182	8
9	.100	.002	.030	.012	.010	–	–	–	–	–	.012	.575	9
10	.005	.090	.220	.016	.009	.005	–	–	–	–	.040	.025	10
11	.345	–	.012	–	.510	–	–	–	–	–	.657	.005	11
12	.010	–	.605	–	.005	–	–	–	–	–	.340	.018	12
13	.020	–	.030	–	.760	–	–	–	.440	.550	.100	.428	13
14	–	.023	–	–	.440	–	–	–	–	.002	.008	.370	14
15	–	.058	.242	.004	.005	–	–	–	–	.020	.073	.035	15
16	–	–	.015	–	–	.160	–	–	.004	.002	.435	.106	16
17	–	.004	.035	–	–	.205	–	–	.003	.003	.200	.290	17
18	–	.145	.015	–	–	.415	–	–	.001	.003	.300	.350	18
19	–	.006	.005	–	–	.275	–	–	.102	.030	.300	.134	19
20	–	.008	.010	–	–	–	–	.200	.300	.075	–	.770	20
21	.020	.270	.005	–	–	.038	–	.220	.005	.450	.010	.100	21
22	.035	.004	.060	–	–	.150	–	.004	.003	.175	–	.580	22
23	.005	.205	.305	–	–	.620	.008	–	.230	–	.005	.200	23
24	.004	.130	.010	–	–	.215	–	.030	–	.750	–	.208	24
25	.003	.060	.030	.010	.070	.084	.010	.030	.032	–	.020	.007	25
26	.002	–	–	.045	.004	.075	.240	.018	–	.140	.020	.270	26
27	–	.412	.090	.025	.005	–	.075	.005	.115	–	.030	.145	27
28	–	.480	–	.020	.010	–	.875	.090	–	.007	.070	.005	28
29	–		–	.020	–	.200	.140	–	.250	.275	.010	.003	29
30	–		.015	.015	.100		–	.045	.025	.285	.005	–	30
31	–		–		.740		–	–		.005		–	31
Total	1.042	1.984	2.089	1.146	2.770	2.442	1.410	.729	1.513	3.063	3.593	6.351	TOTAL for year 28.132
No. of Rain Days.	15	15	22	13	19	12	7	11	9	14	23	25	187

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Apsley Mills.

in the County of Hertfordshire.

2

by John Dickinson & Co., Ltd.

RAIN GAUGE
Pattern
Diameter of top ......in.
Height of top above Ground ......ft. ......in.
" " " Sea Level ......ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.110	.030	-	.180	.100	.002	.028	.300	.003	.170	1
2	-	-	.095	.045	.004	.120	.320	.050	.022	.008	-	-	2
3	.075	.003	.095	.001	.105	.202	-	.080	.025	.003	.010	.090	3
4	.290	.014	.710	-	.312	.180	-	.220	.015	.005	.230	.006	4
5	.118	.005	.215	-	.002	-	-	.400	-	.005	.045	.010	5
6	.450	.150	.003	-	.004	-	.002	.320	.008	-	-	.075	6
7	-	.005	.025	-	.048	.610	.001	.110	-	.005	-	.110	7
8	.470	.360	.240	-	.001	.005	.030	.176	.020	-	.006	.030	8
9	.108	.205	-	.090	.020	.280	.018	.002	-	-	.005	.245	9
10	.005	.032	-	.001	.001	.001	.002	.180	.012	.005	.320	.140	10
11	.085	.210	-	.002	.004	.004	.001	.005	.030	.003	.050	.195	11
12	.045	.295	.122	.002	.004	.080	.005	-	-	.004	.110	.004	12
13	.025	.010	.010	-	.001	.030	-	-	.012	.005	.170	.035	13
14	-	-	.050	-	.023	.001	-	.068	.002	.060	.005	.015	14
15	.025	.035	.098	-	.160	.250	-	.020	.001	.002	.008	.210	15
16	.330	.010	.140	-	.140	.064	-	.095	-	.095	.060	-	16
17	.120	-	.240	-	.002	.110	-	.140	.002	.002	-	.015	17
18	.340	-	.150	-	-	-	-	.265	.002	.010	.012	.128	18
19	.320	.110	.250	-	-	.015	.150	.680	.002	.008	.010	-	19
20	.040	.008	.100	-	-	-	.025	.152	.002	.380	.005	-	20
21	.010	.050	.910	-	.385	-	.001	.195	-	.135	.085	.002	21
22	.335	.205	.120	-	.035	.001	.215	.060	-	-	.005	.010	22
23	.475	.400	.350	-	.008	-	.290	.605	-	.005	.002	.310	23
24	.205	-	-	-	-	.068	.001	.260	-	.003	.150	.225	24
25	.005	-	-	-	.001	.250	.001	.255	-	.008	.230	.580	25
26	.003	.050	-	-	.001	.001	.135	.574	-	.430	.700	.220	26
27	-	-	.028	-	-	.012	.050	-	-	.320	.005	.250	27
28	-	.045	-	-	-	.104	.020	.072	.020	.620	.420	.365	28
29	-	.030	.015	.008	-	.265	.250	.520	1.180	.022	.120	.004	29
30	-	-	-	.001	.350	.010	.035	.035	1.300	.290	-	-	30
31	-	-	.140	-	.110	-	.310	.110	-	.004	-	.060	31
Total	3.879	2.232	4.216	.180	1.721	2.843	1.962	5.651	2.683	2.737	2.766	3.504	TOTAL for year 34.374
No. of Rain Days.	~~22~~ 20	~~21~~ 19	~~23~~ 22	9 4	~~23~~ 12	24 19	22 14	28 26	18 12	27 17	25 19	~~26~~ 23	207

W. 8,000, X. '11.

cor'd for arith 25.11.14

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at Apsley Mills

in the County of Hertfordshire

by John Dickinson & Co., Ltd.

2

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.058	.175	.140	.160	.032	-	-	-	.350	.003	.035	.035	1
2	.010	.140	.010	.025	.030	-	.060	-	.030	.470	.025	.003	2
3	.068	.002	.030	.085	1.075	-	.002	-	.003	.003	.003	.065	3
4	.530	.002	.080	.002	.052	-	.155	-	.002	.250	.025	.040	4
5	.110	.005	.001	-	.045	.055	.090	-	.066	.063	.005	.035	5
6	.015	.080	.043	-	.130	.210	.050	-	.012	.005	.003	.030	6
7	.006	.260	.001	-	.172	.040	.003	-	.002	.345	.015	.015	7
8	.001	.018	.052	-	.200	.105	.002	-	.002	.083	.080	.003	8
9	.001	.170	-	.005	.015	.006	.004	-	.020	.003	.075	.045	9
10	.005	-	.025	.062	.015	.015	.655	.025	.003	.002	.290	.002	10
11	.585	-	-	.490	.115	.002	.002	.135	.002	.225	.290	.002	11
12	-	.010	-	.002	.010	-	.001	.002	.001	.006	.350	.002	12
13	.025	-	.010	.002	.002	.002	-	.033	.050	.003	.350	.002	13
14	.088	.010	.110	.057	.001	.001	.001	.080	.006	.145	.315	.002	14
15	.185	.030	.360	.075	.001	-	.380	.002	.080	.003	.007	.002	15
16	.055	.002	.315	.520	.001	-	.002	.002	.040	.003	.003	.002	16
17	.030	.012	.090	.070	-	.110	.150	.002	.002	.004	.003	.030	17
18	.020	.001	.050	.170	-	.001	.010	.001	.010	.001	.020	.010	18
19	.510	.001	.130	.120	-	.005	.125	.001	.360	.001	.002	.012	19
20	.124	.001	.050	.060	.005	.008	.002	.001	.002	.220	.005	.002	20
21	.040	.002	.110	.030	.065	.001	.001	.001	.002	.060	.220	.002	21
22	.190	-	.215	.032	-	.001	.030	-	.090	.002	.005	.002	22
23	.045	-	.015	-	-	.045	.008	.060	.030	.002	.003	.110	23
24	.110	-	-	.025	.001	.004	.002	.060	.003	.002	.008	.005	24
25	-	-	-	.065	-	.002	.001	.002	.002	.003	.004	.004	25
26	-	.030	.170	.080	-	.001	.001	.120	.003	.490	.005	.200	26
27	-	-	.030	.065	-	-	.001	.002	.002	.004	.002	.004	27
28	.310	-	.270	.060	-	-	-	.002	.002	.130	.003	.003	28
29	.020		.105	.050	.320	-	-	.080	.004	.068	.005	.012	29
30	.420		.008	.042	.002	-	-	.030	.003	.260	.002	.003	30
31	-		.002		-		-	.310		.010		.002	31
Total	3.561	.951	2.422	2.354	2.289	.614	1.738	.951	1.184	2.869	2.158	.686	YEAR'S TOTAL 21.577
Rain Days.	26 4	19 1	26 3	25 2	~~21~~ 14	10	~~25~~ 11	~~21~~ 10	~~30~~ 13	~~31~~ 15 2·869	~~30~~ 18	~~31~~ 13	~~304~~ 21·777

184

W. 7,500, XI. 12

[illegible]

[illegible]

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Apsley Mills.

in the County of Hertfordshire.

by John Dickinson & Co., Ltd.

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.005	.002	.005	.002	.002	–	–	.135	.001	.003	.055	.007	1
2	.005	.002	.002	.018	.001	.001	–	.035	.002	.008	.030	.149	2
3	.005	.002	.015	.003	.010	–	.095	.050	.002	.002	.270	.022	3
4	.003	.005	.005	.012	.040	–	–	.002	.002	.002	.305	.590	4
5	.160	.005	.080	.040	.013	.002	.545	.355	.002	–	.007	.003	5
6	.003	.128	.002	.060	.005	.002	.118	.010	.001	–	.420	.330	6
7	.003	.155	.270	.020	.005	.003	.003	.001	.002	.001	.010	.320	7
8	.055	.130	.380	.010	.005	.005	.205	.035	–	.001	.003	.010	8
9	.170	.005	.310	.015	.005	.030	.002	.012	.040	–	.002	1.160	9
10	.082	.008	.003	.027	.005	.042	.002	.002	.002	–	.002	.030	10
11	.002	.220	.210	.005	.005	1.185	–	–	.010	.003	.200	.295	11
12	.005	.060	.030	.015	.005	.004	.075	–	.365	.010	.010	.390	12
13	.007	.195	.085	.015	.004	–	–	–	.250	.050	.040	.430	13
14	.003	.090	.250	.015	.008	–	.001	–	.060	.320	.200	.372	14
15	.030	.015	.190	.011	.005	–	.012	–	.018	.126	.006	.080	15
16	.003	.002	.062	.010	.002	–	.032	–	.003	.002	.032	.002	16
17	.002	.360	.080	.008	.002	–	–	.002	.260	.002	.005	.285	17
18	.002	.160	.060	.007	.002	–	.002	.002	.003	.002	.004	.504	18
19	.002	.030	.110	.002	–	.105	.170	.002	.025	.003	.169	.050	19
20	.002	.400	.345	.001	–	.027	.030	.002	.003	–	.002	.130	20
21	.002	.435	.090	.001	–	.026	.002	.012	.002	.020	.014	.100	21
22	.002	.015	.020	.001	.008	.090	.045	.035	.002	.780	.002	.005	22
23	.002	.095	.055	–	.005	.004	.043	.003	.002	.093	.002	.015	23
24	.010	.002	.015	.008	.003	.002	.075	.004	.002	.155	.120	.003	24
25	.025	.002	.073	.004	.004	–	.013	.162	.001	.330	.010	.300	25
26	.002	.002	.045	.002	.004	–	.010	.004	–	.020	.200	.405	26
27	.018	.002	.035	.001	.003	–	–	.003	.002	.040	.040	.233	27
28	.002	.025	.003	.002	.004	–	.001	.002	.002	.050	.310	1.090	28
29	.020		.092	.004	.003	–	–	.002	.002	.235	.112	.003	29
30	.005		.100	.002	.003	–	–	.002	.003	.040	.476	.400	30
31	.012		.003		.004		.005	.001		.003		.102	31
Total	.649	2.652	3.025	.321	.165	1.528	1.491	.925	1.069	2.401	3.108	7.915	YEAR'S TOTAL 25.249
Rain Days.	~~31~~ 14	~~28~~ 18	~~31~~ 25	~~29~~ 17	~~28~~ 9	~~15~~ 8	~~22~~ 14	~~25~~ 10	~~28~~ 8	~~26~~ 15	~~30~~ 23	~~31~~ 26	~~32[illegible]~~ 187

W. 8,000. X. 14.

/

2

UPPER MILLS
REGISTERED TRADE MARK
APSLEY NASH & HOME PARK
ESTABLISHED 1804.
JOHN DICKINSON & Co. Ltd.

General Manager's Office.
(to which please address reply)
Apsley Mills,
Hemel Hempstead,
Herts.

4. JAN 1916

Correction
attach to A

4th January, 1916.

Dear Sir,

RAINFALL.

With reference to the forms sent to you on the 1st inst., we find that our observer, who is new to the work, has been taking the return incorrectly during the last six months. The figures given for the period mentioned should be doubled, which will put the matter right.

Yours truly,

For John Dickinson & Co., Ltd.
A.L.H.

Dr. H. R. Mill,
62, Camden Square,
London, N.W.

~~Edays.~~ Lff cnd by Obr 4·1·16

999

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Apsley Mills.

in the County of Hertfordshire. 2

by John Dickinson & Co., Ltd.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. These figures should all be doubled

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.592	.160	.015	.003	.025	-	.004	.005	.024	.005	.145	.170	1
2	.132	.300	.255	.045	-	.008	.002	.355	.006	.050	.010	.002	2
3	.450	.005	.095	.228	.005	.005	.075	.180	.010	.002	.004	.195	3
4	.275	.002	.003	.020	.002	-	.001	.001	-	.003	.002	.205	4
5	.040	.423	.002	.003	.030	-	-	.015	.001	.010	.002	.100	5
6	.104	.010	.015	.165	-	.002	.580	.002	.002	-	.002	.061	6
7	.175	.570	.083	.210	-	-	.185	.005	.001	.001	.001	.143	7
8	.055	.338	.024	.022	-	-	.004	-	-	-	.001	-	8
9	.040	.178	. -	.112	-	.040	-	.050	-	-	.110	.301	9
10	.364	.005	.004	-	.001	.002	-	.025	-	-	.001	.039	10
11	.002	.005	.028	.002	.003	-	.002	.005	-	.002	.405	-	11
12	.084	. -	.002	.280	.168	-	.001	.080	-	.035	.354	.025	12
13	.010	.560	-	.002	1.480	-	-	.002	-	-	.001	.002	13
14	.002	.030	.002	.001	.007	-	.375	.085	.030	.001	.001	.290	14
15	.288	.015	.002	.002	.040	-	.002	.065	-	-	.065	.115	15
16	.016	.340	.001	.002	.050	-	.385	.020	-	-	.055	.020	16
17	.005	.690	-	.002	.140	-	.075	-	-	.002	.002	.003	17
18	.005	.170	.046	-	.015	-	-	-	-	-	.020	.002	18
19	.004	.050	.146	-	-	-	.090	-	-	.001	.002	-	19
20	.365	.005	.018	.022	-	-	-	-	-	.002	.001	.075	20
21	.080	.042	-	.002	.002	-	.006	-	-	.001	-	.051	21
22	.960	.252	.367	-	-	-	.260	-	.001	-	-	.103	22
23	.008	.022	.058	-	.002	.014	.184	-	.065	.210	-	.146	23
24	-	.345	.044	-	-	.004	.024	-	.205	.075	-	.130	24
25	-	-	.108	.045	-	.025	.045	-	-	.028	-	.105	25
26	.004	.160	-	.002	-	-	.001	.002	.080	-	-	.225	26
27	-	.034	.003	.001	-	.100	.160	.001	.002	.145	.001	.065	27
28	-	.070	.003	-	-	.030	.014	-	.435	.134	.002	.003	28
29	-		.004	-	.002	.055	.075	.105	.001	.003	.105	.003	29
30	.033	╳	.002	-	-	.190	-	-	-	.005	.045	.022	30
31	.010	╳	.002	╳	.002	╳	-	.020	╳	.425	╳	.105	31
Total	4.103	4.781	1.332	1.171	1.974	.475	~~2.550~~ 5.10	~~1.023~~ 2.046	~~.863~~ 1.726	1.140 2.280	~~1.337~~ 2.674	2.706 5.412	YEAR'S TOTAL ~~23.455~~ 33.074
Rain Days.	~~26~~ 21	~~26~~ 23	~~26~~ 14	~~21~~ 10	~~17~~ 10	~~12~~ 8	~~23~~ 17	~~19~~ 14	~~14~~ 8	~~21~~ 12	~~24~~ 12	~~28~~ 25	~~257~~ 174

W. 8,000. X. 15.

Excd C & E.

909

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Apsley Mills

in the County of Hertfordshire

by John Dickinson & Co., Ltd.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.180	–	.012	–	.180	.025	.010	–	.050	.005	.330	.002	1
2	.566	.026	.150	.003	.170	–	.008	–	.130	.390	.075	–	2
3	.002	.610	.105	–	.002	–	.001	–	.110	.150	.200	–	3
4	.280	.255	.005	.003	.005	.580	–	–	.010	.220	.510	–	4
5	.025	.038	.010	.050	.030	.045	.015	–	.001	.130	.630	–	5
6	.004	.065	.025	.195	.015	.220	.095	–	–	.050	.502	–	6
7	.119	.005	.380	–	.090	.050	.730	–	–	.040	.620	.025	7
8	.008	.003	.140	.002	.380	.001	–	–	–	.002	.502	.240	8
9	.004	.003	.005	–	.430	.010	–	–	–	.105	.004	.135	9
10	.004	.030	.005	.045	–	.305	.055	–	–	.015	.008	.005	10
11	.085	.230	.160	.122	.005	.080	–	–	.014	–	.005	.095	11
12	.030	.050	.075	.320	.240	.180	.100	.140	–	.005	.005	.002	12
13	.004	.485	.235	.080	.010	.110	.175	.180	.015	.075	.003	–	13
14	.003	.180	.002	.070	.060	–	.003	.730	–	.085	.002	.002	14
15	–	.445	.380	.025	.003	–	–	.290	.005	.010	–	.075	15
16	.004	.030	–	.150	.070	–	.210	.230	–	.030	–	.002	16
17	.154	–	.040	.175	–	–	.020	.040	.285	.550	–	.020	17
18	.004	.150	.155	.145	–	–	–	.540	.095	.030	.650	–	18
19	.090	.038	.100	.090	–	–	–	–	.260	.005	.520	.105	19
20	.230	.001	.700	.030	–	–	–	.002	.002	.002	.058	.105	20
21	.001	.001	.060	.005	–	–	.040	–	.002	.003	.005	.700	21
22	.001	.020	.005	.003	.050	.008	–	–	.002	.078	.005	.400	22
23	.010	.110	.005	.002	–	.035	–	.030	.001	.090	.065	.140	23
24	.020	.245	.440	–	–	.280	–	.002	–	.005	.010	.280	24
25	.005	.120	.105	–	.060	–	–	.140	.001	.435	.120	.134	25
26	.002	.320	.005	–	–	.100	–	.070	.001	.050	.005	.005	26
27	.120	.124	.650	–	–	.075	–	.385	.100	.185	.003	.002	27
28	.003	.330	.350	–	–	.165	–	–	.125	.125	.002	.200	28
29	.005	.070	.150	–	–	.270	–	.950	.015	.320	.025	.130	29
30	.001	✕	.003	.005	.130	.065	–	.062	–	.480	.002	.005	30
31	.001	✕	.002	✕	–	✕	–	.025	✕	.100	✕	.055	31
Total	1.965	3.984	4.459	1.520	1.930	2.604	1.462	3.816	1.224	3.770	4.866	2.864	YEAR'S TOTAL 34.464
Rain Days.	14 ~~30~~	23 ~~27~~	24 ~~30~~	14 ~~20~~	15 ~~18~~	18 ~~19~~	11 ~~13~~	14 ~~16~~	12 ~~20~~	25 ~~30~~	19 ~~27~~	17 ~~24~~	206 ~~274~~

W. 8,000, VIII. 16

Encd. HW

937

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2. JAN 1918

Kept at Apsley Mills, Hemel Hempstead

in the County of Hertfordshire.

by John Dickinson & Co., Ltd.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.002	.001	–	.060	–	–	–	1.045	.055	–	.035	.015	1
2	.010	.001	–	.290	–	.064	–	.115	–	–	.010	.009	2
3	.010	–	–	.080	–	–	–	.470	–	.020	.265	–	3
4	.005	.030	.002	.015	–	–	–	.210	–	.780	–	–	4
5	.245	.030	.200	.105	–	–	–	.032	.150	.016	.040	–	5
6	.002	.070	.060	.090	–	.010	–	–	.080	.065	.110	.010	6
7	.300	–	.002	–	–	.020	.050	–	–	.530	.012	.010	7
8	.320	–	–	.112	–	–	.870	.565	–	.310	.215	.040	8
9	.070	–	.025	.095	–	–	.270	.340	.010	.010	.062	.130	9
10	.002	–	.290	.110	–	–	–	.125	–	–	.048	.005	10
11	.340	.040	.400	.275	–	–	–	–	.001	.360	–	.002	11
12	.160	.035	.050	.010	–	–	–	.135	–	.460	–	–	12
13	.132	–	.060	.004	–	–	–	.125	.030	.010	–	–	13
14	.025	–	.010	.175	–	–	–	.030	–	–	–	.010	14
15	.002	–	.005	.020	–	–	.020	.075	–	.030	–	–	15
16	.002	.105	–	.170	–	.524	.085	–	–	.950	–	.188	16
17	.005	.025	–	.135	.820	–	.200	–	.395	.385	–	–	17
18	.040	.030	.002	.095	.050	.120	.278	.150	.380	.085	–	–	18
19	.015	.055	.055	.045	.017	.110	.–	–	.620	–	–	–	19
20	.001	.320	.095	.002	.565	–	.382	.010	.005	–	.030	–	20
21	–	.005	.020	.010	.088	.050	–	–	–	.020	.080	–	21
22	–	.002	.090	.002	.002	.020	–	.012	–	.100	.002	–	22
23	.025	.105	.002	–	.109	.001	–	.165	–	.002	–	.005	23
24	–	.038	.002	–	–	.030	–	.090	–	.280	.058	.055	24
25	–	.020	.030	–	–	–	–	–	.005	–	.105	–	25
26	–	.005	.030	–	–	.030	–	.290	.065	–	.275	–	26
27	–	–	–	–	–	.002	–	.660	–	–	–	.010	27
28	–	.002	.050	–	–	1.160	–	.262	–	–	–	.030	28
29	–		.020	–	.010	.480	.935	.665	–	.315	–	.125	29
30	–		.005	–	–	–	1.060	.210	–	.125	–	.002	30
31	.040		.140		–		.415	.005		–		.005	31
Total	1.753	.919	1.645	1.900	1.661	2.621	4.565	5.786	1.796	4.853	1.397	.651	YEAR'S TOTAL 29.547
Rain Days.	~~22~~	~~19~~	~~24~~	~~21~~	~~8~~	~~14~~	~~11~~	~~23~~	~~12~~	~~20~~	~~15~~	~~17~~	~~206~~
	15	14	18	18	7	12	11	23	10	19	14	13	174

W. 8,000, IX. 17.

W ~~C&E~~. Cor. for arith. 8.I.19.

21

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL
?.1.19

Kept at Apsley Mills
in the County of Hertfordshire.
by John Dickinson & Co., Ltd.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Boxmoor.
Diameter of Funnel of Rain Gauge 24 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 268 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.005	.005	–	.103	–	–	–	–	–	–	.195	.070	1
2	.005	.085	–	.125	–	–	–	.140	.005	.010	.380	.215	2
3	–	–	.025	.008	.575	–	–	.003	.045	.005	.430	.040	3
4	–	.115	.035	.008	–	–	–	.020	.115	–	.570	.043	4
5	–	.075	–	–	.085	–	–	.160	.530	.158	–	.025	5
6	.105	.160	–	.270	–	–	–	.012	.005	.010	–	.075	6
7	–	.055	–	.100	.210	–	–	–	.164	.150	.055	.010	7
8	–	.103	–	–	–	–	–	–	.100	.005	.135	.028	8
9	.040	.070	–	.040	–	.125	.240	–	.425	.225	.004	.150	9
10	–	–	–	.058	–	–	.330	–	.045	.005	.005	.240	10
11	.040	–	–	.010	.065	–	.405	–	.030	.530	.030	.155	11
12	–	.100	–	–	.178	–	.140	–	.040	–	–	.014	12
13	–	.010	–	–	.285	–	.085	–	.010	–	–	.055	13
14	.222	–	–	–	–	.130	.200	–	.380	.270	–	.245	14
15	.405	–	.015	.565	–	–	.290	–	.030	–	–	.215	15
16	.135	–	–	1.055	–	–	–	–	.920	.028	–	.015	16
17	.520	–	–	.310	.012	.025	.280	.002	.015	–	–	.110	17
18	.930	–	–	.010	–	.240	.190	–	.280	.105	–	.195	18
19	.080	–	.035	.110	–	.010	.270	–	.022	.035	–	.095	19
20	.045	.175	–	.368	–	.020	.033	.002	.215	.160	–	.108	20
21	.070	.005	–	1.070	–	–	.068	–	.410	.025	–	.004	21
22	.145	–	–	–	.065	–	.040	–	.060	.005	–	.265	22
23	.045	–	–	–	.610	–	.620	.050	.010	–	.010	.010	23
24	–	.185	–	–	–	.015	.020	–	.110	–	.090	–	24
25	–	–	–	–	–	.045	.146	.530	–	.003	.055	–	25
26	–	–	–	–	–	–	.125	.080	–	.025	.140	.140	26
27	.005	.020	–	–	–	–	.052	.270	.100	.005	.034	.160	27
28	.005	.050	.265	.110	–	.028	–	.070	–	–	.295	.190	28
29	.005		.003	–	–	–	–	–	1.165	–	.040	.008	29
30	.003	X	.370	–	–	–	–	–	.160	.008	.015	.050	30
31	.005	X	.070	X	–	X	–	.028	X	.083	X	.040	31
Total	2.81~~3~~5	1.213 √	.818 √	4.320 √	2.085 √	.638 √	3.534 √	1.367 √	5.391 √	1.850 √	2.483 √	2.970 √	YEAR'S TOTAL 29.48~~7~~4
Rain Days.	~~20~~ 16	~~15~~ 14	~~8~~ 7	17 √	9 √	9 √	18 √	10 ~~10~~	2~~6~~5 25	~~21~~ 18	1~~2~~5 15	2~~8~~8 28	~~202~~ 186

156

W. 6,500, VII. 18. w w c

884

8 JAN 20

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Apsley Mills.

in the County of Hertfordshire

by John Dickinson & Co., Ltd.

Lat. Long.

Time of Observation

Nearest Railway Station Boxmoor.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.525	.042	.010	.003	.120	–	.780	–	–	.035	.040	.760 ~~.085~~	1
2	.240	.050	.030	–	.160	–	.050	.008	.115	.155	.150	1.030 ~~.108~~	2
3	.450	.035	.305	–	.035	–	.040	–	.086	–	.070	.340 ~~.034~~	3
4	.075	.040	.315	–	–	.070	.070	.050	.095	–	.001	.260 ~~.026~~	4
5	.025	.160	.670	–	.005	–	.402	.008	.350	–	.010	.340 ~~.034~~	5
6	.035	.145	.085	.005	.340	–	–	–	–	.010	.003	.140 ~~.014~~	6
7	.092	–	.645	–	–	–	–	–	–	.002	.160	.001	7
8	.155	–	.060	.065	–	–	–	–	–	–	.008	–	8
9	.002	–	.038	.008	.110	–	–	–	–	–	.215	.001	9
10	.070	–	.130	.040	–	–	–	–	–	.015	.045	.006	10
11	.040	–	.070	.190	.005	–	.140	–	–	.005	.005	.009	11
12	.005	–	.310	.086	–	.093	.240	–	–	.085	.010	.001	12
13	.005	–	–	.150	–	.004	–	–	.005	.075	.010	.022	13
14	.390	–	–	.645	–	–	.060	–	.130	.040	–	.007	14
15	.275	.050	.113	.185	–	–	–	–	–	.080	–	.490	15
16	.030	.750	–	.003	–	–	–	–	–	.010	.120	.055	16
17	.003	.310	–	–	–	–	–	–	–	–	.280	.036	17
18	.005	.375	.075	–	–	–	–	.070	.050	.010	.030	.150	18
19	.015	.130	.750	–	–	.050	.290	.150	.070	.005	.170	.010	19
20	.410	.120	.125	–	–	.720	.150	.450	.006	–	.020	.003	20
21	.305	.260	.005	–	–	.025	.110	–	–	.010	.010	.140	21
22	–	.200	.040	–	–	.010	.135	–	.265	.005	.030	.325	22
23	.003	–	–	–	–	.085	–	.048	.105	.005	.040	.045	23
24	–	–	–	.140	–	–	.150	.030	.003	.310	.100	.020	24
25	.060	–	–	.060	.035	.085	–	.370	–	.005	.005	.065	25
26	.145	.310	.030	.106	–	–	–	.270	.065	–	.005	.458	26
27	.090	.025	.130	.535	–	–	–	–	–	–	.005	.035	27
28	.355	–	–	.890	–	–	.005	1.230	–	.022	.080	.280	28
29	.410		.110	.093	–	–	–	.180	–	.275	.245	.050	29
30	–		.055	.120	–	.135	–	.085	–	.045	.023	.625	30
31	–		.068		–		–	–		.010		.045	31
TOTAL	4.215	3.002	4.169	3.324	.810	1.277	2.622	2.949	1.345	1.214	1.890	5.749 ~~5.175~~	YEAR'S TOTAL 32.566 ~~29.992~~
Days with ·01 in. or more	23	16	22	16	7	9 ~~10~~	13	13	12 ~~13~~	18	24 ~~28~~	26 ~~30~~	199 ~~222~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

JOHN DICKINSON & CO., LTD.

TELEGRAMS:
"DICKINSON, APSLEY END"
TELEPHONE:
124 BOXMOOR

Managing Director's Office.
(To which please address reply)
Apsley Mills,
Hemel Hempstead,
Herts.

3 MAR 20

4th March, 1920.

The Superintendent,
British Rainfall Organisation,
62, Camden Square,
N.W.1.

Dear Sir,

DECEMBER RAINFALL.

We regret to find upon investigation that the Rainfall figures for the first six days of December were taken out wrongly by the man in charge. We enclose herewith the correct figures.

Yours truly,

For John Dickinson & Co., Ltd.
a.L.H.

NATIONAL SCHEME FOR DISABLED MEN

[illegible] 20

RAINFALL.

December	1st.	.760
"	2nd	1.030
"	3rd.	.340
"	4th.	.260
"	5th.	.340
"	6th.	.140

836

28 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Apsley Mills.

in the County of Hertfordshire

by John Dickinson & Co. Ltd.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Boxmoor.

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.010	–	–	.885	.082	–	.280	–	.010	.210	.010	.305	1
2	.004	–	.005	–	.020	–	.150	.558	.080	.250	–	.120	2
3	–	.040	.003	.050	–	.004	.260	–	.058	.055	–	.180	3
4	–	.020	.005	.080	–	–	.005	.150	.050	.305	–	.040	4
5	–	.005	.040	.010	.020	–	.595	.050	.011	.005	–	.120	5
6	–	.002	.185	–	.115	–	.370	.030	.002	–	–	.045	6
7	.020	.010	.017	.145	–	–	.182	–	–	–	.010	.005	7
8	.130	.040	.002	.250	.020	–	.140	.055	–	.005	.005	.005	8
9	.530	.010	–	.135	–	–	.022	.025	–	.005	–	.005	9
10	.360	.060	.072	.005	–	–	.108	–	–	–	.015	.015	10
11	.260	–	.030	.200	.035	.100	.070	–	–	–	–	.005	11
12	.033	.010	.048	.195	.005	.528	.080	–	–	–	.020	–	12
13	.068	.030	.148	.205	–	–	–	–	.018	–	.005	.012	13
14	.002	.035	.335	.345	–	.550	.038	–	.052	.366	.448	.050	14
15	.004	.010	.168	.265	–	.045	.055	–	.093	.030	.135	–	15
16	.001	.002	–	.100	.005	.075	–	–	.098	.095	.004	.018	16
17	.001	.001	–	.022	.170	.025	.058	–	.090	.006	.006	.030	17
18	.055	.002	–	.003	.050	–	–	.560	.198	–	.010	.058	18
19	.145	–	–	.220	.098	–	–	.082	.005	–	.012	.020	19
20	.060	.055	–	.260	–	.500	–	–	–	–	.010	.075	20
21	.002	–	–	.005	–	–	.495	.048	.275	–	.005	.101	21
22	.020	–	–	.232	–	–	.015	–	.152	–	.002	.252	22
23	.012	–	–	–	–	–	.860	.003	–	–	.005	.430	23
24	.022	–	.075	.020	–	–	.230	–	–	.010	.005	.068	24
25	.012	.050	.032	.002	–	–	.288	–	–	.004	–	.010	25
26	.150	–	.067	.012	.640	.010	.050	–	–	.005	.002	.034	26
27	.360	.110	.005	.103	–	.205	.005	–	–	.003	.310	.200	27
28	.490	.010	.150	.020	.400	.020	.090	–	–	.010	.005	.020	28
29	.260	.005	.080	–	.005	–	.014	–	–	.003	.188	.300	29
30	.005	✕	.002	.009	–	–	.480	–	.252	.005	.234	.110	30
31	.060	✕		✕	.017	✕	–	–	✕	.220	✕	.270	31
Total	3.076	.507	1.469	3.778	1.682	1.862	4.940	1.561	1.424	1.592	1.446	2.903	Year's Total 26.240
Days with ·01 in. or more	~~27~~ 21	~~20~~ 15	~~20~~ 15	~~26~~ 23	~~15~~ 14	~~11~~ 10	~~25~~ 24	~~10~~ 9	~~16~~ 14	~~19~~ 13	~~28~~ 16	~~29~~ 27	~~240~~ 201
Days with ·04 in. or more	~~23~~ 13	~~16~~ 6	~~17~~ 11	~~24~~ 15	~~15~~ 7	~~11~~ 7	~~25~~ 19	~~9~~ 7	~~15~~ 11	~~17~~ 7	~~20~~ 5	~~29~~ 17	~~221~~ 125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS

HEMEL HEMPSTEAD - CHURCH CROFT

1911 - 1914

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REG 11

Kept at Church Croft, Hem

in the County of Her

by Dr Mann F

5" in.

ove Ground 3 ft. in.

, Sea Level 30 ft.

S. c. L

Name Bo

Distance 1½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·22			·05	·03					1
2	·09			·46	·17		·04	·01			·12	·13	2
3	[illegible]	·03			·22			·03		·19	·08		3
4	·27	·04	·10	·31							·14	·39	4
5	·02 ·10	·02		·01				·02		·06		·22	5
6	·60 ·97		·06							·01		·77	6
7	·07 ·12		·01							·12	·62	·43	7
8	·12 ·12		·14								·11	·45	8
9	·12 ·01		·03	·02							·02	·12	9
10	·01 ·57	·12	·26	·02							·05	·61	10
11	·57 ·0				·29						·61		11
12	·02		·61			·02			·02	·10	·40	·02	12
13			·05		·92				·41	·92	·10	·76	13
14		·02			·98					·03		·33	14
15		·08	·24								·10	·23	15
16			·12			·10					·38	·10	16
17			·05			·17					·12	·29	17
18		·11	·01			·48					·19	·40	18
19						·21			·08	·05	·56	·13	19
20	·01	·03	·01			·01		·26	·20	·09		·81	20
21	·01	·15						·26		·27		·11	21
22	·05		·04			·21		·01		·22		·95	22
23		·14	·31			·54	·03				·02	·33	23
24		·11				·07		·05	·20	·92		·14	24
25	·02	·04		·05	·01	·25	·05	·02	·02				25
26			·02	·19	·02	·11	·05			·14	·05	·22	26
27		·58	·13	·04			·11		·11			·33	27
28		·59		·33			·60	·11			·10		28
29				·04		·21	·13		·26	·27	·01		29
30				·03	·11	·02		·03	·01	·38			30
31					·54								31
Total	1·99	2·06	2·19	1·72	3·26	2·40	1·06	·83	1·31	3·77	3·78	8·27? 7?	TOTAL for year 32·64?
No. of Rain Days.	15	14	17	12	9	13	8	11	9	15	19	23	165

W. 8,000, X. '11.

32·64?

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Church Croft, Hemel Hempstead

in the County of Herts 2

by Dr Lance Fisher

RAIN GAUGE
Pattern
Diameter of top 6" in.
Height of top above Ground 3 ft. in.
" " " Sea Level 300 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Boxmoor L&NW
Distance 1½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·22			·05	·03					1
2	·09			·46	·17		·04	·01			·12	·13	2
3	24	·03			·22			·03		·19	·08		3
4	·27	·04	·10	·31							·14	·39	4
5	·02 ·40	·02		·01				·02		·06		·22	5
6	·60 ·97		·06							·01		·77	6
7	·07 ·12		·01							·12	·62	·43	7
8	·12 ·42		·14								·11	·45	8
9	·12 ·01		·03	·02							·02	·12	9
10	·01 ·57	·12	·26	·02							·05	·61	10
11	·57 ·0				·29						·61		11
12	[illegible]		·61			·02			·02	·10	·40	·02	12
13			·05		·92				·41	·92	·10	·76	13
14		·02			·98					·03		·33	14
15		·08	·24								·10	·23	15
16			·12			·10					·38	·10	16
17			·05			·17					·12	·29	17
18		·11	·01			·48					·19	·40	18
19						·21			·08	·05	·56	·13	19
20	·01	·03	·01			·01		·26	·20	·09		·81	20
21	·01	·15						·26		·27		·11	21
22	·05		·04			·21		·01		·22		·95	22
23		·14	·31			·54	·03				·02	·38	23
24		·11				·07		·05	·20	·92		·74	24
25	·02	·04		·05	·01	·25	·05	·02	·02				25
26			·02	·19	·02	·11	·05			·14	·05	·22	26
27		·58	·13	·04			·11		·11			·33	27
28		·59		·33			·60	·11			·18		28
29				·04		·21	·13		·26	·27	·07		29
30				·03	·11	·02		·03	·01	·38			30
31					·54								31
Total	1·99	2·06	2·19	1·72	3·26	2·40	1·06	·83	1·31	3·77	3·78	8·29?	TOTAL for year 32·64?
No. of Rain Days.	15	14	17	12	9	13	8	11	9	15	19	23	165

32·64?

W. 8,000, X. '11.

Corr fr auth 5·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 JAN 1913

Kept at Churchcroft Hemel Hempstead

in the County of Hertford 2

by Rev Canon F. H. Fisher

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Hemel Hempstead Mid.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·11	·02		·10	·33		·04	·47		·20	1
2		·02	·06	·05		·21	·39	·04	·01			·10	2
3	·10		·09	·06	·05	·14	·01	·14	·02				3
4	·29		1·06		·31	·17	·01	·23			·23		4
5	·13	·09	·29			·28		·27			·05	·02	5
6	·43	·08	·01		·02			·18	·01			·08	6
7	·02		·01		·05	·63		·22				·11	7
8	·29	·35	·26			·01		·07	·02			·03	8
9	·05	·35		·06	·05	·23	·02	·03				·17	9
10		·03				·01		·08	·03		·23	·10	10
11	·10	·38				·02		·02	·05		·05	·19	11
12	·06	·26	·13		·01	·14					·12		12
13		·01	·03		·02	·10			·01		·20	·02	13
14			·10					·08		·02	·02	·01	14
15		·03	·11		·17	·34		·03			·01	·21	15
16	·83	·37	·12		·21	·04		·09		·06	·02		16
17	·66		·27			·14		·13					17
18	·05		·13				·01	·30				·15	18
19	·16	·10	·20				·18	·57		·01	·02		19
20	·03	·08	·12				·05	·08		·01			20
21	·01	·03	1·03		·43	·03		·18		·23	·10		21
22	·37	·29	·06		·05	·19	·12	·15		·09			22
23	·76		·36		·01		·27	·50		·03	·15	·29	23
24	·17							·13				·23	24
25								·35			·31	·38	25
26		·03	·01				·18	·53		·43	·60	·48	26
27			·01			·05				·25		·21	27
28		·03				·05	·13	·09	·02	·62	·45	·30	28
29		·03	·02			·49	·14	·52	1·65	·26			29
30					·33		·04	·16	·80	·13			30
31			·11		·11		·32	·10				·04	31
Total	4·61	2·56	4·70	0·19	1·82	3·37	2·20	5·27	2·66	2·61	2·56	3·32	YEAR'S TOTAL 35·87 35·89
Rain Days.	18	18	24	4	14	20	15	27	11	13	15	20	~~198~~ 199

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Hemel Hempstead

in the County of Herts 2

by Rev Canon F. H. Fisher

Lat. Long.

Time of Observation 8. a. m

Nearest Railway Station Midland. Hemel Hempstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·15	·10	·08	·04				·35		·28	·08	1
2	·02			·01			·08		·02	·68	·07		2
3	·08		·03	·07	·57					·01		·10	3
4	·47		·07		·05		·25			·24	·05	·08	4
5	·09	·01			·02	·03	·09		·07	·07		·04	5
6		·04	·05		·11	·31	·05		·02	·14		·10	6
7		·26			·16	·01	·02			·55	·05	·02	7
8		·02	·04		·19	·15				·16	·08		8
9		·16		·01	·02	·02			·05		·03	·06	9
10			·03	·07			·78	·04			·30		10
11	·49			·44	·19			·27		·55	·41		11
12			·02		·03					·01	·60		12
13	·02			·01				·03	·05		·40		13
14	·11		·10	·04			·21	·10		·15	·01		14
15	·17	·05	·29	·29			·13		·09				15
16	·06		·44	·17					·04				16
17	·03		·02	·13		·07	·17				·01	·06	17
18	·05		·15	·22			·01		·01		·10		18
19	·54		·13	·05			·12	·01	·52			·02	19
20	·16		·07	·04						·41			20
21	·02		·14	·06	·04		·04			·10	·40		21
22	·43		·22	·01				·02	·18				22
23						·07	·02	·08	·05		·01	·10	23
24		·01		·05									24
25		·02		·19		·01							25
26			·19	·20				·13		·50		·15	26
27			·03	·08						·02			27
28	·25		·22	·13						·14			28
29	·02		·10	·60	·30			·09		·15		·04	29
30	·36			·03				·05		·23			30
31			·05					·24					31
Total	3·42	·72	2·49	2·98	1·72	·67	1·97	1·06	1·45	4·11	2·80	·85	YEAR'S TOTAL 24·24
Rain Days.	19	9	21	23	12	8	13	11	12	17	15	12	172

W. 7,500, XI. ·12

and for audit 9·III·15 ~~W~~ 978

FORM A.
BRITISH RAINFALL

1 – JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Canon F. H. F. Church Croft

in the County of Hemel Hempstead – Herts

by Rev Canon F. H. Fisher

Lat. Long.

Time of Observation 8. a.m.

Nearest Railway Station Hemel Hempstead Mid.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01					·14			·05		1
2	·02			·02			·08	·06		·01	·07	·15	2
3					·20		·17	·20			·20	·02	3
4	·13			·32	·02			·11			·28	·61	4
5	·06		·06	·23	·05	·09	·49	·61					5
6		·11			·05	·05	·02	·03			·49	·31	6
7		·35	·24	·16	·33	·02						·37	7
8	·05	·25	1·08	·05	·11	·36	·20	·15				·01	8
9			·57	·10		·38			·10			1·14	9
10	·10	·10		·07	·05				·07			·08	10
11		·37	·46	·02	·07	·70			·15		·18	·23	11
12	·03	·06	·10				·14		·29		·03	·36	12
13		·35	·17						·31	·08	·06	·37	13
14		·15	·42				·03		·02	·37	·09	·33	14
15	·05	·02	·17				·03			·07		·10	15
16	·01						·01		·01		·07		16
17		·46	·15						·19	·01		·28	17
18		·05	·08				·01					·60	18
19		·05	·25				·11		·06		·16		19
20		·35	·17						·03	·01		·20	20
21		·39	·09			·06		·02		·03	·02	·10	21
22		·03	·02		·06	·08		·05		·73			22
23		·21	·14		·07		·03			·10		·02	23
24			·04	·04	·02		·09			·19	·09		24
25	·05		·14				·09	·09		·38	·01	·01	25
26			·07				·01	·06		·03	·16	·61	26
27	·03		·01				·02				·01	·29	27
28		·05			·06					·07	·37	1·35	28
29	·04	~~·05~~	·11							·27	·12		29
30	·01		·16							·06	·34	·46	30
31	·01				·08		·06					·07	31
Total	·59	3·35	4·71 4·71	1·01	1·17	1·74	1·59	1·54	1·23	2·41 2·41	2·80	8·07	YEAR'S TOTAL 30·21 ✓
Rain Days.	13	17	23	9	13	8	17	11	10	15	19	24	189

W 8,000. X. 14.

HERTS.
HEMEL HEMPSTEAD = GOLDEN PARSONAGE
1911 — 1920

le Passage marked on Ordnance Forms

N 1911

BRITISH RAINFALL
16 FEB 1912

Kept at the Golden
in the County of
by Elliott Ki

n M.O. No 2
ter of top 8 in.
of top above Ground 1 ft. 0 in.
" " Sea Level 536 ft.
ation 9 a.m.
y Station { Name Boxmoor
sed { Distance 5½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										-	-	.01	1
2										-	.15	.12	2
3										-	.12	.05	3
4										.35	.15	.53	4
5										.63	.02	.04	5
6										trace	.02	.45	6
7										.10	.27	.27	7
8										.02	.08	.20	8
9										-	.04	.04	9
10										-	.08	.58	10
11										trace	.64	.02	11
12										.47	.36	-	12
13										1.25	.02	.46	13
14										trace	-	.45	14
15										.03	.06	.03	15
16										.01	.37	.09	16
17										trace	.12	.30	17
18										trace	.29	.33	18
19										.12	.35	.13	19
20										.05	trace	.74	20
21										.36	trace	.16	21
22										.03	-	.59	22
23										-	-	.19	23
24										.58	-	.18	24
25										.07	trace	.03	25
26										.14	.04	.19	26
27										-	trace	.12	27
28										-	.07	-	28
29										.28	trace	-	29
30										.24	-	.02	30
31										-		-	31
Total										4.13	3.25	6.26	TOTAL for year
No. of Rain Days.										17.	19	27	

W. 8,000, X. '11.

Parsonage marked on Ordnance maps

Form A2.

BRITISH RAINFALL
16 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at the Golden Parsonage, Hemel Hempstead

in the County of Hertfordshire

by Elliott Kitchener M.A.

RAIN GAUGE
Pattern M.O. No 2
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 536 ft.

Time of Observation 9 a.m.

~~Nearest~~ used Railway Station
Name Boxmoor
Distance 5½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										-	-	·01	1
2										-	·15	·12	2
3										-	·12	·05	3
4										·35	·15	·53	4
5										·03	·02	·04	5
6										trace	·02	·45	6
7										·10	·27	·27	7
8										·02	·08	·20	8
9										-	·04	·04	9
10										-	·08	·58	10
11										trace	·64	·02	11
12										·47	·36	-	12
13										1·25	·02	·46	13
14										trace	-	·45	14
15										·03	·06	·03	15
16										·01	·37	·09	16
17										trace	·12	·30	17
18										trace	·29	·33	18
19										·12	·35	·13	19
20										·05	trace	·74	20
21										·36	trace	·16	21
22										·03	-	·59	22
23										-	-	·19	23
24										·58	-	·18	24
25										·07	trace	·03	25
26										·14	·04	·19	26
27										-	trace	·12	27
28										-	·07	-	28
29										·28	trace	-	29
30										·24	-	·02	30
31										-		-	31
Total										4·13	3·25	6·26	TOTAL for year
No. of Rain Days.										17.	19	27	

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
2 JAN 1913

Kept at The Golden Parsonage, Hemel Hempstead

in the County of Hertfordshire 2

by Elliott Kitchener MA (Cant)

RAIN GAUGE Pattern M.O. No473
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 556 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Hemel Hempstead (MR)
Distance 4 mile, Direction SSE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·10	·01	-	·08	·09	-	·04	·34	-	·15	1
2	-	·02	·07	·05	-	·20	·50	·02	-	-	-	-	2
3	·09	·01	·05	-	·12	·27	·01	·27	·03	-	·02	·12	3
4	·25	-	·73	-	·33	·23	·02	·06	-	-	·26	-	4
5	·16	·09	·22	-	-	-	-	·30	-	-	·11	·02	5
6	·30	·06	·02	-	·02	·01	·01	·25	·03	-	trace	·09	6
7	·02	-	·05	-	·03	·87	-	·18	-	-	-	·12	7
8	·44	·39	·21	-	-	trace	-	·13	·03	-	trace	·05	8
9	·09	·15	-	·07	·06	·26	·03	·06	-	-	-	·26	9
10	·02	·05	trace	-	-	·02	·01	·31	·04	-	·24	·09	10
11	·11	·18	·01	-	-	·04	-	·03	·06	-	·05	·18	11
12	·08	·23	·11	-	·02	·21	·02	-	-	-	·12	trace	12
13	-	·03	trace	-	-	·05	-	-	·02	·01	·22	·01	13
14	·03	-	·04	-	·03	-	-	·08	trace	·02	·02	·01	14
15	·01	·05	·09	-	·30	·28	-	·03	-	-	·02	·21	15
16	·43	-	·06	-	·11	·03	-	·08	-	·08	·03	-	16
17	·63	-	·21	-	-	·15	-	·11	-	-	-	·09	17
18	·05	-	·16	-	-	trace	-	·23	-	·02	·02	·13	18
19	·16	·08	·17	-	-	-	·23	·27	-	·01	·02	·01	19
20	·03	-	·16	-	·03	-	·09	·05	-	·31	-	-	20
21	·02	·05	·67	-	·45	-	-	·17	-	·09	·11	-	21
22	·27	·18	·10	-	·08	-	·06	·20	-	·02	·01	·04	22
23	·36	·38	·35	-	·02	-	·23	·43	-	·02	·18	·16	23
24	·18	·02	-	-	-	·05	-	·10	-	·01	-	·20	24
25	trace	-	-	-	-	·21	-	·45	-	-	·38	·42	25
26	-	·03	trace	-	-	-	·22	·35	-	·45	·47	·37	26
27	-	-	·02	-	-	·09	·05	-	-	·30	·01	·20	27
28	-	·04	-	-	-	·03	·04	·10	·06	·47	·40	·33	28
29	-	·04	·05	·03	-	·06	·13	·46	1·69	·29	·01	-	29
30	·01		-	-	·32	·05	·04	·14	·74	·24	-	-	30
31	·01		·10		·36		·25			·01		·05	31
Total	3.74	2.08	3.75	·16	2.28	3.19	2.03	4.86	2.74	2.69	2.70	3.26	TOTAL for Year 33·48
No. of Rain Days.	23	19	23	4	15	20	18	26	10	17	20	23	218

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at The Golden Parsonage, Hemel Hempstead
in the County of Hertfordshire
by Elliot Kitchener M.A. (Cant)

2

Lat. 51° 46' N Long. 0° 27' W
Time of Observation 9 a.m
Nearest Railway Station Hemel Hempstead (Midland)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	·17	·08	·07	·09	–	–	–	·40	–	·18	·08	1
2	·02	·12	–	·02	–	–	·12	–	·03	·60	·08	–	2
3	·09	–	·06	·08	·71	–	–	–	–	·01	–	·10	3
4	·45	–	·04	–	·07	·02	·18	–	–	·24	·05	·06	4
5	·09	·01	–	–	·01	·07	·03	–	·06	·08	·02	·04	5
6	–	·08	·07	·01	·14	·49	·03	–	–	·20	·01	·10	6
7	–	·25	–	–	·13	·02	·03	–	–	·52	·06	·02	7
8	·02	·02	·06	–	·20	·24	–	–	–	·09	·04	·01	8
9	–	·20	·01	·02	·02	·07	–	–	·07	–	·37	·06	9
10	·01	–	·06	·08	–	–	·09	·03	–	–	·12	–	10
11	·57	–	–	·54	·06	–	–	·27	–	·52	·33	–	11
12	–	·02	–	·01	·04	–	–	–	–	·02	·62	–	12
13	·04	–	·02	·02	–	trace	–	·02	·06	–	·38	–	13
14	·13	·02	·09	·05	–	–	·24	·09	·02	·14	·06	·01	14
15	·19	·04	·26	·31	–	–	·16	–	·06	–	·03	–	15
16	·08	–	·32	·19	–	–	–	–	·03	–	–	–	16
17	·04	·02	·07	·07	–	·38	·08	·02	–	·01	trace	·05	17
18	·03	–	·23	·23	–	–	·01	–	·02	–	·09	·01	18
19	·56	–	·02	·01	·03	–	·17	–	·55	–	–	·03	19
20	·26	–	·10	·05	trace	·03	–	–	–	·43	·01	–	20
21	·02	·01	·10	·09	·11	–	·04	–	–	·10	·46	–	21
22	·53	·02	·21	·02	–	–	–	·09	·20	·01	·02	–	22
23	·01	–	~~trace~~ ·01	–	–	·07	·03	·03	·04	–	–	·09	23
24	trace	–	trace	·05	–	–	–	–	trace	·01	·02	–	24
25	–	·02	–	·16	–	·01	·01	–	–	·01	·01	·01	25
26	–	·03	·19	·20	–	–	–	·10	–	·47	–	·18	26
27	·01	–	·04	·08	·02	–	–	–	–	·02	·01	–	27
28	·29	–	·19	·14	–	–	–	–	·02	·19	–	–	28
29	·03		·11	·69	·30	–	–	·08	·01	·10 ~~·27~~	–	·06	29
30	·33		–	·02	–	–	–	·06	–	·27	·04	·03	30
31	–		·06		–		–	·37		–		–	31
Total	3.85	1.03	2.40	3·21	1.93	1.40	1.22	1.16	1.57	4·04	3.01	·94	YEAR'S TOTAL 25.76
Rain Days.	23	15	23	25	14	10	14	11	14	21	22	17	209

W.7,000, XI, 13

cordly C .9.III.15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 11 JAN 1915

Kept at the Golden Parsonage, Hemel Hempstead

in the County of Hertfordshire 2

by E Kitchener M.A. Cant:

Lat. 51° 46′ N Long. 0° 27′ W

Time of Observation 9 a.m.

Nearest Railway Station Hemel Hempstead Mid

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.02	–	–	–	–	.11	–	–	.06	.02	1
2	.03	–	–	.03	–	–	.09	.05	–	.02	.11	.17	2
3	.01	trace	.03	–	.21	–	.22	.20	–	–	.10	trace	3
4	.20	.02	–	.31	.02	–	–	.16	–	–	.26	.49	4
5	.04	–	.06	.34	.03	.12	.54	.34	–	–	.01	.02	5
6	–	.13	–	–	.06	.10	.03	.03	–	–	–	.31	6
7	–	.34	.20	.05	.53	.03	trace	.02	–	–	.02	.24	7
8	.08	.15	.87	.15	.09	.44	.27	.15	–	–	–	.03	8
9	.21	–	.55	.19	–	.34	–	.01	.10	–	–	1.29	9
10	.06	.14	.04	.10	.08	–	–	–	.17	–	–	.03	10
11	–	.27	.36	.03	.10	.73	–	–	.04	–	.16	.33	11
12	.05	.06	.10	–	–	–	.12	–	.34	.01	.03	.42	12
13	–	.39	.20	.01	–	–	–	–	.26	.09	.05	.34	13
14	.02	.09	.34	–	–	–	.07	–	–	.31	.19	.46	14
15	.08	.01	.19	.02	–	–	.02	–	.02	.07	.05	.15	15
16	.03	–	.06	–	–	–	.12	–	.03	–	.08	–	16
17	.02	.46	.16	.01	–	–	–	–	.18	.02	.02	.30	17
18	–	.02	.08	–	–	–	.02	–	–	–	–	.50	18
19	–	.06	.15	–	–	.25	.08	–	.05	–	.19	.04	19
20	.02	.44	.29	–	–	.04	–	–	.06	–	–	.19	20
21	–	.51	.09	.02	–	.04	–	.21	–	.05	.01	.11	21
22	–	.03	.02	.02	.04	.08	.10	.10	–	.70	–	–	22
23	–	.05	.09	–	.07	–	.03	–	–	.10	–	.03	23
24	.03	.01	.14	.05	.09	–	.11	.02	–	.20	.12		24
25	.05	–	.15	–	–	–	–	.14	–	.35	.01	.10	25
26	–	–	.13	–	–	–	.03	.07	–	.05	.16	.59	26
27	.05	.01	.03	–	–	–	–	–	–	–	.02	.23	27
28	.01	.06	–	–	.07	–	–	–	–	.06	.44	1.24	28
29	.07		.16	–	.02	–	–	–	–	.31	.16	–	29
30	trace	X	.04	–	–	–	–	–	–	.09	.31	.42	30
31	.03	X	–	X	.10	X	.07	–	X	.01	X	.05	31
Total	1.09	3.25	4.55	1.33	1.51	2.17	1.92	1.61	1.25	2.44	2.56	8.10	YEAR'S TOTAL 31.78
Rain Days.	19.	20	26	14	14	10	16	14	10	16	22	26	207

W. 8,000. X. 14.

escd 9g. 1009

FORM A. BRITISH RAINFALL. 3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at the Golden Parsonage nr (4 miles) Hemel Hempstead

in the County of Hertford 2

by E Kitchener Ma.

Lat. 51° 46' N Long. 0° 27' W.

Time of Observation 9 P. m

Nearest Railway Station Hemel Hempstead (M R)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.*	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.13	.04	-	.06	-	-	.02	.22	.04	.21	.30	1
2	.13	.22	.26	.12	-	.04	-	.16	.04	.06	.62	.09	2
3	.57	.02	.04	.13	.02	-	.22	.14	.02	-	-	.23	3
4	.16	-	-	-	-	-	-	.10	-	-	-	.44	4
5	.03	.45 .45	-	-	.02	-	-	-	-	.01	.01	.26	5
6	.21	.08	.01	.30	-	-	.57	.02 ~~.07~~	-	-	-	.05	6
7	.08	.41	.14	.01	-	-	.33	.01 ~~.33~~	-	-	.01	.33	7
8	.06	.35	.02	.02	-	-	.05	- ~~.05~~	-	-	-	trace	8
9	-	.03	-	.10	.02	.06	-	.06	-	trace	.22	.69	9
10	.39	.02	.03	-	-	-	-	.23	-	-	.01	.08	10
11	.02	-	.03	-	.02	-	-	-	-	-	.81	.04	11
12	.08	.07	-	.32	.45	-	-	.22	-	.04	1.03	.01	12
13	-	.40	-	-	1.58	-	-	-	-	-	-	-	13
14	-	.04	-	.01	.01	-	.74	.12 ~~.74~~	.06	-	-	.57	14
15	.20	-	.03	-	.03	-	-	.40	-	-	.14	.19	15
16	.02	.57	-	-	-	-	.73	-	-	-	-	.08	16
17	-	.33	-	-	.35	-	.18	-	-	-	.02	-	17
18	.02	.19	.18	-	.01	-	-	-	-	trace	.04	-	18
19	.02	.06	.03	-	.01	-	.10	-	-	trace	trace	.02	19
20	.34	.02	.01	.11	-	-	-	-	-	-	.01	.26	20
21	.16	.04	.01	-	.09	-	.03	-	-	.02	-	.09	21
22	.74	.36	.45	.01	-	-	.55	-	.01	-	-	.13	22
23	.03	.28	.25	.02	-	.04	.17	-	.10	.43	trace	.28	23
24	-	.03	.20	-	-	.02	.43	-	.52	.12	-	.40	24
25		.02	.02	.06	.02	.06	.04	-	-	.02	.04	.29	25
26	.02	.13	.01	-	-	.09	.13	-	-	-	-	.44	26
27	-	.05 .05	.02	-	-	.17	.04	-	trace	.42	-	.08	27
28	.01	.11	.01	-	-	.13	-	-	1.21	.17	-	-	28
29	-		.01	-	-	.02	.20	.21	-	- ~~.07~~	.13	.01	29
30	.03		-	-	-	.17	-	-	-	.07	.05	.03	30
31	.03		-		-		-	.04 (up to 9 a.m. Sept. 1st)		1.04		.30	31
Total	3.89	4.41	1.80	1.21	2.69	0.80	4.51	1.73	2.18	2.44	2.25	5.64	YEAR'S TOTAL 34.05
Rain Days.	23	25	21	12	14	10.	16	13.	8.	12	15	26	195

W. 8,000. X. 15.

* In august rain taken 9 p.m. – totals correct, except 1st & 2nd.

81

entd by A 9·11·41

1009
133

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Golden Parsonage

in the County of Hertfordshire 2

by E. Kitchener

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
			m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	·54	·13	1·1		1·4			·6	5·6	1·1	5·2	7·5	1
2	·13	·22	6·4	3·1		1·0		4·0	1·1	1·5	0·5	2·3	2
3	·57	·02	·9	3·4	·4		5·4	3·4	·5			5·8	3
4	·16							2·5				11·0	4
5	·03	·45			·6					0·2	0·2	6·5	5
6	·21	·08	·3	7·4			14·2	·6				1·3	6
7	·08	·41	3·4	·3			8·2	·2			0·3	8·3	7
8	·06	·35	·5	·5			1·3						8
9		·03		2·4	·4	1·4		1·6			5·4	17·3	9
10	·39	·02	·7					5·7			0·3	2·0	10
11	·02		·7		·5						20·3	1·0	11
12	·08	·07		8·1	11·3			5·4		1·0	25·8	0·3	12
13		·40			39·4								13
14		·04		·3	·3		18·5	2·9	1·6			12·9	14
15	·20		·7		·8			9·9			3·5	4·7	15
16	·02	·57					18·3					1·9	16
17		·33			8·7		4·6				0·4		17
18	·02	·19	4·6		·2						1·1		18
19	·02	·06	·7		·3		2·4					0·5	19
20	·34	·02	·3	2·7							0·3	6·5	20
21	·16	·04	·3		2·3		·7			0·5		2·2	21
22	·74	·36	11·3	·3			13·9		·2			3·3	22
23	·03	·28	6·2	·4		1·0	4·3		2·5	10·8		6·9	23
24		·03	5·1			·5	10·8		13·1	3·1		10·0	24
25		·02	·4	1·4	·4	1·4	1·0			0·5	1·1	7·2	25
26	·02	·13	·3			2·3	3·2					11·0	26
27		·05	·4			4·2	1·0			10·4		2·0	27
28	·01	·11	·3			3·2			30·2	4·3			28
29			·3			·4	5·0	5·2			3·3	0·3	29
30	·03	✕				4·2				1·8	1·2	0·7	30
31	·03	✕		✕		✕		1·0	✕	26·1	✕	7·5	31
Total	3·89	4·41	4·49 ~~42·9~~	30·3	67·0	19·6	112·8	43·0	54·8	61·3	68·9	140·9	YEAR'S TOTAL
			1·76	1·19	2·64	·77	4·44	1·69	2·16	2·41	2·71	5·55	
Rain Days.	23	25	21	12	14	10	16	13	8	12	15	26	

W. 8,000. X. 14.

8l

~~W 8l~~

977
~~130~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
30 MAR 1917

Kept at Golden Parsonage

in the County of Hertfordshire

by E. Kitchener

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov.	Dec.	Date.
1	2.9		0.5		1.0	0.6	0.6		1.7	1.1	7.9 ~~32~~		1
2	18.0	1.8	5.6		4.9	0.8			2.2	11.1	1.8 ~~07~~		2
3		19.2	2.1		0.3	0.3			2.1	6.3	4.5 ~~18~~		3
4	7.6	3.8	(0.3)			10.3			0.6	3.0	16.0 ~~64~~		4
5	0.8	0.5		1.5	1.1	2.5				2.3	15.4 ~~62~~		5
6		1.9	9.9	5.6	0.4	3.8	10.4			2.5	16.5 ~~66~~		6
7	2.5		6.3		2.2	0.4	1.5			1.0	15.4 ~~62~~	1.5	7
8	0.3		1.0		12.8	1.5					0.5 ~~02~~	7.8	8
9					6.0					1.0		1.6	9
10		3.2	3.3	1.7		8.3	0.8			0.7			10
11	3.0	3.2	1.7	3.9	0.4	3.2			0.4				11
12	1.7	0.5	2.6	0.6	11.1	4.4	4.2	1.5		3.8		1.2	12
13		13.7	5.0	3.4	0.3	3.5	10.8	5.0		0.8			13
14		12.1		1.4	2.0			6.1		2.0		1.0	14
15		3.3	10.6	1.2			1.2	3.6		0.5			15
16	0.3	0.8	7.8	4.4	2.1		4.1	3.9		1.1			16
17	2.8	1.5		4.1		0.5	1.9	0.5	6.5	13.2			17
18		1.8	0.7	4.2				15.3	4.4	0.6	19.0 ~~76~~	0.8	18
19	1.0	1.0	5.7	3.5					13.8		20.4 ~~82~~	2.9	19
20	6.6		6.9	3.2				0.6		0.5	0.5 ~~02~~	3.0	20
21	0.3		18.6				4.1					27.7	21
22		2.7	1.0		1.8					1.2		12.4	22
23	0.6	7.8	0.3	0.2		2.0		0.8		0.9	1.3 ~~05~~	3.7	23
24		2.3	0.5		0.3	7.6		1.0		2.1	0.5 ~~02~~	8.7	24
25		14.8	2.1		1.0			3.1		6.9	1.4 ~~06~~		25
26		3.8				1.5		2.3		2.3	0.8 ~~03~~		26
27	1.7	1.2	29.1			0.9		3.7	2.1	5.5			27
28		9.2	7.0			0.6		0.7	4.1	1.8		6.5	28
29		2.2				5.2		23.1		11.5	0.3 ~~01~~	2.6	29
30					2.2	1.2		2.0		6.0			30
31								0.4		1.0		1.0	31
Total	50.1	112.3	128.8	38.9	49.9	59.1	39.6	73.6	37.9	90.7	122.2 ~~4.90~~	82.4	YEAR'S TOTAL 885.5
Rain Days.	15	23	23	14	17	20	10	17	10	27	16	15	207

W. 8,000. X. 15.

2nd OTE

REGISTER OF RAINFALL IN 1917

945

FORM A.
BRITISH RAINFALL.
9 MAR 1918

Kept at The Golden Passonage,

in the County of Hertfordshire.

by P. Kitchener

Lat. 51°46'N Long. 0°27'W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·21				1·26	·10		09	·02	1
2	·01			·05		·05		·16		·01	·02		2
3			·02	·13				·77		·48	·28		3
4		·28	·28				·02	·10		·67			4
5	·19		·04	·22				·08		08	·10		5
6			·04	·02		·20			·15	·04	·04		6
7	·25		·03				·25		·05	·50	·04		7
8	·45			·13			1·06	·50		·32	·17	·09	8
9	·03		·07	·12			·02	·78	·03		·03	·08	9
10	·26		·20	·30				·10			·03		10
11	·12	·03	·37	·04						·30			11
12	·16		·02							·35		·02	12
13	·23		·06					·20	·04				13
14			·04	·13				·25				·07	14
15	·03		·04	·07			·02	·02		·04			15
16	·04	·04		·37	·19	·20	·02			·82		·15	16
17		·03		·16	·73		·32		·38	·33		·02	17
18	·08	·07		·16	·04	·20	·28	·10	·66	·10			18
19		·20	·02		·12	·04			·33				19
20	·01	·06	·02		·75		·04		·08		·11		20
21		·02	·04	·03	·02	·03				·01	·04		21
22		·03	·09			·01				·16			22
23	·06	·07			·10			·04		·07			23
24		·03				·33		·24		·26	·02	·04	24
25		·06	·05			·04					·06	·04	25
26		·03	·07					·27	08		·20		26
27			·02					·38				·04	27
28		·03	·04			1·23		·64		·42		·05	28
29			·08			·06	·72	·27		·42		·16	29
30	·03	X	·08			·02	1·14	·06					30
31	·02	X	·12	X		X	·55	·03	X		X		31
Total	1·97	·98	1·84	2·14	1·95	2·41	4·44	6·25	1·90	5·38	1·23	·78	YEAR'S TOTAL 31·27
Rain Days.	16	14	23	15	7	12	12	20	10	19	14	12	174

W. 8,000, IX. 17.

4.50

8L

945
~~121~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Golden Parsonage, Nr Hemel Hempstead
in the County of Hertfordshire
by E. Kitchener

Lat. .... Long. ....
Time of Observation ~~9 am~~ Aug 11 – Sep 8 8 pm
Nearest Railway Station Remainder 9 am
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

See

Date	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1				5.3				31.4	2.4		2.3	0.5	1
2	0.3			1.3		1.3		3.9		0.3	0.4		2
3			0.5	3.3				19.2		12.0	7.1		3
4		7.0	6.9				0.4	2.6		16.8			4
5	4.8		1.0	5.4				2.1		2.1	2.4		5
6			1.1	0.4		5.0			3.7	0.9	1.0		6
7	6.3		0.6				6.3		1.3	12.6	0.9		7
8	11.3			3.2			26.4	12.4		8.1	4.2	2.2	8
9	0.8		1.7	3.1			0.4	19.5	0.7		0.8	2.1	9
10	6.5		5.0	7.4				2.6			0.7		10
11	3.1	0.7	9.2	1.0						7.4			11
12	4.0		0.5							8.7		0.4	12
13	5.7		1.6					5.1	1.0				13
14			1.1	3.2				6.2				1.7	14
15	0.8		0.9	1.7			0.5	0.5		1.0			15
16	1.0	1.1		9.2	4.7	5.0	0.5			20.5		3.8	16
17		0.7		3.9	18.3		8.1		9.5	8.2		0.5	17
18	1.9	1.7		4.0	1.1	5.1	7.1	2.4	16.6	2.4			18
19		5.0	0.4		3.1	0.9			8.2				19
20	0.2	1.5	0.6		18.7		1.1		1.9		2.8		20
21		0.6	1.0	0.7	0.6	0.8				0.3	1.0		21
22		0.8	2.2			0.3				4.0			22
23	1.4	1.7			2.6			0.9		1.8			23
24		0.8				8.2		5.9		6.5	0.5	1.0	24
25		1.6	1.2			1.1					1.6	1.1	25
26		0.7	1.8					6.8	2.1		5.1		26
27			0.5					9.5				0.9	27
28		0.7	0.9			30.8		16.1		10.5		1.2	28
29			2.1			1.6	18.0	6.8				4.0	29
30	0.8	X	2.0			0.6	28.4	1.6					30
31	0.6	X	3.0	X		X	13.8	0.7	X	2.3	X		31
Total	49.5	24.6	45.8	53.1	49.1	60.7	111.0	156.2	47.4	126.4	30.8	19.4	YEAR'S TOTAL 774.0
Rain Days.	16	14	23	15	7	12	12	20	10	19	14	12	174

W. 8,000, VIII. 16

DL

28

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Golden Parsonage, Hemel Hempstead
in the County of Hertfordshire
by E. Kitchener

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1		0.6		1.9				0.4	0.4		5.6	0.8	1
2	0.9	2.2		4.3				3.7	0.5		4.7	5.1	2
3		0.5	0.8		14.8			0.8	3.3		17.1	0.5	3
4		1.5	1.6					0.6	17.5	1.0	14.4	1.0	4
5		2.2			3.1			2.7	1.1	2.5		0.3	5
6	3.2	3.7		6.1	2.0							1.1	6
7	0.8	2.8		4.1	2.8	0.4			3.2	2.2	3.0		7
8									1.9	1.3	2.1	0.8	8
9		1.2	0.4	0.7		5.3	6.1		10.1	4.8		4.7	9
10	2.0			1.5			6.6		0.5	1.3		4.0	10
11	0.5			0.8	1.2		4.1		2.0	14.1	1.8	1.4	11
12	0.5	2.4			3.7		1.8						12
13		0.5			4.5		3.8		5.7			3.6	13
14	5.2		0.5			2.0	1.3		5.1	5.6	0.4	4.9	14
15	27.3			38.8		1.0	8.0		0.2			2.5	15
16	8.0			11.7					21.7	2.5		0.4	16
17	4.7			6.6	2.4		6.3	0.5	0.6			2.8	17
18	12.5			1.0		4.8	6.0		7.0	1.2		8.9	18
19	1.6	1.0	1.0	3.4		5.8	3.7			1.8		6.8	19
20	1.3	2.6		21.5		1.0	0.4		2.7	5.2		1.1	20
21	2.6			15.0		0.4			14.3	1.2		0.4	21
22	2.1				5.8		5.1		3.3			6.9	22
23	0.9				20.0		11.1	1.3	1.6			1.2	23
24		5.8				1.2	0.4		2.3		5.7		24
25						0.7	4.5	5.8		0.4	1.1		25
26							2.6	6.1		0.8	4.0	6.5	26
27		1.1	0.3	1.6			2.2	4.5	2.4		2.3	1.4	27
28	0.4	1.9	5.7	0.4		1.7		5.0			9.4	4.8	28
29	0.5								1.55 in 39.3		0.6		29
30		✕	9.4						2.2		1.7	1.5	30
31		✕	4.5	✕		✕			✕	2.7	✕	0.8	31
Total	75.0	30.0	24.2	119.4	60.3	24.3	74.0	31.4	148.9	48.6	73.9	74.2	YEAR'S TOTAL 784.2
Rain Days.	18	15	9	16	10	11	17	11	24	16	15	26	188

W. 8,000, VIII. 16

~~H~~ Ely See other copy

28

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2. 1. 19

Kept at the Golden Parsonage, Hemel Hempstead

in the County of Herts

by Elliott Kitchener M.A.; F.R. Met: Soc:

Lat. 51° 46′ N Long. 0° 57′ W

Time of Observation 9 h

Nearest Railway Station Hemel Hempstead (Mid: R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.02	–	.08	–	–	–	.02	.02	–	.22	.03	1
2	.04	.09	–	.17	–	–	–	.15	.03	trace	.19	.20	2
3	–	.02	.03	trace	.59	–	–	.03	.13	–	.68	.02	3
4	–	.06	.06	–	–	–	–	.02	.70	.04	.58	.04	4
5	–	.09	–	–	.12	–	–	.11	.04	.10	–	.01	5
6	.13	.15	trace	.24	.08	–	–	–	–	–	–	.04	6
7	.03	.11	–	.16	.11	.02	–	–	.13	.09	.12	trace	7
8	–	–	–	trace	–	–	–	–	.08	.05	.08	.03	8
9	–	.05	.02	.03	trace	.21	.24	–	.40	.19	–	.19	9
10	.08	–	–	.06	–	–	.26	–	.02	.05	–	.16	10
11	.02	–	–	.03	.05	–	.16	–	.08	.56	.07	.06	11
12	.02	.10	–	–	.15	–	.07	–	trace	–	–	–	12
13	–	.02	–	trace	.18	–	.15	–	.23	–	–	.14	13
14	.21	–	.02	trace	–	.08	.05	–	.20	.22	.02	.19	14
15	1.09	trace	–	1.55	–	.04	.32	–	.01	–	–	.10	15
16	.32	–	–	.47	–	–	–	–	.87	.10	–	.02	16
17	.19	–	–	.26	.10	–	.25	.02	.02	–	–	.11	17
18	.50	trace	–	.04	–	.19	.24	–	.28	.05	–	.36	18
19	.06	.04	.04	.14	–	.23	.15	–	–	.07	–	.27	19
20	.05	.10	–	.86	–	.04	.02	–	.11	.21	trace	.04	20
21	.16	–	–	.60	–	.02	–	–	.57	.05	–	.02	21
22	.08	–	–	–	.23	–	.20	–	.13	–	–	.28	22
23	.04	–	–	–	.80	–	.44	.05	.06	–	–	.05	23
24	–	.23	–	–	–	.05	.02	–	.09	–	$.2\overset{3}{3}$	–	24
25	–	–	–	–	–	.03	.18	.23	–	.02	.04	–	25
26	–	–	–	–	–	–	.10	.24	–	.03	.16	.26	26
27	–	.04	.01	$.0\overset{6}{6}$	–	–	.09	.18	.10	–	.09	.06	27
28	.02	.08	.23	.02	–	.07	–	.20	–	–	.38	.19	28
29	.02	X	–	–	–	–	–	–	1.57	–	.02	–	29
30	–	X	.38	–	–	–	–	–	.08	–	.07	.06	30
31	trace	X	.18	X	–	X	–	–	X	.11	X	.03	31
Total	3.00	✓ 1.20	✓ 0.97	✓ 4.77	✓ 2.41	✓ 0.98	✓ 2.94	✓ 1.25	✓ 5.94	✓ 1.94	✓ 2.95	✓ 2.96	YEAR'S TOTAL 31.35
Rain Days.	18	✓ 15	✓ 9	✓ 16	✓ 10	✓ 11	✓ 17.	✓ 11	✓ 24	✓ 16	✓ 15	✓ 26	✓ 188 ✓

82

893

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Golden Parsonage
in the County of Hertfordshire
by E. Kitchener

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers ~~not~~ to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	9.7	0.7	0.3		2.8		9.1			0.7	0.5	32.2	1
2	5.0		0.4		1.0		1.5	0.2	4.0	11.3	4.3	15.2	2
3	11.3		7.1		0.2		1.7	0.2	1.2		1.6	8.3	3
4	2.3	1.1	9.3			1.9	3.1		3.0			4.7	4
5	1.3	7.6	11.9				11.4	0.5	14.0			7.0	5
6	0.7		2.9		20.6			1.0		0.3	1.0	4.0	6
7	2.0		12.6								3.5		7
8	4.1		1.7	2.7							0.3		8
9			0.6	1.7	2.0						2.5		9
10	0.7		3.6	0.7						0.4	0.6	2.5	10
11	0.6		3.5		0.2		10.4				0.4	0.6	11
12			8.3	8.2		2.9	2.2			2.4	0.5		12
13	0.7	1.4		3.2					0.4	3.5		0.6	13
14	8.4			13.6			2.3		2.2	2.1		0.4	14
15	10.6	1.4	3.6	5.8						2.3	0.5	11.4	15
16	0.4	19.7		1.9							3.8	0.7	16
17		13.7									5.4	1.0	17
18		2.7	2.0					0.2	0.6		1.2	1.5	18
19	1.2	3.7	19.4			4.9	4.3	10.3	5.0		2.4	0.4	19
20	7.1	1.5	2.7			13.1	11.8	12.5					20
21	7.6	10.9	1.0				6.9			0.2	0.6	2.0	21
22		4.5				0.7	2.3		8.8			10.0	22
23					0.4	1.6		2.1	1.0	1.4	0.7	0.2	23
24				4.0	1.5		4.6	0.8		6.8	3.4	1.2	24
25	2.3			3.1		2.8		9.1				2.0	25
26	4.3	7.1	4.0	2.3				4.5	3.8			9.9	26
27	40.1	1.5		35.6				12.2				0.8	27
28			3.1	2.0			0.3	20.1		0.5	8.7	8.3	28
29	1.4			2.4			0.3	5.0		7.4	0.6	0.4	29
30			1.9	7.5		4.2		2.7		1.6	8.3	16.1	30
31	0.2		0.3							0.4		0.5	31
Total	122.0	77.5	100.2	94.7	28.7	32.1	72.2	81.4	44.0	41.3	50.8	141.9	YEAR'S TOTAL 886.8
Rain Days.	22	14	21	15	8	8	15	15	11	15	21	26	191
										1.62 in	2.00	5.58	34.92

[illegible] 893

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Golden Parsonage nr Hemel Hempstead (4 miles)
in the County of Hertfordshire
by Elliott Kitchener M.A.

Lat. 51° 46' N Long. 0° 57' W
Time of Observation 9 h.
Nearest Railway Station Hemel Hempstead (Midland)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.7	0.7	0.3	-	2.8	-	9.1	0.2	-	0.7	0.5	32.2 ~~1.9~~	1
2	5.6	-	0.4	-	1.0	-	1.8	0.2	4.0	11.3	4.3	15.2 ~~6.1~~	2
3	11.3	-	7.1	-	0.2	-	1.7	-	1.2	-	1.6	8.3	3
4	2.3	1.1	9.3	-	-	1.9	3.1	0.5	3.0	-	-	4.7	4
5	1.3	7.6	11.9	-	-	-	11.4	1.0	14.6	-	-	7.0	5
6	0.7	-	2.9	-	20.6	-	-	-	-	0.3	1.0	4.0	6
7	2.0	-	12.6	-	-	-	-	-	-	-	3.5	-	7
8	4.1	-	1.7	2.7	-	-	-	-	-	-	0.3	-	8
9	-	-	0.6	1.7	2.0	-	-	-	-	-	2.5	-	9
10	0.7	-	3.6	0.7	-	-	-	-	-	0.4	0.6	2.5	10
11	0.6	-	3.5	-	0.2	- ~~[illegible]~~	10.4	-	-	-	0.4	0.6	11
12	trace	-	8.3	8.2	-	2.9	2.2	-	trace	2.4	0.5	-	12
13	0.7	1.4	-	3.2	-	-	-	-	0.4	3.5	-	0.6	13
14	8.4	trace	-	13.6	-	-	2.3	-	2.2	2.1	-	0.4 ~~[illegible]~~	14
15	10.6	1.4	3.6	5.8	-	-	-	-	-	2.3	0.5	11.4	15
16	0.4	19.7	-	1.9	-	-	-	-	-	-	3.8	0.7	16
17	-	13.7	-	-	-	-	-	-	-	-	5.4	1.0	17
18	-	2.7	2.0	-	-	- ~~[illegible]~~	-	0.2	0.6	-	1.2	1.5	18
19	1.2	3.7	19.4	-	-	4.9	4.3	10.3	5.0	-	2.4	0.4	19
20	7.1	1.5	2.7	-	-	13.1	11.8	12.5	trace	trace	-	-	20
21	7.6	10.9	1.0	-	-	trace	6.9	-	-	0.2	0.6	2.0	21
22	-	4.5	-	-	-	0.7	2.3	-	8.8	-	-	10.0	22
23	-	-	-	-	0.4	1.6	-	2.1	1.0	1.4	0.7	0.2	23
24	-	-	-	4.0	1.5	-	4.6	0.8	-	6.8	3.4	1.2	24
25	2.3	trace	-	3.1	-	2.8	-	9.1	-	-	-	2.0	25
26	4.3	7.1	4.0	2.3	-	-	-	4.5	3.8	-	-	9.9	26
27	40.1	1.5	trace	35.6	-	-	-	12.2	-	-	trace	0.8	27
28	-	-	3.1	2.0	-	-	0.3	20.1	-	0.5	8.7	8.3	28
29	1.4		-	2.4	-	-	0.3	5.0	-	7.4	0.6	0.4	29
30	-		1.9	7.5	-	4.2	-	2.7	-	1.6	8.3	16.1	30
31	0.2		0.3		-		-	-		0.4		0.5	31
Total	122.0	77.5	100.2	94.7	28.7	32.1	72.2	81.4	44.0	41.3	50.8	141.9	Year's Total 886.8 ✓
Days with 0·2 mm. or more	22	14	21	15	8	8	15	15	11	15	21	26	191 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

846

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Golden Parsonage nr Hemel Hempstead
in the County of Hertfordshire
by F Kitchener M.A. F.R.Met.Soc.

Lat. 51° 46' N Long. 0° 27 W
Time of Observation 9h (always G MT)
Nearest Railway Station Hemel Hempstead (MR)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	20.0	3.9	-	6.2	0.3	-	9.2	trace	8.6	1
2	-	-	0.4	5.3	-	-	0.8	7.6	2.6	1.6	-	3.5	2
3	-	1.0	-	0.9	trace	trace	1.0	-	2.1	2.1	trace	1.3	3
4	trace	-	-	1.2	-	-	5.7	3.9	0.2	8.2	-	1.7	4
5	-	trace	0.7	1.8	1.6	-	13.4	1.4	1.0	-	-	0.4	5
6	-	-	4.8	-	1.8	-	9.5	-	-	trace	-	0.5	6
7	0.5	0.2	0.9	0.5	-	-	6.2	-	-	-	trace	-	7
8	3.9	1.0	-	8.1	1.8	-	3.7	0.5	-	0.3	-	-	8
9	8.5	-	-	6.1	-	-	-	0.2	-	-	-	-	9
10	9.1	1.5	1.8	0.6	-	1.0	2.9	-	-	-	trace	trace	10
11	9.0	-	1.2	3.5	2.0	1.5	2.8	-	-	-	-	1.6	11
12	1.7	0.3	-	4.8	-	13.4	0.4	-	-	trace	3.2	-	12
13	2.0	1.1	2.4	5.7	-	-	-	-	0.3	-	2.1	trace	13
14	trace	trace	8.7	8.3	-	9.4	3.0	-	-	10.0	10.5	1.4	14
15	0.4	1.1	5.3	3.9	-	-	0.6	-	5.1	3.6	1.9	trace	15
16	-	-	0.3	1.3	1.1	6.5	-	-	2.4	2.6	-	0.4	16
17	0.6	-	trace	0.6	4.1	3.0	1.5	-	0.3	-	0.3	0.8	17
18	1.6	-	0.5	-	0.5	-	-	12.4	8.5	-	-	1.0	18
19	4.0	-	-	8.7	0.4	2.0	-	3.7	-	-	trace	-	19
20	1.5	2.9	-	9.0	-	10.9	-	-	-	-	-	1.1	20
21	-	-	-	trace	-	-	8.3	-	9.9	-	-	1.7	21
22	0.2	-	-	5.3	-	-	0.3	1.2	4.0	trace	0.3	2.9	22
23	0.3	-	-	-	-	-	22.8	-	trace	-	-	11.1	23
24	0.9	trace	3.5	0.2	-	-	-	-	-	-	-	1.7	24
25	-	1.8	1.7	1.4	2.4	trace	9.0	-	-	-	trace	-	25
26	5.0	-	4.4	0.2	2.3	0.6	0.8	-	-	0.3	-	1.0	26
27	9.0	2.8	trace	5.5	-	7.2	-	-	trace	-	15.8	5.5	27
28	14.2	-	4.8	-	5.1	0.6	1.8	-	-	0.3	-	0.3	28
29	5.7	-	0.8	-	3.7	trace	1.9	-	-	-	4.2	6.9	29
30	0.7		-	-	-	2.6	7.6	-	7.8	trace	5.0	4.3	30
31	0.3		-		0.8		-	-		5.2		5.4	31
TOTAL	79.1	13.7	42.2	102.9	31.5	58.7	109.5	31.2	44.2	43.4	43.3	63.1	YEAR'S TOTAL 662.8 ✓
Days with 0·2 mm. or more	21	10	16	22	14	12	22	9	12	11	9	22	18[illegible]
Days with 1·0 mm. or more	13	8	10.	16	11.	10	17	6	9.	8	7	17	132

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

W W1D

846

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept ~~*at*~~ ~~near~~ Hemel Hempstead NC
in the County of Hertfordshire
by Elliot Kitchener, M.A.

Lat. 51° 46′ N Long. 0° 57′ W
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 536 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	25.3 mm. one day	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	20.0 ×	3.9	-	6.2	0.3	2.6	9.2	-	8.6	1
2	-	-	0.4	5.3	-	-	0.8	7.6	2.1	1.6	-	3.5	2
3	-	1.0	-	0.9	-	-	1.0	-	0.2	2.1	-	1.3	3
4	-	-	-	1.2	-	-	5.7	3.9	1.0	8.2	-	1.7	4
5	-	-	0.7	1.8	1.6	-	13.4	1.4	-	-	-	0.4	5
6	-	-	4.8	-	1.8	-	9.5	-	-	-	-	0.5	6
7	0.5	0.2	0.9	0.5	-	-	6.2	-	-	-	-	-	7
8	3.9	1.0	-	8.1	1.8	-	3.7	0.5	-	0.3	-	-	8
9	8.5	-	-	6.1	-	-	-	0.2	-	-	-	-	9
10	9.1	1.5	1.8	0.6	-	1.0	2.5	-	-	-	-	-	10
11	9.0	-	1.2	3.5	2.0	1.5	2.8	-	-	-	-	1.6	11
12	1.7	0.3	-	4.8	-	13.4	0.4	-	-	-	3.2	-	12
13	2.0	1.1	2.4	5.7	-	-	-	-	0.3	-	2.1	-	13
14	-	-	8.7	8.3	-	9.4	3.0	-	-	10.0	10.5	1.4	14
15	0.4	1.1	5.3	3.9	-	-	0.6	-	5.1	3.6	1.9	-	15
16	-	-	0.3	1.3	1.1	6.5	-	-	2.4	2.6	-	0.4	16
17	0.6	-	-	0.6	4.1	3.0	1.5	-	0.3	-	0.3	0.8	17
18	1.6	-	0.5	-	0.5	-	-	12.4	8.5	-	-	1.0	18
19	4.0	-	-	8.7	0.4	2.0	-	3.7	-	-	-	-	19
20	1.5	2.9	-	9.0	-	10.9	-	-	-	-	-	1.1	20
21	-	-	-	-	-	-	8.3	-	9.9	-	-	1.7	21
22	0.2	-	-	5.3	-	-	0.3	1.2	4.0	-	0.3	2.9	22
23	0.3	-	-	-	-	-	22.8	-	-	-	-	11.1	23
24	0.9	-	3.5	0.2	-	-	-	-	-	-	-	1.7	24
25	-	1.8	1.7	1.4	2.4	-	9.0	-	-	-	-	-	25
26	5.0	-	4.4	0.2	2.3	0.6	0.8	-	-	0.3	-	1.0	26
27	9.0	2.8	-	5.5	-	7.2	-	-	-	-	15.8	5.5	27
28	14.2	-	4.8	-	5.1	0.6	1.5	-	-	0.3	-	0.3	28
29	5.7	-	0.8	-	3.7	-	1.9	-	-	-	4.2	6.9	29
30	0.7	✕	-	-	-	2.6	7.6	-	7.8	-	5.0	4.3	30
31	0.3	✕	-	✕	0.8	✕	-	-	✕	5.2	✕	5.4	31
Total	79.1 ✓	13.7 ✓	42.2 ✓	102.9 ✓	31.5 ✓	58.7 ✓	109.5	31.2 ✓	44.2 ✓	43.4 ✓	43.3 ✓	63.1 ✓	Year's Total 662.8
Days with 0.2 mm. or more	21 ✓	10 ✓	16 ✓	~~22~~ 21 ✓	14 ✓	12 ✓	22 ✓	9 ✓	12 ✓	11 ✓	9 ✓	22 ✓	180
	18	9	15	20	14	12	20	7	10	8	7	20	159

(44,284). Wt.21,958—208. 500. 10/19. Gp.132. A.&E.W. × measured at 20h. 25.3 mms had fallen by 9h on 2nd; so max. fall should read 25.3 mms which would have been measured at 9h (2nd) & entered to 1st.

Copied from R 320z.

Please note – that on

Ap: 2nd – 12th

July 6th

Aug: 10th, 11th; 20th – 24th

Sept: 9th – 18th

the readings were taken by deputy – all of them at 21 h when GMT prevailed but at 20 h when Summer Time prevailed

E.K.

8 JAN 1921

8 JA

April [illegible] 8.11.13

RE 912

HERTS.

HEMEL HEMPSTEAD – SPRINGFIELD

1912 – 1915

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at "Springfield"
in the County of Her
by C.A. Brac

Long.
n 7 am.
tation Boxmoor, L.&N.W.
Gauge 5 in.
auge above Ground 1 ft. in.
" Sea Level ft.

IMPORTANT NO m. and the result entered to the previous day. If an C st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				(·10)	–	·06	·11	–	·03	·32	–	·19	1
2					–	·25	·32	·02	·01	–	–	–	2
3					·14	·17	·01	·23	·02	–	–	·09	3
4				–	·28	·18	–	·08	–	–	·21	–	4
5				–	–	–	–	·23	–	–	·06	·02	5
6				–	–	–	–	·34	–	–	–	·09	6
7				–	·04	·59	–	·12	–	–	–	·12	7
8				–	–	·03	–	·13	·01	–	–	·05	8
9				·09 *	·02	·30	·01	–	–	–	–	·25	9
10				–	–	·01	–	·13	·01	–	·26	·09	10
11				–	–	–	–	–	·02	–	·06	·20	11
12				–	– T4p.	·09	–	–	–	–	·12	·01	12
13				–	–	·03	–	–	·01	–	·17	–	13
14				–	·02	–	–	·09	–	·04	–	·01	14
15				–	·43	·29	–	·02	–	–	·01	·24	15
16				–	·01 ▲11a	·07	–	·10	–	·09	·05	–	16
17				–	–	·09	–	·15	–	–	–	–	17
18				–	–	–	–	·34	–	–	–	·14	18
19				–	–	–	·17	·48	–	·01	·01	–	19
20				–	–	–	·02	·09	–	·35	–	–	20
21				–	·36	–	–	·16	–	·11	·08	–	21
22				–	·09	–	·21	·07	–	–	–	·02	22
23				–	–	–	·27	·58	–	·02	·15	·33	23
24				–	–	·11	–	·16	–	–	–	·27	24
25				–	–	·23	–	·30	–	–	·25	·57	25
26				–	–	–	·14	·52	–	·52	·58	·28	26
27				–	–	·09	–	–	–	·27	–	·24	27
28				–	–	·04	·07	·08	·01	·67	·49	·41	28
29				·01	–	·20	·22	·49	1·56	·06	·05	–	29
30				–	·35	–	·03	·03	1·11	·26	–	–	30
31					·12		·35	[illegible]1		–		·05	31
Total				(0·20)	1·86	2·83	1·93	5·05	2·79	2·72	2·55	3·67	YEAR'S TOTAL [~~23·50~~]
Rain Days.				(4)	11	18	13	25	10	12	15	21	[~~127~~]

Observations commenced on April 4th. 1912.

W. 7,500, XI. ·12

Apr 1 [illegible] 5.III.13

REGIS 912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at "Springfield" Manor Estate Hemel Hempstead
in the County of Herts
by C A Bracey

Lat. Long.
Time of Observation 7 am.
Nearest Railway Station Boxmoor, L.N.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				(·10)	—	·06	·11	—	·03	·32	—	·19	1
2					—	·25	·32	·02	·01	—	—	—	2
3					·14	·17	·01	·23	·02	—	—	·09	3
4				—	·28	·18	—	·08	—	—	·21	—	4
5				—	—	—	—	·23	—	—	·06	·02	5
6				—	—	—	—	·34	—	—	—	·09	6
7				—	·04	·59	—	·12	—	—	—	·12	7
8				—	—	·03	—	·13	·01	—	—	·05	8
9				·09 *	·02	·30	·01	—	—	—	—	·25	9
10				—	—	·01	—	·13	·01	—	·26	·09	10
11				—	—	—	—	—	·02	—	·06	·20	11
12				—	— T4p.	·09	—	—	—	—	·12	·01	12
13				—	—	·03	—	—	·01	—	·17	—	13
14				—	·02	—	—	·09	—	·04	—	·01	14
15				—	·43	·29	—	·02	—	—	·01	·24	15
16				—	·01 ▲11a	·07	—	·10	—	·09	·05	—	16
17				—	—	·09	—	·15	—	—	—	—	17
18				—	—	—	—	·34	—	—	—	·14	18
19				—	—	—	·17	·48	—	·01	·01	—	19
20				—	—	—	·02	·09	—	·35	—	—	20
21				—	·36	—	—	·16	—	·11	·08	—	21
22				—	·09	—	·21	·07	—	—	—	·02	22
23				—	—	—	·27	·58	—	·02	·15	·33	23
24				—	—	·11	—	·16	—	—	—	·27	24
25				—	—	·23	—	·30	—	—	·25	·57	25
26				—	—	—	·14	·52	—	·52	·58	·28	26
27				—	—	·09	—	—	—	·27	—	·24	27
28				—	—	·04	·07	·08	·01	·67	·49	·41	28
29				·01	—	·20	·22	·49	1·56	·06	·05	—	29
30				—	·35	—	·03	·03	1·11	·26	—	—	30
31					·12		·35	·11		—		·05	31
Total				(0·20)	1·86	2·83	1·93	5·05	2·79	2·72	2·55	3·67	YEAR'S TOTAL ~~[23·60]~~
Rain Days.				(4)	11	18	13	25	10	12	15	21	[177]

Observations commenced on April 4th. 1912.

W. 7,500, XI. ·12

1 ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

17 FEB 1914

Est 98

Kept at "Springfield" Manor Estate [Hemel Hempstead
in the County of Herts
by C. A. Bracey

Lat. ? Long. ?
Time of Observation 7 a.m.
Nearest Railway Station Boxmoor (L&NW.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·16	·19	·09	·06	–	–	–	·34	–	·16	·08	1
2	–	·12	–	·02	–	–	·07	–	·02	·57	·26	–	2
3	·08	–	·03	·07	·56	–	–	–	–	–	–	·12	3
4	·43	–	·09	–	·04	–	·16	–	–	·25	·05	·08	4
5	·12	–	–	–	–	·03	·11	–	·06	·10	·01	·06	5
6	·01	·07	·03	–	·12	·23	·02	–	–	·01	–	·09	6
7	–	·23	–	–	·12	·02	–	–	–	·71	–	·02	7
8	–	·01	·05	–	·20	·12	–	–	–	·11	·12	–	8
9	–	·18	–	–	·03	·01	·01	–	·04	–	·02	·05	9
10	–	–	–	·06	–	–	·85	·02	–	–	·28	–	10
11	·59	–	–	·50	·17	–	–	·20	–	·56	·32	–	11
12	–	·01	–	–	·01	–	–	–	–	·01	·45	–	12
13	·03	–	–	–	–	–	–	·03	·04	–	·34	–	13
14	·11	·02	·10	·04	–	–	·01	·07	–	·13	·22	–	14
15	·17	·03	·31	·35	–	–	·35	–	·09	–	–	–	15
16	·10	–	·34	·23	–	–	–	–	·03	–	–	–	16
17	·04	·01	·13	·07	–	·05	·14	–	–	–	·01	·06	17
18	·02	–	·11	·28	–	–	–	–	–	–	·03	–	18
19	·67	–	·10	–	–	–	·12	–	·47	–	–	·02	19
20	·15	–	·04	·06	–	–	–	–	–	·44	–	–	20
21	·02	–	·20	–	·06	–	·03	–	·01	·12	·43	–	21
22	·49	·03	·22	·02	–	–	–	–	·17	–	–	–	22
23	–	–	–	–	–	·06	–	·06	·06	–	·01	·10	23
24	–	–	–	–	–	–	–	–	–	–	–	–	24
25	–	·01	–	·18	–	·01	–	–	–	–	–	–	25
26	–	·02	·17	20	–	–	–	·12	–	·50	–	·20	26
27	–	·02	–	·10	–	–	–	–	–	–	–	–	27
28	·31	–	·29	·15	–	–	–	–	–	·15	–	–	28
29	·03	.	·08	·51	·32	–	–	·09	–	·11	–	·05	29
30	·33	.	–	·02	–	–	–	·09	–	·27	–	·03	30
31	–	.	·06	.	–	.	–	·31	.	–		–	31
Total	3·74	0·92	2·54	2·95	1·69	0·53	1·87	0·99	1·33	4·04	2·71	0·96	YEAR'S TOTAL 24·27
Rain Days.	19	14	18	18	11	8	11	9	11	15	15	13	162

W.7,000, XI. 13

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at "Springfield," Manor Estate, Hemel Hempstead

in the County of Herts 2

by C. A. Bracey

Lat. Long.

Time of Observation 7 am.

Nearest Railway Station Boxmoor (L. & N. W.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	.11	-	-	.06	.01	1
2	-	-	-	.02	-	-	.04	.03	-	-	.06	.17	2
3	.03	-	.02	-	.22	-	.22	.16	-	-	29	.02	3
4	.11	-	.01	.34	.01	-	-	.17	-	-	.31	.65	4
5	.05	-	.07	.22	.12	.09	.46	.37	-	-	-	-	5
6	-	.13	-	.04	.09	.07	.07	.04	-	-	.47	.30	6
7	-	.33	.26	.08	.25	.09	-	-	-	-	.01	.39	7
8	.06	.26	.90	.06	.15	.31	.17	.16	-	-	-	.01	8
9	.20	-	.62	.10	.01	.38	-	-	.07	-	-	1.28	9
10	-	.06	-	.08	.04	-	-	-	.18	-	-	-	10
11	-	.45	.48	.01	.04	.68	-	-	.02	-	.23	.27	11
12	-	.07	.07	tr.	-	-	.13	-	.32	.01	.01	.37	12
13	-	.41	.27	-	-	-	-	-	.27	.04	.05	.40	13
14	-	.17	.46	-	-	-	.04	-	-	.33	.09	.34	14
15	.05	.02	.19	-	-	-	.01	.04	.02	.11	.07	.07	15
16	.01	-	.05	-	-	-	-	-	.02	-	.08	-	16
17	-	.44	.13	-	-	-	-	-	.27	tr	-	.25	17
18	-	.08	.10	-	-	-	-	-	-	-	-	.53	18
19	-	.09	.10	-	-	.12	.16	-	.02	-	.16	.06	19
20	-	.43	.30	-	-	-	.03	-	.01	.01	-	.17	20
21	-	.50	.09	-	-	.07	-	-	-	.03	-	.08	21
22	-	.05	.03	-	.06	.08	.10	.10	-	.76	-	-	22
23	-	.18	.11	-	.07	-	.09	-	-	.11	-	-	23
24	-	-	.03	.04	-	-	.09	-	-	.16	.11	-	24
25	.05	-	.15	-	-	-	-	.07	-	.38	tr	.14	25
26	-	-	.05	-	-	-	.02	.11	-	.02	.18	.52	26
27	.06	-	.03	-	-	-	-	-	-	-	.03	.29	27
28	-	.04	-	-	.05	-	-	-	-	.07	.33	1.43	28
29	.08		.14	-	-	-	-	-	-	.27	.16	.02	29
30	-	X	.04	-	-	-	-	-	-	.05	.38	.39	30
31	.03	X	-	X	.07	X	.07	-	X	-	X	.07	31
Total	0.73	3.71	4.70	0.99	1.18	1.89	1.70	1.36	1.20	2.35	3.08	8.23	YEAR'S TOTAL 31.12
Rain Days.	11	17	25	10	13	9	15	11	10	14	19	25	179

W. 8,000. X. 14.

Rain amounts given on this sheet were measured each day at 7 a.m. and entered to the previous day.

C.a.B.
4/1/15.

1000

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Springfield" Manor Estate
Hemel Hempstead
in the County of Herts.
by C A Bracey

Lat. Long.
Time of Observation 7am
Nearest Railway Station Boxmoor
Diameter of Funnel of Rain Gauge 5 ins in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.56	.15	–	–	.03	–	–	.04	.21	.04	.24	.28	1
2	.13	.33	.24	.12	–	.13	–	.67	.04	.06	.01	–	2
3	.63	–	.09	14	–	–	.22	.34	.02	–	–	–	3
4	.20	–	–	–	–	–	–	.02	–	–	.01	.65	4
5	.06	.45	–	–	.05	–	–	–	–	.02	–	.19	5
6	.16	.01	.01	.34	–	–	.55	.03	–	–	–	.08	6
7	.11	37	.09	–	–	–	.32	.09	–	–	–	.23	7
8	.08	.40	.03	.06	–	–	.02	–	–	–	–	–	8
9	.04	.04	–	.11	–	.04	–	.10	–	–	.23	.56	9
10	.36	–	–	–	–	.02	–	.06	–	–	–	–	10
11	.02	–	.03	–	–	–	–	–	–	–	.75	.12	11
12	.08	–	–	.27	.27	–	–	.37	–	.07	.76	–	12
13	–	.51	–	–	1.51	–	–	–	–	–	–	–	13
14	–	.01	–	–	–	–	.82	.07	.05	–	–	.57	14
15	.31	.02	–	–	.02	–	–	.18	–	–	.18	.21	15
16	.02	.41	–	–	–	–	.74	–	–	–	.06	.03	16
17	–	.63	–	–	.40	–	.15	.25	–	–	.07	–	17
18	–	.17	.14	–	.03	–	–	–	–	–	.04	–	18
19	–	.05	.04	–	.01	–	.16	–	–	–	–	–	19
20	.38	–	–	.10	.01	–	–	–	–	–	–	.22	20
21	.11	.07	–	–	.08	–	03	–	–	–	–	–	21
22	.90	.21	.36	–	–	–	54 ~~.03~~	–	.01	–	–	.25	22
23	–	.55	.15	.01	–	.02	43 ~~.54~~	–	.08	.47	–	.32	23
24	–	.01	.06	–	–	.01	06 ~~.43~~	–	.61	.12	–	–	24
25	–	–	–	.04	–	.05	08 ~~.06~~	–	–	.04	.02	–	25
26	.03	.13	–	–	–	.08	04	–	–	.36	–	.70	26
27	–	.06	–	–	–	.09	.28	–	–	.41	–	.08	27
28	–	.09	–	–	–	.06	.03	.23	1.23	.17	–	–	28
29	–		–	–	–	.08	.15	–	–	–	.16	– ~~.03~~	29
30	.04	X	–	–	–	.13	–	.06	–	.04	.12	03 ~~.19~~	30
31	.05	X	–	X		X	–	–	X	.96	X	.19	31
Total	4.27	4.67	1.24	1.19	2.41	0.71	4.62	2.51	2.25	2.76	2.65	4.71	YEAR'S TOTAL 33.99
Rain Days.	20	21	11	9	10	11	17	14	8	12	13	17	163

W. 8,000. X. 15.

DL

HERTFORD S.W
HERTFORDSHIRE
1911-1920.

ALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

146

Kept
in the
by

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 120·5 ft.

ime of Observation

earest Railway Station
Name
Distance Direction

I
previc
reques
for it
the s
Organ
Dr. H

laily at 9 a.m., and the result entered to the
to this almost universal rule, he is earnestly
of the following year in the space provided
for the measurement of rain,
lars as to the British Rainfall
sent post-free on application to

Jan. 1, following.

Date.								Aug.	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
1													1
2	·12			·19	·15		·04	·04			·11	·06	2
3		·01			·18	·46				·09	·03	·05	3
4	·03	·01	·05	·06						·02	·08	·32	4
5				·01						·03		·11	5
6	·17		·04									·40	6
7										·12	·21	·26	7
8	·16		·10								·15	·21	8
9	·10		·10										9
10	·01	·07	·04								·04	·36	10
11	·14				·37						·48		11
12	·01		·37		·01				·03		·22		12
13					·05				·40	·48	·02	·18	13
14			·01		·39							·47	14
15		·02	·25							·01	·01		15
16			·01			·27					·23	·05	16
17						·08					·15	·10	17
18		·12				·14					·37	·08	18
19						·08			·14	·11	·22	·04	19
20		·01	·01					·30	·19	·03		·57	20
21		·11				·03		·18		·50		·08	21
22	·15		·13							·08		·56	22
23	·01	·09	·31			·98			·25		·01	·13	23
24		·04	·01							·85		·15	24
25				·06		·20	1·42			·03		·03	25
26				·11			·02					·14	26
27		·26	·08						·15	·13	·06	·05	27
28		·34		·19	·03			·03			·02		28
29				·02		·14	·15		·28	·15			29
30				·05	·05					·12			30
31					·49								31
Total	·90	1·08	1·51	·89	1·72	2·38	1·63	·55	1·44	2·75	2·41	4·40	TOTAL for year 21·66
No. of Rain Days	10	11	14	9	9	9	4	4	7	15	17	22	131

9,000, IX. '10.

DL

146

ALL IN 1911

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at *Hertford*

in the County of *Hertfordshire* 3

by *Met: Water Board*

RAIN GAUGE	Pattern
	Diameter of top 8 in.
	Height of top above Ground 1 ft. in.
	" " " Sea Level 120·5 ft.

Time of Observation

Nearest Railway Station: Name; Distance; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20									1
2	·12			·19	·15		·04	·04			·11	·06	2
3		·01			·18	·46				·09	·03	·05	3
4	·03	·01	·05	·06						·02	·08	·32	4
5				·01						·03		·11	5
6	·17		·04									·40	6
7										·12	·21	·26	7
8	·16		·10								·15	·21	8
9	·10		·10										9
10	·01	·07	·04								·04	·36	10
11	·14				·37						·48		11
12	·01		·37		·01				·03		·22		12
13					·05				·40	·48	·02	·18	13
14			·01		·39							·47	14
15		·02	·25							·01	·01		15
16			·01			·27					·23	·05	16
17						·08					·15	·10	17
18		·12				·14					·37	·08	18
19						·08			·14	·11	·22	·04	19
20		·01	·01					·30	·19	·03		·57	20
21		·11				·03		·18		·50		·08	21
22	·15		·13							·08		·56	22
23	·01	·09	·31			·98			·25		·01	·13	23
24		·04	·01							·85		·15	24
25				·06		·20	1·42			·03		·03	25
26				·11			·02					·14	26
27		·26	·08						·15	·13	·06	·05	27
28		·34		·19	·03			·03			·02		28
29				·02		·14	·15		·28	·15			29
30				·05	·05					·12			30
31					·49								31
Total	·90	1·08	1·51	·89	1·72	2·38	1·63	·55	1·44	2·75	2·41	4·40	TOTAL for year 21·66
No. of Rain Days	10	11	14	9	9	9	4	4	7	15	17	22	131

9,000, IX. '10.

88 ~~Ex. [illegible]~~ 150

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
24 JAN 1913

Kept at Hertford Sewage Works

in the County of Hertfordshire 3

by

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04				·01		·07	·25		·12	1
2		·01	·07			·39	·35	·20					2
3	·09				·15	·15		·42	·02			·04	3
4	·20		·61		·13	·11		·02			·28		4
5	·08	·05	·17					·08	·01		·06		5
6	·29	·02						·30				·02	6
7						·60		·43					7
8	·30	·34	·20			·01	·05	·71	·06			·01	8
9	·03	·05		·06		·39	·02					·13	9
10		·03				·01		·54			·10	·09	10
11	·06	·22				·05			·03			·07	11
12	·07		·05		·03	·12					·06		12
13		·11				·03		·19	·01		·12		13
14					·02			·02		·09			14
15		·02	·10		·13	·30		·02		·03		·17	15
16	·19				·08	·09		·09			·08		16
17	·45		·26			·09		·04			·01		17
18	·03		·08					·08			·03	·08	18
19	·15	·04	·10				·05	·28					19
20			·11				·03	·20		·38			20
21			·45		·08			·09		·06	·04		21
22	·36	·08	·08		·04		·02	·10		·01		·02	22
23	·32	·19	·22				·18	·41			·12		23
24	·45						·02	·11					24
25						·12		·85			·20	·57	25
26		·02					·11	·38		·29	·52	·30	26
27										·11	·01	·15	27
28		·03		·01				·01		·28	·34	·31	28
29		·05				·20	·10	·12	1·31	·44	·04		29
30					·15	·09		·16	·85	·19			30
31			·11		·01		·13	·23		·01		·04	31
Total	3·07	1·26	2·65	·07	·82	2·75	1·07	6·08	2·36	2·14	2·01	2·12	TOTAL for year 26·40
No. of Rain Days.	15	15	15 ~~14~~	2	10	16	12	26	8	12	15	15	161

W. 8,000, X. '11.

82.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

15·6

27 JAN 1914

Kept at Hertford, Sewage Works
in the County of Hertfordshire E+ R 3
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·09	·06	·09					·17	·01	·22	·04	1
2	·06	·10			·07		·07				·01		2
3			·05	·06	·40							·05	3
4	·15		·05		·10		·17			·21	·02	·04	4
5	·03					·04	·11		·04	·22	·01	·15	5
6		·03	·02		·07	·11	·05		·02	·20	·01		6
7		·09			·05	·01	·26	·03		·35	·05		7
8			·01		·15	·02				·05	·05		8
9		·19	·01	·02	·03	·01			·07		·02	·08	9
10	·01		·02	·05			·10	·01			·28		10
11	·32			·37	·05			·07		·33	·10		11
12					·02						·31		12
13								·02			·35		13
14	·09	·02	·04	·03			·44	·06		·16	·16		14
15	·14	·07	·23	·19			·24		·02				15
16	·04		·23	·11					·06				16
17	·01	·03	·06	·08		·91	·10					·03	17
18	·02		·10	·26					·57		·06		18
19	·18		·04	·03			·14		·15			·03	19
20	·24		·03	·02		·02				·43			20
21			·15	·20			·01			·16	·36		21
22	·35		·10			·02			·13				22
23							·01	·12	·01			·10	23
24													24
25		·03		·10									25
26			·26	·05				·17		·73	·01	·14	26
27				·08						·03			27
28	·15	·01	·15	·04						·13			28
29	·11		·03	·35	·34			·23		·02		·02	29
30	·20			·07				·10		·08	·07		30
31								·17		·02			31
Total	2·10	·66	1·64	2·20	1·28	1·14	1·70	·98	1·24	3·13	2·09	·68	YEAR'S TOTAL 18·84
Rain Days.	16	10	19	19	10	8	12	10	10	16	17	10	157

W. 7,500, XI. ·12

8L

146

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Hertford Sewage Works

in the County of Hertfordshire 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·01	·17			·09	·01	1
2	·01						·04	·12			·12	·18	2
3			·14		·14		·32				·11		3
4	·10			·26				·06			·31	·31	4
5			·07	·22	·14	·08	·40	·61			·01		5
6		·12			·01	·09	·02	·05			·23	·23	6
7		·24	·17	·07	·24	·02	·01					·18	7
8	·09	·14	·75	·06	·06	·22	·15	·07				·02	8
9	·20		·64	·05		·42						·93	9
10	·12	·17	·07	·08	·04				·11			·02	10
11		·22	·34		·06	·84			·07		·30	·26	11
12		·04	·08						·38		·02	·41	12
13	·01	·24	·12						·16	·15	·06	·40	13
14		·04	·31				·30			·21	·15	·45	14
15	·04		·13									·07	15
16			·08				·01		·02		·03		16
17		·28	·02				·01		·20			·11	17
18		·03	·08									·21	18
19		·03	·16				·07		·03	·01	·15	·07	19
20		·20	·22			·02			·06			·06	20
21		·47	·10			·35				·02		·12	21
22		·01	·01	·04	·29	·02	·07	·02		·40		·01	22
23		·01	·07		·30		·34		·01	·13		·03	23
24	·01		·02	·08		·01	·06			·05	·10		24
25	·02		·10					·07		·29		·14	25
26			·02				·01	·05		·03	·11	·54	26
27	·03										·01	·28	27
28		·02	·02							·03	·32	1·16	28
29	·02		·07							·26	·14	·01	29
30			·03							·01	·37	·19	30
31					·12		·01					·05	31
Total	·65	2·26	3·83	·86	1·40	2·07	1·83	1·22	1·04	1·59	2·63	6·45	YEAR'S TOTAL 25·83
Rain Days.	11	16	26	8	10	10	16	9	9	12	18	27	172

W.7,000, XI. 13

end for month 9.III.16 #FW 1029

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

17 FEB 1916

Kept at Hertford Sewage Works

in the County of Herts

by E. E. Duckworth

Lat. 51°-48"-10" N. Long. 0°-3"-30. W.
Time of Observation 9 a.m.
Nearest Railway Station G. E. R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 114 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·10	·07		·04				·13	·03	·08	·38	1
2	·21	·15	·16	·11				·42	·04	·03		·10	2
3	·36		·02	·17			·06	·42				·22	3
4	·09							·10		·02	·01	·38	4
5	·02	·29		·05	·11			·01		·04	·03	·21	5
6	·16	·02	·02	·25			·54					·17	6
7	·08	·41	·03	·02			·34	·02				·16	7
8	·01	·45	·03				·01	·02					8
9		·07		·01		·04		·09			·19	·50	9
10	·28		·02					·22			·02	·11	10
11	·01				·01						·82		11
12	·07	·02	·01	·30	·35			·06		·09	·47	·03	12
13	·04	·39			1·41					·01			13
14		·04					·85		·05			·32	14
15	·30				·04			·44			·32	·10	15
16	·01	·45					·63	·23				·01	16
17		·25			·42		·19	·17					17
18		·15	·16		·07						·07		18
19		·06					·06						19
20	·28			·05				·02				·33	20
21	·02						·02					·04	21
22	·85	·09	·35				·38					·09	22
23		·08	·09				·15		·23	·23		·32	23
24			·02			·02	·13		·19	·01		·25	24
25				·04		·02	·02			·04		·14	25
26		·06				·02	·02					·22	26
27						·53	·40			·37		·08	27
28		·16	·02			·08			1·29	·16			28
29						·10		·16			·11	·08	29
30	·01	X				·06			·03		·06		30
31	·04	X		X		X		·04	X	·42	X	·18	31
Total	3·23	3·24	1·00	1·00	2·45	·87 ·89	3·80	2·42	1·96	1·45	2·18	4·42	YEAR'S TOTAL 28·32 28·34
Rain Days.	19	18	13	9	8	8	15	15	7	12	11	23	158

W. 8,000. X. 15.

W. D. L. entd by J.W. 29.III.17 recond. later by 'phone

1001

FORM A. BRITISH RAINFALL.
23. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hertford Sewage Works.

in the County of Herts.

by

Lat. 51°-48'-10"N Long 0°-3'-30"W

Time of Observation 9.0.a.m.

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06								.09	.04	.17		1
2	.41		.14		.25				.10	.39	.04		2
3		.45	.18				.03		.34	.22	.46		3
4	.24	.08			.01	.23			.01	.08	.43		4
5	.03				.02	.35	.01			.06	.57		5
6		.02	.15	.30	.01	.02	.30				.54		6
7	.10		.14		.08	.10	.08			.01	.67		7
8			.01		.31							.41	8
9					.21	.01				.12		.15	9
10	.01	.09	.10	.07		.15	.03					.06	10
11	.03	.13	.03	.11		.08						.05	11
12	.02	.02			.52	.15	.10	.16		.10	.02		12
13		.51	.17	.14	.14	.22	.30	.35					13
14	.01	.43		.02	.04			.50		.03		.12	14
15		.10	.32	.02			.04	.07		.06			15
16		.02	.07	.10	.05		.09	.26		.05			16
17	.05	.05		.07			.14	.10	.37	.32		.01	17
18		.05	.04	.12				.10	.08	.03	.48		18
19	.08		.15	.09				.01	.23		.59	.12	19
20	.18		.30	.03				.01			.02	.47	20
21			.85				.13				.01	.59	21
22		.04	.02		.02					.04		.44	22
23		.17				.10		.03		.08		.11	23
24		.03	.02			.19		.03		.03	.04	.35	24
25		.25	.08		.05			.18		.11	.03 ~~.33~~		25
26		.12	.01			.01		.04		.02	.08		26
27	.10	.02	1.01			.01		.13	.01	.44			27
28		.33	.41			.28			.03	.03		.20	28
29		.09				.12		1.34		.32		.10	29
30					.03	.03		.13		.31			30
31	.01							.01		.06		.02	31
Total	1.33 1.33	3.00	4.20	1.07	1.74	2.05	1.25	3.45	1.26	2.95	~~4.45~~ 4.15 4.15	3.20	YEAR'S TOTAL 29.65 ~~29.93~~
Rain Days.	14	20	20	11	14	16	11	17	9	23	15	15	185
	8	15	15	8	9	11	8	12	6	17	11	13	29.65

W.7,000, XI. 13

8L

968/128

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Hertford

in the County of Hertfordshire

by M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·17				·82	·03	·01	·08		1
2	·01			·25				·11					2
3								·37		·20	·14		3
4		·08	·04					·19		·41			4
5	·25		·03	·13				·27	·70	·10	·11		5
6				·01		·08			·12	·02	·04		6
7	·27					·15	·30			·32		·01	7
8	·17			·12			·77	·25		·26	·12	·18	8
9	·04			·12				·45			·08	·09	9
10	·22	·01	·21	·20				·06		·01	·01	·02	10
11	·08		·47	·12						·27			11
12	·08	·02	·13							·35	·01		12
13			·04	·02			·08	·10		·07			13
14	·07			·16				·20	·02	·03		·01	14
15	·02							·04		·01		·01	15
16	·01	·08		·33	·14		·09			·51		·24	16
17				·15	·61		·19	·05	·29	·33			17
18	·05	·01		·07	·05	·06	·18	·01	·40				18
19		·09	·03		·41				·32				19
20	·02	·14	·11		·53						·13		20
21	·01		·02			·01		·02			·03		21
22			·06	·01	·01			·11		·12			22
23		·07			·10	·01		·12		·03			23
24		·02				·02		·07	·01	·20		·03	24
25		·01	·07								·13		25
26			·14			·01		·39	·03		·53	·01	26
27		·01	·07			·07		·55				·03	27
28		·01	·03			·60		·25				·02	28
29			·04		·16	·05	·29	·32		·14		·11	29
30	·01	X	·18				1·07	·10		·01		·01	30
31	·06	X	·10	X		X	·26	·02	X		X	·01	31
Total	1·37	·56	1·77	1·86	2·01	1·06	3·23	4·87	1·92	3·40	1·41	·78	YEAR'S TOTAL 24·24
Rain Days.	16	13	17	14	8	10	9	23	9	20	12	14	165
	10	5	13	11	7	6	9	20	5	13	9	4	

W. 8,000, VIII. 16

Dh

E.C. Dh

50
~~123~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27.1.19

Kept at Hertford Sewage Works
in the County of Hertfordshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.04		.13					–		.12	.07	1
2		.06		.05				.09			.01	.11	2
3			.03		.50			.19	.12		.63	.01	3
4			.08					.02	.32		.49	.01	4
5	.01	.01			.09			.14	.08	.07			5
6	.09	.11		.24	.09			.01				.04	6
7	.04	.09		.07	.05			.01	.10	.17	.09		7
8		.01		.01			.02		.18	.04		.01	8
9	.02	.01		.01		.20	.31		.37	.11	.07	.26	9
10	.09			.06			.34		.01	—	.02		10
11				.01	.10		.23		.03	.20	.04	.02	11
12	.01	.07			.18		.08		.03				12
13		.01			.20		.17		.13			.07	13
14	.17					.11	.05		.17	.18		.19	14
15	1.07			1.38			.33					.04	15
16	.23			.40		.05			.19				16
17	.12			.32			.55		.01			.18	17
18	.37					.20	.19		.80	.05		.40	18
19	.07	.02	.12	.22		.04	.16			.05		.16	19
20				.48		.04	.06		.07	.18		.02	20
21	.10	.06		.15					.26	.08			21
22	.05			.01	.23		.07		.10			.20	22
23					.79		.55	.04	.07		.05	.02	23
24		.18				.02	.02		.05				24
25					.28	.08	.08	.10			.06		25
26					.01		.09			.08	.12	.16	26
27		.02		.09			.04	.21	.06		.10	.01	27
28		.02	.31								.31	.08	28
29									1.49		.03		29
30		×	.33						.04		.05	.08	30
31		×	.03	×		×			×	.10	×	.10	31
Total	2.44	.71	.90	3.63	2.52	.74	3.34	.81	4.68	1.31	2.19	2.24	YEAR'S TOTAL 25.51
Rain Days.	14	14	6	16	11	8	18	9	22	12	15	22	167

W. 8,000, IX. 17.

omitted for mean month
11-3-20

915
120

FORM A.
BRITISH RAINFALL.

17 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Hertford

in the County of Hertfordshire

by M. N. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·05			·20		·31			·04		·95	1
2	·21		·01		·09		·11		·18	·01	·12	·39	2
3	·30		·27				·03		·10		·07	·26	3
4	·07		·22			·08	·56	·13				·17	4
5	·02	·28	·44				·19		·15		·03	·20	5
6			·05								·01	·08	6
7	·04		·31	·01							·27		7
8	·08		·06	·05							·03		8
9			·03	·05							·18		9
10	·13		·05	·06						·01	·01	·02	10
11	·02		·06	·27			·29				·01	·01	11
12			·17	·04		·05	·06			·04			12
13	·03	·03		·38			·02			·13			13
14	·05			·45			·07		·14	·04			14
15	·17	·03	·04	·13						·03	·07	·11	15
16	·12	·80		·04							·09	·04	16
17		·74	·03	·02							·24	·01	17
18		·19	·05						·05		·03	·06	18
19	·01	·12	·63			·26	·09	·23	·11		·10	·03	19
20	·31	·10	·09			·85	·13	·31				·01	20
21	·24	·34	·01			·01	·20				·01	·05	21
22		·08				·01	·10		·38		·07	·36	22
23						·24	·02				·01		23
24				·19	·01	·02	·05	·06		·07	·16	·01	24
25	·04			·13	·10			·43	·04		·01		25
26	·16	·21	·14	·02			·01	·01	·16			·39	26
27	·81		·06	1·27				·54				·03	27
28			·10	·07				·68			·20	·23	28
29	·04							·15		·19	·19	·02	29
30	·01	X	·01	·35		·15		·10		·02	·19	·31	30
31		X		X		X	·02		X	·02	X	·02	31
Total	3·16	2·97	2·83	3·53	·40	1·64	2·26	2·64	1·31	·60	2·10 ~~2·16~~	3·76	YEAR'S TOTAL 27·20 ~~27·26~~
Rain Days.	21	12	21	17	4	9	17	10	9	11	22	23	176

W. 6,500, VII. 18. W W C

[illegible]

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hertford

in the County of

by Metro: Water Board.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.58	.09		.24	.37		.26		.28	1
2	.01			-			.11		.05	.05	.01	.07	2
3		.04		.38			.31		.07	.13		.02	3
4			.01	.04	.03		.20	.09		.09		.26	4
5			.06	-	.03		.60		.06			.04	5
6			.11	-	.06		.27				.01	.02	6
7		.02	.15	.14			.11					.03	7
8	.09	.01		.19	.04		.18	.06			.01	.	8
9	.28			.01				.03				.	9
10	.23	.04	.07	.03		.01	.09					.02	10
11	.20		.03	.33	.04	.04	.17					.13	11
12	.04			.12		.61	.01					.	12
13	.08	.01	.10	.17		.02					.05	.01	13
14		.01	.26	.27		.05	.11		.11	.12	.19	.01	14
15			.16	.15					.44	.01	.08	.01	15
16			.01	.14					.13	.05		.02	16
17	.05			.01	.11	.16	.02		.24			.02	17
18			.03	-				54	.07			.03	18
19	.14			.20		.06						.03	19
20	.05	.14		.26		.47			.13			.	20
21				-			.65	.03	.60		.02	.08	21
22				.21					.05			.10	22
23				-			.82					.40	23
24		.01	.06	.01						.02		.01	24
25	.01	.01	.08	.01	.02		.19		.01			.	25
26	.04		.08	.02	.14	.07						.01	26
27	.23	.05		.26		.11	.03			.01	.41	.12	27
28	.46		.19	-	.09	.01	.03					.	28
29			.05	-			.08		.01		.12	.32	29
30	.01			.01	.02	.02	.24		.25		.21	.17	30
31	.01				.02					.28		.09	31
TOTAL	2.02.	.34	1.45	3.54	.69	1.63	4.46	1.12	2.22	1.02	1.11	2.30	YEAR'S TOTAL 21.90
Days with '01 in. or more	16	10	16	22	12	12	20	6	14	10	10	25	173
	12	4	12	15	7	8	16	4	12	7	6	12	115

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

-7 MAY 1913

HITCHIN
CHILTERN RD
HERTS
1912 - 1920

Kept at "Winscon ... ' 45" West

in the County of ... chin

... ive in.

by Alfred Lak ... ound one ft. — in.

... Level 297 ft.

IMPORTAN ... result entered to the previous day. I ... al rule, he is earnestly requested to add ... n the space provided for it at the end ... t of rain, the selection and ... n Rainfall Organization are ... lication to Dr. H. R. Mill, ...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.					Nov.	Dec.	Date
1	–	–	0.01	–	–	0.05	0.01	0.21	0.09	0.36	–	0.15	1
2	–	0.02	0.03	0.01	–	0.19	0.61	–	0.03	–	–	–	2
3	0.09	0.03	0.05	–	0.38	0.11	–	0.20	0.01	–	–	0.03	3
4	0.09	–	0.55	–	0.10	0.15	0.01	0.06	–	–	0.29	–	4
5	0.08	0.04	0.30	–	–	0.01	–	0.08	0.01	–	0.10	–	5
6	0.24	0.01	–	–	0.01	0.05	0.05	0.39	–	–	–	0.04	6
7	0.05	–	–	–	0.03	0.73	–	0.01	–	–	–	0.03	7
8	0.27	0.25	0.16	–	–	–	0.01	0.26	0.07	–	–	0.02	8
9	0.01	0.06	–	0.05	0.01	0.18	0.03	–	–	–	–	0.20	9
10	–	0.01	–	–	–	–	–	0.53	0.14	–	0.15	0.06	10
11	0.09	0.06	–	–	–	0.01	–	–	0.05	–	0.01	0.09	11
12	0.10	0.16	0.10	–	0.04	0.11	0.04	0.04	–	–	0.08	–	12
13	–	0.01	0.01	–	–	0.08	0.02	0.15	–	0.07	0.19	–	13
14	0.01	–	0.01	–	0.05	0.03	–	0.01	–	–	0.01	–	14
15	–	0.01	0.11	–	0.20	0.18	–	0.02	–	0.06	0.01	0.11	15
16	0.22	–	0.01	–	0.07	0.10	–	0.04	–	–	0.04	–	16
17	0.25	–	0.15	–	–	0.06	–	0.07	–	–	–	–	17
18	0.04	–	0.18	–	–	–	–	0.21	–	–	0.04	0.12	18
19	0.16	0.10	0.15	–	–	–	0.44	0.73	–	–	–	–	19
20	0.01	–	0.10	–	0.01	–	0.03	0.13	–	0.24	–	–	20
21	0.01	0.01	0.60		0.40	–	–	0.30	–	0.27	0.05	–	21
22	0.53	0.07	0.15	–	0.04	–	0.08	0.12	–	0.07	–	0.02	22
23	0.43	0.50	0.20	–	–	–	2.15	0.44	0.01	0.01	0.15	0.11	23
24	0.24	–	–	–	–	–	0.07	0.14	0.01	–	–	0.12	24
25	–	–	–	–	–	0.13	–	0.54	–	–	0.24	0.29	25
26	–	0.01	–	–	–	–	0.18	0.51	–	0.31	0.27	0.42	26
27	–	–	–	–	–	0.03	0.14	0.01	–	0.19	–	0.13	27
28	–	0.01	–	0.01	–	–	0.01	0.04	0.07	0.35	0.26	0.34	28
29	–	0.01	–	–	–	0.18	0.14	0.43	0.89	0.24	–	–	29
30	0.03		–	–	0.16	0.02	0.03	0.02	0.65	0.09	–	–	30
31	–		0.04		0.02		0.18	0.17		–		0.01	31
Total	2.95	1.37	2.91	0.07	1.52	2.40	4.23	5.86	2.03	2.26	1.89	2.29	YEAR'S TOTAL 29.78
Rain Days.	20	18	19	3	14	19	19	28	12	12	15	18	197

W. 7,500, XI. 12

Duplicate

FORM A.
BRITISH RAINFALL.

-7 MAY 1913

REGISTER OF RAINFALL IN 1912

Kept at "Winscombe, Chiltern Rd Hitchin
in the County of Hertfordshire 4
by Alfred Latchmore

Lat. 51° 56′ 50″ Long. 0° 15′ 45″ West
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.01	-	-	0.05	0.01	0.21	0.09	0.36	-	0.15	1
2	-	0.02	0.03	0.01	-	0.19	0.61	-	0.03	-	-	-	2
3	0.09	0.03	0.05	-	0.38	0.11	-	0.20	0.01	-	-	0.03	3
4	0.09	-	0.55	-	0.10	0.15	0.01	0.06	-	-	0.29	-	4
5	0.08	0.04	0.30	-	-	0.01	-	0.08	0.01	-	0.10	-	5
6	0.24	0.01	-	-	0.01	0.05	0.05	0.39	-	-	-	0.04	6
7	0.05	-	-	-	0.03	0.73	-	0.01	-	-	-	0.03	7
8	0.27	0.25	0.16	-	-	-	0.01	0.26	0.07	-	-	0.02	8
9	0.01	0.06	-	0.05	0.01	0.18	0.03	-	-	-	-	0.20	9
10	-	0.01	-	-	-	-	-	0.53	0.14	-	0.15	0.06	10
11	0.09	0.06	-	-	-	0.01	-	-	0.05	-	0.01	0.09	11
12	0.10	0.16	0.10	-	0.04	0.11	0.04	0.04	-	-	0.08	-	12
13	-	0.01	0.01	-	-	0.08	0.02	0.15	-	0.07	0.19	-	13
14	0.01	-	0.01	-	0.05	0.03	-	0.01	-	-	0.01	-	14
15	-	0.01	0.11	-	0.20	0.18	-	0.02	-	0.06	0.01	0.11	15
16	0.22	-	0.01	-	0.07	0.10	-	0.04	-	-	0.04	-	16
17	0.25	-	0.15	-	-	0.06	-	0.07	-	-	-	-	17
18	0.04	-	0.18	-	-	-	-	0.21	-	-	0.04	0.12	18
19	0.16	0.10	0.15	-	-	-	0.44	0.73	-	-	-	-	19
20	0.01	-	0.10	-	0.01	-	0.03	0.13	-	0.24	-	-	20
21	0.01	0.01	0.60	-	0.40	-	-	0.30	-	0.27	0.05	-	21
22	0.53	0.07	0.15	-	0.04	-	0.08	0.12	-	0.07	-	0.02	22
23	0.43	0.50	0.20	-	-	-	2.15	0.44	0.01	0.01	0.15	0.11	23
24	0.24	-	-	-	-	-	0.07	0.14	0.01	-	-	0.12	24
25	-	-	-	-	-	0.13	-	0.54	-	-	0.24	0.29	25
26	-	0.01	-	-	-	-	0.18	0.51	-	0.31	0.27	0.42	26
27	-	-	-	-	-	0.03	0.14	0.01	-	0.19	-	0.13	27
28	-	0.01	-	0.01	-	-	0.01	0.04	0.07	0.35	0.26	0.34	28
29	-	0.01	-	-	-	0.18	0.14	0.43	0.89	0.24	-	-	29
30	0.03		-	-	0.16	0.02	0.03	0.02	0.65	0.09	-	-	30
31	-		0.04		0.02		0.18	0.17		-		0.01	31
Total	2.95	1.37	2.91	0.07	1.52	2.40	4.23	5.86	2.03	2.26	1.89	2.29	YEAR'S TOTAL 29.78
Rain Days.	20	18	19	3	14	19	19	28	12	12	15	18	197

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
13 MAY 1914

REGISTER OF RAINFALL IN 1913

Exc. Wf

Kept at Winscombe Chiltern Rd.
Hitchin
in the County of Hertford 4
by Alfred Latchmore

Lat. 51° 56′ 50″ Long. 0° 15′ 45″
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.13	0.08	0.09	–	–	0.–	–	0.36	–	0.15	0.05	1
2	0.02	0.12	–	0.01	0.13	–	0.13	–	0.13	0.02	0.01	–	2
3	0.01	–	0.06	0.03	0.70	–	–	–	–	–	–	0.05	3
4	0.15	–	–	–	0.04	0.01	0.06	–	–	0.48	0.02	0.18	4
5	0.10	–	–	–	–	0.20	0.22	–	–	0.04	–	0.17	5
6	–	0.04	0.08	–	0.11	0.01	0.13	–	0.01	0.05	–	–	6
7	–	0.13	–	–	0.15	0.10	0.04	0.01	–	0.64	0.05	0.01	7
8	–	–	–	0.01	0.18	0.20	–	–	–	0.16	0.08	–	8
9	–	0.19	0.02	0.03	0.02	–	–	–	0.15	–	0.01	0.07	9
10	–	–	–	0.21	–	–	0.41	–	–	–	0.45	–	10
11	0.77	–	–	0.37	0.04	–	–	–	–	0.26	0.27	–	11
12	–	0.01	–	–	0.05	–	–	0.01	–	–	0.31	–	12
13	–	–	–	–	–	–	–	0.03	0.02	–	0.38	–	13
14	0.07	0.01	0.07	0.01	–	–	0.54	0.05	–	0.17	0.08	–	14
15	0.07	0.03	0.14	0.22	–	–	0.05	–	0.04	–	–	–	15
16	0.03	–	0.34	0.25	–	–	–	–	0.02	–	–	–	16
17	0.03	0.01	0.06	0.15	–	0.59	0.03	–	–	–	0.02	0.10	17
18	0.02	–	0.14	0.14	–	–	–	–	–	–	0.03	–	18
19	0.32	–	0.06	–	–	–	0.14	–	0.45	–	–	0.02	19
20	0.16	–	–	0.01	–	0.12	–	–	–	0.28	–	–	20
21	0.05	–	0.14	0.13	0.05	–	0.01	–	–	0.09	0.35	–	21
22	0.34	–	0.20	0.08		–	–	0.02	0.13	–	–	–	22
23	–	–	–	–	–	0.02	0.01	0.09	0.03	–	0.01	0.06	23
24	0.04	–	–	0.01	–	–	–	0.02	–	0.01	–	=	24
25	–	0.01	–	0.15	–	0.02	0.01	–	–	–	–	–	25
26	–	0.01	0.25	0.12	–	–	–	0.11	–	0.53	–	0.14	26
27	–	–	0.03	0.05	–	–	–	–	–	0.01	–	–	27
28	0.13	–	0.18	0.08	–	–	–	–	–	0.07	–	0.03	28
29	0.03		0.08	0.42	0.28	–	–	0.10	–	0.03	0.01	0.03	29
30	0.26		–	0.01	–	–	–	0.08	–	0.21	0.11	0.02	30
31	–		–		–		–	0.50		0.01		–	31
Total	2.62	0.69	1.93	2.58	1.75	1.27	1.78	1.02	1.34	3.06	2.34	0.93	YEAR'S TOTAL 21.31
Rain Days.	19	11	16	22	11	9	13	11	10	17	17	13	169

W.7,000, XI. 13

CX ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at "Winscombe", 12 Chiltern Road Hitchin
in the County of Hertford
by Alfred Latchmore

4

Lat. 51°56'50" Long. 0°15'45"
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	0.17	0.33	-	-	0.07	-	1
2	0.01	-	-	0.03	-	-	0.03	0.05	-	0.02	0.05	0.13	2
3	-	-	0.01	-	0.12	-	0.76	0.16	-	-	0.17	-	3
4	0.19	-	-	0.18	0.03	-	-	0.08	-	-	0.30	0.27	4
5	0.02	-	0.05	0.28	0.06	0.09	0.61	0.15	-	-	-	-	5
6	-	0.07	-	-	0.05	0.07	0.10	0.01	-	-	0.24	0.12	6
7	-	0.19	0.22	0.14	0.31	0.01	0.06	-	-	-	0.01	0.33	7
8	0.07	0.12	0.62	0.16	0.05	0.53	0.02	0.09	-	-	-	0.01	8
9	0.21	-	0.48	0.25	0.01	0.45	-	-	0.02	-	-	0.89	9
10	0.08	0.15	0.01	0.06	0.05	-	-	-	0.10	-	-	0.03	10
11	-	0.12	0.32	-	0.07	0.46	-	-	0.04	-	0.22	0.22	11
12	0.02	0.02	0.06	-	-	0.01	0.01	-	0.45	0.01	0.02	0.46	12
13	-	0.24	0.12	-	-	-	-	-	0.07	0.32	0.05	0.28	13
14	-	0.02	0.33	-	-	-	0.02	-	-	0.55	0.15	0.76	14
15	0.08	-	0.18	-	-	-	-	0.02	0.02	-	0.03	0.07	15
16	0.02	-	0.05	-	-	-	0.02	-	-	-	0.01	-	16
17	-	0.36	0.05	-	-	-	-	-	0.16	0.01	-	0.15	17
18	-	0.01	0.04	-	-	-	-	-	-	-	-	0.54	18
19	-	0.03	0.12	-	-	-	0.01	-	0.05	-	0.26	0.04	19
20	-	0.19	0.27	-	-	-	-	-	-	0.01	-	0.03	20
21	-	0.36	0.09	-	-	0.15	-	-	-	0.02	-	0.14	21
22	-	0.06	0.06	0.01	0.18	0.01	0.06	0.04	-	0.54	-	-	22
23	-	0.12	0.05	-	0.15	0.01	-	-	-	0.12	-	0.06	23
24	-	-	0.09	0.02	-	-	0.07	0.01	-	0.12	0.11	-	24
25	0.05	-	0.12	-	-	-	-	0.08	-	0.29	-	0.11	25
26	-	-	0.13	-	-	-	0.01	0.04	-	0.03	0.11	0.44	26
27	0.04	-	-	-	-	-	-	-	-	0.02	0.01	0.14	27
28	-	0.04	-	-	0.04	-	-	-	-	0.06	0.60	1.57	28
29	0.02	X	0.05	-	-	-	-	-	-	0.30	0.10	-	29
30	-	X	0.05	-	-	-	-	-	-	0.02	0.24	0.33	30
31	-	X	-	X	0.12	X	0.04	-	X	-	X	0.04	31
Total	0.81	2.10	3.57	1.13	1.24	1.79	1.99	1.06	0.91	2.44	2.75	7.16	YEAR'S TOTAL 26.95
Rain Days.	12	16	24	9	13	10	15	12	8	16	19	24	178

W. 8,000. X. 14.

-escd 98

1051

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
1. JAN 1916

Kept at "Winscombe" 12 Chiltern Road

in the County of Hertfordshire Hitchin 4

by Alfred Latchmore

Lat. 51°56'50"N Long. 0°15'45"W

Time of Observation 9 A.M.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.46	0.07	0.04	–	0.07	–	–	–	0.09	0.02	0.09	0.31	1
2	0.21	0.26	0.17	0.07	–	0.03	–	0.44	0.02	0.03	0.01	0.04	2
3	0.32	–	0.01	0.17	–	–	0.09	0.26	0.05	–	0.01	0.16	3
4	0.08	–	–	–	–	–	–	0.19	–	–	0.02	0.49	4
5	0.02	0.39	–	–	–	–	–	0.01	–	0.02	–	0.19	5
6	0.17	0.03	0.04	0.25	–	–	1.14	0.01	–	0.01	–	0.05	6
7	0.07	0.28	0.07	0.01	–	–	0.30	0.05	–	–	–	0.33	7
8	–	0.35	0.01	0.03	–	–	0.01	–	–	–	–	–	8
9	–	0.03	–	0.02	–	0.06	–	0.02	–	–	0.20	0.42	9
10	0.26	–	0.01	–	–	–	–	0.21	–	–	0.01	0.06	10
11	0.02	–	0.03	–	0.02	–	–	–	–	–	0.73	0.01	11
12	0.04	0.02	–	0.31	0.28	–	–	0.21	–	0.08	0.74	0.05	12
13	0.02	0.41	–	–	1.33	–	–	0.02	–	–	–	–	13
14	–	0.06	–	–	–	–	0.27	0.34	0.03	–	–	0.38	14
15	0.15	0.01	–	–	0.03	–	–	0.01	–	–	0.15	0.11	15
16	0.01	0.27	–	–	–	–	0.47	0.20	–	–	–	0.07	16
17	–	0.29	–	–	0.22	–	0.20	–	–	–	–	–	17
18	–	0.08	0.17	–	–	–	–	–	–	–	0.05	–	18
19	–	0.01	–	–	–	–	0.08	–	–	–	–	–	19
20	0.24	–	–	0.07	–	–	–	0.01	–	–	–	0.29	20
21	0.14	0.02	–	–	0.01	–	0.02	–	–	0.01	–	0.05	21
22	0.88	0.03	0.40	–	–	–	0.44	–	–	–	–	0.14	22
23	0.01	0.18	0.25	–	–	0.02	0.11	–	0.21	0.20	–	0.20	23
24	–	–	0.11	–	–	0.05	0.07	–	0.20	0.02	–	0.16	24
25	–	–	0.01	0.02	–	0.02	0.01	–	–	0.01	–	0.29	25
26	–	0.08	–	–	–	–	0.09	–	–	–	–	0.24	26
27	–	0.03	–	–	–	0.28	0.10	–	0.01	0.38	–	0.06	27
28	–	0.11	0.01	–	–	0.04	–	0.02	0.92	0.13	–	–	28
29	–		–	–	–	0.09	0.07	0.20	–	–	0.08	0.06	29
30	0.03	X	–	–	–	0.01	–	–	–	–	0.02	–	30
31	0.04	X	–	X	–	X	0.01	0.02	X	0.62	X	0.21	31
Total	3.17	3.01	1.33	0.95	1.96	0.60	3.48	2.22	1.53	1.53	2.11	4.37	YEAR'S TOTAL 26.26
Rain Days.	19	21	14	9	7	9	17	17	8	12	12	24	169

W. 8,000. X. 15.

Esd CFE

1075

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at "Winscombe" Chiltern Road Hitchin

in the County of Hertford

by Alfred Latchmore

Lat. 51° 56′ 50″ Long. 0° 15′ 45″ W.

Time of Observation 9 A.M.

Nearest Railway Station Hitchin G.N.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. 0 in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.06	–	0.02	–	0.15	0.01	–	–	–	0.01	0.27	–	1
2	0.30	0.03	0.16	–	0.21	0.03	–	–	0.06	0.37	0.01	–	2
3	–	0.48	0.04	–	0.01	0.02	0.02	–	0.18	0.18	0.14	–	3
4	0.22	0.08	0.02	–	–	0.27	–	–	–	0.11	0.31	–	4
5	0.03	–	–	0.06	0.05	0.33	–	–	–	0.06	0.46	–	5
6	–	0.05	0.27	0.26	0.04	0.17	0.06	–	–	0.03	0.47	–	6
7	0.06	–	0.27	–	0.09	0.07	0.28	–	–	0.12	0.47	0.03	7
8	–	–	0.02	–	0.29	0.03	–	–	–	–	–	0.24	8
9	–	–	0.01	–	0.28	–	–	–	–	–	–	0.05	9
10	–	0.05	0.11	0.07	–	0.10	0.03	–	–	–	–	0.02	10
11	0.05	0.17	0.05	0.11	0.01	0.16	–	–	0.03	–	–	0.05	11
12	0.03	0.01	0.03	0.04	0.46	0.20	0.19	0.06	–	0.15	–	0.01	12
13	0.02	0.44	0.15	0.10	0.17	0.06	0.13	0.06	–	0.01	–	–	13
14	–	0.29	0.01	0.07	0.01	–	–	0.05	–	0.01	–	0.06	14
15	–	0.12	0.40	0.02	–	–	0.05	0.05	–	0.02	–	–	15
16	–	0.02	0.19	0.20	0.07	–	0.09	0.17	–	0.06	–	–	16
17	0.07	0.04	–	0.28	–	–	0.05	0.55	0.26	0.25	–	–	17
18	–	0.07	0.04	0.16	–	–	–	0.03	0.12	0.01	0.54	–	18
19	0.02	0.02	0.20	0.07	–	–	–	0.05	0.41	–	0.60	0.21	19
20	0.19	–	0.46	0.03	–	–	–	0.02	–	–	0.04	0.35	20
21	0.01	–	0.83	–	–	–	0.54	–	–	–	0.01	0.62	21
22	–	0.09	0.03	–	0.09	0.01	–	–	–	0.03	–	0.41	22
23	0.01	0.30	–	–	–	0.06	–	0.02	–	0.01	0.03	0.11	23
24	–	0.07	0.02	0.01	–	0.31	–	–	–	0.03	0.03	0.35	24
25	–	0.30	0.13	–	0.04	–	–	0.13	–	0.11	0.08	–	25
26	–	0.08	0.10	–	–	0.09	–	0.03	–	0.03	0.02	–	26
27	0.07	0.03	0.69	–	–	0.36	–	0.05	0.05	0.10	–	–	27
28	–	0.34	0.32	–	–	0.30	–	–	0.03	0.02	–	0.16	28
29	–	0.07	–	–	–	0.11	–	1.00	0.01	0.29	–	0.11	29
30	–	X	–	–	–	0.02	–	0.26	–	0.31	–	0.02	30
31	–	X	–	X	–	X	–	0.01	X	0.03	X	0.01	31
Total	1.14	3.15	4.57	1.48	1.97	2.71	1.44	2.54	1.15	2.35	3.48	2.81	YEAR'S TOTAL 28.79
Rain Days.	14	22	25	14	15	20	10	16	9	24	15	17	201

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1917.

FORM A
BRITISH RAINFALL
2 JAN

Kept at "Winscombe" Chiltern Road Hitchin
in the County of Hertfordshire
by Alfred Latchmore

Lat. 51°56′50″N Long. 0°15′45″W
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.16	—	—	—	1.38	0.05	—	0.12	—	1
2	0.01	0.01	—	0.09	—	0.07	—	0.13	—	0.01	0.04	—	2
3	—	—	—	0.01	—	—	—	0.60	—	0.55	0.08	—	3
4	—	0.16	0.02	—	—	—	—	0.08	—	0.49	—	—	4
5	0.18	—	0.01	0.20	—	—	—	0.25	0.43	0.08	0.15	—	5
6	0.01	—	—	—	—	0.10	—	—	0.02	0.02	0.04	—	6
7	0.24	—	—	—	—	0.05	0.28	—	—	0.36	0.01	—	7
8	0.26	—	—	0.09	—	—	1.39	0.50	—	0.23	0.08	0.05	8
9	0.04	—	0.02	0.15	—	—	0.09	0.58	0.02	—	0.04	0.11	9
10	0.22	—	0.13	0.20	—	—	—	0.10	—	0.02	0.01	—	10
11	0.06	0.02	0.55	0.03	—	—	—	—	—	0.30	—	—	11
12	0.12	—	—	0.01	0.03	—	—	0.14	—	0.24	—	—	12
13	0.17	—	0.04	—	—	—	—	0.08	0.01	0.03	—	—	13
14	0.01	—	—	0.06	0.01	—	—	0.04	—	—	—	—	14
15	0.03	—	—	—	—	—	0.03	0.02	—	0.01	—	—	15
16	0.04	0.10	—	0.15	—	0.40	0.07	—	—	0.75	—	0.04	16
17	0.01	—	—	0.11	0.70	—	0.22	0.06	0.33	0.38	—	—	17
18	0.04	0.01	—	0.20	0.03	0.09	0.35	0.02	0.55	—	—	—	18
19	0.02	0.08	0.10	0.01	0.11	0.09	—	—	0.25	—	—	—	19
20	0.02	0.13	0.12	—	0.77	—	—	—	—	—	0.09	—	20
21	0.02	—	0.04	0.02	0.02	—	—	—	—	—	0.04	—	21
22	—	—	0.14	—	—	—	—	0.03	—	0.18	—	—	22
23	—	0.10	—	—	0.08	—	—	0.10	—	0.07	—	0.02	23
24	0.01	0.03	—	—	—	0.09	—	0.15	—	0.08	0.06	0.01	24
25	—	0.02	0.03	—	—	—	0.05	—	—	—	0.08	—	25
26	—	—	0.09	—	—	—	—	0.24	0.05	—	0.26	0.01	26
27	—	—	—	—	—	0.08	—	0.67	—	—	—	0.02	27
28	—	0.01	0.01	—	—	1.29	—	0.09	—	0.01	—	0.04	28
29	—	X	0.02	—	—	0.36	1.01	0.09	—	0.30	—	0.12	29
30	0.02	X	0.05	—	—	—	0.95	0.07	—	—	—	0.01	30
31	0.04	X	0.21	X	—	X	0.43	0.10	X	—	X	0.02	31
Total	1.57	0.67	1.58	1.49	1.75	2.62	4.87	5.52	1.71	4.11	1.10	0.45	YEAR'S TOTAL 27.44
Rain Days.	21	11	16	15	8	10	11	23	9	19	14	11	168

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

16.5.19

Kept at "Winscombe" Chiltern Road
Hitchin
in the County of Hertford
by Alfred Latchmore

Lat. 51° 57″ N Long. 0° 16′ W
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	0.05	–	–	–	–	–	–	0.13	0.04	1
2	–	0.08	–	0.19	–	–	–	0.05	0.02	0.01	0.06	0.12	2
3	–	0.02	0.04	–	0.51	–	–	0.02	0.11	–	0.59	0.04	3
4	–	0.03	0.05	–	–	–	–	0.01	0.47	–	0.38	0.02	4
5	–	0.02	–	–	0.23	–	–	0.08	0.16	0.03	–	–	5
6	0.06	0.07	–	0.24	0.02	–	–	0.02	–	–	–	0.02	6
7	0.09	0.08	–	0.10	0.10	0.01	–	–	0.03	0.10	0.10	–	7
8	–	0.01	–	–	–	–	–	–	0.16	0.01	0.09	0.02	8
9	0.02	0.02	–	0.01	–	0.12	0.20	–	0.39	0.12	–	0.08	9
10	0.06	–	–	0.03	–	–	0.20	–	0.03	0.02	0.02	0.11	10
11	–	–	–	0.02	0.03	–	0.21	–	0.04	0.48	0.04	0.03	11
12	0.04	0.09	–	–	0.18	–	0.14	–	0.06	–	–	–	12
13	–	0.01	–	0.01	0.24	–	0.02	–	0.06	–	–	0.04	13
14	0.20	–	–	0.01	–	0.14	0.05	–	0.29	0.14	–	0.13	14
15	1.13	–	–	1.37	–	–	0.17	–	0.01	–	–	0.11	15
16	0.23	–	–	0.48	–	–	–	0.01	0.74	–	–	0.01	16
17	0.09	–	–	0.15	0.26	–	0.31	–	0.03	–	–	0.11	17
18	0.42	–	–	–	–	0.10	0.14	–	0.24	0.03	–	0.33	18
19	0.03	0.02	0.04	0.20	–	–	0.14	–	0.05	0.08	–	0.11	19
20	0.01	0.03	–	0.37	–	0.03	0.02	–	0.08	0.14	–	0.04	20
21	0.07	–	–	0.22	–	0.05	–	–	0.86	0.05	–	–	21
22	0.03	–	–	–	0.15	–	0.04	–	0.13	–	–	0.17	22
23	0.01	–	–	–	0.52	0.01	0.25	0.05	0.01	–	–	0.01	23
24	–	0.15	–	–	0.02	0.01	–	–	0.09	–	0.08	–	24
25	–	–	–	–	–	0.06	0.04	0.25	–	–	0.15	–	25
26	–	–	–	–	–	–	0.19	0.04	–	0.03	0.13	0.16	26
27	–	–	–	0.11	–	–	0.14	0.18	0.12	–	0.09	0.02	27
28	–	0.06	0.17	0.02	–	–	–	–	–	–	0.33	0.08	28
29	–	X	–	–	–	–	–	–	1.43	–	0.01	–	29
30	–	X	0.29	–	–	–	–	–	0.03	–	0.06	0.06	30
31	–	X	0.15	X	–	X	–	–	X	0.05	X	0.02	31
Total	2.49	0.69	0.74	3.58	2.26	0.53	2.26	0.71	5.64	1.29	2.26	1.98	YEAR'S TOTAL 24.43
Rain Days.	15	14	6	17	11	9	16	10	25	14	15	24	176

Ex. Cab. 4/2/20

935

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hitchin [M.O.]

in the County of Hertford

by A. Latchmore

Lat. 51° 57′ Long. 0° 16′ W

Time of Observation 9h. G.M.T. (Winter) 8h. G.M.T. (Summer)

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·43	0·05	-	0·05	0·06	0·02	0·31	-	-	0·03	-	1·27	1
2	0·17	-	0·01	-	0·09	-	0·22	-	0·34	0·02	0·17	0·57	2
3	0·41	-	0·29	-	-	-	0·09	-	0·05	-	0·11	0·18	3
4	0·06	-	0·27	-	-	0·07	0·44	0·05	0·03	-	-	0·14	4
5	0·10	0·27	0·50	-	-	-	0·18	0·01	0·20	-	-	0·19	5
6	-	-	0·09	-	0·16	-	-	-	-	0·01	0·03	0·05	6
7	0·02	-	0·32	-	-	-	-	-	-	-	0·10	-	7
8	0·14	-	0·05	0·09	-	-	-	-	-	-	0·02	-	8
9	-	-	0·02	0·06	0·01	-	-	-	-	-	0·04	-	9
10	0·01	-	0·07	0·05	-	-	-	-	-	-	0·02	0·02	10
11	0·02	-	0·07	0·15	-	-	0·48	-	-	-	-	0·01	11
12	-	-	0·31	0·01	-	0·07	0·15	-	-	0·08	0·06	-	12
13	0·06	-	-	0·26	-	-	-	-	0·01	0·10	-	0·01	13
14	0·22	-	-	0·31	-	-	0·09	-	0·11	-	-	-	14
15	0·43	0·02	0·10	0·15	-	-	-	-	-	-	0·04	0·26	15
16	0·02	0·68	-	0·08	-	-	-	-	-	-	0·10	0·08	16
17	-	0·61	0·01	0·01	-	-	-	-	-	-	0·17	0·02	17
18	-	0·20	0·04	-	-	-	-	0·19	0·04	-	0·01	0·06	18
19	0·01	0·10	0·53	-	-	0·16	0·10	0·39	0·11	-	0·04	0·02	19
20	0·19	0·06	0·07	-	-	0·68	0·40	0·40	-	-	-	0·01	20
21	0·39	0·37	0·02	-	-	0·04	0·52	-	-	-	0·01	0·06	21
22	-	0·19	-	-	-	-	0·12	-	0·16	-	0·02	0·28	22
23	-	-	-	-	-	0·05	0·02	0·01	0·03	-	0·01	0·05	23
24	-	-	-	0·29	-	-	0·04	-	-	0·08	0·02	0·01	24
25	0·06	-	-	0·04	0·01	0·02	-	0·18	-	-	-	0·03	25
26	0·16	0·22	0·12	0·04	-	-	0·02	0·19	0·06	-	-	0·31	26
27	1·23	0·08	0·02	1·80	-	-	-	0·23	-	-	-	0·06	27
28	-	-	0·06	0·03	-	-	-	0·88	-	0·01	0·09	0·24	28
29	0·05		-	0·03	-	-	-	0·15	-	0·27	0·05	0·04	29
30	-		0·03	0·27	-	0·19	-	0·04	-	0·06	0·28	0·38	30
31	0·03		0·04		-		-	-		0·03		0·01	31
Total	4·21	2·85	3·04	3·72	0·33	1·30	3·18	2·72	1·14	0·69	1·39	4·36	YEAR'S TOTAL 28·93 ✓
Rain Days.	21	12	22	18	5	9	15	12	11	10	20	26	181 ✓

Copied from M.O. Form 3203

W. 6,300. VII. 18. W W C

Exc Dh

935

9 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

Kept at Chiltern Road Hitchin
in the County of Hertfordshire
by Alfed Latchmore

Lat 51° 56' 50" N Long 0° 15' 45" W
Time of Observation 9 A.M.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.43	0.05	—	0.05	0.06	0.02	0.31	—	—	0.03	trace	1.27	1
2	0.17	—	0.01	—	0.09	—	0.22	—	0.34	0.02	0.17	0.57	2
3	0.41	—	0.29	—	—	—	0.09	—	0.05	—	0.11	0.18	3
4	0.06	—	0.27	—	—	0.07	0.44	0.05	0.03	—	—	0.14	4
5	0.10	0.27	0.50	—	—	—	0.18	0.01	0.20	—	trace	0.19	5
6	trace	—	0.09	—	0.16	—	—	—	—	0.01	0.03	0.05	6
7	0.02	—	0.32	—	—	—	—	—	—	—	0.10	—	7
8	0.14	—	0.05	0.09	—	—	—	—	—	—	0.02	—	8
9	—	—	0.02	0.06	0.01	—	—	—	—	—	0.04	—	9
10	0.01	—	0.07	0.05	—	—	—	—	—	trace	0.02	0.02	10
11	0.02	—	0.07	0.15	—	—	0.48	—	—	—	—	0.01	11
12	—	—	0.31	0.01	—	0.07	0.15	—	trace	0.08	0.06	trace	12
13	0.06	—	—	0.26	—	—	—	—	0.01	0.10	—	0.01	13
14	0.22	—	—	0.31	—	—	0.09	—	0.11	—	—	trace	14
15	0.43	0.02	0.10	0.15	—	—	—	—	—	trace	0.04	0.26	15
16	0.02	0.68	—	0.08	—	—	—	—	—	—	0.10	0.08	16
17	—	0.61	0.01	0.01	—	—	—	—	—	—	0.17	0.02	17
18	—	0.20	0.04	—	—	—	—	0.19	0.04	—	0.01	0.06	18
19	0.01	0.10	0.53	—	—	0.16	0.10	0.39	0.11	—	0.04	0.02	19
20	0.19	0.06	0.07	—	—	0.68	0.40	0.40	—	—	—	0.01	20
21	0.39	0.37	0.02	—	—	0.04	0.52	—	—	trace	0.01	0.06	21
22	—	0.19	trace	—	—	—	0.12	—	0.16	—	0.02	0.28	22
23	—	—	—	—	—	0.05	0.02	0.01	0.03	—	0.01	0.05	23
24	—	—	—	0.29	—	—	0.04	—	—	0.08	0.02	0.01	24
25	0.06	—	—	0.04	0.01	0.02	—	0.18	—	—	—	0.03	25
26	0.16	0.22	0.12	0.04	—	—	0.02	0.19	0.06	—	—	0.31	26
27	1.23	0.08	0.02	1.80	—	—	—	0.23	—	—	trace	0.06	27
28	—	—	0.06	0.03	—	—	trace	0.88	—	0.01	0.09	0.24	28
29	0.05		—	0.03	—	—	—	0.15	—	0.27	0.05	0.04	29
30	—		0.03	0.27	—	0.19	—	0.04	—	0.06	0.28	0.38	30
31	0.03		0.04		—		—	—		0.03		0.01	31
Total	4.21	2.85	3.04	3.72	0.33	1.30	3.18	2.72	1.14	0.69	1.39	4.36	YEAR'S TOTAL 28.93
Days with ·01 in. or more	21	12	22	18	5	9	15	12	11	10	20	26	181.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

889

26 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

"WINSCOMBE," CHILTERN ROAD

Kept at HITCHIN

in the County of HERTFORD

by ALFRED LATCHMORE

Lat. 51° 56′ 50″ N Long. 0° 15′ 45″ W

Time of Observation 9 A.M.

Nearest Railway Station HITCHIN

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.55	0.13	—	0.16	0.10	0.03	0.60	0.05	0.18	1
2	—	—	trace	0.11	—	—	0.01	0.08	0.05	0.21	—	0.09	2
3	—	0.02	—	0.11	0.01	0.03	0.04	—	0.05	0.06	—	—	3
4	—	—	—	0.13	—	—	0.03	0.13	0.01	0.13	—	0.06	4
5	—	—	0.02	—	0.05	—	0.62	0.01	0.09	trace	—	0.01	5
6	—	—	0.12	—	0.09	—	0.40	—	—	—	—	0.01	6
7	—	—	0.16	0.06	—	—	0.13	—	—	—	—	0.04	7
8	0.17	0.01	—	0.37	0.01	—	0.26	—	—	trace	—	—	8
9	0.28	—	—	0.27	—	—	—	0.09	—	—	—	—	9
10	0.15	0.10	0.04	—	—	trace	0.07	—	—	—	—	0.02	10
11	0.28	—	0.03	0.31	0.05	0.02	0.05	—	—	—	—	0.02	11
12	0.04	—	0.13	0.09	—	0.37	—	—	—	—	0.02	0.01	12
13	0.01	0.01	0.07	0.25	—	0.02	—	—	—	—	0.04	0.02	13
14	trace	0.01	0.21	0.19	—	0.27	0.10	—	0.08	0.18	0.23	0.01	14
15	—	0.02	0.22	0.06	—	—	0.01	—	0.06	—	0.04	0.01	15
16	—	—	trace	0.20	—	—	—	—	0.14	0.05	0.03	—	16
17	0.03	—	0.01	0.01	0.08	0.03	0.04	—	0.35	—	—	0.04	17
18	0.08	—	—	trace	—	—	—	0.42	0.06	—	—	0.05	18
19	0.12	trace	—	0.18	—	0.05	—	0.07	—	—	trace	—	19
20	0.05	0.15	—	0.28	—	0.45	—	—	—	—	—	trace	20
21	—	trace	—	—	—	—	0.38	0.07	0.32	—	—	0.05	21
22	—	—	—	0.20	—	—	—	—	0.55	—	—	0.06	22
23	trace	trace	—	—	—	—	0.45	—	—	—	—	0.31	23
24	0.03	—	0.11	—	—	—	—	—	—	trace	trace	0.03	24
25	—	0.09	0.03	0.01	0.40	—	0.31	—	—	trace	—	—	25
26	0.13	—	0.07	0.02	0.17	—	0.02	—	—	trace	—	0.01	26
27	0.25	0.01	—	0.25	—	0.27	0.12	—	—	trace	0.68	0.10	27
28	0.44	—	0.09	—	0.22	0.01	0.02	—	—	trace	0.03	0.02	28
29	0.09	—	0.09	—	0.02	—	0.10	—	—	—	0.11	0.23	29
30	0.02		trace	—	0.02	0.05	0.19	—	0.25	—	0.17	0.16	30
31	trace		—		0.03		—	—		0.28		0.10	31
TOTAL	2.17	0.42	1.40	3.65	1.28	1.57	3.51	0.97	2.04	1.51	1.40	1.64	YEAR'S TOTAL 21.56
Days with ·01 in. or more	16	9	15	20	13	11	21	8	13	7	10	24	167
Days with ·04 in. or more	12	3	11	17	8	6	16	7	11	7	7	13	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

889

18 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MO

Kept at Hitchin

in the County of Hertfordshire

by A Latchmore

Lat. 51° 57′N Long. 0° 16′W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

„ „ „ „ Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·55	0·13	-	0·16	0·10	0·03	0·60	0·05	0·18	1
2	-	-	-	0·11	-	-	0·01	0·08	0·05	0·21	-	0·09	2
3	-	0·02	-	0·11	0·01	0·03	0·04	-	0·05	0·06	-	-	3
4	-	-	-	0·13	-	-	0·03	0·13	0·01	0·13	-	0·06	4
5	-	-	0·02	-	0·05	-	0·62	0·01	0·09	-	-	0·01	5
6	-	-	0·12	-	0·09	-	0·40	-	-	-	-	0·01	6
7	-	-	0·16	0·06	-	-	0·13	-	-	-	-	0·04	7
8	0·17	0·01	-	0·37	0·01	-	0·26	-	-	-	-	-	8
9	0·28	-	-	0·27	-	-	-	0·09	-	-	-	-	9
10	0·15	0·10	0·04	-	-	-	0·07	-	-	-	-	0·02	10
11	0·28	-	0·03	0·31	0·05	0·02	0·05	-	-	-	-	0·02	11
12	0·04	-	0·13	0·09	-	0·37	-	-	-	-	0·02	0·01	12
13	0·01	0·01	0·07	0·25	-	0·02	-	-	-	-	0·04	0·02	13
14	-	0·01	0·21	0·19	-	0·27	0·10	-	0·08	0·18	0·23	0·01	14
15	-	0·02	0·22	0·06	-	-	0·01	-	0·06	-	0·04	0·01	15
16	-	-	-	0·20	-	-	-	-	0·14	0·05	0·03	-	16
17	0·03	-	0·01	0·01	0·08	0·03	0·04	-	0·35	-	-	0·04	17
18	0·08	-	-	-	-	-	-	0·42	0·06	-	-	0·05	18
19	0·12	-	-	0·18	-	0·05	-	0·07	-	-	-	-	19
20	0·05	0·15	-	0·28	-	0·45	-	-	-	-	-	-	20
21	-	-	-	-	-	-	0·38	0·07	0·32	-	-	0·05	21
22	-	-	-	0·20	-	-	-	-	0·55	-	-	0·06	22
23	-	-	-	-	-	-	0·45	-	-	-	-	0·31	23
24	0·03	-	0·11	-	-	-	-	-	-	-	-	0·03	24
25	-	0·09	0·03	0·01	0·40	-	0·31	-	-	-	-	-	25
26	0·13	-	0·07	0·02	0·17	-	0·02	-	-	-	-	0·01	26
27	0·25	0·01	-	0·25	-	0·27	0·12	-	-	-	0·68	0·10	27
28	0·44	-	0·09	-	0·22	0·01	0·02	-	-	-	0·03	0·02	28
29	0·09	-	0·09	-	0·02	-	0·10	-	-	-	0·11	0·23	29
30	0·02	✕	-	-	0·02	0·05	0·19	-	0·25	-	0·17	0·16	30
31	-	✕	-	✕	0·03	✕	-	-	✕	0·28	✕	0·10	31
TOTAL	2·17 ✓	0·42 ✓	1·40 ✓	3·65 ✓	1·28 ✓	1·57 ✓	3.51 ✓	0·97 ✓	2·04 ✓	1·51 ✓	1·40 ✓	1·64 ✓	YEAR'S TOTAL 21·56 =✓
Days with ·01 in. or more	16 ✓	9 ✓	15 ✓	20 ✓	13 ✓	11 ✓	21 ✓	8 ✓	13 ✓	7 ✓	10 ✓	24 ✓	167 ✓
	12	5	11	17	8	6	16	7	11	7	7	13	118

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 10/ 3203.

✓

REGI ... 11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

HERTS.
HITCHIN - THE CHILTERNS
1911 - 1919

Kept at The Chiltern ... uowdon

in the County of Her

by F. Rawson

5 in.

ve Ground 1 ft. - in.

Sea Level 300 ft.

a m

Name Hitchin

Distance ½ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·19			·04	·09				·01	1
2	·05			·20	·09			·01			·13	·10	2
3		·04		·01	·15			·02		·04	·05	·04	3
4		·05	·13	·23						·30	·11	·35	4
5	·02	·01		·01				·04		·05		·22	5
6	·23		·03								·01	·45	6
7	·01		·02							·17	·30	·25	7
8	·18		·11							·03	·07	·17	8
9	·17		·01	·02							·01	·01	9
10	·02	·08	·08	·03							·06	·37	10
11	·23	—	·01		·14	·03					·43	·01	11
12	·12		·45						·02	·14	·28		12
13			·05		·63				·21	·04	·01	·32	13
14			·03		·36							·42	14
15		·04	·21							·03	·04	·03	15
16			·08			·10				·01	·28	·05	16
17		·18	·02			·04					·09	·18	17
18			·01			·03				·01	·44	·11	18
19						·27			·06	·04	·24	·07	19
20	·02	·02	·02					·69	·14	·02	·01	·56	20
21	·02	·10	·01					·54		·45	·01	·11	21
22	·03	·01	·36			·10		·01		·08		·60	22
23		·19	·28			·95			·18			·16	23
24		·05	·02			·12		·02		·42		·14	24
25		·05	·03	·05		·21	·13	·01		·01		·02	25
26				·17		·08				·14	·06	·13	26
27		·29	·07	·06			·04		·13		·01	·05	27
28		·19		·22	·03			·08			·05	·02	28
29			·01	·01		·14	·16		·20	·17			29
30			·01	·05	·03	·02				·18		·01	30
31					1·06					·01			31
Total	1·11 ✓	1·30 ✓	2·05 ✓	1·25 ✓	2·49 ✓	2·09 ✓	·37 ✓	1·51 ✓	·94 ✓	2·34 ✓	2·69 ✓	4·96 ✓	TOTAL for year 23·[illegible]0 ✓
No. of Rain Days.	13	14	23	13	8	12	4	10	7	20	21	28	173 ✓

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at The Chilterns, Hitchin

in the County of Herts 4

by F Ransom

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Hitchin
Distance ½ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·19			·04	·09				·01	1
2	·05			·20	·09			·01			·13	·10	2
3		·04		·01	·15			·02		·04	·05	·04	3
4		·05	·13	·23						·30	·11	·35	4
5	·02	·01		·01				·04		·05		·22	5
6	·23		·03								·01	·45	6
7	·01		·02							·17	·30	·25	7
8	·18		·11							·03	·07	·17	8
9	·17		·01	·02							·01	·01	9
10	·02	·08	·08	·03							·06	·37	10
11	·23		·01		·14	·03					·43	·01	11
12	·12		·45						·02	·14	·28		12
13			·05		·63				·21	·04	·01	·32	13
14			·03		·36							·42	14
15		·04	·21							·03	·04	·03	15
16			·08			·10				·01	·28	·05	16
17		·18	·02			·04					·09	·18	17
18			·01			·03				·01	·44	·11	18
19						·27			·06	·04	·24	·07	19
20	·02	·02	·02					·69	·14	·02	·01	·56	20
21	·02	·10	·01					·54		·45	·01	·11	21
22	·03	·01	·36			·10		·01		·08		·60	22
23		·19	·28			·95			·18			·16	23
24		·05	·02			·12		·02		·42		·14	24
25		·05	·03	·05		·21	·13	·01		·01		·02	25
26				·17		·08				·14	·06	·13	26
27		·29	·07	·06			·04		·13		·01	·05	27
28		·19		·22	·03			·08			·05	·02	28
29			·01	·01		·14	·16		·20	·17			29
30			·01	·05	·03	·02				·18		·01	30
31					1·06					·01			31
Total	1·11	1·30	2·05	1·25	2·49	2·09	·37	1·51	·94	2·34	2·69	4·96	TOTAL for year 23·[illegible]0
No. of Rain Days.	13	14	23	13	8	12	4	10	7	20	21	28	173

W. 8,000, X. '11.

Ess DS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913

Kept at The Chilterns, Hitchin

in the County of Herts 4

by F. Ransom

Lat. 57 n Long. 15 w

Time of Observation 9 a m

Nearest Railway Station Hitchin

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02		·04	·01	·14	·09	·36		·15	1
2		·01	·04			·20	·62		·04				2
3	·09	·03	·05		·43	·12	·01	·22				·04	3
4	·09		·60		·13	·16		·05			·29		4
5	·09	·09	·30					·10			·11	·01	5
6	·27	·03			·01	·05	·03	·36	·01			·03	6
7	·05				·04	·69		·01				·05	7
8	·38	·27	·17					·32	·06			·02	8
9	·03	·07		·06	·01	·17		·01				·24	9
10		·03						·55	·14		·14	·06	10
11	·10	·12	·01			·02			·05		·02	·10	11
12	·11	·16	·09		·03	·10	·04	·04			·06		12
13	·01	·02	·01			·09	·02	·14			·14		13
14	·01		·02		·05	·03		·02		·03	·01	·01	14
15		·03	·11		·18	·17		·03				·12	15
16	·31		·02		·07	·11		·03			·05		16
17	·63		·20			·06		·05					17
18	·08		·19					·21			·05	·13	18
19	·18	·10	·12				·42	·72					19
20	·03		·10				·03	·12		·21			20
21	·01	·02	·64		·38			·31		·22	·05		21
22	·57	·07	·14		·04		·07	·14		·04		·03	22
23	·42	·53	·23		·01		2·36	·41			·17	·12	23
24	·22						·06	·14				·12	24
25	·01					·11		·55			·25	·36	25
26		·02					·20	·48		·35	·31	·38	26
27						·03	·13	·01		·21		·14	27
28		·02					·02	·04	·08	·35	·28	·35	28
29		·01	·01	·01		·15	·12	·40	1·10	·26	·01		29
30	·02				·15	·01	·04	·04	·67	·10			30
31	·01		·04		·02		·17	·16		·01		·02	31
Total	3·72	1·63	3·11	·09	1·55	2·31	4·35	5·80	2·24	2·14	1·94	2·48	YEAR'S TOTAL 31·36
Rain Days.	23	18	21	3	14	18	17	29	9	11	15	20	198

W. 7,500, XI. ·12

✓ Ext D

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL
21 JAN 1914

Kept at The Chilterns, Hitchin
in the County of Herts 4
by F. Ransom

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·14	·09	·11					·31		·15	·04	1
2	·01	·13	·02	·02	·17		·13		·12	·03	·02		2
3	·01		·07	·04	·73								3
4	·17		·01		·04		·07			·52	·01	·25	4
5	·11					·01	·21			·03	·01	·16	5
6		·05	·08		·12	·18	·13		·01	·31	·05	·01	6
7		·15			·17		·05	·01		·44			7
8			·01		·20	·10				·16	·10		8
9		·20	·03	·03	·02	·15			·16		·02	·07	9
10	·01			·20			·46				·49	·01	10
11	·87			·44						·27	·27		11
12					·10			·01			·34		12
13	·02							·04	·02		·35		13
14	·06		·07	·01			·56	·06		·18	·09		14
15	·08	·03	·16	·23			·05		·04				15
16	·04		·38	·26					·03				16
17	·02	·02	·04	·16		·65	·03				·01	·11	17
18	·02		·15	·15							·04		18
19	·33		·07			·01	·14		·47			·03	19
20	·16		·08	·01		·13				·30			20
21	·05		·12	·17	·05					·10	·37		21
22	·39		·20	·11	·01			·04	·14	·01			22
23	·01					·02	·01	·07	·03	·01	·01	·07	23
24	·03			·01				·03	·01				24
25		·02		·15		·02	·01						25
26		·02	·25	·12				·12		·55		·13	26
27			·03	·04						·02			27
28	·15		·20	·09						·08		·03	28
29	·04		·11	·43	·30			·10		·03	·01	·02	29
30	·26			·02				·07		·21	·13	·01	30
31								·61		·01			31
													YEAR'S TOTAL
Total	2·87	·76	2·17	2·80	1·91	1·27	1·85	1·16	1·34	3·26	2·47	·94	22·80
Rain Days.	22	9	20	21	11	9	12	11	11	18	18	13	175

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at The Chilterns, Hitchin
in the County of Herts 4
by F. Ransom

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·03			·17	·33			·08		1
2	·02						·04	·07		·02	·07	·15	2
3			·01	·01	·12		·81	·15			·19		3
4	·21			·19	·03			·08			·32	·28	4
5	·02	·01	·05	·28	·07	·09	·63	·15			·01		5
6		·08			·04	·07	·10	·01			·24	·13	6
7		·19	·22	·14	·30		·05	·01			·01	·31	7
8	·07	·12	·65	·19	·03	·51	·04	·07				·01	8
9	·21		·49	·26		·47			·03			·91	9
10	·10	·15	·01	·07	·05				·14			·01	10
11		·18	·32	·01	·07	·45					·22	·28	11
12	·02	·03	·07			·01	·01		·45	·01	·02	·53	12
13	·02	·24	·12						·08	·36	·04	·25	13
14		·07	·34				·01			·63	·13	·74	14
15	·09	·01	·19					·03	·01	·01	·04	·07	15
16	·03	·03	·04	·01					·01		·02		16
17		·38	·04						·13	·01		·16	17
18	·01		·04									·53	18
19		·04	·19						·05		·25	·03	19
20		·19	·28									·04	20
21		·39	·09			·16				·02		·13	21
22		·05	·06	·02	·19	·01	·08	·03		·58			22
23		·14	·04		·15					·13	·01	·06	23
24		·01	·11	·02			·07			·14	·12		24
25	·05		·11					·09		·40		·12	25
26			·03				·01	·04		·03	·11	·45	26
27	·05		·02					·01		·01	·01	·16	27
28		·04			·05					·05	·62	1·53	28
29	·03		·06							·31	·10	·01	29
30		X	·04				·04			·03	·24	·35	30
31		X		X	·11	X			X		X	·03	31
Total	·94	2·35	3·62	1·23	1·21	1·77	2·06	1·07	·90	2·74	2·85	7·27	YEAR'S TOTAL 28·01
Rain Days.	15	19	25	12	12	8	13	13	8	16	21	25	187

W. 8,000. X. 14.

1050

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Chilterns, Hitchin

in the County of Herts. 4

by F Ransom

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·08	·04		·07				·13	·03	·09	·33	1
2	·23	·28	·19	·12		·03		·44	·02	·04	·01	·09	2
3	·34		·01	·12			·10	·30	·04			·13	3
4	·07							·19		·03	·02	·53	4
5	·02	·44						·01		·01		·21	5
6	·19	·04	·04	·24			1·23	·01				·05	6
7	·06	·31	·07	·01		·07	·28	·04				·34	7
8		·36	·02	·02			·02				·02	·01	8
9		·02		·02				·02			·19	·48	9
10	·26		·01					·22			·01	·07	10
11	·02		·03		·02					·08	·81	·01	11
12	·04	·02		·31	·32			·23			·73	·05	12
13	·02	·44			1·39			·01					13
14		·03					·29	·35	·03			·39	14
15	·16				·03			·02			·14	·12	15
16		·30					·49	·19				·08	16
17		·30			·23		·18				·02	·01	17
18		·09	·17								·05		18
19		·01					·08						19
20	·25			·07				·01		·01		·29	20
21	·11	·03								·02	·01	·05	21
22	·89	·03	·43				·42					·14	22
23	·01	·16	·30			·02	·11		·22	·23		·21	23
24			·06			·05	·08		·24	·03		·17	24
25		·01	·01	·03		·02				·02		·31	25
26		·09					·11					·26	26
27		·04				·31	·08			·41		·06	27
28		·11	·01			·03	·01	·02	·96	·14			28
29		X				·07	·07	·18		·01	·10	·07	29
30	·03	X									·03	·01	30
31	·04	X		X		X		·03	X	·70	X	·21	31
													YEAR'S TOTAL
Total	3·27	3·19	1·39	·94	2·06	·60	3·55	2·27	1·64	1·76	2·23	4·68	27·58
Rain Days.	18	21	14	9	6	8	15	17	7	14	14	27	170

W. 8,000. X. 15.

✓ Exd Ely 1022

FORM A.
BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Chilterns, Hitchin
in the County of Herts
by F. Ransom

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·02		·12	·01			·01	·02	·26		1
2	·31	·04	·16		·20	·03			·05	·40			2
3		·46	·04				·02		·18	·19	·16		3
4	·22	·08	·01		·01	·26				·13	·35		4
5	·03	·01	·01	·06	·04	·31				·06	·44		5
6		·06	·31	·27	·02	·21	·14			·03	·48		6
7	·04		·24		·05	·08				·12	·48	·03	7
8					·27	·03						·28	8
9			·03		·25							·04	9
10		·06	·14	·07		·09	·01					·03	10
11	·05	·17	·06	·10	·02	·16						·07	11
12	·03	·02	·04	·03	·45	·19	·18	·06	·02	·16		·01	12
13	·02	·47	·16	·10	·16	·05	·14	·07		·01		·05	13
14		·45	·01	·04	·01			·04					14
15		·13	·42	·01			·04	·06		·01			15
16		·03	·19	·19			·09	·19		·07			16
17	·06	·04	·01	·23	·06		·05	·58	·21	·28		·02	17
18	·01	·07	·04	·13				·03	·11	·01	·67		18
19	·04	·02	·21	·04				·05	·41		·65	·14	19
20	·20		·42	·01				·03			·02	·45	20
21	·02		·86				·54				·01	·58	21
22		·09	·03		·09	·01				·04	·03	·49	22
23	·01	·44				·05		·03		·01	·03	·09	23
24		·08	·02			·31		·02		·05	·02	·36	24
25		·46	·13		·04			·13		·10	·08	·03	25
26		·08	·07			·10		·03		·05	·02		26
27	·09	·07	1·09			·36		·04	·06	·12			27
28		·38	·30			·30			·01	·02		·18	28
29		·10	·01			·11		1·10	·01	·36		·11	29
30		X				·03		·25		·26		·02	30
31		X		X		X		·01	X	·03	X	·01	31
Total	1·19	3·81	5·03	1·28	1·79	2·69	1·21	2·72	1·07	2·53	3·70	2·99	YEAR'S TOTAL 30·01 ✓
Rain Days.	15	23	27	13	15	19	9	17	10	23	15	19	205 ✓

W. 8,000, VIII. 16

Summer Time from May 21st to Sept 30th

990

FORM A.
BRITISH RAINFALL
7. JAN [illegible]

REGISTER OF RAINFALL IN 1917

Kept at The Chilterns, Hitchin

in the County of Herts

by F. Ransom

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·14				1·37	·04		·10		1
2	·01			·14		·04		·13		·01	·04		2
3				·02				·61		·56	·10		3
4		·14	·05					·10		·51			4
5	·20		·02	·19				·26	·45	·08	·14		5
6	·02					·08			·03	·03	·04		6
7	·25					·01	·26			·34	·02		7
8	·26			·09			1·41	·49		·23	·07	·05	8
9	·02	·03	·07	·13			·09	·63	·02		·05	·11	9
10	·29		·15	·22				·11		·02	·01		10
11	·09	·03	·56	·04						·31			11
12	·09	·01		·01	·04			·15		·25			12
13	·16		·04					·08	·01	·03			13
14	·02			·06	·02			·03				·01	14
15	·03						·03	·01		·02			15
16	·03	·11		·16	·02	·37	·07			·77		·06	16
17		·02		·12	·74		·24	·05	·32	·34			17
18	·04	·01		·19	·04	·09	·33	·01	·55	·01			18
19	·02	·09	·09	·01	·12	·10			·25				19
20	·03	·15	·12		·88			·01	·01		·10		20
21	·01	·01	·04	·03	·02						·04		21
22			·14					·03		·18			22
23		·10			·08			·09		·06		·04	23
24	·02	·04	·01			·08	·04	·14		·08	·08		24
25		·02	·03								·07	·01	25
26			·08					·24	·05		·26		26
27			·01			·08		·69				·04	27
28		02	·01			1·40		·09		·01		·05	28
29		X	·03			·35	1·09	·09		·30		·13	29
30	·03	X	·06			·02	·93	·07		·01		·02	30
31	·03	X	·19	X		X	·46	·11	X	·01	X		31
Total	1·65	·79	1·70	1·55	1·96	2·62	4·95	5·59	1·73	4·16	1·12	·52	YEAR'S TOTAL 28·34
Rain Days.	20	15	18	15	9	11	11	24	10	22	14	10	179

W. 8,000, IX. 17.

Exd. E.I.E.

71

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

6. 1. 19

Kept at The Chilterns, Hitchin

in the County of Herts

by F. Ransom

Lat. .... Long. —

Time of Observation ....

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02		·05							·15	·05	1
2		·09		·21				·05		·01	·05	·13	2
3		·03	·05		·57			·02	·16		·63	·05	3
4	·01	·03	·05					·02	·47		·35	·02	4
5		·03	·01		·26			·08	·15	·03	·01		5
6	·07	·09	·01	·25	·03			·02				·03	6
7	·06	·08		·08	·11				·03	·22	·11		7
8		·01							·16	·03	·09	·03	8
9	·02	·03		·01		·11	·20		·40	·11	·01	·09	9
10	·06			·04			·20		·03	·02	·02	·11	10
11				·03	·03		·21		·04	·48	·04	·04	11
12	·04	·09			·19		·18		·06				12
13		·02			·25		·03		·08			·15	13
14	·21			·02		·15	·07		·28	·16		·15	14
15	1·12			1·35			·17		·02			·12	15
16	·29			·51				·01	·78		·01	·01	16
17	·12			·16	·24		·33		·03			·11	17
18	·43					·13	·18		·24	·04		·33	18
19	·04	·02	·05	·21			·15		·04	·08		·14	19
20	·02	·04		·41		·03	·02		·08	·15		·03	20
21	·09			·28		·04			·58	·06			21
22	·04				·15		·05		·14			·18	22
23	·02				·50		·28	·06	·03			·02	23
24		·16			·02	·02			·09		·09		24
25						·06	·03	·26		·01	·07		25
26							·17	·05		·03	·15	·16	26
27				·11			·16	·18	·12		·09	·03	27
28		·07	·16	·02				·01			·34	·08	28
29									1·47		·02		29
30		X	·31						·04		·06	·07	30
31		X	·15	X		X			X	·05	X	·02	31
Total	2·65 ✓	·81 ✓	·79 ✓	3·74 ✓	2·35 ✓	·54 ✓	2·43 ✓	·76 ✓	5·82 ✓	1·48 ✓	2·29 ✓	2·15 ✓	YEAR'S TOTAL 25·81 ✓
Rain Days.	17 ✓	15 ✓	8 ✓	16 ✓	11 ✓	7 ✓	16 ✓	11 ✓	24 ✓	15 ✓	18 ✓	24 ✓	182 ✓

W, 6,500, VII. 18. W W U

[illegible] jp Dec: 10-31 from Newlands. 934

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at The Chilterns, Hitchin

in the County of Herts

by F. Rawson

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40			·06	·06	·02	·30			·04	·01	1·28	1
2	·19	·06			·09		·22		·37	·03	·18	·52	2
3	·44		·31				·10		·05		·12	·19	3
4	·08		·29			·07	·44	·05	·04		·01	·15	4
5	·10	·31	·49					·01	·20		·01	·20	5
6	·01		·09		·15					·01	·04	·05	6
7	·04		·34								·11		7
8	·15		·06	·09							·03		8
9			·03	·06	·01						·05		9
10	·02		·07	·05							·02		10
11	·03		·08	·15			·47			·01			11
12			·33	·01		·08	·15		·01	·09	·08		12
13	·07	·01		·26					·02	·11	·01		13
14	·23			·31			·10						14
15	·42	·02	·10	·14						·01	·02		15
16	·03	·72		·09							·11		16
17		·61		·01							·17		17
18		·18	·05					·18	·04		·01		18
19	·01	·12	·59			·16	·11	·38	·11		·04		19
20	·22	·07	·09			·68	·41	·41			·01	(1·80)	20
21	·41	·38	·03			·05	·51						21
22		·20					·13		·16		·03		22
23						·04	·03	·02	·03		·02		23
24				·31			·04			·10	·03		24
25	·06			·04	·02	·02		·19					25
26	·17	·24	·12	·04			·02	·21	·06				26
27	·86	·09	·03	1·34				·30			·01		27
28			·05	·04				·93		·02	·10		28
29	·07			·03				·14		·27	·06		29
30		✕	·02	·27		·19		·04		·07	·28		30
31	·03	✕	·03	✕		✕			✕	·03	✕		31
TOTAL	4·04	3·01	3·20	3·30	·33	1·31	3·03	2·86	1·09	·79	1·56	(4·19)	YEAR'S TOTAL (28·71)
Days with ·01 in. or more	22	13	20	18	5	9	14	12	11	12	25	(26)	(187)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOC** … **NIZATION.**

REG

✓

28 JAN 20

HITCHIN

HITCHINS NEWLANDS

HERTS

1919-1920

Kept at Newlands … m

in the County of Her … Hitchin

by F. Ran

Gauge 5 in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—R … ed to the previous day.

If an Observer prefers not to c … d to add the reading at 9 a.m. on 1st Ja … he end of this paragraph. Full instruction … n gauges, and particulars as to the Britis … *bservers,"* sent post-free on application t … Camden Square, London, N.W. 1.

Recor

Jan. 1, following.

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10												·02	10
11												·01	11
12													12
13													13
14												·01	14
15												·25	15
16												·07	16
17												·02	17
18												·10	18
19												·01	19
20												·01	20
21												·05	21
22												·27	22
23												·04	23
24												·02	24
25												·04	25
26												·27	26
27												·03	27
28												·22	28
29												·04	29
30		X										·32	30
31		X		X		X			X		X	·02	31
TOTAL													YEAR'S TOTAL
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

20 JAN 20

Kept at Newlands, Hitchin

in the County of Herts

by F. Ransom

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10												·02	10
11												·01	11
12													12
13													13
14												·01	14
15												·25	15
16												·07	16
17												·02	17
18												·10	18
19												·01	19
20												·01	20
21												·05	21
22												·27	22
23												·04	23
24												·02	24
25												·04	25
26												·27	26
27												·03	27
28												·22	28
29												·04	29
30												·32	30
31												·02	31
Total													Year's Total
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A/1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

28 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Newlands, Hitchin

in the County of Herts

by F Ransom

Lat. .... Long. ....

Time of Observation 9 a m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·62	·15		·20	·11	·04	·57	·04	·21	1
2				·10			·03	·10	·05	·20		·12	2
3		·02		·13		·03	·06		·06	·07		·01	3
4				·13			·03	·16		·15		·05	4
5			·02		·07		·64	·02	·10			·01	5
6			·12		·11		·48					·01	6
7			·16	·08	·01		·17					·04	7
8	·19	·01	·01	·38	·01		·37						8
9	·34			·23			·01	·16					9
10	·18	·10	·05				·08					·03	10
11	·37		·04	·40	·06	·02	·06					·02	11
12	·04		·12	·11		·52					·03	·01	12
13		·02	·08	·24		·03					·06	·02	13
14	·01	·01	·24	·22		·08	·12		·11	·22	·27	·03	14
15		·03	·14	·09			·02		·10	·01	·05	·01	15
16			·01	·18					·13	·05	·03		16
17	·03		·01	·02	·09	·01	·04		·32	·01		·04	17
18	·09			·01	·01			·45	·05			·05	18
19	·12			·19		·04		·06				·01	19
20	·06	·15		·31		·49							20
21							·28	·08	·31			·07	21
22				·19					·70		·01	·07	22
23	·01						·53					·36	23
24	·02	·01	·12							·01		·04	24
25		·08	·05	·01	·57		·32						25
26	·15		·08	·02	·16	·01	·02			·01		·01	26
27	·26	·02	·01	·25		·33	·16			·01	·80	·12	27
28	·46		·09		·28	·01	·03				·02	·02	28
29	·11		·11		·02		·11				·13	·20	29
30	·03	×	·06		·02	·05	·19		·30		·18	·18	30
31		×	·01	×	·03	×			×	·31	×	·12	31
TOTAL	2·47	·45	1·53	3·91	1·59	1·62	3·95	1·14	2·27	1·62	1·62	1·86	YEAR'S TOTAL 24·03
Days with ·01 in. or more	17	10	20	21	14	12	22	8	12	12	11	26	185
Days with ·04 in. or more	12	3	14	17	8	6	16	7	12	7	7	14	123

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

HITCHIN
HIGH DOWN
HERTS
1914-1920

R

Kept at High Do
in the County of H
by Ellen

5 in.
Ground 1 ft. 1 in.
Sea Level 421·3/4 ft.
a.m.
Name Hitchin
Distance 4 miles Direction S.E.

IMPORTANT NO … the result entered to the previous day. If an O … ersal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … nent of rain, the selection and plac … itish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	Marc							Oct.	Nov.	Dec.	Date.
1	·01	–	–	[illegible]	–		[illegible]	[illegible]	–	–	–	–	1
2	·02	–	–	·49	·10	–	–	·02	–	–	·12	·07	2
3	–	·02	–	·37	·10	–	–	·02	–	·01	·04	·12	3
4	·06	·04	·12	·09	–	–	–	–	·01	·06	·10	·39	4
5	·01	–	–	·02	–	–	–	·10	–	·03	·02	·04	5
6	·22	–	·02	·01	–	–	–	–	–	–	·01	·53	6
7	·02	–	·01	–	–	–	–	–	–	·18	·29	·13	7
8	·17	–	·14	–	–	–	–	–	–	·01	·05	·14	8
9	·13	–	–	·02	–	–	–	–	–	–	–	·04	9
10	·01	·09	·07	·01	–	–	–	–	–	–	·15	·31	10
11	·19	–	·01	–	·13	–	–	–	–	–	·47	·01	11
12	·07	–	·46	–	–	–	–	–	·04	·27	·30	–	12
13	–	–	·03	–	·34	–	–	–	·20	–	–	·42	13
14	–	·01	·04	–	·35	·01	–	–	–	–	–	·38	14
15	–	·03	·23	–	–	–	–	–	–	·03	·06	·01	15
16	–	–	·02	–	–	·08	–	–	–	·01	·26	·04	16
17	–	–	–	–	–	·13	–	–	–	–	·03	·16	17
18	–	·20	·01	–	–	·08	–	–	–	–	·30	·11	18
19	–	–	–	–	–	·24	–	–	·09	·06	·26	·11	19
20	–	·04	·02	–	–	–	–	·59	·23	–	–	·52	20
21	·03	·08	–	–	–	–	–	1·48	–	·34	–	·09	21
22	–	·01	·26	–	–	·08	–	·01	–	·04	–	·54	22
23	–	·20	·24	–	–	1·03	–	–	·19	–	–	·16	23
24	–	·05	–	–	–	·13	–	·01	–	·30	–	·23	24
25	·01	·06	·02	·05	·02	·22	·01	–	–	–	–	·01	25
26	–	–	–	·18	·04	·04	–	·01	–	·14	·05	·14	26
27	–	·26	·03	·04	·03	–	·01	–	·16	–	–	·04	27
28	–	·22	–	–	–	–	–	·07	–	–	·07	·02	28
29	–		–	–	–	·15	·12	–	·22	·15	–	–	29
30	–		·01	·08	·02	·03	–	–	·02	·23	–	–	30
31	–		–		·57		–	–		·01		–	31
Total	·95	1·31	1·74	1·31	1·70	2·22	·17	2·40	1·16	1·87	2·58	4·76	TOTAL for year 22·17
No. of Rain Days.	13	14	18	12	10	12	4	10	9	16	17	26	161

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at High Down Hitchin

in the County of Herts 4

by Ellen Pollard Miss

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 421·374 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Hitchin
Distance 4 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·25	—	—	·03	·09	—	—	—	—	1
2	·02	—	—	·49	·10	—	—	·02	—	—	·12	·07	2
3	—	·02	—	·37	·10	—	—	·02	—	·01	·04	·12	3
4	·06	·04	·12	·09	—	—	—	—	·01	·06	·10	·39	4
5	·01	—	—	·02	—	—	—	·10	—	·03	·02	·04	5
6	·22	—	·02	·01	—	—	—	—	—	—	·01	·53	6
7	·02	—	·01	—	—	—	—	—	—	·18	·29	·13	7
8	·17	—	·14	—	—	—	—	—	—	·01	·05	·14	8
9	·13	—	—	·02	—	—	—	—	—	—	—	·04	9
10	·01	·09	·07	·01	—	—	—	—	—	—	·15	·31	10
11	·19	—	·01	—	·13	—	—	—	—	—	·47	·01	11
12	·07	—	·46	—	—	—	—	—	·04	·27	·30	—	12
13	—	—	·03	—	·34	—	—	—	·20	—	—	·42	13
14	—	·01	·04	—	·35	·01	—	—	—	—	—	·38	14
15	—	·03	·23	—	—	—	—	—	—	·03	·06	·01	15
16	—	—	·02	—	—	·08	—	—	—	·01	·26	·04	16
17	—	—	—	—	—	·13	—	—	—	—	·03	·16	17
18	—	·20	·01	—	—	·08	—	—	—	—	·30	·11	18
19	—	—	—	—	—	·24	—	—	·09	·06	·26	·11	19
20	—	·04	·02	—	—	—	—	·59	·23	—	—	·52	20
21	·03	·08	—	—	—	—	—	1·48	—	·34	—	·09	21
22	—	·01	·26	—	—	·08	—	·01	—	·04	—	·54	22
23	—	·20	·24	—	—	1·03	—	—	·19	—	—	·16	23
24	—	·05	—	—	—	·13	—	·01	—	·30	—	·23	24
25	·01	·06	·02	·05	·02	·22	·01	—	—	—	—	·01	25
26	—	—	—	·18	·04	·04	—	·01	—	·14	·05	·14	26
27	—	·26	·03	·04	·03	—	·01	—	·16	—	—	·04	27
28	—	·22	—	—	—	—	—	·07	—	—	·07	·02	28
29	—		—	—	—	·15	·12	—	·22	·15	—	—	29
30	—		·01	·08	·02	·03	—	—	·02	·23	—	—	30
31	—		—		·57		—	—		·01		—	31
Total	·95	1·31	1·74	1·31	1·70	2·22	·17	2·40	1·16	1·87	2·58	4·76	TOTAL for year 22·17
No. of Rain Days.	13	14	18	12	10	12	4	10	9	16	17	26	161

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at High Down Hitchin
in the County of Herts 4
by Ellen Pollard

Lat. 51·57·40 Long. 0·20·0
Time of Observation 9. a. m.
Nearest Railway Station Hitchin 4 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 421·374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·04	—	·01	·02	·05	·09	·40	—	·20 snow & rain	1
2	—	·03 snow	·03	·01	—	·29	·67	—	·01	—	—	·02	2
3	·10	·02 snow	—	—	·36	·09	·02	·21	·01	·02	—	·04	3
4	·11	—	·57	—	·13	·19	—	·05	—	—	·31	—	4
5	·20	·08 snow	·31	—	—	—	—	·11	·01	—	·08	·02	5
6	·17	—	—	—	·01	·19	·04	·37	·01	—	—	·04	6
7	—	—	—	—	·02	·91	·01	·06	—	—	—	·04	7
8	·30	·30	·18	—	—	—	—	·33	·04	—	—	—	8
9	·03	·09	—	·07	·01	·52	·02	—	—	—	—	·22	9
10	—	·02	—	—	—	—	—	·59	·04	—	·14	·06	10
11	·14	·09	—	—	—	—	—	—	·05	—	—	·10	11
12	·09	·19	·10	—	·01	·15	·04	·03	—	—	·07	—	12
13	·01	—	—	—	—	·12	·01	·14	—	·03	·16	—	13
14	—	—	—	—	·05	·03	—	·01	—	·03	·01	—	14
15	·02	·05	·14	—	·25	·16	—	·01	—	—	·01	·13	15
16	·25	·01	·02	—	·07	·17	—	·01	—	·03	·06	—	16
17	·65 snow	—	·14	—	—	·06	—	·11	—	—	—	—	17
18	—	—	·17	—	—	—	—	·27	—	—	·03	·12	18
19	·25	·16	·14	—	—	·01	·51	·58	—	—	—	—	19
20	·01	—	·17	—	·01	—	·03	·15	—	·22	—	—	20
21	·01	·01	·56	—	·35	—	—	·39	—	·30	·04	—	21
22	·45 snow & rain	·06	·14	—	·05	—	·04	·37	—	·03	—	·03	22
23	·41	·40	·24	—	·01	—	2·08	·32	—	·02	·24	·13	23
24	·17	—	—	—	—	·05	·10	·15	·02	—	—	·14	24
25	—	—	—	—	—	·10	—	·53	—	—	·38	43	25
26	—	·02	—	—	—	—	19	·45	—	·34	·33	·22	26
27	—	—	—	—	—	·04	·05	·01	—	·25	—	·15	27
28	—	·02	—	—	—	·01	·04	·13	·10	·27	·31	·42	28
29	—	·01	—	·01	—	·15	·18	·26	1·21	·25	·01	·01	29
30	·01		—	—	·10	·01	—	—	·64	·08	—	—	30
31	—		·02		·04		·20	·16		·01		—	31
Total	3·38	1·56	2·95	·13	1·47	3·26	4·25	5·85	2·23	2·28	2·18	2·52	YEAR'S TOTAL 32·06
Rain Days.	19	17	16	4	15	20	18	27	12	15	15	19	197

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at High Down Hitchin
in the County of Herts 4
by Miss Ellen Pollard

Lat. 51.57.40 Long. 0.20.0
Time of Observation 9. a. m
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in. Cap 4 50
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 421.374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'06	'15	'10	'11	'04	—	—	—	'32	—	'10	—	1
2	—	'16	—	—	—	—	'07	—	'14	'04	'02	—	2
3	'02	—	'06	'02	'70	—	—	—	—	—	—	—	3
4	'13	—	'01	—	'04	—	'08	—	—	'13	'02	'35	4
5	'10	—	—	—	—	—	'15	—	'01	'09	—	—	5
6	—	'03	'15	—	'11	'22	'11	—	—	'36	—	—	6
7	—	'13	—	—	'06	—	'04	'01	—	'38	'07	—	7
8	—	—	—	—	'18	'09	—	—	—	'11	'03	—	8
9	—	'23	'02	'03	'02	'13	—	—	'18	—	—	'07	9
10	—	—	—	'07	—	—	'07	—	—	—	'27	—	10
11	'72	—	—	'56 snow & rain	—	—	—	—	—	'25	'28	—	11
12	—	—	—	—	'13	—	—	—	—	—	'32	—	12
13	—	—	—	—	—	—	—	'06	'04	—	'24	—	13
14	'09	—	'15	—	—	—	'27	'05	—	'14	—	—	14
15	'17	—	'27	'30	—	—	'11	—	'04	—	—	—	15
16	'03	—	'31	'18	—	—	—	—	'01	—	—	—	16
17	'04	'05	'02	'19	—	'21	'03	—	—	—	'02	'03	17
18	'01	—	'16	'24	—	—	—	—	'56	—	'05	'03	18
19	'37	—	'04	—	—	—	'14	'01	'53	—	—	'02	19
20	'22	—	'11	—	—	'03	—	—	—	'25	—	—	20
21	'02	—	'13	'20	'11	—	'01	—	—	'08	'21	—	21
22	'40	—	'16	'18	—	—	—	'09	'16	—	—	—	22
23	—	—	—	—	—	'04	'02	'03	'02	—	—	'07	23
24	'03	—	—	'03	—	—	—	'03	—	—	—	—	24
25	—	'04	—	'14	—	'01	—	—	—	—	—	—	25
26	—	—	'26	'11	—	—	—	'16	—	'56	—	'14	26
27	—	'03	'06	'09	—	—	—	—	—	—	—	—	27
28	'19	—	'23	'17	—	—	—	—	—	'08	—	'01 snow	28
29	'04		'11	'51	'26	—	—	'10	—	—	—	'03 snow	29
30	'23		—	'02	—	—	—	'11	—	'25	'29	—	30
31	—		—		—		—	'68		—		—	31
Total	2'87	'82	2'35	3'15	1'65	'73	1'10	1'33	2'01	2'72	1'92	'75	YEAR'S TOTAL
Rain Days		3'69	6'04	9'19	10'84	11'57	12'67	14'00	16'01	18'73	20'65	21'40	✓
	18	8	18	18	10	7	12	11	11	13	13	9	148

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at High Down

in the County of Herts

4

by Miss Ellen Pollard

Lat. 51·57·40 Long. 0·20·0

Nearest Railway Station Hitchin 4 miles

Time of Observation 9. a. m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level 421·374 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·26	·22	—	—	·08	·01	1
2	—	—	·02	·04	—	—	·04	·11	—	·02	·08	·11	2
3	—	—	·01	—	·14	—	·50	·25	—	—	·12	·01	3
4	·24	—	·01	·15	—	—	—	·10	—	—	·39	·33	4
5	—	—	·05	·31	·05	·12	·72	·11	—	—	—	—	5
6	—	·08	—	·01	·03	·11	·07	·03	—	—	·14	·10	6
7	—	·16	·24	·14	·22	·01	·06	·04	—	—	—	·37	7
8	·07	·11	·64	·12	·05	·56	·03	·05	—	—	—	—	8
9	—	·12	·44 snow & rain	·11	·01	·64	—	·01	·03	—	—	·81	9
10	·26	·13	·05 Snow	·10	·04	—	—	—	·15	—	—	·03	10
11	—	·11	·30	·01	·08	·38	—	—	·01	—	·22	·27	11
12	·02	·03	·11	—	—	·01	·04	—	·42	—	·13	·41	12
13	—	·25	·17	—	—	—	—	—	—	·43	·03	·22	13
14	—	·03	·32	—	—	—	·01	—	—	·51	·13	·60	14
15	·09	·03	·21	—	—	—	—	—	—	—	·04	·07	15
16	·02	—	·04	—	—	—	—	—	·02	—	·07	—	16
17	—	·38	·08	—	—	—	—	—	·14	·01	—	·26	17
18	—	—	·05 snow	—	—	—	—	—	—	—	—	·41	18
19	—	·03	·21 snow	—	—	·01	—	—	·04	—	·19	·09	19
20	—	·23	·16 snow	—	—	·01	·01	—	—	—	·01	·04	20
21	—	·41	·11	—	—	·07	—	—	—	·02	—	·10	21
22	—	—	·02	·02	·47	·06	·05	·05	—	·49	—	·01	22
23	—	·04	·05	—	·09	·02	·01	—	—	·15	—	·05	23
24	—	—	·07	·02	—	—	·10	—	—	·17	·15	—	24
25	·05	—	·15	—	—	—	—	·11	—	·24	—	·10	25
26	—	—	·08	—	—	—	·02	·01	—	·03	·11	·42	26
27	·04	—	·02	—	—	—	—	·01	—	—	·01	·16	27
28	—	·05	—	—	·11	—	·01	—	—	·01	·56	1·79	28
29	·03		·13	—	—	—	—	—	—	·31	·12	—	29
30	—		·02	—	—	—	—	—	—	·03	·38	·38	30
31	—		—		·11		·04	—		—		·01	31
Total	·82	2·19	3·76	1·03	1·40	2·00	1·97	1·10	·81	2·42	2·96	7·16	TOTAL for year 27·62
No. of Rain Days	9	16	27	11	12	12	16	13	7	13	19	26	181

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Entered

1052

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at High Down Hitchin
in the County of Herts 4
by Ellen Pollard

Lat. 51.57.40 Long. 0.20.0
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in. Cap 4·50
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 421·374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·06	·10	—	·08	—	—	—	·03	·04	·06	·24	1
2	·16	·20	·12	·18	—	·02	—	·41	·11	·05	—	·10	2
3	·43	—	—	·12	—	—	·05	·55	·05	—	—	·12	3
4	·08	—	—	—	—	—	—	·21	—	—	—	·49	4
5	·03	·42	—	—	—	—	—	·02	—	—	—	·21	5
6	·19	—	·03	·22	—	—	·73	·02	—	·02	—	·04	6
7	·07	·29	·09	·02	·10	—	·30	·03	—	—	—	·17	7
8	·01	·46	·01	·03	—	—	—	—	—	—	—	—	8
9	—	·04	—	·02	—	·07	—	·03	—	—	·22	·53	9
10	·24	—	·02	—	—	—	—	·39	—	—	·03	·17	10
11	·01	—	·03	—	·02	—	—	—	—	—	·95	·01	11
12	·04	—	—	·32	·39	—	—	·20	—	·04	·67	·06 Snow	12
13	·02	·43	—	—	1·26	—	—	·02	—	—	—	—	13
14	·01	·05	—	—	—	—	·27	·21	·05	—	—	·41	14
15	·17	·01	—	—	·03	—	·01	·03	—	—	·12 Snow	·08	15
16	·01	·23	—	—	—	—	·46	·37	—	—	—	·06	16
17	—	·28	—	—	·21	—	·18	—	—	—	—	—	17
18	—	·25	·12 Snow	—	—	—	—	—	—	—	·03	—	18
19	—	—	—	—	—	—	·19	—	—	—	—	—	19
20	·28	—	—	·06	—	—	—	·01	—	·01	—	·29	20
21	·20	—	—	—	—	—	·14	—	—	·02	—	·09	21
22	·70	—	·51	—	—	—	·43	—	—	—	—	·13	22
23	·02	·21 Snow	·25	—	—	·02	·12	—	·09	·23	—	·22	23
24	—	—	·06	—	—	·04	·07	—	·39	·03	—	·10	24
25	—	—	·01	·02	—	·02	·04	—	—	—	—	·38	25
26	—	·10	—	—	—	—	·12	—	·01	—	—	·28	26
27	—	·02	—	—	—	·21	·08	—	·01	·41	—	—	27
28	—	·10	—	—	—	·02	·02	·02	·84	·03	—	·05	28
29	—		—	—	·02	·02	—	·21	—	—	·12	·10	29
30	·05	✕	—	—	—	·68	—	—	—	—	—	—	30
31	·07	✕	—	✕	—	✕	—	·04	✕	·57	✕	·21	31
Total	3·22	3·15	1·35	·99	2·11	1·10	3·21	2·77	1·58	1·45	2·20	4·54	YEAR'S TOTAL 27·67
Rain Days.	21	16	12	9	8	9	16	17	9	11	8	24	160

W. 8,000. X. 15.

Exd 1024

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at High Down Hitchin

in the County of Herts

by Miss Ellen Pollard

Lat. 51·57·40 Long. 0·20·0

Time of Observation

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 421·374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·02	—	·17	·01	—	—	·01	·04	·24	—	1
2	·35	·03	·09	—	·21	·02	—	—	·05	·45	·02	—	2
3	·01	·59	·01	—	·01	—	—	—	·18	·25	·11	—	3
4	·23	·15	·05	—	·01	·25	—	—	—	·18	·32	—	4
5	·04	—	·01	·08	·04	·23	—	—	—	·06	·46	·02	5
6	·01	·06	·23	·25	·06	·15	·35	—	—	·04	·43	—	6
7	·04	—	·15	—	·06	·10	·10	—	—	·15	·30	·03	7
8	—	—	·02	—	·28	·04	—	—	—	—	—	·26	8
9	—	—	·01	—	·19	·11	—	—	—	·01	—	·01	9
10	—	·10	·08	·07	—	·25	·07	—	—	—	—	—	10
11	·04	·12	·07	·11	·03	·17	—	—	·01	—	—	·11 Snow	11
12	·03	·03	·12	·04	·35	·21	·16	·03	—	·16	—	·01	12
13	·02	·47	·11	·05	·14	·05	·12	·10	—	·02	—	—	13
14	—	·58 Snow	·01	·07	·01	—	—	·02	—	·02	—	·04 Snow	14
15	—	·31	·54	·02	·02	—	—	·05	—	·02	—	—	15
16	—	—	·23	·15	·06	—	·13	·08	—	·04	—	—	16
17	·08	·06	—	·18	—	—	·07	·10	·23	·34	—	—	17
18	—	·07	·05	·13	—	—	·01	·03	·20	·01	·51 Rain & Snow	—	18
19	·02	·03	·20	·03	—	—	—	·03	·33	—	·67 Rain & Snow	·08 Snow	19
20	·22	—	·49	·02	—	—	—	·03	—	—	·02	·58	20
21	·01	—	·77	—	—	—	·33	—	—	—	—	·48	21
22	—	·07 Snow	·01	—	·16	·01	—	—	—	·04	—	·46	22
23	·01	·37 Snow	—	—	—	·07	—	·04	—	·03	·03	·10	23
24	—	·04 Snow	·02	·01	—	·43	—	·02	—	·07	·02	·37	24
25	—	·23 Snow	·15	—	·03	—	—	·13	—	·18	·08	—	25
26	—	·05 Snow	·10 Snow	—	—	·08	—	·02	—	·06	·04	—	26
27	·09	·06 Snow	·90 Snow & Rain	—	—	·72	—	·08	·07	·15	—	—	27
28	·01	·26 Snow	·13 Snow & Rain	—	—	·27	—	—	·03	·02	—	·18	28
29	—	·09	—	—	—	·12	—	1·04	·01	·37	—	·14	29
30	—	✕	—	—	—	·06	—	·12	—	·35	—	·01	30
31	—	✕	—	✕	—	✕	—	·01	✕	·09	✕	—	31
Total	1·25	3·77	4·57	1·21	1·83	3·35	1·34	1·93	1·12	3·15	3·25	2·88	YEAR'S TOTAL 29·65
Rain Days.	17	21	26	14	17	20	9	17	10	25	14	16	206

W. 8,000, VIII. 16

Bc 8L

992

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at High Down Hitchin

in the County of Herts

by Miss E Pollard.

Lat. 51.57.40 Long. 0.20.0

Time of Observation 9. a. m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in. C/s. 4.50

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 421.374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01 Snow	—	·16 Snow	—	—	—	1·18	·07	—	·14	·02	1
2	·02	—	—	·05 Snow	—	·02	—	·10	·01	·03	·05	—	2
3	—	—	·01	·04 Snow	—	—	—	·53	—	·61	·15	—	3
4	—	·15 Snow	·08 Snow	—	—	—	—	·14	—	·40	—	—	4
5	·22	—	·02	·23 Snow	—	—	—	·14	1·63	·10	·07	—	5
6	—	—	·01	—	—	·04	—	—	·04	·06	·05	—	6
7	·26	—	—	—	—	1·43	·33	—	—	·37	—	—	7
8	·22	—	—	·07	—	—	1·61	·76	—	·27	·10	—	8
9	·04	—	·07	·10 Snow	—	—	·02	·58	·04	—	·05	·14	9
10	·35 Snow	—	·12	·22 Snow	—	—	—	·13	—	·04	·02	—	10
11	·05	·05	·53	·05 Snow & rain	—	—	—	—	—	·29	—	—	11
12	·05 Snow	—	—	·04 Snow	·01	—	—	·17	—	·29	—	—	12
13	·11 Snow	—	·01	—	—	—	·02	·12	·03	·05	—	—	13
14	·01 Snow	—	—	·11	·01	—	—	·13	—	—	—	·02	14
15	·01 Snow	—	—	·03 Snow & rain	—	—	·01	·07	—	·03	—	—	15
16	·03 Snow	·14	—	·20	—	1·0	·02	—	—	·73	—	·02 Snow	16
17	—	—	—	·17	·88	—	·24	·08	·44	·22	—	—	17
18	·03 Snow	·01	—	·12	·04	·15	·35	—	·73	·01	—	—	18
19	·01	·12	·13	—	·10	·08	—	—	·20	—	·02	—	19
20	·02	·12	·08	—	·72	—	—	—	·01	—	·11	—	20
21	·02	·03	·03 Snow	·04	·02	—	—	—	—	—	·03	—	21
22	—	—	·09 Snow	—	—	·07	—	·03	—	·16	—	·03	22
23	—	·13	·01	—	·09	—	—	·16	—	·08	—	—	23
24	·01 Snow	·02	—	—	—	·11	—	·15	—	·10	·07	·02	24
25	—	·02	·06 Snow	—	—	—	·08	—	—	—	·04	·01	25
26	—	—	·05 Snow	—	—	·01	—	·26	·08	—	·26	·01	26
27	—	—	—	—	—	·33	—	·53	—	—	—	·03 Snow	27
28	—	·01	·04 Snow & rain	—	—	1·12	—	·11	—	·02	—	·03	28
29	—		·03 Snow & rain	—	—	·38	·76	·11	—	·33	—	·12	29
30	·02 Snow	X	·15 Snow	—	—	—	1·15	·08	—	—	—	·02	30
31	·02	X	·20 Snow	X	—	X	·36	·11	X	·01	X	·02	31
Total	1·50	·81	1·72	1·63	1·87	4·74	4·95	5·67	3·28	4·20	1·16	·49	YEAR'S TOTAL 32·02
Rain Days.	19	12	19	15	8	12	12	22	11	21	14	13	178

W. 8,000, IX. 17.

Exd. E.F.E.

73

Sep 10 1·02

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

2. I

Kept at High Down Hitchin

in the County of Herts

by Miss Ellen Pollard

Lat. 51·57·40 Long. 0·20·0

Time of Observation 9 a.m.

Nearest Railway Station Hitchin 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 421·374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01 Snow	·07	—	—	—	—	—	·01	·16	·04	1
2	—	·13	—	·19	—	—	—	·05	·01	·01	·17	·14	2
3	·02 Snow	·05	·03	—	·55	—	—	·01	·14	—	·51	·04	3
4	—	·03	·05	·01	—	—	—	·03	·77	·02	·39	·02	4
5	—	—	—	—	·23	—	—	·13	·05	·04	—	·02	5
6	·04 Sleet	·11	·02	·21	·06	—	—	·02	·01	·01	—	·03	6
7	·06 Snow	·12	—	·10	·08	—	—	·01	·06	·11	·19	·02	7
8	—	·01	·01	—	—	—	—	—	·22	·04	—	·03	8
9	·03 Snow & rain	·07	—	·03	—	·12	·20	—	·43	·10	—	·08	9
10	·05	—	—	·03	—	—	·31	—	1·02 [illegible] confirms this	·02	—	·09	10
11	—	—	—	·03	·04	—	·05	—	·06	·54	·07	·01	11
12	·05	·10	—	—	·30	—	·06	—	·05	—	—	—	12
13	·01 Snow	·02	—	—	·20	—	·04	—	·10	·01	—	·14	13
14	·21	—	·01	·02	—	·18	·07	—	·35	·12	—	·13	14
15	1·08 Snow	—	—	1·51 Snow & rain	—	—	·23	—	·01	·01	·02	·13	15
16	·20 Snow	—	—	·30	—	—	·01	·01	·73	·01	—	·02	16
17	·11 Snow & rain	—	—	·13 Snow & rain	·31	·01	·28	—	·02	·01	—	·10	17
18	·49	—	—	·01	—	·12	·12	—	·26	·04	—	·37	18
19	·02	·03	·05	·17	—	—	·18	—	·03	·05	—	·15 Snow & rain	19
20	·03	·05	—	·41	—	·04	·02	—	·10	·06	—	·02	20
21	·06	—	—	·27	—	·06	—	—	·80	·04	—	·02	21
22	·05	·01	—	—	·53	—	·06	—	·06	·01	·02	·22	22
23	·03	—	—	·01	·50	·04	·24	·04	·04	—	·01	·03	23
24	—	·17	—	—	·01	—	·01	—	·09	—	·12	—	24
25	—	—	—	—	—	·08	·08	·28	·01	—	·09	—	25
26	—	—	—	—	—	—	·58	·05	—	·04	·16	·16	26
27	—	—	—	·17	—	—	·17	·23	·09	—	·13	·02	27
28	—	·06	·16	·02	—	—	·01	·03	·01	—	·31	·09	28
29	—		—	—	—	—	—	·02	1·37	—	·02	·01	29
30	—	✕	·34	—	—	—	—	—	·03	·02	·07	·07 frost	30
31	—	✕	·07	✕	—	✕	—	—	✕	·06	✕	·02	31
Total	2·54 ✓	·96 ✓	·75 ✓	3·69 ✓	2·81 ✓	·65 ✓	2·72 ✓	·91 ✓	6·92 ✓	1·38 ✓	2·44 ✓	2·23 ✓	YEAR'S TOTAL 28·00 ✓
Rain Days.	17 ✓	14 ✓	10 ✓	19 ✓	11 ✓	8 ✓	19 ✓	13 ✓	28 ✓	23 ✓	16 ✓	28 ✓	206 ✓

W, 6,500, VII. 18. W W C

High Down
Hitchin
May 9th '19

Dear Sir

In reply to your letter the entry in my rainfall book is distinctly 1·02 for Sept: 10th '18.

I made the entry myself being at home all last Autumn.

I always add up at the half month, 1st to 16th, & it is 4·01 for that time. Had I made a mistake, I must have discovered it then.

Yrs truly
Ellen Pollard

936

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at High Down Hitchin
in the County of Herts
by Ellen Pollard

Lat. 51·57·40 Long. 0·20·10
Time of Observation 9 a. m
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 421·374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·04	·02	·02	·07	·02	·16	—	—	·02	·01	1·51	1
2	·17	—	·02	·01	·08	—	·05	—	·22	·04	·18	·39	2
3	·52	—	·32	—	·01	—	·14	—	·04	·01	·09	·22	3
4	·10	·01	·31	—	—	·07	·12	·04	·03	—	·01	·15	4
5	·09	·44 snow	·46	—	—	—	·13	·03	·44	·01	—	·20	5
6	·02	—	·12	—	·38	—	·01	—	·01	·02	·08	·07	6
7	·06	—	·35	—	·01	—	—	—	—	—	·10	—	7
8	·17	—	·08	·13	—	—	—	—	—	·01	·04	·01	8
9	·01	—	·03	·06	·04	—	·01	—	—	—	·04	—	9
10	·02	—	·24	·04	—	—	·51	—	—	·01	·02	·07	10
11	·06	—	·11	·14	—	—	·20	—	—	—	—	·01	11
12	·01	—	·20	·01	—	·12	·01	—	—	·09	·09 snow	—	12
13	·06	·03	—	·26 hail	—	·01	·13	—	·01	·10	—	·01	13
14	·24	—	—	·27	—	—	·01	·01	·09	·01	—	·02	14
15	·40	·03	·10	·17	—	—	—	—	·01	—	·03 snow	·24	15
16	·02	·86	·01	·05	—	—	—	—	—	—	—	·05	16
17	—	·36 rain & snow	·01	·02	—	—	—	—	—	—	·12 snow	·02	17
18	—	·08 snow & rain	·07 rain & sleet	·01	—	—	·01	·27	·08	—	·19	·07	18
19	·06	·12	·54 rain & sleet	—	—	·24	·15	·34	·21	·01	·04	·02	19
20	·19	·08	·06	—	—	·72	·41	·41	·01	—	·03	·02	20
21	·42	·35	·02 snow	—	—	·03	·47	·01	—	·01	—	·06	21
22	—	·17	·01 snow	—	—	·01	·15	—	·11	—	·01	·27	22
23	—	—	—	—	—	·04	·05	·01	·03	·02	·03	·06	23
24	—	—	—	·26	—	·01	·03	—	·01	·19	·02	·02	24
25	·06 sleet	—	—	·05	·04	·02	·01	·19	·01	·01	—	·04	25
26	·22	·18 snow & rain	·16 snow & hail	·02	—	—	·03	·11	·06	—	—	·35	26
27	1·56 snow	·08	·03 hail snow & rain	1·01	—	—	·01	·32	·01	·01	·05 snow	·14	27
28	·01 snow	·02	·06 snow	·05	—	—	·02	·75	—	·02	·09 snow	·26	28
29	·05 rain		·01	·06	—	—	·01	·19	—	·32	·05	·19	29
30	—	✕	·03 snow & rain	·28	—	·22	·01	·12	—	·07	·33	·35	30
31	·02	✕	·03	✕	—	✕	—	·01	✕	·04	✕	·02	31
TOTAL	4·90	2·85	3·40	2·92	·63	1·51	2·84	2·81	1·38	1·02	1·65	4·84	YEAR'S TOTAL 30·75
Days with ·01 in. or more	25	15	26	20	7	12	25	15	17	20	22	28	232

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 X MZ

890

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at High Down Hitchin
in the County of Herts
by Ellen Pollard Miss

Lat. 51.57.40 Long. 0.20.0
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in. Cop 4.50
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 421.374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·63	·15	·01	·16	·07	·03	·34	·02	·18	1
2	—	—	·02	·09	·01	—	·02	·13	·04	·07	·01	·09	2
3	—	·03	—	·09	—	·02	·03	·01	·06	·06	—	·01	3
4	—	—	·01	·11	—	—	·05	·17	·02	·15	—	·05	4
5	—	—	·05	·01	·06	—	·63	·02	·07	·01	—	·02	5
6	—	—	·18	—	·12	—	·50	·01	·01	·01	—	·01	6
7	—	—	·14 snow	·09	—	—	·12	—	—	—	—	·05	7
8	·15	·03	—	·46	·02	—	·07	—	—	·01 mist	—	·01	8
9	·34	—	—	·25	·01	—	·01	·05	—	—	—	·01	9
10	·16	·16	·04	·01	—	—	·09	·01	—	—	—	·02	10
11	·36	·01	·04	·38	·05	·03	·04	—	—	·01 mist	—	·02 snow	11
12	·04	—	·09 snow & rain	·10	—	·53	·01	—	—	—	·02	·01 snow	12
13	·01	·04	·08	·19	—	·04	—	—	—	·01	·05	·03 snow	13
14	·01	·02	·31	·21	—	·12	·08	—	·12	·18	·25	·02 mist	14
15	·01	·03	·19	·08	—	·01	—	—	·07	·01	·08	·01 snow	15
16	—	·01	·01	·04	·03	—	—	—	·11	·07	·09	·01 snow	16
17	·03	·01	·02	·02	·09	·01	·05	—	·75	·01	·01	·02 snow	17
18	·17	—	—	·01	·03	—	—	·41	·04	—	·01	·05 rain & snow	18
19	·09	—	—	·23	—	·07	·01	·12	·01	—	·01	·01 snow	19
20	·06	·18 snow	·01	·23	—	·41	—	·01	—	—	·01	·01 rain	20
21	·01	·01	—	—	—	·01	·30	·08	·36	—	·01	·05 rain	21
22	—	·01	—	·20	—	—	·01	·01	1·02	·01 mist	·01	·08	22
23	·01	·01	—	·01	—	—	·38	—	·01	·01 mist	·01	·33	23
24	·03	·01	—	—	—	—	·01	—	—	·01 "	—	·04	24
25	—	·05	·14	—	·03	—	·23	—	—	·01 "	·01	·01	25
26	·15	·01	·10	·02	·11	—	·03	—	—	·02 "	·01	·04	26
27	·30	·02	·02	·26	·01	·32	·18	·01 dew	—	—	·72	·08	27
28	·52	—	·08	·01	·36	·01	·04	—	—	·01	·04	·04	28
29	·08	—	·12	—	·18	—	·15	—	—	—	·10	·27	29
30	·03	╳	·02	—	·02	·08	·14	—	·48	·01	·18	·25	30
31	·01	╳	—	╳	·03	╳	·01	—	╳	·26	╳	·05	31
TOTAL	2·57	·64	1·67	3·73	1·31	1·67	3·35	1·11	3·20	1·28	1·65	1·88	YEAR'S TOTAL 24·06
Days with ·01 in. or more	21	17	20	24	17	14	26	14	16	21	20	31	241 ✓
Days with ·04 in. or more	12	4	13	17	8	7	17	7	11	7	8	15	126 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Hopkinson ✓ made

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIS

HERTS.
HITCHEN - THE MAPLES
1911-1913

Kept at The Maples
in.
Ground 1 ft. 1 in.
in the County of He
Sea Level 220 ft.
am
by William Hil
Name Hitchin
Distance 1 mile Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·20			.05	·12					1
2	·06			·22	·10						·14	·11	2
3					·16			·05	[illegible]	.02	·05	·08	3
4	·06	·04	.13	·24					[illegible]	·15	·10	·34	4
5	·01	·05						·08		·06	·01	·21	5
6	·27	·01	·03								·02	·53	6
7	·01		·02							·15	·28	·27	7
8	·18		·12							·03	·06	·15	8
9	·15			.02								·02	9
10	·02	·08	·09	·02							·06	·43	10
11	·25	—			·15	.02					·42		11
12	·07		·43						03	·33	·30	·01	12
13			·05		·61				·21	·06		·36	13
14			·03		·34							·40	14
15		·04	·22							·03	·06	·01	15
16			·10			·09				·01	·30	·05	16
17			·01			·05					·08	·18	17
18		·17	·01								·40	·11	18
19						·33			·08		·24	·08	19
20		·04	·02					.56	·20	·01		·53	20
21	·03	·12						·66		·42	·02	·12	21
22	·02		.30			·08		·03		·04		·56	22
23		·24	·28			·98			·20			·16	23
24		·05	·02	·06		·14		·03		.40		·15	24
25		·05	·03	·16		·23	07	·01				·01	25
26				·06		·07				·15	·04	·16	26
27		·32	·08	·21			·01		·14			·05	27
28		·21		·02	·05			·07			·04	·02	28
29				·06	·[illegible]		·14			·19	·01		29
30			.02		·02	.14			·21	.16			30
31					.80				·03			01.([illegible])	31
Total	1.15	1.45	1.99	1.30	2.26	2.13	.30	1.61	1.10	2.21	2.63	5.11.	TOTAL ✓ for year 23·24
No. of Rain Days.	13	13	19	11	8	10	4	9	8	16	19	27	157. ✓

W. 8,000, X. '11.

Hopkinson made

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

REGISTER OF RAINFALL IN

Kept at The Maples Hitchin

in the County of Herts 4

by William Hill

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 220 ft.

Time of Observation 9 am

Nearest Railway Station
Name Hitchin
Distance 1 mile Direction ENE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·20			·05	·12					1
2	·06			·22	·10						·14	·11	2
3					·16			·05	·02	·02	·05	·08	3
4	·06	·04	·13	·24					[illegible]	·15	·10	·34	4
5	·01	·05						·08		·06	·01	·21	5
6	·27	·01	·03								·02	·53	6
7	·01		·02							·15	·28	·27	7
8	·18		·12							·03	·06	·15	8
9	·15			·02								·02	9
10	·02	·08	·09	·02							·06	·43	10
11	·25				·15	·02					·42		11
12	·07		·43						03	·33	·30	·01	12
13			·05		·61				·21	·06		·36	13
14			·03		·34							·40	14
15		·04	·22							·03	·06	·01	15
16			·10			·09				·01	·30	·05	16
17			·01			·05					·08	·18	17
18		·17	·01								·40	·11	18
19						·33			·08		·24	·08	19
20		·04	·02					·56	·20	·01		·53	20
21	·03	·12						·66		·42	·02	·12	21
22	·02		·30			·08		·03		·04		·56	22
23		·24	·28			·98			·20			·16	23
24		·05	·02	·06		·14		·03		·40		·15	24
25		·05	·03	·16		·23	07	·01				·01	25
26				·06		·07				·15	·04	·16	26
27		·32	·08	·21			·01		·14			·05	27
28		·21		·02	·05			·07			·04	·02	28
29				·06	·[illegible]		·14			·19	·01		29
30			·02		·02	·14			·21	·16			30
31					·80				·03			01.[illegible]	31
Total	1.15	1.45	1.99	1.30	2.26	2.13	.30	1.61	1.10	2.21	2.63	5.11.	TOTAL for year ✓ 23.24
No. of Rain Days.	13	13	19	11	8	10	4	9	8	16	19	27	157 ✓

W. 8,000, X. '11.

Ex Dd

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at The Maples, Hitchin

in the County of Hertford 4

by William Hill

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 220 ft.

Time of Observation 9 am

Nearest Railway Station
Name Hitchin
Distance 1 mile Direction E. N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·03	02	·11	·09	·36		·17	1
2		·02	·04	·01		·24	·65		·05				2
3	.09	·04	·07		·40	·13	·01	·21	·01	·02		·05	3
4	·12		·72		·13	·15	·01	·10			·31		4
5	·10	·09	·31			·01		·11	·01		·11	·01	5
6	·24	·02			·01	·07	.04	·33	·01			·05	6
7	·04				·03	·91		·02				·04	7
8	·36	·26	.19			.22		·23	.06			·02	8
9	·03	·07		·07	·01		·03	·02				·22	9
10		·02						·61	·16		.12	·06	10
11	.12	·11				·02			·06		·02	·10	11
12	·11	·16	·10		.04	·12	.05	.02			·07		12
13		·02				·11	·01	·13		.02	·17		13
14			·03		·05	·03		·02		·03			14
15	·01	·03	·11		·20	·17		·03				·12	15
16	·30		·01		·07	·11		·04		·04	.06		16
17	·59		·17			·07		·07				·02	17
18	·05		·20					·30		.01	·03	·11	18
19	·19	·12	·13				·69	·62			·01		19
20	·03		·10		.01		·05	·12		.22			20
21	·01	·02	·65		.35			·31		·29	·05		21
22	·46	·08	.16		·05		·07	·18		·03		.04	22
23	.45	45	23		.01		3.07	.40	·01	·01	.18	·10	23
24	·22					.02	·01	·15	·01			·14	24
25						·15		·62			·28	·34	25
26		·01					·20	·49		·34	·35	·39	26
27						·03	·12	·01		·23		·14	27
28		·02				·01	·04	·06	·08	·36	·30	·35	28
29		·03	·01	·01		.26	·19	·39	1.15	·24		·01	29
30	·02				·11	·02	.03	·02	·64	·11			30
31			.04		·01		·17	·18				.02	31
Total	3.54	1.57	3.30	·09	1.48	2.88	5.46	5.90	2.34	2.31	2.06	2.50	TOTAL for year 33.43
No. of Rain Days.	20	18	19	3	15	21	19	29	13	15	14	21	207

W. 8,000, X. '11.

X made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5 - JAN 1914

Kept at The Maples, Hitchin

in the County of Herts 4

by William Hill

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hitchin
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·14	·10						·30		·16	·05	1
2	·01	·15		·01	·14		·12		·12	·03	·01		2
3	·01		·07	·04	·73		·07					·06	3
4	·17				·05		·21			·32	·01	·19	4
5	·11					·02	·21			·03	·01	·16	5
6		·04	·15	·01	·12	·18	·07			·13			6
7		·18			·12					·76	·05		7
8			·01	·07	·19	·10			·16	·15	·09	·07	8
9		·21	·02	·03	·02	·19					·02		9
10	·01		·01	·21			·20				·37		10
11	·84			·44	·07					·33	·29		11
12		·01			·08			·02			·35		12
13	·02			·01				·04	·02		·35		13
14	·07	·01	·09	·01			·51	·05		·17	·09		14
15	·09	·03	·18	·28			·04		·06				15
16	·03		·30	·25					·03				16
17	·03	·02	·04	·21		·34	·03				·02	·06	17
18	·03		·16	·16							·05		18
19	·32		·07				·15		·41			·03	19
20	·16		·07	·01		·06				·27			20
21	·05		·12	·17	·06					·09	·28		21
22	·38		·21	·12			·02	·05	·11				22
23						·05		·06	·03		·01	·07	23
24	·04			·02				·03					24
25		·01		·17		·02	·01					·12	25
26		·01	·26	·15				·13		·55			26
27		·02	·03	·06						·01			27
28	·15		·19	·09						·07		·02	28
29	·03		·10	·44	·28			·10		·03		·03	29
30	·29			·01				·11		·25	·11		30
31								·54					31
Total	2.88	·83	2.18	2.91	1.86	·96	1.64	1.13	1.24	3.19	2:27	·86	YEAR'S TOTAL 21.95
Rain Days.	21	12	19	23	11	8	12	10	9	15	17	11	168

W.7,000, XI. 13

DL

142

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Hoddesdon
FIELDES WEIR
HERTFORDSHIRE

1911 – 1920

L IN 1911

Kept at

in the C

by M

Pattern
Diameter of top 8 in.
Height of top above Ground 3 ft. 8 in.
" " " Sea Level 95 ft.
f Observation

t Railway Station Name
Distance Direction

IM … at 9 a.m., and the result entered to the previous … this almost universal rule, he is earnestly requeste … he following year in the space provided for it a … r the measurement of rain, the sele … as to the British Rainfall Organiza … t post-free on application to Dr. H. I

Jan. 1, following.

Date.	Ja							Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.							in.	in.	in.	in.	in.	
1	·03			·29			·05	·05					1
2	·16			·16	·18						·16	·13	2
3		·03		·02	·15			·02		·04	·05	·10	3
4	·03	·03	·07	·09						·02	·13	·20	4
5	·04			·03						·08	·01	·15	5
6	·29		·10								·02	·36	6
7	·03									·12	·19	·27	7
8	·18		·13							·03	·23	·19	8
9	·10			·02							·02		9
10	·02	·10	·08								·05	·31	10
11	·18				·47						·48		11
12	·05		·39		·10	·02			·07		·24		12
13			·14		1·12				·47	·29	·05	·19	13
14			·04		·49							·40	14
15		·04	·27							·03	·03	·03	15
16			·02			·55				·01	·26	·06	16
17						·05					·36	·11	17
18		·14	·02			·14					·37	·19	18
19					·03	·12			·12	·18	·29	·06	19
20	·02		·03			·03		·21	·06	·05		·54	20
21	·02	·13	·03			·04		·17		·54	·01	·05	21
22	·10		·14			·03		·01		·08		·44	22
23	·02	·11	·30			1·10			·30		·02	·14	23
24		·07	·02			·03	·04	·02		1·33		·16	24
25		·04	·03	·08		·20	·10			·04		·02	25
26		·03	·02	·13		·02	·02			·15	·03	·16	26
27		·29	·07	·12					·15		·09	·07	27
28		·26		·20	·01		·05	·06			·02		28
29				·06		·14	·16		·22	·23	·02		29
30				·05	·03	·02			·01	·15		·02	30
31					·39								31
Total	1·27	1·27	1·90	1·25	2·97	2·49	·42	·54	1·40	3·37	3·13	4·35	TOTAL for year 24·36
No. of Rain Days	15	12	18	12	10	14	6	7	8	17	23	24	166

9,000, IX. '10.

DL ✓

142

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Feilde's Weir

in the County of Hertfordshire 3

by Met: Water Board

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 3 ft. 8 in.
" " " Sea Level 95 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.29			.05	.05					1
2	.16			.16	.18						.16	.13	2
3		.03		.02	.15			.02		.04	.05	.10	3
4	.03	.03	.07	.09						.02	.13	.20	4
5	.04			.03						.08	.01	.15	5
6	.29		.10								.02	.36	6
7	.03									.12	.19	.27	7
8	.18		.13							.03	.23	.19	8
9	.10			.02							.02		9
10	.02	.10	.08								.05	.31	10
11	.18				.47						.48		11
12	.05		.39		.10	.02			.07		.24		12
13			.14		1.12				.47	.29	.05	.19	13
14			.04		.49							.40	14
15		.04	.27							.03	.03	.03	15
16			.02			.55				.01	.26	.06	16
17						.05					.36	.11	17
18		.14	.02			.14					.37	.19	18
19					.03	.12			.12	.18	.29	.06	19
20	.02		.03			.03		.21	.06	.05		.54	20
21	.02	.13	.03			.04		.17		.54	.01	.05	21
22	.10		.14			.03		.01		.08		.44	22
23	.02	.11	.30			1.10			.30		.02	.14	23
24		.07	.02			.03	.04	.02		1.33		.16	24
25		.04	.03	.08		.20	.10			.04		.02	25
26		.03	.02	.13		.02	.02			.15	.03	.16	26
27		.29	.07	.12		—			.15		.09	.07	27
28		.26		.20	.01		.05	.06			.02		28
29				.06		.14	.16		.22	.23	.02		29
30				.05	.03	.02			.01	.15		.02	30
31					.39								31
Total	1.27	1.27	1.90	1.25	2.97	2.49	.42	.54	1.40	3.37	3.13	4.35	TOTAL for year 24.36
No. of Rain Days	15	12	18	12	10	14	6	7	8	17	23	24	166

9,000, IX. '10.

88

Cox. [illegible]

147

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Feilde's Weir

in the County of Hertfordshire 3

by

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.03	.13		.09	.34		.18	1
2		.02	.15	.02		.33	.38	.11					2
3	.07		.06		.10	.19	.02	.42	.02			.07	3
4	.21		.58		.14	.13		.12			.33		4
5	.10	.07	.11					.11	.02		.08		5
6	.25	.04					.02	.27				.09	6
7	.01		.02			.61	.01	.29				.03	7
8	.31	.32	.15			.03		.60	.06				8
9	.04	.04		.07	.02	.28	.03	.03				.13	9
10		.03	.02	.02				.27	.03		.15	.14	10
11	.06	.24				.02		.04	.02				11
12	.06	.07	.06		.10	.09					.03	.07	12
13		.04				.04	.03	.20			.11		13
14					.05			.09		.09	.02		14
15		.03	.08		.15	.34		.03			.01	.21	15
16	.20		.02		.07	.04		.14		.05	.05		16
17	.46		.23			.12		.04					17
18	.04		.09					.05		.02	.04	.15	18
19	.13	.06	.07	.06			.11	.40					19
20	.02		.09				.02	.10		.41			20
21	.01	.02	.28		.17			.08		.05	.05		21
22	.31	.10	.05		.05		.07	.12		.04		.03	22
23	.33	.23	.23				.06	.42	.02		.16	.07	23
24	.41	.02				.04	.04	.08				.16	24
25						.20		.89			.22	.51	25
26		.04					.09	.40		.33	.46	.27	26
27			.02			.05	.05			.14		.14	27
28		.04	.01			.04		.03	.07	.28	.32	.15	28
29	.03	.03	.03	.02		.18	.20	.23	1.15	.34	.04		29
30					.14	.05	.02		.82	.11			30
31			.24		.02		.21	.21		.02		.04	31
Total	3.05	1.44	2.65	.19	1.01	2.81	1.49	5.77	2.30	2.22	2.07	2.44	TOTAL for year 27.44
No. of Rain Days.	19	18	22	5	11	19	17	27	10	13	15	17	193

W. 8,000, X. '11.

82

15·2

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Feilde's Weir Ex M

in the County of Hertfordshire 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·12	·09	·13					·11	·02	·08	·04	1
2	·08	·12					·08		·03	·04	·02		2
3			·04	·14	·65							·03	3
4	·21		·03		·10		·12			·41	·06	·04	4
5	·07					·04	·27		·02	·47		·10	5
6		·02	·04		·09	·25	·03			·13	·05		6
7		·10			·10	·02	·16	·02		·37	·08		7
8			·02		·16	·07				·18	·04		8
9		·18		·02	·04	·02			·09		·03	·10	9
10	·04		·05	·03			·12				·29		10
11	·69			·37	·08			·23		·37	·08		11
12					·02					·02	·40		12
13	·04		·01					·03	·02		·49		13
14	·05	·04	·04	·05			·59	·07		·17	·07		14
15	·27	·07	·32	·25			·26		·14				15
16	·07		·25	·12					·13				16
17	·03		·06	·06		·99	·09				·02	·01	17
18	·02		·17	·09					·10		·03	·02	18
19	·16		·04	·04			·15		·18			·02	19
20	·26		·05	·03		·02				·39			20
21	·01		·17	·28			·02			·20	·53		21
22	·39		·09	·02				·02	·14				22
23			·02			·02	·02	·22	·03			·13	23
24				·03							·03		24
25		·03		·11									25
26			·22	·04				·23		·76	·02	·17	26
27		·01	·02	·07					·02	·06	·01		27
28	·14		·13	·05						·20			28
29	·11		·03	·24	·26			·41		·03		·02	29
30	·29			·12				·09		·10	·05		30
31			·02					·24		·05			31
Total	2·93	·69	1·91	2·29	1·50	1·43	1·91	1·56	1·01	3·97	2·38	·68	YEAR'S TOTAL 22·26
Rain Days.	18	9	22	21	9	8	12	10	12	18	19	11	169

W. 7,500, XI. 12

1022

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

17 FEB 1916

Kept at Fieldes' Weir

in the County of Hertford

by Lea Conservancy

Lat. 51° 45' 46" Long. 0° 0' 55' E.
Time of Observation 9 a.m
Nearest Railway Station Waltham Cross.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·12	·06		·03				·04	·02	·11	·42	1
2	·11	·19	·20	·09		·02		·42		·05	·02	·09	2
3	·33		·02	·20				·32	·03			·32	3
4	·06							·02				·34	4
5	·02	·19		·04	·24					·03		·23	5
6	·18	·04	·02	·24			·54	·02				·38	6
7	·12	·32	·02				·40	·02				·15	7
8	·02	·42					·02	·05					8
9	·01	·11		·02		·06		·15			·24	·54	9
10	·36		·03					·44			·02	·16	10
11	·02				·02						·81	·02	11
12	·09	·03		·18	·35			·10		·05	·24		12
13	·05	·36			1·40			·02				·02	13
14		·03					·91	·10	·02			·40	14
15	·21				·06			·63			·36	·09	15
16	·01	·39					·63	1·14				·06	16
17		·29			·42		·12	·04					17
18	·01	·22	·05		·04								18
19		·08	·03				·09						19
20	·29			·06	·01			·03				·34	20
21	·13						·01					·04	21
22	·63	·14	·32				·41					·12	22
23		·04	·04				·12		·11	·25		·24	23
24			·02				·24		·24	·02		·19	24
25			·01	·04			·18			·05		·12	25
26		·08				·05	·05		·02			·24	26
27						·28	·43			·36		·08	27
28		·16				·24	·02	·02	1·36	·12			28
29			·06			·18	·09	·14			·20	·04	29
30	·03					·15			·03	·02	·09		30
31	·06							·04		·40		·14	31
Total	3·14	3·30	·91	·93	2·60	1·01	4·29	4·03	1·88	1·64	2·15	4·92	YEAR'S TOTAL 30·83
Rain Days.	21	18	13	8	9	4	16	18	8	11	9	24	162

W. 8,000. X. 15.

MB

REGISTER OF RAINFALL IN 19 16

FORM A.
BRITISH RAINFALL.
23. JAN. 1917

Kept at Fielde's Weir

in the County of Hertfordshire.

by

Lat 51°-45'-46"N Long. 0°-0'-55"E
Time of Observation 9.0.a.m.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 8 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.12		.02		.02	.03			.06	.05	.23		1
2	.35	.02	.10		.19	.02			.17	.39	.02		2
3	.02	.35	.16		.01		.06		.49	.22	.62		3
4	.22	.12				.43			.03		.30		4
5	.03		.03		.04	.16				.08	.44		5
6		.03	.09	.31	.02	.06	.18			.02	.49		6
7	.10		.16		.12	.17	.22				.51	.05	7
8			.03		.37	.02						.33	8
9	.02				.23					.10		.09	9
10		.09	.08	.07		.09	.21	.01				.10	10
11	.03	.14		.12	.02	.10					.02	.04	11
12	.06	.02	.02	.02	.45	.17	.07	.26	.01	.08			12
13		.53	.14	.10	.20	.10	.38	.17		.01			13
14		.37	.02	.01	.06			.52		.05		.08	14
15		.13	.25	.04			.07	.24					15
16		.05	.07	.11	.07		.12	.09		.02			16
17	.07	.07		.07			.06	1.10	.29	.36			17
18	.02	.06	.04	.13				.09	.07	.04	.55		18
19	.07	.02	.15	.10				.01	.15		.75	.10	19
20	.17		.32	.11							.02	.34	20
21			.80	.01								.47	21
22		.05	.03		.02					.04		.49	22
23	.02	.26				.14		.03			.07	.15	23
24		.03				.17		.02		.05	.04	.34	24
25		.39	.10		.07			.23		.07	.06		25
26		.17						.04	.02	.04			26
27	.11		.81			.07		.17	.03	.43			27
28		.37	.25			.21			.10	.02		.20	28
29	.02	.11				.22		1.11	.01	.32		.07	29
30					.02	.05		.12		.42			30
31								.01		.09		.03	31
Total	1.43	3.38	3.67	1.20	1.91	2.21	1.37	4.22	1.43	2.90	4.12	2.88	YEAR'S TOTAL 30.72
Rain Days.	16	21	21	13	16	17	9	17	12	21	14	15	192

W. 7,500, XI. 12

8L ✓ 960/723

REGISTER ~~OF~~ to DL OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Fields Weir

in the County of Hertfordshire

by M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

28 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15				·79	·04		·10		1
2	·02	·04	·03	·38				·08			·02		2
3								·30		·19	·09		3
4		·08	·06					·32		·41			4
5	·23		·02	·17				·47	·75	·09	·11		5
6			·01	·02		·06			·13	·03	·03		6
7	·22						·17			·38		·01	7
8	·10			·13			·72	·35		·28	·12	·02	8
9	·01		·05	·08			·02	·10			·07	·15	9
10	·28		·12	·16				·07				·10	10
11	·09		·49	·06						·30		·02	11
12	·03							·02		·47			12
13	·03		·02	·01				·04	·02	·10			13
14			·01	·17				·06		·02	·02	·03	14
15	·05							·02		·04			15
16	·02	·14		·50	·09	·02	·07			·58		·02	16
17				·10	·75		·17		·35	·29		·21	17
18	·05			·10	·06	·22	·16	·04	·20				18
19		·12	·03		·34	·01	·02		·34		·04		19
20	·04	·17			·57			·01	·09		·13		20
21					·02						·02		21
22			·02					·10		·11			22
23	·03	·10			·17			·14		·02	·03	·04	23
24		·03						·05		·38	·03		24
25			·07								·07		25
26			·06					·35	·03		·59	·02	26
27						·14		·74					27
28			·01			·56		·09				·06	28
29	·03				·18	·06	·48	·26		·21		·11	29
30		✕	·20				1·12	·08			·01	·02	30
31	·02	✕	·07	✕		✕	·33	·01	✕	·03	✕	·01	31
Total	1·25	·68	1·27	2·03	2·18	1·07	3·26	4·49	1·95	3·93	1·48	·82	YEAR'S TOTAL 24·41
Rain Days.	16	7	16	13	8	7	10	23	9	18	16	14	157

W. 8,000, VIII. 16

87 42

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Fields Weir
in the County of Hertfordshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10							·10	·09	1
2	·02	·08		·02				·18			·02	·11	2
3	·01	·01	·03		·50			·61	·09	·01	·52	·02	3
4		·07	·10					·02	·57	·02	·51	·01	4
5		·02			·10			·11	·05	·07			5
6	·05	·13		·26	·07				·02			·06	6
7	·02	·10	·01	·10	·04			·02	·13	·05	·09		7
8		·02		·03					·08	·06	·05	·03	8
9	·01	·03		·02		·12	·23		·40	·26		·12	9
10	·07			·06			·50			·02	·03	·24	10
11				·02	·10		·15		·02	·17	·07	·02	11
12		·06		·01	·21		·11		·11				12
13					·17		·06		·12			·07	13
14	·20					·17	·05		·26	·27		·16	14
15	1·04			·77			·12		·01			·08	15
16	·26			·45		·10		·02	·14			·03	16
17	·05			·32	·02		·83		·03			·18	17
18	·06					·18	·07		2·06	·09		·21	18
19	·02	·02	·15	·19		·16	·18		·02	·04		·12	19
20		·11		·38		·05	·10		·09	·17		·02	20
21	·08			·19		·02			·25	·10			21
22	·03			·04	·20		·06		·10	·01		·14	22
23	·02			·01	·71		·55	·04	·08			·02	23
24		·15			·07	·03			·05		·03		24
25						·12	·12	·15		·02	·12		25
26					·14		·29	·07		·06	·14	·15	26
27			·02	·11				·25	·05		·10	·02	27
28		·06	·21					·04			·18	·06	28
29									1·22		·03		29
30		X	·38						·05		·06	·07	30
31		X	·01	X		X		·01	X	·07	X	·03	31
Total	1·94	·86	·91	3·08	2·33	·95	3·42	1·52	6·00	1·49	2·05	2·06	YEAR'S TOTAL 26·61
Rain Days.	15	13	8	18	12	9	15	12	24	17	15	24	182

W. 8,000, VIII. 16

81 written for missing months 18-3-20

used for anth by Sinclair

908 ~~46~~

FORM A. BRITISH RAINFALL.

24 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Fieldes Weir

in the County of Hertfordshire

by M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.03	.01	.04	.19		.35			.03	.02	.79	1
2	.22		.02		.10		.12		.17	.01	.11	.24	2
3	.18		.21		.01		.05		.12		.08	.21	3
4	.08	.02	.19			.10	.46	.07			.01	.16	4
5	.03	.21	.23				.04		.10		.04	.22	5
6			.06								.02	.09	6
7	.03		.25								.25		7
8	.07		.07	.05							.09		8
9	.04		.04	.04							.24		9
10	.17		.04	.06							.01		10
11	.04		.09	.25			.23				.01	.04	11
12			.12	.05		.02	.14			.04	.02		12
13	.05			.19						.05			13
14	.12			.31			.10		.26	.05			14
15	.16		.04	.14						.04	.03	.12	15
16	.13	.56		.02							.12	.05	16
17		}	.02	.03							.25		17
18		.59	.05					.02	.03		.02	.06	18
19			.34			.22	.08	.13	.10		.15	.03	19
20	.25	.08	.06			.87	.16	.29				.02	20
21	.22	.19	.02				.23				.02	.05	21
22		.11				.01	.12		.49		.06	.34	22
23						.10	.03	.01	.11	.04	.01	.01	23
24				.22		.02	.05	.06		.02	.11		24
25	.04			.17	.06	.01		.22				.02	25
26	.15	.14	.12	.02			.02		.18			.37	26
27	.51	.08	.05	.81				.43				.06	27
28			.10	.08				.72		.02	.16	.23	28
29				}				.15		.23	.11	.04	29
30		X		.31		.15		.07		.03	.29	.28	30
31	.01	X	.02	X		X	.02		X	.01	X	.02	31
Total	2.75	2.01	2.15	2.79	.36	1.50 ~~2.20~~	2.20	2.17	1.56	.57	2.23	3.45	YEAR'S TOTAL 23.74 ~~24.44~~
Rain Days.	20	11	22	18	4	9	16	11	9	12	24	22	178

Ext. App

862

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Fields Weir

in the County of Herts

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·		·59	·11		·31			·69	·02	.26	1
2			·02	-			·03	·57	·06	·12		.11	2
3		·04		·07			·09		·08	·11		.02	3
4	·01	·03		·04			·04	·08		·09		.05	4
5			·09	-	·04		·79	·04	·06			.02	5
6			·18	-	·10		·28					.01	6
7			·05	·16			·13					.04	7
8	·16	·03		·25	·02		·09	·05				.	8
9	·32	·02		·17				·10				.	9
10	·19	·05	·06	·07			·11					.03	10
11	·14		·05	·34	·03	·10	·16					.18	11
12	·04			·11		·62					·03	.	12
13	·11	·01	·12	·14		·02				·02	·05	.	13
14		·03	·32	·21		·06	·03		·09	·07	·17	.02	14
15			·12	·24			·04		·62		·06	.03	15
16				·32					·19	·06		.	16
17	·02			·04	·10	·09			·28			.02	17
18				-	·02		·08	·55	·08			.01	18
19	·12			·24		·03		·01				.02	19
20	·06	·15		·35		·62			·11			.	20
21				·02			·81	·04	·52			.08	21
22				·27					·15			.19	22
23				-			·49					.32	23
24			·07	-								.02	24
25		·04	·05	·02	·02		·18		·02			.	25
26	·04		·04	·02	·17	·02	·02				06	.03	26
27	·21	·04		·26		·09					·21	.11	27
28	·38		·25	·01	·06	·01	·03					.	28
29	·14		·04	-	·15		·03				·08	.34	29
30	·02			-	·03	·01	·39		·31		·16	.17	30
31	·01		·02		·02					·35		.09	31
Total	2·06	·44	1·48	3·94	·87	1·67	4·13	1·44	2·57	1·51	·84	2.17	Year's Total 23.15 ✓
Days with ·01 in. or more	16	10	15	22	13	11	20	8	13	8	9	23	168 ✓
	12	5	13	18	7	6	15	7	12	7	7	12	121

(44,283). Wt.21;958—218. 7500. 10/19. Gp.132. A.&E.W.

HERTS.

HODDESDEN – ST. CROSS

1920 ONLY

FORM A. 1. **MET** **AINFALL ORGANIZATION.**

L IN 1920.

Kept at St G

in the County

by Capt H

5·5 N Long 0

Observation 9 a.m.

Railway Station Broxbourne

er of Funnel of Rain Gauge five in.

of top of Gauge above Ground 1 ft 5 in.

„ „ „ Sea Level 123 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'01	'01	—	'48	'07	'01	'27	—	—	'34	—	'26	1
2	—	—	—	'01	—	—	'02	'57	·3	'06	—	'12	2
3	—	—	—	'12	—	—	'03	—	'7	'12	—	'03	3
4	—	'01	—	'06	'01	—	'04	'02	—	'13	—	'05	4
5	'01	'01	'07	—	'02	—	'06	'03	·4	—	—	'01	5
6	—	'01	'16	—	'10	—	'24	—	—	—	—	'01	6
7	—	—	'11	'14	—	—	'11	—	—	—	—	'02	7
8	—	—	—	'13	'01	—	'09	'04	—	—	—	'02	8
9	'10	—	—	'05	—	—	—	'05	—	—	—	—	9
10	'32	'01	'10	'07	—	—	'11	—	—	—	—	'01	10
11	'24	'03	'04	'23	'02	'03	'11	—	—	—	—	'15 Snow	11
12	'24	—	—	'12	—	'08	—	—	—	—	—	—	12
13	'08	—	'08	'17	—	—	—	—	—	—	'04	—	13
14	'08	—	'36	'22	—	'09	'02	—	'09	'13	'22	—	14
15	—	'02	'11	'19	—	—	'02	—	'58	—	'06	—	15
16	—	'01	—	'31	—	—	—	—	'18	'05	—	—	16
17	—	—	—	'10	'10	'02	—	—	'26	—	—	'06	17
18	'01	—	—	'02	—	—	'06	'52	'04	—	—	'02	18
19	'08	—	—	'24	—	'04	—	—	—	—	—	'07	19
20	'07	'15	—	'28	—	'48	—	—	'08	—	—	—	20
21	'04	—	—	'04	—	—	'81	·2	'56	—	—	'07	21
22	—	—	—	'23	—	—	—	—	'19	—	—	'17	22
23	—	—	—	'05	—	—	'48	—	—	—	—	'31	23
24	—	—	'06	—	—	—	—	—	—	—	—	'02	24
25	—	'02	'02	'01	'01	—	'15	—	'01	—	—	—	25
26	—	—	'04	'02	'24	'04	—	—	—	—	—	'02	26
27	'04	'06	—	'20	—	'06	—	—	—	—	'33	'11	27
28	'21	—	'19	'01	'05	'01	—	—	—	—	—	—	28
29	'42	—	'03	—	'11	—	'03	—	—	—	'07	'28	29
30	'26	✕	'01	—	—	—	'40	—	'25	—	'15	'19	30
31	'01	✕	—	✕	—	✕	—	—	✕	'27	✕ '87	'09	31
TOTAL	2·22	'34	1·38	3·53	'74	1·35	3·05	1·25	2·38	1·13	·87 ~~·77~~	2·01	20·25 YEAR'S TOTAL ~~20·15~~
Days with '01 in. or more	17	11	14	25	11	10	18	7	13	7	6	22	~~163~~ 161
~~7~~ ·04	13	2	11	20	6	5	13	4	11	7	6	12	110

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. MET [illegible] INFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St Cross Hoddesdon

in the County of Hertford

by Capt H. S. 7 Jebb

Lat. 45-5 N Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Broxbourne

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 123 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	—	·48	·07	·01	·27	—	—	·34	—	·26	1
2	—	—	—	·01	—	—	~~·02~~	57	·3	·04	—	·12	2
3	—	—	—	·12	—	—	·03	—	·7	·12	—	·03	3
4	—	·01	—	·06	·01	—	·04	·02	—	·13	—	·05	4
5	·01	·01	·07	—	·02	—	·06	·03	·4	—	—	·01	5
6	—	·01	·16	—	·10	—	·24	—	—	—	—	·01	6
7	—	—	·11	·14	—	—	·11	—	—	—	—	·02	7
8	—	—	—	·18	·01	—	·09	·04	—	—	—	·02	8
9	·10	—	—	·05	—	—	—	·05	—	—	—	—	9
10	·32	·01	·10	·07	—	—	·11	—	—	—	—	·01	10
11	·24	·03	·04	·23	·02	·03	·11	—	—	—	—	·13 Snow	11
12	·24	—	—	·12	—	·60	—	—	—	—	—	—	12
13	·08	—	·08	·17	—	—	—	—	—	—	·04	—	13
14	·08	—	·36	·22	—	·09	·02	—	·09	·13	·22	—	14
15	—	·01	·11	·17	—	—	·02	—	·58	—	·06	—	15
16	—	·01	—	·31	—	—	—	—	·18	·05	—	—	16
17	—	—	—	·10	·10	·02	—	—	·26	—	—	·06	17
18	·01	—	—	·02	—	—	·06	·52	·04	—	—	·02	18
19	·08	—	—	·24	—	·04	—	—	—	—	—	·01	19
20	·07	·15	—	·28	—	·48	—	—	·08	—	—	—	20
21	·04	—	—	·04	—	—	·81	·2	·56	—	—	·07	21
22	—	—	—	·23	—	—	—	—	·19	—	—	·17	22
23	—	—	—	·05	—	—	·48	—	—	—	—	·31	23
24	—	—	·06	—	—	—	—	—	—	—	—	·02	24
25	—	·02	·02	·01	·01	—	·15	—	·01	—	—	—	25
26	—	—	·04	·02	·24	·01	—	—	—	—	—	·02	26
27	·04	·06	—	·20	—	·05	—	—	—	—	·33	·11	27
28	·21	—	·19	·01	·05	·01	—	—	—	—	—	—	28
29	·42	—	·02	—	·11	—	·03	—	—	—	·07	·28	29
30	·26	×	·01	—	—	—	·40	—	·25	—	·15	·19	30
31	·01	×	—	×	—	×	—	—	×	·27	×	·09	31
TOTAL	2·22	·34	1·38	3·53	·74	1·35	3·05	1·25	2·38	1·13	~~·47~~ ·87	2·01	20·25 YEAR'S TOTAL ~~20·15~~
Days with ·01 in. or more	17	11	14	25	11	10	18	7	13	7	6	22	~~163~~ 161
·04	13	2	11	20	6	5	13	4	11	7	6	12	110

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROL L ORGANIZATION.

R 1920.

HERTS

HOLWELL RECTORY

1920 ONLY

Kept at ~~Rev. J. T.~~ Holwell Long

in the County of H ion 9 a.m.

by Rev. J. T. Llew Station Hitchin

nel of Rain Gauge 5 in.

Gauge above Ground — ft. 7 in.

„ „ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	nil	·60	·18	nil	·15	nil	nil	·34	·08	nil	1
2	nil	nil	nil	nil	nil	nil	·80	~~·10~~ ·20	·15	nil	nil	·22	2
3	nil	nil	nil	nil	nil	·05	·12	nil	nil	nil	nil	nil	3
4	nil	·17	nil	·25	nil	nil	nil	~~nil~~ ·20	nil	Away from home: total in gauge on return in brackets	nil	·09	4
5	nil	nil	nil	nil	nil	nil	·62	nil	nil		nil	·02	5
6	nil	nil	·26	nil	·19	nil	·58	nil	nil		nil	nil	6
7	nil	nil	nil	nil	nil	nil	·25	nil	nil		nil	nil	7
8	·27	nil	nil	·55	nil	nil	·05	nil	nil		nil	nil	8
9	nil	nil	nil	·20	nil	nil	nil	nil	nil		nil	nil	9
10	nil	·05	nil	nil	nil	nil	·12	nil	nil		nil	nil	10
11	·10	nil	nil	·35	·08	nil	nil	nil	nil		nil	nil	11
12	nil	nil	·18	·11	nil	·40	nil	nil	nil		nil	nil	12
13	nil	·03	·06	·18	nil	·05	nil	nil	nil		nil	nil	13
14	nil	nil	·48	·10	nil	·52	nil	nil	nil		·30	nil	14
15	nil	nil	·08	·15	nil	nil	·15	nil	nil		·10	nil	15
16	nil	nil	nil	·08	nil	nil	nil	nil	nil		nil	nil	16
17	nil	nil	nil	nil	·28	nil	nil	~~1·04~~ nil	1·04		nil	nil	17
18	nil	nil	nil	nil	nil	nil	nil	~~nil~~ ·50	nil		nil	nil	18
19	·30	nil	nil	·20	nil	nil	nil	~~nil~~ ·05	nil		nil	·36	19
20	nil	·12	nil	·28	nil	·53	nil	nil	nil		nil	nil	20
21	·08	nil	nil	nil	nil	nil	nil	~~·53~~ nil	·53		nil	·30	21
22	nil	nil	nil	·20	nil	nil	nil	~~·48~~ nil	·48		nil	nil	22
23	nil	nil	nil	nil	nil	nil	nil	nil	nil	(·53)	nil	nil	23
24	nil	nil	·18	nil	nil	nil	·20	nil	nil	nil	nil	nil	24
25	nil	nil	·08	nil	·24	nil	·40	nil	nil	nil	nil	nil	25
26	nil	nil	·07	nil	·10	nil	nil	nil	nil	nil	nil	nil	26
27	·45	·04	nil	·28	nil	·40	nil	nil	nil	nil	·71	nil	27
28	·50	nil	nil	nil	nil	nil	·15	nil	nil	nil	·02	·11	28
29	·08	nil	·22	nil	·08	nil	nil	nil	nil	nil	·09	·27	29
30	nil	╳	nil	nil	nil	nil	·25	nil	·40	nil	·14	·22	30
31	·05	╳	nil	╳	nil	╳	nil	nil	╳	·30	╳	·25	31
TOTAL	1·83	0·41	1·61	3·53	1·15	1·95	3·84	0·95	2·60	1·17	1·44	1·84	YEAR'S TOTAL 22·32
Days with ·01 in. or more	8	5	9	14	7	6	13	4	5	2	7	9	3[illegible]?
Days with ·04 in. or more	8	4	9	14	7	6	13	4	5	2	6	8	84?

FORM A. 1. METEOROL[illegible] OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ~~Rev. J. T. Llewelyn~~ Holwell Rectory 3½ miles N of Hitchin

in the County of Herts.

by Rev. J. T. Llewelyn

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	nil	·60	·18	nil	·15	nil	nil	·34	·08	nil	1
2	nil	nil	nil	nil	nil	nil	·80	~~·15~~ ·20	·15	nil	nil	·22	2
3	nil	nil	nil	nil	nil	·05	·12	nil	nil	nil	nil	nil	3
4	nil	·17	nil	·25	nil	nil	nil	~~nil~~ ·20	nil	Away from home: total in gauge on return in brackets	nil	·09	4
5	nil	nil	nil	nil	nil	nil	·62	nil	nil		nil	·02	5
6	nil	nil	·26	nil	·19	nil	·58	nil	nil		nil	nil	6
7	nil	nil	nil	nil	nil	nil	·25	nil	nil		nil	nil	7
8	·27	nil	nil	·55	nil	nil	·05	nil	nil		nil	nil	8
9	nil	nil	nil	·20	nil	nil	nil	nil	nil		nil	nil	9
10	nil	·05	nil	nil	nil	nil	·12	nil	nil		nil	nil	10
11	·10	nil	nil	·35	·08	nil	nil	nil	nil		nil	nil	11
12	nil	nil	·18	·11	nil	·40	nil	nil	nil		nil	nil	12
13	nil	·03	·06	·18	nil	·05	nil	nil	nil		nil	nil	13
14	nil	nil	·48	·10	nil	·52	nil	nil	nil		·30	nil	14
15	nil	nil	·08	·15	nil	nil	·15	nil	nil		·10	nil	15
16	nil	nil	nil	·08	nil	nil	nil	nil	nil		nil	nil	16
17	nil	nil	nil	nil	·28	nil	nil	~~1·04~~ nil	1·04		nil	nil	17
18	nil	nil	nil	nil	nil	nil	nil	~~nil~~ ·50	nil		nil	nil	18
19	·30	nil	nil	·20	nil	nil	nil	~~nil~~ ·05	nil		nil	·36	19
20	nil	·12	nil	·28	nil	·53	nil	nil	nil		nil	nil	20
21	·08	nil	nil	nil	nil	nil	nil	~~·53~~ nil	·53		nil	·30	21
22	nil	nil	nil	·20	nil	nil	nil	~~·48~~ nil	·48		nil	nil	22
23	nil	nil	nil	nil	nil	nil	nil	nil	nil	(·53)	nil	nil	23
24	nil	nil	·18	nil	nil	nil	·20	nil	nil	nil	nil	nil	24
25	nil	nil	·08	nil	·24	nil	·40	nil	nil	nil	nil	nil	25
26	nil	nil	·07	nil	·10	nil	nil	nil	nil	nil	nil	nil	26
27	·45	·04	nil	·28	nil	·40	nil	nil	nil	nil	·71	nil	27
28	·50	nil	nil	nil	nil	nil	·15	nil	nil	nil	·02	·11	28
29	·08	nil	·22	nil	·08	nil	nil	nil	nil	nil	·09	·27	29
30	nil	╳	nil	nil	nil	nil	·25	nil	·40	nil	·14	·22	30
31	·05	╳	nil	╳	nil	╳	nil	nil	╳	·30	╳	·25	31
TOTAL	1·83	0·41	1·61	3·53	1·15	1·95	3·84	0·95	2·60	1·17	1·44	1·84	YEAR'S TOTAL 22·32
Days with ·01 in. or more	8	5	9	14	7	6	13	4	5	[illegible]	7	9	3[illegible]?
Days with ·04 in. or more	8	4	9	14	7	6	13	4	5	[illegible]	6	8	84?

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

28 JAN 1915

~~erved~~ 22·III·15 19**14** 13-4

Kings Langley
Langley Rise
Hertfordshire
1914–1920

Kept at Langl
in the County of
by T. Goldri

Long.
ion
Station
Gauge 5 in.
Gauge above Ground 1 ft. in.
" " Sea Level ~~300~~ ft.

IMPORTA … a.m. and the result entered to the previous day. … most universal rule, he is earnestly requested to add … wing year in the space provided for it at the en … measurement of rain, the selection anc … the British Rainfall Organization are … free on application to Dr. H. R. Mill,

Jan. 1, following.

Date.	Jan.	Feb.							pt.	Oct.	Nov.	Dec.	Date.
1											·06	·01	1
2											·07	·13	2
3			·01		·24		·19	·09			·33		3
4	·17			·28	·01						·36	·52	4
5	·02		·08	·24	·08	·08	·54	·55			·02		5
6		·16		·01	·05	·12	·33	·04			·17	·27	6
7		·25	·48	·08	·43	·11	·03					·21	7
8	·07	·16	·70	·09	·10	·19	·26	·10					8
9	·21		·57	·09		·39		·02	·07			1·40	9
10	·03	·16		·07	·05								10
11		·30	·45		·02	·63			·30		·17	·32	11
12		·07	·10				·15		·22			·38	12
13		·30	·16							·03	·04	·46	13
14		·15	·37							·30	·16	·30	14
15	·12	·02	·20				·02		·02	·11		·07	15
16			·05				·04				·07		16
17		·47	·11						·23			·30	17
18			·07									·38	18
19		·08	·14			·92	·11				·17	·07	19
20		·32	·26									·15	20
21		·44	·08		·06	·08				·06		·06	21
22		·07	·01		·12	·11	·04	·01		·77			22
23		·15	·07		·01					·11			23
24			·07	·02			·03			·12	·13		24
25	·05		·14							·36	·01		25
26			·19				·03	·17		·04	·24	·66	26
27	·03		·03		·06						·06	·39	27
28		·05								·10	·32	1·16	28
29	·03		·14							·27	·11		29
30			·07							·06	·36	·44	30
31	·01				·06		·07					·02	31
Total	·74	3·15	4·55	·88	1·29	2·63	1·84	1·26	·84	2·33	2·85 ~~2·76~~	7·70	YEAR'S TOTAL 30·06
Rain Days.	10	16	24	8	13	9	13	9	5	12	18	21	158

W.7,000, XI. 13

154

22.III.15

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Langley Rise Kings Langley
in the County of Hertfordshire
by T. Goldring

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~300~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.18			.06	.01	1
2								.10			.07	.13	2
3			.01		.24		.19	.09			.33		3
4	.17			.28	.01						.36	.52	4
5	.02		.08	.24	.08	.08	.54	.55			.02		5
6		.16		.01	.05	.12	.33	.04			.17	.27	6
7		.25	.48	.08	.43	.11	.03					.21	7
8	.07	.16	.70	.09	.10	.19	.26	.10					8
9	.21		.57	.09		.39		.02	.07			1.40	9
10	.03	.16		.07	.05								10
11		.30	.45		.02	.63			.30		.17	.32	11
12		.07	.10				.15		.22			.38	12
13		.30	.16							.03	.04	.46	13
14		.15	.37							.30	.16	.30	14
15	.12	.02	.20				.02		.02	.11		.07	15
16			.05				.04				.07		16
17		.47	.11						.23			.30	17
18			.07									.38	18
19		.08	.14			.92	.11				.17	.07	19
20		.32	.26									.15	20
21		.44	.08		.06	.08				.06		.06	21
22		.07	.01		.12	.11	.04	.01		.77			22
23		.15	.07		.01					.11			23
24			.07	.02			.03			.12	.13		24
25	.05		.14							.36	.01		25
26			.19				.03	.17		.04	.24	.66	26
27	.03		.03		.06						.06	.39	27
28		.05								.10	.32	1.16	28
29	.03		.14							.27	.11		29
30			.07							.06	.36	.44	30
31	.01				.06		.07					.02	31
Total	.74	3.15	4.55	.88	1.29	2.63	1.84	1.26	.84	2.33	~~2.76~~ 2.85	7.70	YEAR'S TOTAL 30.06
Rain Days.	10	16	24	8	13	9	13	9	5	12	18	21	158

W.7,000, XI. 13

82

and for mth 8·III·66

9971
146

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Langley Rise

in the County of Hertfordshire W. 2

by T. Goldring

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·16	·02		·04	·01	·02		·03		·10	·35	1
2	·14	·25	·29	·11				·86		·11		·17	2
3	·63		·04	·13			·15	·37	·09			·25	3
4	·09							·03				·45	4
5	·04	·46			·19			·03				·24	5
6	·21	·03	·03	·33			·76	·01				·14	6
7	·07	·49	·08				·35	·02				·34	7
8	·08	·46	·01	·05			·01	·08					8
9		·05		·09		·05		·05			·21	·64	9
10	·29							·04				·09	10
11	·02		·03								·86		11
12	·08			·26	·40			·37		·04	·63	·04	12
13		·54			1·28								13
14		·04					·79	·04	·06			·68	14
15	·24	·02						·14			·14	·14	15
16	·02	·61					·80	·01				·05	16
17		·39			·51		·13						17
18		·14	·11		·03						·09		18
19		·04	·05				·14						19
20	·33			·03								·21	20
21	·10						·02			·01		·07	21
22	·96	·20	·38				·61		·02			·17	22
23	·01	·38	·09			·01	·13		·18	·50		·31	23
24			·12				·10		·55	·08		·25	24
25				·03		·06	·07			·04		·14	25
26		·15					·14		·07			·50	26
27		·01				·26	·19			·45		·08	27
28		·05				·04	·01		1·25	·19			28
29						·04	·37	·17			·21		29
30	·03	✕				·58				·10	·10	·03	30
31	·01	✕		✕		✕		·04	✕	1·10	✕	·19	31
Total	3·89	4·47 4·49	1·25	1·03	2·45 2·46	1·05	4·79	2·26	2·25	2·62 2·63	2·34	5·53	YEAR'S TOTAL 33·93 33·97
Rain Days.	19	19	12	8	6	8	18	15	8	10	8	23	154

W. 8,000. X. 14.

8L W 8L [illegible] 967 ~~126~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Langley Rise
in the County of Hertfordshire
by T. Goldring

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10				·21				·09		·29		1
2	·55 ~~56~~	·03	·12		·18				·10	·44	·08		2
3		·66	·02			·02			·10	·26	·19		3
4	26	·18				·50			·02	·12	·61		4
5	·04	·02		·03	·02	·04				·11	·59		5
6		·07	·21	·20	·01	·07	·42			·07	·60		6
7	·14		·18		·09	·03	·87			·03	·45	·02	7
8			·13		·37	·03					·06	·35	8
9					·25					·12		·04	9
10		·17	·06	·08		·23	·08						10
11	·09	·11	·13	·16	·01	·11						·10	11
12		·03	·10		·27	·16	·11	·12		·08			12
13		·46	·27	·30		·08	·13	·32	·05	·02			13
14		·45		·09				·41		·07		·10	14
15		·19	·45		·09			·19					15
16		·03	·38	·20	·07		·19	·24					16
17	·15	·06		·17				·07	·35	·55			17
18		·10	·04	·07				·48	·22	·04	·72		18
19	·10	·05	·17	·15					·42		·62	12	19
20	·20		·19	·04							·02	62	20
21	·01		·62				·08					·35	21
22		·04	·03		·06	·01				·09		·50	22
23	01	·09				·11		·03		·05	·06	·10	23
24		·25				·31				·13	05	·34	24
25		·05	·07		·06			·14		·15	·10		25
26		·37				·10		·05		·08	·02		26
27	·13	·24	1·06			·13		·42	·10	·15			27
28		·37	·10			·20			·14	10		·35	28
29		·09				·33		1·07	·01	·43	·03	·14	29
30				·03	·13	·10		·04		·35			30
31								·04		·15		·04	31
Total	1·78	4·11	4·33	1·52	1·82	2·56	1·88	3·62	1·60	3·59	4·49	3·17	YEAR'S TOTAL 34·47
Rain Days.	12	23	19	12	14	18	7	14	11	22	16	14	182

W. 8,000. X. 15.

wd by Hopkins

934

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Langley Rise

in the County of Hertfordshire

by T. Golding

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05				·93	·05		·11		1
2				·32		·07		·12			·05		2
3				·03				·55		·37	·21		3
4		·21						·21		·35			4
5	·26		·20	·31				·04	·15	·08	·11		5
6			·07	·21		·05			·07		·04		6
7	·29			·17		·07	·30			·42		·01	7
8	·27			·15			·91	·84		·28	·18	·05	8
9	·01		·05	·09				·30	·01		·09	·10	9
10	·03		·25	·23				·11			·03		10
11	·30	·03	·35	·11						·37			11
12	·15		·04	·02				·17		·53			12
13	·10		·07					·12	·02				13
14	·02			·22				·05				·02	14
15								·01		·06			15
16	·05	·12		·21	·12	·97	·02			·96		·19	16
17		·03		·12	·75		·26	·10	·47	·29			17
18	·06	·04		·10	·07	·17	·15	·03	·59	·07			18
19	·01	·19	·07		·01	·06			·30				19
20		·18	·05		·48		·17	·05	·05		·10		20
21			·03	·01	·08	·01				·01	·04		21
22			·11			·05		·03		·07			22
23		·10			·12	·05		·12					23
24		·03				·03		·08		·25		·13	24
25		·03	·04								·14		25
26			·03					·28	·07		·28		26
27								·81					27
28			·02			1·50		·22					28
29					·20	·05	1·14	·54		·41		·04	29
30		X	·10				1·16	·15				·12 ·01	30
31		X	·07	X		X	·44	·02	X		X		31
Total	1·55	·96	1·55	2·35	1·83	3·08	4·55	5·88	1·78	4·52	1·38	·67	YEAR'S TOTAL 30·10
Rain Days.	12	10	16	16	8	12	9	24	10	15	12	9	153

4·34

W. 8,000, VIII. 16

81

~~115~~ 18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Langley Rise
in the County of Hertfordshire
by T. Goldring

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07							·20	·03	1
2		·12		·11				·17			·50	·23	2
3		·02	·07	·02	·61			·02	·10		·30	·02	3
4		·07	·06						·49		·55	·03	4
5		·07			·10			·24	·10	·16			5
6	·16	·21		·26	(·10)			·01				·09	6
7		·11		·09	·13				·13	·14	·15	·01	7
8									·11	·02	·03	·02	8
9	·04	·06		·05		·08	·31		·37	·22		·23	9
10	·04			·06			·32		·07			·23	10
11				·02	·06		·42		·05	·50	·05	·11	11
12		·10			·34		·16		·04				12
13					·17		·15		·15			·15	13
14	·24			·01		·13	·12		·28	·23		·20	14
15	·37			·60			·18		·02			·12	15
16	·65			1·00					·89			·01	16
17	·60			·30		·76	·29	·02	·03			·16	17
18	·50					·23	·39		·25	·12		·13	18
19	·09		·07	·10		·04	·26		·02	·06		·20	19
20	·04	·17		·61		·03	·05		·30	·21		·02	20
21	·13			·90			·06		·44	·03		·02	21
22	·10				·11		·06		·15			·25	22
23	·04				·48		·63	·04	·03			·01	23
24		·18				·01	·04		·10		·12		24
25						·06	·15	·37			·06		25
26							·12	·05		·05	·13	·22	26
27				·09			·10	·26	·04		·01	·05	27
28			·24	·01		·05		·04			·23	·21	28
29									1·44				29
30		X	·39						·08		·05	·58	30
31		X	·03	X		X		·03	X	·10	X	·01	31
Total	3·00	1·11	·86	4·30	2·11	1·39	3·81	1·25	5·68	1·84	2·38	3·34	YEAR'S TOTAL 31·07
Rain Days.	13	10	6	17	9	9	18	11	24	12	13	26	168

W. 8,000, VIII. 16

DL

[illegible]

881

FORM A.
BRITISH RAINFALL.

4 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Langley Rise

in the County of Hertfordshire

by T. Golding

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·05	·02		·17		·46			·03		1·35	1
2	·25	·05	·03		·05		·03	·01	·11	·13	·15	·33	2
3	·42		·33				·03		·02		·05	·26	3
4	·10		·35			·05	·06	·07	·09			·11	4
5	·02	·13	·77				·19		·24		·02	·33	5
6	·03	·17	·10		·12							·14	6
7	·08		·60								·15		7
8	·18		·10	·10									8
9			·02		·10						·20		9
10	·09		·11	·04							·04	·10	10
11	·06		·20	·23	·01		·26					·04	11
12	·05		·16	·05		·09	·10			·07			12
13	·02			(·36)						·06		·04	13
14	·36	·02		·47			·04		·18			·01	14
15	·28	·05	·12	·15						·05		·51	15
16	·03	·78									·15	·03	16
17		·35									·25	·04	17
18			·09					·05	·08		·09	·11	18
19	·05	·27	·80			·15	·34	·10	·10		·13		19
20	·38		·08			·66	·07	·36	·01		·03		20
21	·28	·46	·05			·06	·17				·03	·15	21
22		·18					·11		·33			·36	22
23						·07		·05	·03	·04	·03		23
24				·16			·18	·05		·29	·10		24
25	·10			·04	·01	·08		·60				·05	25
26	·15	·25	·16	·13				·19	·07			·50	26
27	·03	·02		·71				·43				·03	27
28	·30		·15	·65				·70		·02	·17	·30	28
29	·10			·09				·21		·22	·13	·02	29
30		✗	·10	·24		·17		·10		·03	·36	·64	30
31		✗		✗		✗			✗		✗		31
Total	3·86	2·78	4·34	3·43	·46	1·33	2·04	2·92	1·26	·94	2·08	5·45	YEAR'S TOTAL 30·89
Rain Days.	23	13	20	14	6	8	13	13	11	10	17	22	170

142 833

Kept

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Langley Rise

in the County of Hertfordshire

by S. Goldring

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·75	·19		·28			·37		·33	1
2			·01				·28	·51	·06	·05		·12	2
3		·05		·08			·16		·12	·05		·10	3
4				·06			·10	·16		·31		·05	4
5					·01		·59	·02	·02			·11	5
6			·22		·09		·37					·03	6
7				·22			·17						7
8	·12	·05		·25	·04		·13	·08					8
9	·40			·10				·02					9
10	·40	·06	·18				·13				·02		10
11	·20		·05	·23		·02	·21						11
12	·07		·01	·15	·04	·07	·02				·02		12
13	·11	·03	·16	·31		·56			·04		·05		13
14			·35	·32			·06		·12	·24	·34	·07	14
15	·02		·18	·21		·45	·04		·19	·02	·10		15
16				·21		·13			·11	·09			16
17	·02			·02		·02	·03		·16			·04	17
18	·10			·04	·13			·50	·16			·03	18
19	·11			·16	·04			·09				·02	19
20	·06	·15		·23		·57						·03	20
21					·03		·48	·05	·71			·10	21
22	·01			·24					·09			·29	22
23							1·00					·45	23
24	·02		·12									·05	24
25		·06	·05				·35						25
26	·11		·10				·04					·02	26
27	·32	·09		·25	·72	·18					·58	·19	27
28	·49		·18			·01	·08				·02		28
29	·20		·03		·35						·17	·30	29
30	·05	╳		·04		·05	·48		·29		·21	·26	30
31	·03	╳		╳		╳			╳	·25	╳	·11	31
TOTAL	2·84	·49	1·64	3·87	1·64	2·06	5·00	1·43	2·07	1·38	1·51	2·70	YEAR'S TOTAL 26·63
Days with ·01 in. or more	19	7	13	19	10	10	20	8	12	8	9	20	155
·04	14	6	10	18	8	7	18	6	11	7	6	15	126

(44,288). Wt.21 58—218. 7500. 10/19. Gp.132. A.&E.W.

RE 9 11.

Coby

FORM A2. BRITISH RAINFALL.

6 - JAN 1912

HERTS

LETCHWORTH – SEWAGE WORKS

1911 – 1920

Kept at Letchwor

in the County of Hert·

by Urans Fist· Go

top 5. in.

above Ground ft. in.

" Sea Level 214 ft.

9.A.M.

tion { Name Letchworth. / Distance 530 (about) yds Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	–	–	0.18	–	–	0.05	0.13	–	–	–	–	1
2	0.06	–	–	0.20	0.09	–	–	0.02	–	–	0.08	0.08	2
3	–	0.03	–	–	0.12	0.10	–	0.04	–	0.05	0.03	0.04	3
4	0.07	0.05	0.13	0.14	–	–	–	–	–	0.12	0.07	0.33	4
5	0.01	0.005	–	0.01	–	–	–	0.07	–	0.03	0.03	0.22	5
6	0.20	–	0.03	–	–	–	–	–	–	–	0.01	0.39	6
7	–	–	0.03	–	–	–	–	–	–	0.15	0.28	0.21	7
8	0.18	–	0.11	–	–	–	–	–	–	0.02	0.05	0.12	8
9	0.15	–	–	0.03	–	–	–	–	–	–	–	0.02	9
10	0.01	0.08	0.05	0.04	–	–	–	–	–	–	0.09	0.32	10
11	0.21	–	0.01	–	0.20	0.04	–	–	–	–	0.39	–	11
12	0.11	–	0.40	–	–	–	–	–	0.02	0.36	0.24	–	12
13	–	–	0.09	–	0.98	–	–	–	0.20	0.07	–	0.28	13
14	–	–	0.03	–	0.32	–	–	–	–	–	–	0.40	14
15	–	0.03	0.18	–	–	–	–	–	–	0.03	0.07	0.01	15
16	–	–	0.09	–	–	0.10	–	–	–	0.01	0.25	0.03	16
17	–	–	–	–	–	0.02	–	–	–	0.005	0.07	0.16	17
18	–	0.18	0.01	–	–	0.04	–	–	–	–	0.41	0.09	18
19	–	–	–	–	–	0.27	–	–	0.04	0.04	0.25	0.05	19
20	0.02	0.02	0.02	–	–	0.03	–	0.48	0.18	0.01	–	0.49	20
21	0.005	0.10	–	–	–	–	–	0.50	–	0.49	–	0.11	21
22	0.04	0.01	0.28	–	–	0.06	–	–	–	0.05	–	0.47	22
23	0.01	0.14	0.27	–	–	1.12	–	0.03	0.24	–	–	0.14	23
24	–	0.03	0.01	–	–	0.12	–	0.02	–	0.36	–	0.17	24
25	–	0.09	0.02	0.03	–	0.18	0.07	0.09	–	–	–	–	25
26	–	–	–	0.12	–	0.09	–	–	–	0.12	0.05	0.09	26
27	–	0.19	0.07	–	–	–	0.06	–	0.12	–	–	0.03	27
28	–	0.48	–	0.22	–	–	–	0.09	–	–	0.03	0.03	28
29	–	–	–	–	–	0.13	0.15	–	0.02	0.14	–	0.01	29
30	–	–	0.01	0.04	–	–	–	–	0.40	0.19	–	–	30
31	–		–		0.53		–	–		–		–	31
Total	1.095 ✓	1.135 ✓	1.84 ✓	1.01 ✓	2.24 ✓	2.30 ✓	0.33 ✓	1.47 ✓	1.22 ✓	2.245	2.40 240	4.29 ✓	21.575 Total for year 21.575
No. of Rain Days	14 ✓	13 ✓	19 ✓	10 ✓	6 ✓	13 ✓	4 ✓	10 ✓	8 ✓	18 ✓	17 ✓	25.	155 ✓

9,000, IX. '10.

Coby

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Letchworth.

in the County of Hertford. 4

by Messrs First Garden City Limited.

Rain Gauge
Pattern
Diameter of top 5. in.
Height of top above Ground ft. in.
" " " Sea Level 214 ft.

Time of Observation 9.A.M.

Nearest Railway Station
Name Letchworth.
Distance 520 (about) yds Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	–	–	0.18	–	–	0.05	0.13	–	–	–	–	1
2	0.06	–	–	0.20	0.09	–	–	0.02	–	–	0.08	0.08	2
3	–	0.03	–	–	0.12	0.10	–	0.04	–	0.05	0.03	0.04	3
4	0.07	0.05	0.13	0.14	–	–	–	–	–	0.12	0.07	0.33	4
5	0.01	0.005	–	0.01	–	–	–	0.07	–	0.03	0.03	0.22	5
6	0.20	–	0.03	–	–	–	–	–	–	–	0.01	0.39	6
7	–	–	0.03	–	–	–	–	–	–	0.15	0.28	0.21	7
8	0.18	–	0.11	–	–	–	–	–	–	0.02	0.05	0.12	8
9	0.15	–	–	0.03	–	–	–	–	–	–	–	0.02	9
10	0.01	0.08	0.05	0.04	–	–	–	–	–	–	0.09	0.32	10
11	0.21	–	0.01	–	0.20	0.04	–	–	–	–	0.39	–	11
12	0.11	–	0.40	–	–	–	–	–	0.02	0.36	0.24	–	12
13	–	–	0.09	–	0.98	–	–	–	0.20	0.07	–	0.28	13
14	–	–	0.03	–	0.32	–	–	–	–	–	–	0.40	14
15	–	0.03	0.18	–	–	–	–	–	–	0.03	0.07	0.01	15
16	–	–	0.09	–	–	0.10	–	–	–	0.01	0.25	0.03	16
17	–	–	–	–	–	0.02	–	–	–	0.005	0.07	0.16	17
18	–	0.18	0.01	–	–	0.04	–	–	–	–	0.41	0.09	18
19	–	–	–	–	–	0.27	–	–	0.04	0.04	0.25	0.05	19
20	0.02	0.02	0.02	–	–	0.03	–	0.48	0.18	0.01	–	0.49	20
21	0.005	0.10	–	–	–	–	–	0.50	–	0.49	–	0.11	21
22	0.04	0.01	0.28	–	–	0.06	–	–	–	0.05	–	0.47	22
23	0.01	0.14	0.27	–	–	1.12	–	0.03	0.24	–	–	0.14	23
24	–	0.03	0.01	–	–	0.12	–	0.02	–	0.36	–	0.17	24
25	–	0.09	0.02	0.03	–	0.18	0.07	0.09	–	–	–	–	25
26	–	–	–	0.12	–	0.09	–	–	–	0.12	0.05	0.09	26
27	–	0.19	0.07	–	–	–	0.06	–	0.12	–	–	0.03	27
28	–	0.18	–	0.22	–	–	–	0.09	–	–	0.03	0.03	28
29	–	–	–	–	–	0.13	0.15	–	0.02	0.14	–	0.01	29
30	–	–	0.01	0.04	–	–	–	–	0.40	0.19	–	–	30
31	–	–	–		0.53		–	–		–		–	31
Total	1.095 ✓	1.135 ✓	1.84 ✓	1.01 ✓	2.24 ✓	2.30 ✓	0.33 ✓	1.47 ✓	1.22 ✓	2.245	2.40 2.40	4.29 ✓	21.575 TOTAL for year 21.575
No. of Rain Days	~~13~~ 14 ✓	13 ✓	19	10 ✓	6 ✓	13 ✓	4 ✓	10 ✓	8 ✓	18 ✓	17 ✓	25.	155 ✓

9,000, IX. '10.

from Herts Nat His Socy

REGISTER OF RAINFALL IN 1912

-6 MAR 1913

FORM A.
BRITISH RAINFALL.

Kept at Letchworth

in the County of Hertfordshire 4

by A W E Bullmore Esq CE

Lat. 51° 59 N Long. ~~Time of Observation~~ 0° 14' W

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214 ft.

J Hopkinson

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01			.01	.04	.09	.10	.30		.15	1
2			.04	.04		.19	.52		.03			.05	2
3	.08				.28	.12	.08	.20	.05			.05	3
4	.10		.61		.11	.19					.27		4
5	.11	.07	.25			.01		.10	.02		.09		5
6	.25	.03				.29		.33				.05	6
7	.03	.03			.03	.89	.05	.17				.03	7
8	.26		.15					.40	.13			.02	8
9	.05	.05		.05		.30	.02	.02				.10	9
10			.05					.33	.16		.14	05	10
11	.12	.08				.02			.04		.02	.09	11
12	.10	.11	.06		.04	.09		.01			.05		12
13	.01	.02				.11	.04	.15			.15		13
14	.02		.02		.05	.02		01		.05	.05		14
15		.02	.13		.19	.14		.02				.10	15
16	.37				.04	.09		.03		.02	.07		16
17	.08		.18			.08		.04			.05	.03	17
18	.41		.18					.17		.01	.04	.09	18
19	.13	.11	.15			.08	.34	.77			.01		19
20	.03		.09		.02		.02	.10		.16			20
21			.51		.37			.48		.24	.06		21
22	.63	.06	.03		.05		.07	.15		.03		.03	22
23	.40	.39	.20		.01		1.04	.41			.18	.11	23
24	.24						.11	.15				.15	24
25						.11		.61			.24	.52	25
26							.35	.51		.28	.27	.18	26
27		.01				.04	.09	.05		.18		.12	27
28		.02					.03	.04	.07	.26	.25	.40	28
29		.01	.01	.05		.22	.29	.39	.95	.18		.05	29
30	.02				.28	.07		.02	.60	.09			30
31			.03				.16	.28		.02		.02	31
Total	3.44	1.01	2.70	.14	1.47	3.07	3.25	6.03	2.15	1.82	1.94	2.39	YEAR'S TOTAL 29.41
Rain Days.	20	14	18	3	12	20	16	28	10	13	16	21	191

Copy for Hert Nat His Soc

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Letchworth

in the County of Hertfordshire 4

by A.W.E. Bullmore J Hopkinson

Lat. 51° 59' Long. 0.14 W

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.12	.11	.11					.47		.09	.03	1
2	.01	.15	.08	.01	.21		.19		.12	.02	.01		2
3	.01			.04	.76							.04	3
4	.13		.01		.05		.04			.47	.01	.29	4
5	.10						.13			.40		.02	5
6		.01	.11			.18	.10			.19			6
7		.14			.11	.09	.03			.56	.04		7
8			.01		.21					.14	.08		8
9		.23	.02	.03	.02	.17			.13		.01		9
10			.03	.12			.32				.35		10
11	1.09			.41	.07					.16	.23		11
12		.10			.06						.31		12
13	.02							.04	.02		.33		13
14	.06		.09	01						.20	.04		14
15	.06	.04	.20	.25			.06		.01				15
16	.05		.25	.19					.03				16
17	.03	.02	.05	.09		.28	.06				.01	.12	17
18	.01		.14	.13					.01		.03		18
19	26		.10				.15		.50			.03	19
20	.05		.05	.02		.14				.23			20
21	.03		.11	.07					.03	.09	.28		21
22	.32		.20	.16	.04			.06	.13				22
23	.03					.04	.02	.07	.01			.08	23
24				.01		.01		.02			.01		24
25		.03		.14		.08						.01	25
26			.25	.13				.12		.56		.13	26
27			.03	.04						.02			27
28	.12		.19						.02	.10		.05	28
29	.03		.10		27			.10		.03			29
30	22							.08		.18	.20		30
31								.57		.01			31
Total	2.66	.84	2.13	1.96	1.80	.99	1.10	1.06	1.48	3.36	2.03	.80	YEAR'S TOTAL 20.21
Rain Days.	20	9	20	18	10	8	10	8	12	16	16	10	157

W.7,000, XI. 13

and pr ault for pr WD. 9.III.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

13 JAN 1915

4

Kept at Letchworth
in the County of Herts
by First Garden City Ltd

Lat. 51°59′ Long. 0° 14′ W
Time of Observation 9 a.m.
Nearest Railway Station Letchworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓ -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.	-	-	-	-		-	-	-	-	0·32	1
2	·01	.	-	·08	-	-	1·34	0·34	-	-	0·08	0·12	2
3	-	.	·04	-	·12	-	0·53	0·02	-	-	0·06	-	3
4	·18	.	-	·16	·03	-	0·50	0·22	-	-	0·23	-	4
5	-	.	·04	·25	·04	·10	0·54	0·15	-	-	0·36	0·26	5
6	-	·06	-	-	·02	·13	+	0·07	-	-	-	-	6
7	-	·17	·20	·10	·22	·02	0·10	0·02	-	-	0·18	0·09	7
8	·03	·11	·53	·08	·04	·66	0·05	0·01	-	-	-	0·42	8
9	·20	.	·53	·16	-	·57	-	0·09	-	-	-	0·02	9
10	·09	·16	-	·12	·10	-	-	-	0·08	-	-	0·84	10
11	.	·11	·27	-	·09	·35	-	-	0·11	-	-	0·01	11
12	·01	.	·08	-	.	-	-	-	0·01	-	0·24	0·27	12
13	.	·22	·10	-	-	-	-	-	0·44	0·01	-	0·49	13
14	-	·02	·26	-	-	-	-	-	0·08	0·37	-	0·21	14
15	·10	[illegible]	·16	-	-	-		-	0·01	0·43	0·14	0·65	15
16	·01	.	·03	-	-	-		-	-	-	0·03	·12	16
17	-	·36	·05	-	-	-		-	0·01	-	0·03	-	17
18	.		·04	-	-	-		-	0·07	0·01	-	·15	18
19	.	·03	·05	-	-	-	0·01	-	-	-	-	·41	19
20	.	·18	·45	-	-	-	0·02	-	0·03	-	0·23	·04	20
21	.	·45	·08	-	-	·005	-	-	-	-	-	·05	21
22	.	·07	·02	·02	·03	·22	-	0·06	-	0·04	-	·13	22
23	.	·10	·05	-	·29	·01	0·04	-	-	0·45	-	·03	23
24	.	.	·08	-	-		-	-	-	0·12	-	-	24
25	.	.	·09	-	-		0·07	0·005	.	0·15	0·10	·12	25
26	.	.	·08	-	-		-	0·10	-	0·26	-	·45	26
27	·08	.	·01	-	-		·005	0·02	-	0·03	0·10	·14	27
28	.	·04	-	-	·05		-	-	-	-	-	1·38	28
29	·01	-	·06	-	-		·03	-	-	0·08	0·66	-	29
30	-	-	-	-	-		-	-	-	0·34	0·12	·29	30
31	-	-	-	-	·18		·04	-	-	0·05	-	·03	31
Total	·72	2·09	3·30	·97	1·21	2·065	2·775	1·105 1·15	0·84	2·34	·32 ~~2·56~~ 2·88	~~7·04~~ 6·72	YEAR'S TOTAL 27·065 27·015
Rain Days.	10	15	23	8	12	9	13	12	9	13	~~11~~ 15	~~23~~ 24	162

W. 7,500, XI. '12

[illegible]

1054

FORM A.
BRITISH RAINFALL.

10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Letchworth

in the County of Hertford 4

by First Garden City Ltd.

Lat. 51° 59' Long. 0° 14' W

Time of Observation 9 am.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·46	0·06	0·22	–	0·06	–	–	–	–	0·02	0·07	0·24	1
2	0·21	0·17	0·08	0·09	–	0·03	–	0·40	0·07	0·02	0·01	0·09	2
3	0·34	–	0·11	0·15	–	–	0·06	0·13	0·05	–	–	0·14	3
4	0·08	–	0·01	–	–	–	–	0·05	–	–	0·01	0·45	4
5	0·02	0·41	–	–	–	–	–	0·01	–	–	–	0·20	5
6	0·19	0·02	0·02	0·18	–	–	1·22	–	–	0·01	–	0·04	6
7	0·05	0·29	0·07	–	–	–	0·21	0·09	–	0·02	–	0·21	7
8	–	–	0·005	0·01	–	–	0·02	–	–	–	0·01	–	8
9	–	0·32	–	–	–	0·05	–	0·02	–	–	0·19	0·46	9
10	0·22	–	0·05	–	–	–	–	0·17	–	–	0·04	0·05	10
11	0·02	–	0·02	–	0·02	–	–	–	–	–	0·78	–	11
12	0·06	0·04	–	0·15	0·28	–	–	0·28	–	0·06	0·74	0·05	12
13	0·005	0·34	–	–	1·23	–	–	–	–	–	–	–	13
14	–	0·04	–	–	0·005	–	0·30	0·38	0·05	–	–	0·30	14
15	0·15	0·005	–	–	0·03	–	–	0·15	–	–	0·14	0·12	15
16	0·005	0·24	–	–	–	–	0·52	–	–	–	–	0·09	16
17	–	0·22	–	–	0·15	–	0·15	–	–	–	–	–	17
18	–	0·06	0·15	–	–	–	–	–	–	–	0·07	–	18
19	–	0·005	–	–	–	–	0·10	–	–	0·01	–	–	19
20	0·22	–	–	0·04	–	–	–	0·01	–	–	–	0·28	20
21	0·11	–	–	–	0·01	–	–	–	–	0·01	–	0·05	21
22	0·83	0·02	0·45	–	–	–	0·46	–	–	–	–	0·09	22
23	0·01	0·06	0·39	–	–	–	0·14	–	0·16	0·15	–	0·19	23
24	–	0·09	0·29	–	–	0·09	0·05	–	0·20	0·06	–	0·07	24
25	–	–	–	0·03	–	0·10	0·02	–	–	0·01	–	0·20	25
26	–	0·06	–	–	–	–	0·10	–	–	–	–	0·26	26
27	–	–	–	–	–	0·19	0·04	–	0·02	0·38	–	0·04	27
28	–	–	0·01	–	–	–	–	–	0·81	0·25	–	–	28
29	–	–	–	–	–	0·06	–	0·19	–	–	0·08	0·08	29
30	0·03	×	–	–	–	0·13	–	0·03	–	–	0·01	0·005	30
31	0·02	×	–	×	–	×	–	–	×	0·50	×	0·21	31
Total	3·03	2·45	1·875	0·65	1·785	0·65	3·39	1·91	1·36	1·50	2·15	3·91	YEAR'S TOTAL 24·66
Rain Days.	~~17~~ 18	~~16~~ 17	14	7	8 7	7	14	13	7	13	12	23	149

W. 8,000. X. 15.

1582

57

Ex Hopkinson cod [illegible]

1026

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. MAR 1917

Kept at Letchworth

in the County of Hertfordshire

by First Garden City, Limited

Lat. 51° 59′ Long. 0° 14′ W

Time of Observation 9 am.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0·04	-	-	·08	-	·	-	-	·28	-	1
2	0·34	0·05	0·18 Sn	-	0·29	·	-	-	·06	·39	-	·	2
3	-	0·45	0·02	-	-	-	·04	·	·	·24	·12	-	3
4	0·19	0·07	0·02 Sn	-	-	·22	-	·	·11	·32	·29	-	4
5	0·02	-	0·005	0·05	-	·15	-	-	-	·05	·46	-	5
6	·	0·04	0·22 Sn	0·26	0·05	·24	·08	-	-	·02	·45	-	6
7	0·06	-	0·25 Sn	·	0·13	·10	·24	-	-	·15	·31	·07	7
8	-	-	0·02 Sn	-	-	-	-	-	-	-	-	·25	8
9	·	-	-	-	-	·04	-	-	-	·	-	·06	9
10	0·005	0·07	0·14 Sn	0·07	0·22	·28	·06	-	-	-	-	-	10
11	0·06	0·16	·	0·10	0·52	·14	-	·	-	-	-	·07	11
12	0·01	0·03	0·07	0·02	0·20	·19	·13	·05	·005	·16	-	-	12
13	·	0·44	0·23	0·06	-	·07	·12	·15	-	·005	-	-	13
14	-	0·45	-	0·04	·	·	-	-	-	-	-	-	14
15	-	0·15	0·41	0·03	0·07	-	-	·08	-	·02	-	·07	15
16	-	0·07	0·13	0·19	-	-	·18	·18	·	·03	-	-	16
17	0·09	0·06	·	0·18	·	·	·09	·50	·19	·27	-	-	17
18	0·005	0·08	0·07	0·12	·	-	-	·29	·09	-	·65 Sn	-	18
19	0·02	0·02	0·21	0·02	-	-	-	·07	·41	-	·64	-	19
20	0·07	-	0·47	-	-	·	-	-	-	-	·03	·15	20
21	-	-	0·80	-	-	-	·47	-	-	-	-	·51	21
22	-	0·10 Sn.	0·02	·	0·15	·005	-	-	-	·05	·03	·45	22
23	0·01	0·34 "	-	-	-	·04	·	·04	-	-	·01	·52	23
24	-	0·37 "	·	·	·	·36	·		-	·04	·07	·08	24
25	-	0·35 "	0·14	·	-	-	-	·15	-	·13	-	·42	25
26	-	·	0·02	·	·	·09	-	·01		·05	-	-	26
27	0·09	0·19 "	1·10 Sn.	-	-	·87	-	-	·04	·10	-	-	27
28	-	0·34 "	0·34 "	-	-	·20	-	-	-	-	-	-	28
29	-	0·13	-	-	-	·12	-	1·11	-	·35	-	·	29
30	·	X	-	-	-	·07	-	·26	·	·31	-	-	30
31	·	X		X		X			X	·07	X		31
Total	1·07	3·96	4·905	1·14	1·63	3·265	1·41	2·89	0·905	2·755	3·34	2·65	YEAR'S TOTAL 29·92 ~~30·63~~
Rain Days.	12	21	22	12	8	18	1·41 9	12	·905 7	18	12	11	167 ✓

W. 8,000, VIII. 16

Gxd P72

994

4 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at The Sewage Farm, Letchworth
in the County of Hertfordshire
by A.W.C. Bullmore A.M.I.C.E.

RAIN GAUGE.
Lat. 50° 59" Long. 0° 14 W
Time of Observation 9 a.m.
Diameter 5
Height of top above Ground 1 – 0"
" " Sea Level 214

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.01		0.11				1.30	0.08		0.20		1
2	0.02	0.02		0.23				0.11		0.06	0.04		2
3				0.02				0.50		0.62	0.09		3
4		0.11	0.02					0.04		0.48			4
5	0.11		0.02	0.18				0.17	0.23	0.08	0.07		5
6						0.06			0.02	0.08	0.02		6
7	0.22					0.005	0.44			0.44			7
8	0.18			0.06			1.54	0.60	0.03	0.21	0.07	0.08	8
9	0.04		0.06	0.05			0.01	0.58			0.07	0.09	9
10	0.30		0.13	0.22				0.09			0.01		10
11	0.07	0.04	0.42	0.05						0.26			11
12	0.10		0.005	0.01				0.13		0.22			12
13	0.14		0.05					0.07	0.02	0.05			13
14	0.005			0.09	0.04			0.08					14
15	0.03							0.08		0.02			15
16	0.04	0.12		0.10	0.08	0.34				0.66			16
17	0.005			0.17	0.65		0.35	0.06	0.40	0.28			17
18	0.05			0.14	0.04	0.15	0.39	0.055	0.61				18
19	0.01	0.11	0.08	0.005	0.10	0.08			0.20				19
20		0.14	0.12		1.24						0.11		20
21	0.04		0.03		0.02			0.01			0.02		21
22			0.09					0.05		0.16			22
23		0.10			0.08			0.14		0.06			23
24		0.03				0.09		0.08		0.07	0.03		24
25		0.03	0.03				0.01				0.05		25
26			0.06					0.31			0.28		26
27			0.005			0.11		0.68				0.15	27
28		0.18	0.02			0.90		0.06		0.005		0.07	28
29			0.01			0.50	1.00	0.03		0.32		0.19	29
30	0.02		0.09				1.20	0.12				0.01	30
31	0.03		0.24				0.35	0.09				0.01	31
Totals	1.41	.69	1.48	1.435	2.25	2.235	5.29	5.435	1.59	4.075	1.06	.60	27.750
Total from Jan. 1	1.41	2.30	3.78	5.215	7.465	9.7	14.99	20.425	22.015	26.09	27.15	27.75	
	17	11	17	14	8	8	9	24	8	18	13	7	154

K/4,000/11/02. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D

75

FORM A. BRITISH RAINFALL.

~~W C F~~ cord by own stats

REGISTER OF RAINFALL IN 1918

Kept at Sewage Farm Letchworth
in the County of Hertford
by

Lat. 51° 59" Long. 0° 14 W
Time of Observation 9 AM
Nearest Railway Station Letchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·03	-	·05	-	-	-	-	-	-	·13	·08	1
2	-	·09	-	·27	-	-	-	·09	·005	·01	·12	·13	2
3	-	·01	·07	·005	·39	-	-	·08	·15	-	·52	-	3
4	-	·02	·06	-	-	-	-	·02	·49	·02	·36	·04	4
5	-	·01	-	-	·23	-	-	·07	·07	·03	-	-	5
6	·07	·08	-	·20	·05	-	-	·01	-	-	-	·03	6
7	·05	·08	-	·06	·52	-	-	-	·02	·06	·17	-	7
8	·01	-	-	-	-	-	-	-	·19	·02	·02	-	8
9	-	·04	-	·02	-	·06	·18	-	·43	·09	-	·08	9
10	·05	-	-	·05	-	-	·30	-	·03	-	-	·08	10
11	-	-	-	·03	·10	-	·12	-	·07	·46	·08	·04	11
12	·03	(·10) ·01	-	-	·32	-	·08	-	·09	-	-	-	12
13	-	·0051	-	·01	·27	-	·10	-	·11	·005	-	-	13
14	·22	-	-	·01	-	·11	·04	-	·29	·16	-	-	14
15	·88	-	-	1·44	-	-	·20	-	·008	-	-	·19	15
16	·19	-	-	·44	-	·11	·005	·005	·80	-	-	·16	16
17	·11	-	-	·16	-	-	·31	·01	·02	-	-	·09	17
18	·41	-	-	-	-	·09	·12	-	·29	-	-	·26	18
19	·01	·05	·09	·19	-	·03	·17	-	·02	·10	-	·16	19
20	·02	·03	-	·52	-	·03	·02	-	·08	·14	-	-	20
21	·06	-	-	·20	-	·04	-	-	·76	·05	-	-	21
22	·04	-	-	-	·26	-	-	-	·09	-	-	·20	22
23	·02	-	-	-	·49	-	·25	·07	·06	-	-	-	23
24	-	·16	-	-	·005	·02	·01	-	·08	-	·11	-	24
25	-	-	-	-	-	·09	-	·22	-	-	·04	-	25
26	-	-	-		-	-	·24	·04	-	·02	·14	·13	26
27	-	-	-	·17	-	-	·17	·17	·07	-	·13	-	27
28	-	·08	·14	-	-	-	-	·03	-	-	·26	·09	28
29	-		-	-	-	-	-	-	1·46	-	-	-	29
30	-	X	·29	-	-	-	-	-	·03	-	·10	·09	30
31	-	X	·14	X	-	X	-	-	X	·04	X	·01	31
Total	2·17	·785	·79	3·825	2·635	·58	2·315	·815	5·713	1·205	2·18	1·86	YEAR'S TOTAL 24·873
Rain Days.	15	14	6	~~17~~ 16	10	9	~~16~~ 15	12	~~25~~ 24	14	13	17	~~168~~ 165

165

W, 6,500, VII. 18. w w c

938

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 JAN 20

Kept at Sewage Farm, Letchworth

in the County of Hertford

by AWC Bullmore AMICE

Lat. 51° 59" Long. 0° 14W.

Time of Observation 9 A.M.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·07	-	·005	·07	·09	·44	-	-	·05	-	1·52	1
2	·17	-	·01	-	·09	-	·19	-	·37	·02	·08	0·15	2
3	·44	-	·30	-	-	-	·07	-	·02	-	·11	0·17	3
4	·07	-	·28	-	-	·08	·52	·02	·02	-	-	0·10	4
5	·09	·29	·37	-	-	-	·26	·005	·24	-	·005	·18	5
6	·01	-	·09	-	·19	-	-	-	-	·005	·04	·05	6
7	·02	-	·26	-	-	-	-	-	-	-	·08	-	7
8	·14	-	·08	·14	-	-	-	-	-	-	·005	-	8
9	-	-	·02	·02	-	-	-	-	-	-	·05	-	9
10	-	-	·15	·04	-	-	-	-	-	-	·005	·03	10
11	·03	-	·05	·15	-	-	·52	-	-	-	·005	-	11
12	-	-	·25	-	-	·09	-	-	-	·07	-	-	12
13	·07	-	-	·27	-	-	-	-	·04	·03	-	-	13
14	·23	-	-	·17	-	-	·04	·005	·10	-	-	-	14
15	·44	·03	·12	·10	-	-	-	-	-	·06	·05	·43	15
16	·02	·75		·05	-	-	-	-	-	-	·11	·65	16
17	-	·73	·02	·01	-	-	-	·005	-	-	·19		17
18	-	·09	·05	-	-	-	·005	·19	·03	-	·03	·08	18
19	·07	·10	·51	-	-	·33	·11	·33	·12	-	·01	·06	19
20	·16	·05	·04	-	-	·67	·35	·37	-	-	·02	·01	20
21	·49	·33	-	-	-	-	·63	-	-	-	·03	·04	21
22	-	·21	-	-	-	-	·03	-	·11	-	-	·29	22
23	-	-	-	-	-	·08	·02	·01	·02	-	·01	·01	23
24	-	-	-	·32	·005	·02	·07	-	-	·05	-	·01	24
25	·13	-	-	·005	-	·02	-	·19	-	-	-	·03	25
26	·20	·26	·14	·02	-	-	·13	·12	·07	-	-	·30	26
27	·80	·09	-	1·38 (Snow.)	-	-	-	·37	-	-	-	-	27
28	-	-	·05	·03	-	-	·005	·74	-	·04	·16	·30	28
29	-	-	-	·03	-	-	-	·15	-	·25	-	·10	29
30	·06	✕	·03	·27	-	·22	-	-	-	·07	·37	·35	30
31	·02	✕	-	✕	-	✕	·01	-	✕	·04	✕	·01	31
TOTAL	3·99	3·00	2·82	3·01	0·355	1·60	3·40	2·505	1·14	·685	1·36	4·27	YEAR'S TOTAL 28·135
Days with ·01 in. or more	21	12	19	~~15~~ 16	~~2~~ 4	9	~~15~~ 16	~~10~~ 11	11	~~10~~ 11	~~15~~ 17	22	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

892

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Letchworth Sewage Farm
in the County of Hertfordshire
by AWBullmore

Lat. 51° 59' Long. 0° 14' W
Time of Observation 9 am.
Nearest Railway Station Letchworth
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·52	·11		·14	·05		·77		·14	1
2							·01	·11	·08	·07		·08	2
3		·04		·14			·04		·08	·05			3
4				·13			·11	·13		·13		·04	4
5			·02		·05		·50	·01	·10			·02	5
6			·15		·09		·49	·06					6
7	·005		·17	·03			·10					·06	7
8	·23	·005		·41			·04						8
9	·29			·29									9
10	·14	·04					·07					·02	10
11	·23		·07	·19	·05	·02	·03					·01	11
12	·04		·04			·28					·05	·01	12
13	·01		·06	·29		·02					·02		13
14	·005	·04	·24	·18		·05			·09	·22	·25		14
15			·17	·07					·08		·05		15
16				·04		·01			·10	·04			16
17	·03			·01	·07	–	·03		·34			·05	17
18	·17			·02	·05	–		·48	·03			·06	18
19	·07	·01		·17	·005	·08		·02					19
20	·01	·13		·26		·44			·01			·01	20
21							·09	·10	·30			·04	21
22				·15					·44			·12	22
23							·35					·31	23
24	·13											·02	24
25		·12	·09		·03		·30						25
26	·27		·12	·03			·05					·03	26
27	·44	·02		·22		·24	·08				·60	·09	27
28	·09		·11		·23							·02	28
29	·04		·08		·03		·17				·11	·25	29
30	-				·02	·09	·15		·15		·16	·24	30
31	·01									·36		·04	31
TOTAL	2·21	·405	1·32	3·15	·735	1·23	2·75	0·96	1·80	1·64	1·24	1·66	YEAR'S TOTAL 19·10
Days with ·01 in. or more	16	7	12	18	10	9	18	8	12	7	7	21	145
Days with ·04 in. or more	12	5	11	~~13~~ 14	7	6	15	6	10	7	6	13	~~111~~ 112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIST

FORM A.
BRITISH RAINFALL.

27 APR 1914

LETCHWORTH
57 GERON R.D
HERTS
1913 – 1920

Kept at Letchwo
in the County of Hertfo
by Arthur Wm B

worth
in.
ft. in.
el ft.

IMPORTANT NOTE.—R ult entered to the previous day. If an Observer lle, he is earnestly requested to add the reading a e space provided for it at the end of this para rain, the selection and placing of ra ainfall Organization are given in "*Rul* ion to Dr. H. R. Mill, 62, Camden S

Jan. 1, following.
·00

Date.	Jan.	Feb.	March.	April							v.	Dec.	Date.
1	·02	·00	·00	·00							·2	·25	1
2	·04	·13	·08	·11	00	00	00	00	00	00	10	·04	2
3	·02	·14	·00	·02	·30	·00	·18	·01	·14	·00	·02	·00	3
4	·02	·00	·06	·06	·62	·00	·00	·00	·01	·00	·00	·05	4
5	·13	·01	·01	·00	·05	·00	·05	·00	·00	·71	·02	·17	5
6	·10	·00	·00	·00	·00	·00	·11	·00	·00	·05	·01	·11	6
7	·00	·02	·10	·00	·10	·16	·16	·01	·00	·19	·01	·00	7
8	·00	·14	·00	·00	·13	·00	·03	·00	·00	·55	·03	·00	8
9	·00	·01	·03	·01	·24	·07	·00	·00	·00	·12	·09	·00	9
10	·00	·21	·03	·03	·03	·17	·00	·00	·15	·00	·02	·07	10
11	·01	·00	·04	·10	·00	·00	·30	·00	·00	·00	·29	·00	11
12	1·04	·00	·01	·41	·08	·00	·00	·00	·00	·18	·26	·00	12
13	·00	·00	·00	·01	·06	·00	·00	·01	·00	·00	·28	·00	13
14	·00	·02	·00	·00	·00	·00	·00	·02	·03	·00	·37	·00	14
15	·07	·01	·08	·02	·00	·00	·46	·04	·00	·17	·05	·00	15
16	·12	·04	·16	·20	·00	·00	·08	·00	·03	·00	·00	·00	16
17	·06	·00	·25	·19	·00	·05	·00	·00	·05	·00	·00	·00	17
18	·03	·04	·09	·11	·00	·45	·05	·00	·00	·00	·02	·14	18
19	·02	·00	·09	·13	·00	·00	·00	·00	·01	·00	·04	·00	19
20	·24	·00	·12	·02	·01	·00	·15	·00	·52	·00	·00	·04	20
21	·06	·00	·05	·02	·00	·18	·00	·00	·00	·21	·00	·00	21
22	·03	·00	·11	·07	·04	·00	·00	·00	·06	·16	·29	·00	22
23	·34	·00	·18	·10	·00	·00	·02	·04	·13	·00	·00	·00	23
24	·01	·00	·01	·00	·00	·00	·03	·08	·03	·00	·00	·00	24
25	·63	·00	·00	·02	·00	·00	·02	·02	·00	·00	·00	·00	25
26	·00	·02	·00	·13	·00	·17	·00	·00	·00	·00	·00	·00	26
27	·00	·04	·25	·11	·00	·00	·00	·11	·00	·57	·02	·14	27
28	·00	·02	·03	·04	·00	·00	·00	·00	·00	·01	·00	·00	28
29	·10	[illegible]	·27	·10	·00	·00	·00	·00	·00	·11	·00	·01	29
30	·04		·11	·41	·26	·00	·20	·13	·00	·06	·00	·05	30
31	·10		·00		·00		·00	·11		·12		·02	31
Total	~~2·63~~	~~·85~~	~~2·16~~	·04 ~~2·42~~	~~1·96~~	~~1·20~~	~~1·84~~	·40 ~~·59~~	~~2·06~~	·02 ~~3·21~~	·25 ~~1·94~~	~~1·09~~	YEAR'S TOTAL ~~21·95~~
Rain Days.	~~22~~ 21	14	22	~~23~~ 24	~~13~~ 12	6	14	~~11~~ 12	~~13~~ 12	~~14~~ 15	18	~~12~~ 11	181 ~~182~~
	2·61	·85	2·16	2·46	1·92	1·20	1·84	·99	1·66	3·23	2·17	·84	21·93

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

27 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Letchworth

in the County of Hertford

by Arthur Wm Burrell

Lat. Long.

Time of Observation 8.45

Nearest Railway Station Letchworth

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·00	·00	·00	·04	·00	·00	·00	·40	·00	·02	·25	1
2	·04	·13	·08	·11	·00	·00	·00	·00	·50	·00	·10	·04	2
3	·02	·14	·00	·02	·30	·00	·18	·01	·14	·00	·02	·00	3
4	·02	·00	·06	·06	·62	·00	·00	·00	·01	·00	·00	·05	4
5	·13	·01	·01	·00	·05	·00	·05	·00	·00	·71	·02	·17	5
6	·10	·00	·00	·00	·00	·00	·11	·00	·00	·05	·01	·11	6
7	·00	·02	·10	·00	·10	·16	·16	·01	·00	·19	·01	·00	7
8	·00	·14	·00	·00	·13	·00	·03	·00	·00	·55	·03	·00	8
9	·00	·01	·03	·01	·24	·07	·00	·00	·00	·12	·09	·00	9
10	·00	·21	·03	·03	·03	·17	·00	·00	·15	·00	·02	·07	10
11	·01	·00	·04	·10	·00	·00	·30	·00	·00	·00	·29	·00	11
12	1·04	·00	·01	·41	·08	·00	·00	·00	·00	·18	·26	·00	12
13	·00	·00	·00	·01	·06	·00	·00	·01	·00	·00	·28	·00	13
14	·00	·02	·00	·00	·00	·00	·00	·03	·03	·00	·37	·00	14
15	·07	·01	·08	·02	·00	·00	·46	·04	·00	·17	·05	·00	15
16	·12	·04	·16	·20	·00	·00	·08	·00	·03	·00	·00	·00	16
17	·06	·00	·25	·19	·00	·05	·00	·00	·05	·00	·00	·00	17
18	·03	·04	·09	·11	·00	·45	·05	·00	·00	·00	·02	·14	18
19	·02	·00	·09	·13	·00	·00	·00	·00	·01	·00	·04	·00	19
20	·24	·00	·12	·02	·01	·00	·15	·00	·52	·00	·00	·04	20
21	·06	·00	·05	·02	·00	·18	·00	·00	·00	·21	·00	·00	21
22	·03	·00	·11	·07	·04	·00	·00	·00	·06	·16	·29	·00	22
23	·34	·00	·18	·10	·00	·00	·02	·04	·13	·00	·00	·00	23
24	·01	·00	·01	·00	·00	·00	·03	·08	·03	·00	·00	·00	24
25	·63	·00	·00	·02	·00	·00	·02	·02	·00	·00	·00	·00	25
26	·00	·02	·00	·13	·00	·17	·00	·00	·00	·00	·00	·00	26
27	·00	·04	·25	·11	·00	·00	·00	·11	·00	·57	·02	·14	27
28	·00	·02	·03	·04	·00	·00	·00	·00	·00	·01	·00	·00	28
29	·10	[illegible]	·27	·10	·00	·00	·00	·00	·00	·11	·00	·01	29
30	·04		·11	·41	·26	·00	·20	·13	·00	·06	·00	·05	30
31	·10		·00		·00		·00	·11		·12		·02	31
Total	~~2·63~~	~~·85~~	~~2·16~~	·04 ~~2·42~~	~~1·96~~	~~1·20~~	~~1·84~~	·40 ~~·59~~	~~2·06~~	·02 ~~3·21~~	·25 ~~1·94~~	~~1·09~~	YEAR'S TOTAL ~~21·95~~
Rain Days.	~~22~~ 21	14	22	~~23~~ 24	~~13~~ 12	6	14	~~11~~ 12	~~13~~ 12	~~14~~ 15	18	~~12~~ 11	181 ~~182~~
	2·61	·85	2·16	2·46	1·92	1·20	1·84	·99	1·66	3·23	2·17	·84	21·93

W.7,000, XI. 13

and for pt. W.D. 9.iii.15

6X Mc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Letchworth

in the County of Herts 4

by A. W. Brunt

Lat. 57 Long. 14

Time of Observation 9 a.m.

Nearest Railway Station Letchworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	·26	–	·30	–	–	·07	–	1
2	–	–	–	–	–	–	1·00	·03	–	–	·06	·13	2
3	–	–	·06	·05	–	–	·02	·26	–	–	·21	–	3
4	–	–	–	–	·12	–	AWAY FROM HOME	·08	–	–	·35	·25	4
5	·22	–	–	·19	·05	–		·16	–	–	·02	–	5
6	–	–	·07	·25	·06	·08	Rain	·02	–	–	·22	·10	6
7	–	·07	–	·02	·03	·14	fell	–	–	–	–	·43	7
8	–	·17	·21	·25	·29	·03	on	·12	–	–	–	·02	8
9	·09	·13	·56	·10	·05	·52	7	–	·06	–	–	·87	9
10	·24	–	·54	·24	·02	·60	days	–	·11	–	–	·03	10
11	·11	·15	–	–	·09	–	–	–	·05	–	·26	·23	11
12	–	·14	·26	·01	·08	·42	Total	–	·52	·02	·02	·41	12
13	·02	·03	·08	·00	–	·02	1·20	–	·09	·49	·04	·24	13
14	·03	·22	·11	–	–	–		–	–	·48	·10	·65	14
15	–	·03	·33	–	–	–		·03	·03	·07	·06	·07	15
16	·09	–	·15	–	–	–		–	·07	–	–	–	16
17	·03	–	·04	–	–	–		–	–	·02	–	·12	17
18	–	·34	·03	–	–	–		–	–	~~·03~~ –	–	·45	18
19	–	–	·06	–	–	–	–	–	·11	~~·46~~ –	·27	·05	19
20	–	·04	·15	–	–	–	–	–	–	~~·11~~ ·02	–	·05	20
21	–	·17	·37	–	–	·07	·03	–	–	~~·13~~ ·03	·02	·14	21
22	–	·40	·09	–	–	·30	·01	·05	–	~~·27~~ ·46	–	–	22
23	–	·05	·02	–	·21	·03	·04	–	–	~~·03~~ ·11	–	·08	23
24	–	·11	·05	–	·11	–	–	·02	–	·13	·10	–	24
25	–	–	·10	·03	–	–	·06	·08	–	~~·12~~ ·27	–	·17	25
26	–	–	·09	–	–	–	–	·05	–	~~·31~~ ·03	·11	·39	26
27	–	–	·09	–	–	–	–	·02	–	–	·02	·15	27
28	·08	–	·02	–	–	–	·03	–	–	·12	·81	1·83	28
29	–	–	–	–	·06	–	–	–	–	·31	·12	–	29
30	·02	✕	·05	–	–	–	–	–	–	·05	·07	·29	30
31	–	✕	·06	✕	–	✕	·02	–	✕	–	✕	·04	31
Total	·93	2·05	3·59	1·14	·26 ~~1·17~~ 1·43	~~2·41~~ 2·15	2·41	1·22	·98	2·55	3·13	7·19	YEAR'S TOTAL 28·77
Rain Days.	10	14	24	9	~~12~~ 13	~~11~~ 10	15	13	8	15	19	24	174

W. 8,000. X. 14.

Exd LdV.

1055

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at Letchworth

in the County of Hertford 4

by Arthur W Brand

Lat. 51 Long. 14

Time of Observation 9 a.m.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~3~~ 1 ft. — in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·21	·16	·09	·00	·00	·01	·00	·03	·02	·09	·27 ·27	1
2	·38	·00	·03	·18	·00	·04	·00	·50	·05	·03	·03	·08	2
3	·08	·00	·01	·00	·00	·00	·07	·14	·10	·00	·01	·11	3
4	·02	·36	·00	·00	·00	·00	·00	·05	·00	·01	·02	·45	4
5	·18	·03	·02	·18	·00	·00	·00	·00	·00	·02	·00	·21	5
6	·06	·25	·09	·00	·00	·00	1·32	·02	·00	·03	·00	·04	6
7	·01	·28	·03	·00	·00	·00	·24	·10	·00	·03	·00	·26	7
8	·00	·03	·00	·03	·00	·00	·03	·00	·00	·00	·00	·01	8
9	·21	·00	·06	·00	·00	·18	·00	·03	·00	·00	·21	·43	9
10	·02	·00	·03	·00	·00	·00	·00	·10	·00	·00	·04	·06	10
11	·05	·00	·00	·31	·03	·00	·00	·00	·00	·00	·81	·02	11
12	·03	·41	·01	·01	·29	·00	·00	·30	·00	·09	·74	·06	12
13	·00	·04	·00	·00	1·21	·00	·00	·02	·01	·00	·01	·00	13
14	·16	·02	·00	·00	·02	·00	·30	·25	·05	·00	·00	·32	14
15	·03	·25	·00	·01	·03	·00	·02	·08	·00	·00	·16	·11	15
16	·00	·24	·00	·00	·00	·00	·52	·11	·00	·02	·00	·10	16
17	·00	·07	·22	·00	·21	·00	·17	·00	·00	·00	·00	·01	17
18	·01 ·01	·01	·02	·00	·01	·00	·00	·00	·00	·00	·07	·00	18
19	·25	·00	·00	·05	·00	·00	·11	·00	·00	·01	·00	·00	19
20	·15 ·88	·02	·00	·00	·00	·00	·00	·02	·00	·00	·00	·31 ·31	20
21	·88 ·88	·03	·40	·01	·00	·00	·03	·00	·00	·02	·00	·05 ·05	21
22	·02 ·02	·17	·18	·00	·00	·00	·53	·00	·00	·00	·00	·19	22
23	·00	·00	·19	·00	·00	·05	·31	·00	·19	·15	·00	·09	23
24	·00	·00	·02	·02	·00	·07	·08	·00	·22	·06	·00	·08	24
25	·00	·07	·00	·01	·00	·11	·00	·00	·00	·03	·00	·19 ·19	25
26	·00	·05	·01	·00	·00	·00	·09	·00	·01	·00	·00	·23	26
27	·00	·13	·02	·00	·00	·17	·10	·00	·02	·38	·00	·06	27
28	·00	·08	·00	·00	·00	·02	·02	·02	·83 ·83	·23	·00	·00	28
29	·03		·00	·00	·03	·09	·00	·19	·02	·00	·08	·08	29
30	·03	✕	·00	·05	·00	·04	·00	·02	·01	·00	·02	·01	30
31	·06	✕	·00	✕	·00	✕	·00	·03	✕	·52	✕	·20	31
Total	2·83	2·75	1·50	·95	1·83	·77	3·95	1·98	1·54	1·65	2·29	4·07	YEAR'S TOTAL 26·11
Rain Days.	21	20	17	12	8	9	17	17	12	16	13	27	189

W. 8,000. X. 15.

1027

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Letchworth

in the County of Herts

by AW Brunt

Lat. 57 Long. 14

Time of Observation 9 a.m.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05	-	05	-	07	02	01	-	01	02	25	-	1
2	28	03	10	-	22	02	-	-	09	36	01	-	2
3	01	41	11	-	01	01	03	-	13	20	12	-	3
4	19	06	02	-	01	21	-	-	-	11	26	-	4
5	04	01	01	04	05	22	-	-	-	06	43	-	5
6	01	04	24	25	03	24	26	-	-	02	47	-	6
7	06	-	29	-	06	06	07	-	-	10	46	04	7
8	-	-	01	-	26	01	-	-	-	-	01	23	8
9	02	-	02	-	29	02	-	-	-	-	-	05	9
10	01	06	16	07	-	31	04	-	-	-	-	01	10
11	05	15	06	10	03	18	-	-	-	-	-	08	11
12	03	03	02	02	50	22	12	07	02	15	-	-	12
13	00	43	22	07	26	06	12	14	-	01	-	-	13
14	-	48	02	05	02	-	-	02	-	-	-	07	14
15	-	12	39	03	-	-	-	06	-	02	-	-	15
16	-	05	13	19	07	-	19	25	-	03	-	-	16
17	06	05	01	18	-	-	07	67	15	26	-	-	17
18	01	07	06	11	-	01	-	21	09	01	59	-	18
19	02	-	20	03	-	-	-	05	41	-	59	13	19
20	18	-	39	01	-	-	-	03	-	-	02	37	20
21	01	03	77	-	-	-	40	-	-	-	-	55	21
22	-	13	02	-	15	01	-	-	-	04	-	46	22
23	01	50	-	-	-	02	-	02	-	01	03	09	23
24	-	13	02	01	-	34	-	01	-	03	02	36	24
25	-	43	13	-	-	01	-	16	-	11	05	-	25
26	-	12	03	-	-	10	-	01	-	04	03	-	26
27	09	00	1·10	-	-	67	-	04	03	10	-	-	27
28	01	47	52	-	-	33	-	01	01	01	-	14	28
29	-	12	-	-	-	11	-	1·03	-	29	-	06	29
30	-	✗	-	-	06	09	-	29	-	28	-	02	30
31	-	✗	-	✗	01	✗	-	01	✗	04	✗	03	31
Total	1·14 1·13	3·92	5·10	1·16	2·10	3·27	1·31	3·08 3·08	0·94	2·30	3·34	2·69	YEAR'S TOTAL 30·35 30·35
Rain Days.	19	22	27	14	17	23	10	18	9	23	15	16	213

W. 8,000, VIII. 16

498

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Letchworth
in the County of Herts
by A. W. Brunt, 51 Gernon Road

Lat. 57 Long. 14
Time of Observation 9 a.m.
Nearest Railway Station Letchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ one ft. in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·21	–	–	–	1·26	·07	–	·18	–	1
2	·02	·02	–	·15	–	·03	–	·15	–	–	·04	–	2
3	–	–	–	·02	–	–	–	·52	–	·52	·08	–	3
4	–	·16	·03	–	–	–	–	·15	–	·52	–	–	4
5	·11	–	·02	·20	–	–	–	·21	·23	·08	·08	–	5
6	–	–	–	–	–	·01	–	–	·03	·02	·02	·02	6
7	·20	–	·01	–	–	·01	·39	–	–	·43	–	–	7
8	·25	–	–	·05	–	–	1·57	·37	–	·18	·07	·04	8
9	·05	–	·04	·09	–	–	·04	·48	·04	–	·06	·12	9
10	·34	–	·10	·15	–	–	–	·11	–	·02	·02	–	10
11	·06	·01	·38	·12	–	–	–	–	·01	·27	–	–	11
12	·13	–	·01	·02	·02	–	–	·11	–	·22	–	–	12
13	·15	–	·03	–	–	–	–	·08	·03	·05	·01	–	13
14	·01	–	–	·09	·03	–	[illegible]	·02	–	·01	–	–	14
15	·04	–	·01	–	–	–	·03	·06	–	·02	–	–	15
16	·03	·11	–	·11	·01	·16	·05	–	–	·62	–	·09	16
17	·01	·02	–	·15	·68	–	·26	·06	·21	·32	–	–	17
18	·05	–	–	·17	·03	·11	·46	·01	·59	·01	–	–	18
19	·02	·08	·06	·01	·11	·05	·01	–	·24	–	–	–	19
20	·05	·13	·11	·00	1·11	–	–	·01	·01	–	·10	–	20
21	·01	·01	·05	·01	·03	–	–	–	–	–	·03	·02	21
22	–	–	·11	·01	–	·01	–	·03	–	·15	–	–	22
23	–	·10	·11	–	·08	–	–	·10	–	·06	–	–	23
24	·02	·04	–	–	–	·10	–	·06	–	·07	–	–	24
25	–	·04	·03	–	–	–	–	–	–	–	·09	–	25
26	–	–	·09	–	–	–	–	·31	·05	–	·28	·04	26
27	–	–	·02	–	–	·10	–	·78	–	–	–	·05	27
28	–	·03	·02	–	–	·71	[illegible]	·05	–	·03	–	–	28
29	–		·02	–	–	·46	·75	·03	–	·30	–	·21	29
30	·03	✕	·07	–	–	–	1·13	·12	–	·01	–	·02	30
31	·05	✕	·23	✕	–	✕	·41	·10	✕	–	✕	·02	31
Total	1·63	·75	1·55	1·56	2·10	1·75	5·03	5·18	1·51	3·91	1·06 1·06	0·63	YEAR'S TOTAL 26·65
Rain Days.	20	12	21	16	9	11	11	24	11	21	13	10	179

W. 8,000, IX. 17.

~~W~~ Ype

76

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9. 1. 19

Kept at Letchworth
in the County of Hertford
by A. W. Brunt.

Lat. 41 Long. 14
Time of Observation 9 a.m.
Nearest Railway Station Letchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				~~07~~	-	-	-	-	-	-	-	-	
1	-	-	-	07	-	-	-	-	-	02	10	08	1
2	04	08	-	07	-	-	-	09	04	-	4	13	2
3	-	03	06	01	36	-	-	-	12	-	59	-	3
4	-	03	06	-	-	-	-	-	43	02	31	04	4
5	-	02	-	~~13~~	23	-	-	09	07	02	-	-	5
6	08	08	01	18 ~~20~~	62	-	-	-	-	-	-	03	6
7	13	08	-	06	04	-	-	-	01	04	15	-	7
8	-	02	-	01	-	03	02	-	14	01	09	-	8
9	~~07~~	03	-	02	-	04	14	-	42	09	-	08	9
10	07	-	-	03	08	-	13	-	-	-	-	08	10
11	-	-	-	05	06	-	18	-	24	44	07	04	11
12	03	09	-	~~02~~	45	-	02	-	09	-	-	-	12
13	-	02	-	02	21	-	02	-	11	03	-	-	13
14	21	-	-	02 ~~1·72~~	-	15	08	-	29	15	-	-	14
15	1·15	-	-	1·72	-	01	21	03	-	-	-	19	15
16	15	-	-	31 ~~19~~	-	11	01 ~~29~~	01	06	-	-	13 ~~16~~	16
17	08	-	-	19 ~~01~~	07	-	29	-	~~03~~	-	-	06 ~~07~~	17
18	40	-	-	01	-	09	09	-	30	-	-	16 ~~26~~	18
19	03	03	09	21 ~~50~~	-	04	15	-	01	10	-	19	19
20	02	04	-	50 ~~16~~	-	-	-	02	05	13	-	-	20
21	05	-	-	16	-	03	03	02	73	04	-	-	21
22	01	-	-	01	10	-	05	-	14	-	-	20	22
23	03	-	-	-	45	03	18	06	04	-	-	-	23
24	-	15	-	-	-	-	-	-	07	-	10	-	24
25	-	-	-	-	-	08	-	26	-	-	02	-	25
26	-	01	-	~~4~~	-	-	22	01	-	04	10	9	26
27	-	-	-	~~14~~	-	-	13	18	07	-	15	-	27
28	-	07	15	03	-	-	-	-	-	-	29	07	28
29	-		-	-	-	-	-	-	1·44	-	-	-	29
30	01	X	30	-	-	-	-	-	03	-	09	(08)	30
31	-	X	10	X	-	X	-	-	X	04	X	-	31
Total	2·49	0·78	0·77	3·92	2·07	0·61	1·95	0·77	5·80	1·17	2·10	1·65	YEAR'S TOTAL 24·08
Rain Days.	16	15	7	21	11	10	17	10	22	14	13	16	172

W. 6,500, VII. 18. W W C

939

JAN 920

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 51 Gernon Road, Letchworth

in the County of Herts.

by Arthur W. Brunt

Lat. 51 Long. 14

Time of Observation 9 a.m.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·06	-	·04	·06	·11	·21	·03	-	-	·04	-	1
2	·16	-	·01	·03	·08	-	·39	-	·30	·06	·06	·37	2
3	·43	·01	·29	-	-	-	·19	-	·05	-	-	1·51	3
4	·08	-	·25	-	-	·08	·09	·04	·03	·03	·12	·15	4
5	·09	·28	·46	-	-	-	·45	·03	·17	-	·13	·16	5
6	·01	-	·07	-	·14	-	·28	-	-	-	-	·09	6
7	·02	-	·28	-	-	-	-	-	-	-	·03	·17	7
8	·12	-	·05	·11	-	-	-	-	-	-	·04	-	8
9	-	-	·05	·02	-	-	-	-	-	-	·03	-	9
10	·02	-	·10	·05	-	-	-	-	-	-	·02	-	10
11	·02	-	·06	·12	-	-	·52	-	-	-	·05	-	11
12	-	-	·29	-	·02	·04	-	-	-	-	·02	·02	12
13	·02	-	-	·21	-	-	-	-	·03	-	·05	-	13
14	·21	-	-	·31	-	-	·08	-	·11	·04	-	-	14
15	·35	·03	·12	·11	-	-	-	-	-	·07	-	-	15
16	·02	·72	-	·05	-	-	-	-	-	-	-	·02	16
17	-	·75	·03	·02	-	-	·02	-	-	·09	·06	·38	17
18	-	·09	·04	-	-	-	-	·17	·02	-	·10	·06	18
19	·08	·10	·63	-	-	·18	·16	·32	·15	-	·21	·05	19
20	·14	·23	·07	-	-	·77	·35	·40	-	-	·04	-	20
21	·38	·31	-	-	-	-	·64	-	-	-	·02	·03	21
22	-	·19	-	-	-	-	·03	-	·11	-	·03	·31	22
23	-	-	-	-	-	-	·02	·03	·05	-	·03	·04	23
24	-	-	-	·34	-	·07	·07	-	-	-	-	·01	24
25	·12	-	-	-	-	·03	-	·17	-	-	·02	·03	25
26	·20	·23	·09	·04	-	-	·12	·16	·06	·06	-	·31	26
27	·78	·09	·02	1·34	-	-	-	·18	-	-	-	·06	27
28	-	-	·04	·07	-	-	-	·88	-	-	-	·21	28
29	-		-	-	-	-	-	·15	-	-	-	·06	29
30	·03		-	·31	-	-	-	·10	-	·03	·16	·32	30
31	·63		-		-		-	-		·28	·37	·02	31
TOTAL	4·24	3·09	2·95	3·17	·30	1·28	3·62	2·66	1·08	·66	~~1·26~~ 1·63	~~4·38~~ 4·01	YEAR'S TOTAL 28·69
Days with ·01 in. or more	22	13	19	16	4	7	16	13	11	8	~~20~~ 21	~~22~~ 21	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·51 in on Dec. 3.

W.D.L

893

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Letchworth

in the County of Herts

by A. W. Brunt

Lat. 51·59 Long. 0·14 W

Time of Observation 9 a.m.

Nearest Railway Station Letchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			~~[illegible]~~	48	06		15	04		75		14	1
2			02	02			01	11	16	07		09	2
3			[illegible]	11			04		14	05			3
4		05	~~[illegible]~~	15			11	11		11		05	4
5			05	02	01		50	02	09			02	5
6			13		17		52	01					6
7			23	07			07					08	7
8	23	01	[illegible]	32	02		06						8
9	26		[illegible]	30				05					9
10	13	05	[illegible]				06					03	10
11	30		07	15	04	02	04					02	11
12	04		03 ~~05~~	07	01	21	01				07	01	12
13	02		05	29		04			09		03		13
14		03	24	19		07	09		02	21	21		14
15		02	25	08		~~[illegible]~~	01		03		04		15
16			02	09		06			15	02			16
17	03		~~[illegible]~~	02	09				33			05	17
18	07		02	01	02			47	03			06	18
19	16	01		15		06		04					19
20		16		26		44			01				20
21				01			01		24			03	21
22				15					43			13	22
23	07						41					26	23
24	12			01								02	24
25		11	12	01	02		39						25
26	21		05		10		27					02	26
27	42	04	09	28		24	07				57	09	27
28	09		02		27		08					02	28
29	03		09		03		04				11	26	29
30			02			09	30		09		15	23	30
31	01									24		03	31
TOTAL	2·19	·48	1·50	3·24	·84	1·23 ~~1·26~~	3.24 ~~2·74~~	·85	1·81	1·45	1·12 ~~1·22~~	1·64	YEAR'S TOTAL 19·59 ~~19·39~~
Days with ·01 in. or more	16	9	17	23	12 ~~11~~	9	21	8	13	7	7	20	162 ~~169~~
Days with ·04 in. or more	12	5	11	16	6	8 ~~7~~	17	6	9	6	6	11	113 ~~112~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS.

LETCHWORTH - BROADWAY

1916 ONLY

REG

FORM A.
BRITISH RAINFALL.

2 JAN 191

Kept at Broadway,

in the County of Herts

by Wm Steen.

Long.

9 a.m.

tion Letchworth

f Rain Gauge 5 in.

ge above Ground 1 ft. — in.

„ Sea Level 310 ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·00	·03	·00	·08	·01	·00	·00	·00	·01	·32	·00	1
2	·27	·03	·10	·00	·24	·02	·00	·00	·11	·35	·00	·00	2
3	·00	·45	·08	·00	·00	·01	·02	·00	·12	·17	·15	·00	3
4	·19	·05	·02	·00	·00	·23	·00	·00	·00	·11	·29	·00	4
5	·02	·00	·00	·05	·04	·21	·00	·00	·00	·07	·44	·00	5
6	·00	·05	·22	·24	·02	·22	·26	·00	·00	·02	·48	·00	6
7	·05	·00	·22	·00	·05	·04	·08	·00	·00	·15	·52	·04	7
8	·00	·00	·00	·00	·25	·01	·00	·00	·00	·00	·00	·27	8
9	·00	·00	·01	·00	·26	·01	·00	·00	·00	·00	·00	·04	9
10	·00	·05	·13	·06	·00	·23	·02	·00	·00	·01	·00	·02	10
11	·05	·16	·06	·11	·02	·14	·00	·00	·01	·00	·00	·06	11
12	·03	·02	·00	·05	·51	·20	·14	·06	·00	·13	·00	·00	12
13	·00	·43	·21	·09	·29	·05	·13	·09	·00	·02	·00	·00	13
14	·00	·41	·01	·04	·02	·00	·00	·02	·00	·00	·00	·07	14
15	·00	·12	·41	·02	·00	·00	·04	·06	·00	·02	·00	·00	15
16	·00	·03	·13	·18	·04	·00	·12	·18	·00	·04	·00	·00	16
17	·06	·05	·00	·19	·00	·00	·06	·59	·21	·25	·00	·00	17
18	·01	·07	·06	·11	·00	·00	·00	·21	·10	·01	·61	·00	18
19	·01	·01	·21	·02	·00	·00	·00	·07	·42	·00	·57	·16	19
20	·17	·00	·41	·00	·00	·00	·00	·02	·00	·00	·02	·44	20
21	·00	·00	·73	·00	·00	·00	·37	·00	·00	·00	·00	·53	21
22	·00	·08	·02	·00	·11	·00	·00	·00	·00	·04	·00	·52	22
23	·00	·46	·01	·00	·00	·02	·00	·02	·00	·00	·04	·09	23
24	·00	·04	·01	·00	·01	·36	·00	·02	·00	·04	·02	·39	24
25	·00	·39	·13	·00	·03	·00	·00	·15	·00	·12	·06	·00	25
26	·00	·11	·04	·00	·00	·10	·00	·00	·04	·04	·02	·00	26
27	·09	·05	1·01	·00	·00	·69	·00	·04	·00	·11	·00	·00	27
28	·00	·32	·25	·00	·00	·15	·00	·00	·00	·01	·00	·16	28
29	·00	·12	·00	·00	·00	·12	·00	1·21	·02	·32	·00	·08	29
30	·00	×	·00	·00	·01	·10	·00	·28	·00	·30	·00	·02	30
31	·00	×	·00	×	·00	×	·00	·00	×	·04	×	·02	31
Total	1·00	3·50	4·51	1·16	1·98	2·92	1·24	3·02	1·03	2·38	3·54	2·91	YEAR'S TOTAL 29·19
Rain Days.	12	22	24	12	16	20	10	15	8	23	13	16	191

W. 8,000, VIII. 16

REG 19 16

FORM A.
BRITISH RAINFALL.
2 JAN 191

Kept at Broadway, Letchworth
in the County of Herts
by Wm Steen. (M.D.)

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Letchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·00	·03	·00	·08	·01	·00	·00	·00	·01	·32	·00	1
2	·27	·03	·10	·00	·24	·02	·00	·00	·11	·35	·00	·00	2
3	·00	·45	·08	·00	·00	·01	·02	·00	·12	·17	·15	·00	3
4	·19	·05	·02	·00	·00	·23	·00	·00	·00	·11	·29	·00	4
5	·02	·00	·00	·05	·04	·21	·00	·00	·00	·07	·44	·00	5
6	·00	·05	·22	·24	·02	·22	·26	·00	·00	·02	·48	·00	6
7	·05	·00	·22	·00	·05	·04	·08	·00	·00	·15	·52	·04	7
8	·00	·00	·00	·00	·25	·01	·00	·00	·00	·00	·00	·27	8
9	·00	·00	·01	·00	·26	·01	·00	·00	·00	·00	·00	·04	9
10	·00	·05	·13	·06	·00	·23	·02	·00	·00	·01	·00	·02	10
11	·05	·16	·06	·11	·02	·14	·00	·00	·01	·00	·00	·06	11
12	·03	·02	·00	·05	·51	·20	·14	·06	·00	·13	·00	·00	12
13	·00	·43	·21	·09	·29	·05	·13	·09	·00	·02	·00	·00	13
14	·00	·41	·01	·04	·02	·00	·00	·02	·00	·00	·00	·07	14
15	·00	·12	·41	·02	·00	·00	·04	·06	·00	·02	·00	·00	15
16	·00	·03	·13	·18	·04	·00	·12	·18	·00	·04	·00	·00	16
17	·06	·05	·00	·19	·00	·00	·06	·59	·21	·25	·00	·00	17
18	·01	·07	·06	·11	·00	·00	·00	·21	·10	·01	·61	·00	18
19	·01	·01	·21	·02	·00	·00	·00	·07	·42	·00	·57	·16	19
20	·17	·00	·41	·00	·00	·00	·00	·02	·00	·00	·02	·44	20
21	·00	·00	·73	·00	·00	·00	·37	·00	·00	·00	·00	·53	21
22	·00	·08	·02	·00	·11	·00	·00	·00	·00	·04	·00	·52	22
23	·00	·46	·01	·00	·00	·02	·00	·02	·00	·00	·04	·09	23
24	·00	·04	·01	·00	·01	·36	·00	·02	·00	·04	·02	·39	24
25	·00	·39	·13	·00	·03	·00	·00	·15	·00	·12	·06	·00	25
26	·00	·11	·04	·00	·00	·10	·00	·00	·04	·04	·02	·00	26
27	·09	·05	1·01	·00	·00	·69	·00	·04	·00	·11	·00	·00	27
28	·00	·32	·25	·00	·00	·15	·00	·00	·00	·01	·00	·16	28
29	·00	·12	·00	·00	·00	·12	·00	1·21	·02	·32	·00	·08	29
30	·00	X	·00	·00	·01	·10	·00	·28	·00	·30	·00	·02	30
31	·00	X	·00	X	·00	X	·00	·00	X	·04	X	·02	31
Total	1·00	3·50	4·51	1·16	1·98	2·92	1·24	3·02	1·03	2·38	3·54	2·91	YEAR'S TOTAL 29·19
Rain Days.	12	22	24	12	16	20	10	15	8	23	13	16	191

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

HERTS
LIBURY HALL
1911 – 1914

RE 19 11

Kept at Libury Hall
in the County of Hertfo
by S. Knothe

sella 8743 Pat. No 10879
top 5 in.
p above Ground 1 ft. — in.
„ Sea Level abt 380 ft.
various
ation { Name Standon
Distance 4 miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10				·04					1
2	·16			·16	·11						·15		2
3		·01		·02	·10					·26	·06		3
4	·07	·03	·09	·16						·03		·34	4
5	·01									·07	·09	·38	5
6	·20		·04										6
7	·02									·12	·04	·63	7
8	·19		·15								·31	·10	8
9	·20			·02							·11		9
10	·01	·07	·10	·01							·05	·50	10
11	·24				·16						·48		11
12	·07		·44		·01						·11		12
13			·16		·20				·35	·16	·08	·04	13
14			·05		·41								14
15		·03	·37									·53	15
16			·02			·27				·04			16
17						·15					·36	·19	17
18		·19	·02			·54					·59		18
19						·05			·08	·08	·30		19
20	·01							·21	·08	·04		·69	20
21	·02	·10	·18					·19		·44		·18	21
22	·14		·13					·02		·18		·59	22
23		·10	·22			? 1·25			·22	·02			23
24		·04	·03							·67		·37	24
25		·03	·03	·03								·02	25
26				·14			·36			·12		·14	26
27		·26	·06	·03					·13		·09		27
28		·18		·25				·08			·06	·08	28
29				·01			·15		·24	·20			29
30				·03	·01	·12			·03	·17			30
31					·21								31
Total	1·34	1·04	2·09	·96	1·21	? 2·38	·51	·54	1·13	2·60	2·88	4·78	TOTAL for year ? 21·46
No. of Rain Days.	13	11	16	12	8	? 6	2	5	7	15	15	17	? 127

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Libury Hall

in the County of Hertford 3

by S. Knothe

Rain Gauge:
Pattern Casella 8743 Pat. No. 10879
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level abt 380 ft.

Time of Observation various

Nearest Railway Station: Name Standon
Distance 4 miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10				·04					1
2	·16			·16	·11						·15		2
3		·01		·02	·10					·26	·06		3
4	·07	·03	·09	·16						·03		·34	4
5	·01									·07	·09	·38	5
6	·20		·04										6
7	·02									·12	·04	·63	7
8	·19		·15								·31	·10	8
9	·20			·02							·11		9
10	·01	·07	·10	·01							·05	·50	10
11	·24				·16						·48		11
12	·07		·44		·01						·11		12
13			·16		·20				·35	·16	·08	·04	13
14			·05		·41								14
15		·03	·37									·53	15
16			·02			·27				·04			16
17						·15					·36	·19	17
18		·19	·02			·54					·59		18
19						·05			·08	·08	·30		19
20	·01							·21	·08	·04		·69	20
21	·02	·10	·18					·19		·44		·18	21
22	·14		·13					·02		·18		·59	22
23		·10	·22			? 1·25			·22	·02			23
24		·04	·03							·67		·37	24
25		·03	·03	·03								·02	25
26				·14			·36			·12		·14	26
27		·26	·06	·03					·13		·09		27
28		·18		·25				·08			·06	·08	28
29				·01			·15		·24	·20			29
30				·03	·01	·12			·03	·17			30
31					·21								31
Total	1·34	1·04	2·09	·96	1·21	? 2·38	·51	·54	1·13	2·60	2·88	4·78	TOTAL for year ?21·46
No. of Rain Days.	13	11	16	12	8	? 6	2	5	7	15	15	17	?127

W. 8,000, X. '11.

9.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 15 JAN 1913

Kept at Libury Hall

in the County of Hertford 3

by S. Knothe

RAIN GAUGE
Pattern Casella 8743 Patent No. 10879 08
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level abt. 380 ft.

Time of Observation 9 a.m. from Jan. 21 st.

Nearest Railway Station
Name Standon
Distance 4 Miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	—		·01	·03	—	·12	·26		·16	1
2		·01	·06	·05		·31	·36	·02	—		—	·01	2
3		—	·02		·21	·11	·02	·43	—	—		·10	3
4	·31		·62		·11	·30		·04			·42	—	4
5		·09	·38		—	—		·12	—		·08	—	5
6	·37	·05	—		·02	—	·06	·11			—	·05	6
7	·01	—			·02	·55	—	·12			—	·02	7
8	·36	·30	·17	—		·01	·03	·29	·15	—	·01	·01	8
9		·06	—		·09	·37	·01	·01				·20	9
10		·04	—	·06		·09		·16	·05		·15	·08	10
11	·19	·19	·01			·02		·07	·06		·01	·08	11
12		·08	·08		·01	·05		—			·08	—	12
13		·04	—			·11	·07	·12	—	·02	·22	·02	13
14			·03		·04	·04		—		·04	·02	·05	14
15		·04	·15		·15	·24		·04		—	·02	·12	15
16	·18		·02		·03	·13		·06		·05	·06		16
17	·25		·28			·13		·04			—		17
18	·49		·12				—	·07		·01	·05	·11	18
19	·12	·06	·13			—	·11	·29			·03		19
20		—	·14		·03		·02	·05		·30			20
21		·01	·44		·21		—	·19		·20	·07		21
22	·54	·12	·25		·02		·05	·17		·01	—	·01	22
23	·55	·37	·24		·03		·08	·34		·02	·14	·14	23
24	·31	·01	·01		—	·02	·04	·18				·22	24
25						·11		·86			·28	·41	25
26		·02				·01	·22	·46		·33	·37	·22	26
27		—				—	·01	—		·14	—	·19	27
28		·05		·03		—	·01	·02	·06	·38	·30	·27	28
29		·02		—	—	·18	·19	·17	1·09	·34	·03	—	29
30	·02				·13	·02	·09	·22	·79	·26			30
31			·14		·02		·16	·25		·03		·05	31
Total	3·40	1·56	3·34	·14	1·12	2·81	1·56	4·90	2·32	2·39	2·34	2·52	TOTAL for year 28·70
No. of Rain Days.	18	18	20	3	15	20	18	27	7	15	18	21	200

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.

20 FEB 1914

Ex. Th

3

Kept at Libury Hall

in the County of Hertford

by S. Knothe

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Standon, G. E. Ry.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	0.12	0.07	0.14	—	–	–	–	0.31	0.01	0.08	0.04	1
2	0.05	0.11	—	—	–	–	0.09	–	0.07	0.02	0.05	—	2
3	—	–	0.10	0.06	0.57	–	—	–	—	0.01	0.03	0.05	3
4	0.19	–	0.04	—	0.10	—	0.07	–	–	0.40	—	0.06	4
5	0.07	–	—	–	—	0.07	0.15	–	0.03	0.30	0.02	0.14	5
6	–	0.03	0.06	–	0.08	0.14	0.22	–	0.01	0.14	0.01	–	6
7	–	0.14	–	–	0.13	–	0.09	0.05	–	0.42	0.04	0.01	7
8	–	0.01	0.05	0.02	0.20	0.15	–	–	–	0.11	0.05	—	8
9	–	0.21	0.03	0.04	0.04	0.04	–	–	0.09	—	0.04	0.06	9
10	0.02	0.01	0.03	0.03	–	–	0.23	0.01	–	–	0.32	–	10
11	0.70	—	–	0.39	–	–	–	0.05	–	0.21	0.29	–	11
12	0.01	0.01	–	—	0.03	–	–	0.02	–	—	0.34	–	12
13	0.03	0.01	0.01	—	–	—	—	0.04	0.02	0.01	0.49	–	13
14	0.06	0.02	0.04	0.04	–	–	0.37	0.07	–	0.20	0.11	–	14
15	0.14	0.05	0.19	0.21	–	–	0.21	–	0.04	0.01	–	–	15
16	0.07	–	0.27	0.18	–	–	—	–	0.08	—	0.01	0.01	16
17	0.04	0.02	0.08	0.11	–	1.21	? 0.04	–	—	–	0.02	0.07	17
18	0.02	–	0.13	0.16	–	–	? 0.04	–	0.18	–	0.02	0.03	18
19	0.16	–	0.07	0.01	–	–	0.15	–	0.26	–	–	0.03	19
20	0.12	–	0.06	0.04	–	0.10	–	–	—	0.36	–	–	20
21	0.02	—	} 0.26	0.09	—	—	0.01	–	—	0.18	0.45	–	21
22	0.37	–		0.02	–	? 0.03	0.02	0.02	0.13	—	–	–	22
23	—	–	0.03	–	–	–	0.03	0.16	0.05	–	0.01	0.08	23
24	0.03	–	0.02	0.03	–	0.02	–	0.06	—	–	—	–	24
25	0.01	0.03	–	0.24	–	–	—	–	–	0.01	–	0.03	25
26	–	0.01	0.21	0.05	–	–	–	0.14	–	0.70	0.01	0.14	26
27	–	0.04	0.06	0.09	–	–	–	—	–	0.09	—	–	27
28	0.18	–	0.20	0.04	–	–	–	–	–	0.14	–	0.02	28
29	0.08		0.06	0.36	0.45	–	–	0.18	–	0.03	–	0.03	29
30	0.23		—	0.10	–	–	–	0.05	–	0.10	0.13	—	30
31	–		0.01		–		–	0.30		0.03		–	31
Total	2.65	0.82	2.08	2.45	1.60	1.76	1.72	1.15	1.27	3.48	2.52	0.80	YEAR'S TOTAL 22.30 ✓
Rain Days.	22	15	24	22	8	8	14	13	12	21	20	15	194 ✓

W.7,000, XI. 13

Ex LMcC.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 FEB 1915

Kept at Libury Hall

in the County of Hertford 3

by S. Knothe.

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Standon, G.E.R.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03				·05	·27		~	·11	~	1
2	·01	~	·02	·03			~	·08		·02	·13	·06	2
3		~	·18		·14		·83	·18			·05	·01	3
4	·16		·01	·23			~	·03			·54	·24	4
5	·01	·01	·07	·22	·02	·07	·33	·78			·01	~	5
6		·11	~		·02	·05	·04	·01			·17	·22	6
7		·18	·28	·08	·88	~	·03	~			·01	·28	7
8	·11	·15	·91	·06	·02	·35	·07	·09				·01	8
9	·35	~	·56	·04	~	·36		~	·01			1.01	9
10	·20	·10	·02	·06	·05				·12		~	·04	10
11		·17	·34	~	·03	·62			·01		·28	·27	11
12	·03	·04	·09						·37	·03	·02	·31	12
13	·01	·30	·21						·08	·20	·05	·45	13
14		·06	·33				·17			·21	·13	·40	14
15	·07	~	·18				·01	·02	~		·06	·06	15
16	·01		·06				·08		·01		·04		16
17		·32	·03						·18		~	} ·24	17
18		·03	·05						~		·01		18
19	~	·07	·21			·01	·04		·04		·22	·05	19
20		·17	·21			·05	~		·08	~	·01	·10	20
21		·41	·10			·13	·01	·04		~		·10	21
22		·02	·01	·02	·24	·05	·15		~	·73	~	·02	22
23		·05	·09		·10	·01	~		~	·13	~	·05	23
24		~	·04	·07			·05	·02	~	·04	·10	·01	24
25	·05		·12					·06	~	·38	~	} ·55	25
26			·01				~	·09		·03	·12		26
27	·04		~				·03	·01		~	·02	·20	27
28		·02					·20			·05	·42	1.03	28
29	·04		·10							·26	} ·40	·01	29
30		✕	·03							·03		·18	30
31		✕		✕	·17	✕	·01		✕	~	✕	·07	31
Total	1.09	2.21	4.29	0.81	1.67	1.70	2.10	1.68	0.90	2.11	2.90	5.97	YEAR'S TOTAL 27.43
Rain Days.	13	17	27	9	10	10	16	13	9	12	22	28	186

W. 8,000. X. 14.

LITTLE HADHAM
HADHAM HALL
HERTS
1911–1920

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

ham

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 338 ft.

Time of Observation 8. a. m

Nearest Railway Station: Name Bishops Stortford
Distance 3 m. Direction E.

measured daily at 9 a.m., and the result entered to the
conform to this almost universal rule, he is earnestly
January of the following year in the space provided
nstructions for the measurement of rain,
and particulars as to the British Rainfall
Observers," sent post-free on application to
N.W.

Jan. 1, following.

						ne.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.02					1
2	.25			.11	.16		.02				.15	.14	2
3				.03	.17					.06	.06	.02	3
4	.05	.05	.11	.10							.09	.22	4
5	.03			.05						.06		.20	5
6	.24		.09									.30	6
7	.04									.07	.22	.39	7
8	.16		.15								.20	.18	8
9	.18		.06										9
10		.04	.09								.06	.35	10
11	.28				.53						.54		11
12	.22		.48						.03		.27		12
13			.06		.12				.39	.21	.10	.20	13
14			.02		.51							.40	14
15		.03	.40							.03	.07		15
16			.03			.79					.24	.07	16
17						.04					.22	.12	17
18		.08				.25					.58	.10	18
19					.03	.12			.13	.05	.30	.05	19
20	.02							.07	.20	.04		.50	20
21		.18						.21		.30		.14	21
22	.12		.16			.03				.16		.52	22
23		.16	.20			.87			.32			.17	23
24		.06	.09			.02				1.03		.23	24
25		.07	.04			.23	.52						25
26				.21		.07				.14	.05	.17	26
27		.27	.08	.04					.14		.09	.09	27
28		.22		.20				.06				.04	28
29						.21	.26		.34	.23			29
30			.02	.02	.01	.02			.07	.19			30
31													31
Total	1.64	1.16	2.08	.88	1.53	2.65	.80	.36	1.62	2.57	3.24	4.60	TOTAL for year 23.13
No. of Rain Days.	12	10	16	9	7	11	3	4	8	13	16	22	131

W. 8,000, X. '11.

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Hadham Hall, Little Hadham
in the County of Herts. 3
by William Minet

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 338 ft.

Time of Observation 8. a. m

Nearest Railway Station
Name Bishop's Stortford
Distance 3 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05			.12				.02					1
2	.25			.11	.16		.02				.15	.14	2
3				.03	.17					.06	.06	.02	3
4	.05	.05	.11	.10							.09	.22	4
5	.03			.05						.06		.20	5
6	.24		.09									.30	6
7	.04									.07	.22	.39	7
8	.16		.15								.20	.18	8
9	.18		.06										9
10		.04	.09								.06	.35	10
11	.28				.53						.54		11
12	.22		.48						.03		.27		12
13			.06		.12				.39	.21	.10	.20	13
14			.02		.51							.40	14
15		.03	.40							.03	.07		15
16			.03			.79					.24	.07	16
17						.04					.22	.12	17
18		.08				.25					.58	.10	18
19					.03	.12			.13	.05	.30	.05	19
20	.02							.07	.20	.04		.50	20
21		.18						.21		.30		.14	21
22	.12		.16			.03				.16		.52	22
23		.16	.20			.87			.32			.17	23
24		.06	.09			.02				1.03		.23	24
25		.07	.04			.23	.52						25
26				.21		.07				.14	.05	.17	26
27		.27	.08	.04					.14		.09	.09	27
28		.22		.20				.06				.04	28
29						.21	.26		.34	.23			29
30			.02	.02	.01	.02			.07	.19			30
31													31
Total	1.64	1.16	2.08	.88	1.53	2.65	.80	.36	1.62	2.57	3.24	4.60	TOTAL for year 23.13
No. of Rain Days.	12	10	16	9	7	11	3	4	8	13	16	22	131

W. 8,000, X. '11.

Exe IL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at Hadham Hall, Little Hadham

in the County of Hertfordshire 3

by William Minet

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 338 ft.

Time of Observation 8. a.m

Nearest Railway Station
Name Bishop's Stortford
Distance 3 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01		.08			.03	.15		.12	.22		.15	1
2		.01	.14	.03		.69	.19	.14				.03	2
3	.13		.05		.08	.31		.33	.01			.12	3
4	.2		.66		.1	.37		.1			.36		4
5	.04	.06	.3					.19	.01		.15		5
6	.33	.05	.02		.03		.08	.46			.02	.02	6
7	.03				.02	.44		.27				.06	7
8	.34	.23	.17			.01		.34	.22		.01	.02	8
9		.12		.11	.08	.22	.02					.2	9
10		.03						.44	.07	.02	.13	.12	10
11	.06	.19				.03		.03	.06			.08	11
12	.07	.1	.07		.03	.05					.07		12
13	.04	.03	.03			.15		.17			.18		13
14			.01		.03	.04		.07		.04	.03	.06	14
15		.05	.15		.15	.24		.08			.02	.14	15
16	.14	.01	.05		.03	.04		.15		.05	.1		16
17	.38		.33			.15		.07					17
18	.06		.09					.06		.02	.06	.08	18
19	.18	.07	.08				.17	.45			.03		19
20	.02	.02	.13					.23		.39			20
21	.02	.02	.41		.26			.17		.1	.06		21
22	.46	.13	.22		.14		.06	.11				.02	22
23	.35	.33	.25		.05		.08	.62		.03	.14	.06	23
24	.47					.02		.22				.12	24
25						.16		.65			.23	.31	25
26		.02				.04	.25	.57		.34	.35	.42	26
27			.01							.13		.17	27
28		.06				.02	.01	.02	.03	.3	.23	.33	28
29		.02				.16	.09	.13	1.12	.19	.07		29
30					.1	.02	.05	.05	.94	.3		.03	30
31			.11		.03		.21	.28		.02			31
Total	3.33	1.55	3.36	.14	1.13	3.19	1.36	6.40	2.58	2.15	2.24	2.54	TOTAL for year
No. of Rain Days.	19	19	21	2	14	20	12	27	9	14	18	20	29.97 195

W. 8,000, X. '11.

corr by own stats 27.11.14
.. Hopkinson

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4- JAN 1914

Kept at Litte Hadham

in the County of Hertfordshire 3

by William Minet.

Lat. 51.55 Long. 0.7 E

Time of Observation 9. A.M.

Nearest Railway Station Bishop's Stortford

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·13	·06	·18					·27		·05	·08	1
2	·05	·02					·12		·06	·01	·08		2
3			·07	·05	·90							·05	3
4	·14		·16		·10		·05			·21	·05	·08	4
5	·05						·29			·92		·15	5
6		·04	·04		·11	·29	·06				·06		6
7		·09			·06					·49			7
8			·05		·17	·10				·08		·12	8
9		·20	·02	·03	·03	·02			·07		·05	·06	9
10			·05				·22				·17		10
11	·79			·48	·03			·10		·14	·18		11
12		·02			·06			·03			·23		12
13								·02	·02		·48		13
14	·05		·06	·07			·92	·03		·21	·22		14
15	·23	·05	·22	·14			·24		·05				15
16	·06		·21	·12					·19		·03		16
17	·02	·02	·10	·11		·71	·09						17
18			·11	·20					·17		·20		18
19	·18		·06	·04			·12		·10		·05		19
20	·15		·05							·42			20
21	·02		·19	·10			·03			·26	·46		21
22	·35		·12	·03					·10				22
23						·05	·05	·27	·04		·03	·10	23
24	·03			·02		·02		·03					24
25				·14		·03				·02		(·04) ·09	25
26			·18	·04				·18		·68		·17	26
27		·05	·03	·06						·05			27
28	·15		·14	·08						·22		·02	28
29	·11		·05	·13	·22			·09		·02		·01	29
30	·25			·20				·09		·12	·10		30
31								·21		·03			31
Total	2·67	·72	1·97	2·22	1·68	1·22	2·19	1·05	1·07	3·88	2·57	·81	YEAR'S TOTAL 21·99
Rain Days.	17	9	20	19	9	7	11	10	10	16	16	11	155

C. W. 7,500, XI. 12

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 - JAN 1915

Kept at Hadham Hall

in the County of Herts 3

by Wm Minet

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02				.40	.29			.06		1
2			.04					.04			.06	.13	2
3	.02		.24		.12		.41				.04		3
4	.14			.30				.05			.50	.24	4
5			.11	.17		.03	.22	.30					5
6		.10			.03	.12	.03	.02			.16	.21	6
7		.18	.27	.07	.21	.03	.08					.13	7
8	.12	.15	.70	.02	.05	.31	.16	.11				.04	8
9	.27		.61	.05		.40		.02				.89	9
10	.25	.04		.09	.08							.05	10
11		.33	.26		.03	.59			.15		.28	.23	11
12	.02	.04	.06						.46			.28	12
13		.26	.19						.07	.20	.05	.36	13
14		.02	.27				.34			.29	.05	.45	14
15	.08		.18								.15		15
16			.04				.19	.01					16
17		.30							.14		.01	.08	17
18		.05	.03									.21	18
19		.07	.16			.02	1.87		.03		.12	.06	19
20		.16	.23			.15			.13	.02	.~~02~~	.07	20
21		.37	.08			.02		.06			.~~23~~	.19	21
22			.02	.04	.15		.10			.15		.02	22
23			.06		.19					.16			23
24			.02	.14			.04	.01		.04	.15		24
25	.04	.06	.07							.22	.01		25
26			.02					.15		.05	.12	.53	26
27	.03										.02	.14	27
28										.07	.23	1.14	28
29	.02		.07							.30	.10		29
30		╳	.05							.03	.36	.13	30
31		╳		╳	.22	╳	.05		╳		╳	.05	31
Total	.99	2.13	3.80	.88	1.08	1.67	3.89	1.06	.98	1.53	2.47	5.63	YEAR'S TOTAL 26.11
Rain Days.	10	14	24	8	9	9	1~~4~~2	11	6	11	18	22	15~~3~~4

W. 8,000. X. 14.

1038

FORM A.
BRITISH RAINFALL.
22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hadham Hall, Little Hadham
in the County of Hertfordshire 3
by William Minet

Lat. 51.53 N Long. 0.6 E
Time of Observation 8 a m
Nearest Railway Station Bishop's Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	.13	.10		.02				.12		.10	.34	1
2	.06	.15	.18	.03				.41		.02	.02		2
3	.36		.08	.27			.06	.13	.01			.26	3
4	.10							.07		.05		.39	4
5	.05	.20			.40			.03		.11	.04	.10	5
6	.16	.03	.02	.23			.74					.12	6
7	.11	.31	.05	.02			.28	.04				.13	7
8	.02	.30	.01										8
9		.16		.04		.02		.10			.16	.42	9
10	.26		.04	—				1.10				.13	10
11	.03		.04		.02						.54		11
12	.07			.18	.18			.10		.05	.56	.02	12
13	.08	.28			1.07								13
14		.04					.58	.05	.07			.43	14
15	.18				.08		.05	.22			.24 snow	.06	15
16		.11					.57	.78				.04	16
17	.02	.22			.23		.18						17
18		.20	.23		.04						.09		18
19		.11	.01				.10						19
20	.25			.03								.31	20
21	.16						.03			.01		.03	21
22	.54	.01	.24				.30		.03			.10	22
23		.17	.17			.07	.15		.02	.09		.29	23
24		.03	.09				.30		.23	.02		.23	24
25				.03		.03	.01			.02		.07	25
26		.05					.03					.12	26
27		.05				.24	.25	.01		.21		.03	27
28		.07				.25	.02	.13	1.28	.23			28
29			.01			.05	.16	.02			.10	.08	29
30	.02	X						.04			.05		30
31		X		X		X			X	.54	X	.09	31
Total	2.64	2.62	1.27	0.83	2.04	0.66	3.81	3.23	1.76	1.35	1.90	3.79	YEAR'S TOTAL 25.90
Rain Days.	18	19	14	8	8	6	17	15	7	11	10	22	155

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

Est 21

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Hadham Hall, Little Hadham
in the County of Herts
by William Minet

Lat. 51.43N Long. 0.6E
Time of Observation 8 a.m.
Nearest Railway Station Bishops Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 16 in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.04		.18	.04			.01		14		1
2	.29	.12	.10		.11	.01			.18	.24			2
3		.09	.12				.04		.37	.14	.65		3
4	.20	.01	.02			.17			.02	.15	.34		4
5	.03	.05			.01	.14	.04		.03	.05	.74		5
6			.09	.24	.02	.14	.03			.02	.40		6
7	.06		.11		.10	.04	.15			.10	.76	.05	7
8			.02		.27	.11						.20	8
9	.02				.18					.05		.13	9
10		.01	.10	.07		.21	.02			.02		.03	10
11	.04	.18	.05	.14	.02	.15						.11	11
12	.03	.03		.04	.43	.14	.13	.21	.02	.10			12
13		.42	.11	.07	.24	.13	.22	.12		.08			13
14		.22		.04	.05			.30				.07	14
15		.15	.19					.21		.02			15
16			.07	.08	.02		.12	.18		.08			16
17	.07	.05		.07			.03	.32	.17	.20			17
18		.07	.03	.09				.02	.05	.02	.15		18
19	.06		.08	.03					.19		.52	.08	19
20	.10		.18	.05							.05	.24	20
21	.01		.68	.09			.16					.52	21
22		.09	.02		.05					.02		.26	22
23		.21				.04		.02				.08	23
24		.07	.03			.14				.07	.04	.11	24
25		.13	.04		.01			.22		.05	.02		25
26		.06	.02			.02		.09		.01	.10		26
27	.11	.05	.45			.01		.10	.02	.35			27
28		.21	.36			.14			.06	.03		.10	28
29		.14				.05		1.18	.03	.24		.12	29
30		×			.09	.26		.19		.25		.02	30
31		×		×		×		.02	×	.03	×		31
Total	1.09 ✓	2.36 ✓	2.91 ✓	1.01 ✓	1.78 ✓	1.94 ✓	0.94 ✓	3.18 ✓	1.15 ✓	2.32 ✓	3.91 ✓	2.12 ✓	YEAR'S TOTAL 24.71 ✓
Rain Days.	13	20 ✓	22 ✓	12 ✓	15 ✓	18 ✓	10 ✓	14 ✓	12 ✓	23 ✓	12 ✓	15 ✓	186 ✓

W. 8,000, VIII. 16

980

FORM A.
BRITISH RAINFALL.

28. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hadham Hall Little Hadham

in the County of Herts

by William Minet

Lat. 51.53 Long. 0.5 E

Time of Observation 8 AM

Nearest Railway Station Bishop's Stortford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10				.71	.06		.11		1
2	.03	.02		.47				.15			.04		2
3	.01							.48		.29	.11		3
4		.03	.01					.15		.67			4
5	.18		.04	.14				.21	.17	.11	.12		5
6				.03		.02			.04		.07		6
7	.20					.05	.10			.66	.04		7
8	.08			.07			.71	.22		.23	.12	.12	8
9	.03		.04	.06			.04	.15			.11	.17	9
10	.13		.15	.01				.05					10
11	.10		.37	.13						.30			11
12	.07		.04		.06			.03		.34			12
13	.03		.02					.01	.06	.03			13
14	.04			.07				.17					14
15	.02							.10					15
16	.02	.05		.31			.08			.49		.19	16
17	.01			.07	.28		.15		.38	.41			17
18	.04			.11	.02	.06	.12	.05	.30				18
19		.06	.06		.50				.37				19
20	.03	.16	.10		1.65				.01		.18		20
21		.02	.05		.02						.05		21
22			.06					.09		.17			22
23		.08	.02		.14			.20		.07			23
24		.03				.09		.12		.23	.06		24
25		.02	.10								.05		25
26			.09					.24	.05		.58	.05	26
27								.75					27
28		.03				.48		.16				.02	28
29			.04		.29	.15	.97	.07		.16		.12	29
30	.01		.11				.65	.20		.06		.04	30
31	.05		.10				.41	.02				.03	31
Total	1.08 ✓	0.50 ✓	1.40 ✓	1.57 ✓	2.96 ✓	0.85	3.23 ✓	4.33 ✓	1.44	4.22 ✓	1.64 ✓	.74 ✓	YEAR'S TOTAL 23.96 ✓
Rain Days.	18 ✓	10 ✓	17 ✓	12 ✓	8 ✓	6 ✓	9 ✓	22 ✓	9 ✓	15 ✓	13 ✓	8 ✓	147 ✓

W. 8,000, IX. 17.

Exd. E.F.E.

61

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Hadham Hall, Little Hadham

in the County of Hertfordshire

by William Minet

Lat. 51. 53 N Long. 0. 6 E.

Time of Observation 8 A. M.

Nearest Railway Station Bishop's Stortford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 358 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.10							.07	.14	1
2	.03	.04		.06				.10			.02	.15	2
3		.03	.07		.51			.09	.07		.43	.16	3
4		.06	.09					.02	.17		.45	.07	4
5		.02			.10			.13	.33	.02			5
6	.09	.16		.29					.04	.05		.08	6
7	.03	.03		.04	.05				.15	.18			7
8		.08							.06		.12	.07	8
9	.05	.02				.07	.04		.35	.22		.14	9
10	.04			.04			.51			.02		.26	10
11	.02				.10		.19			.26	.03	.07	11
12	.01	.12			.18		.10		.07			.03	12
13		.03			.31		.01		.06			.10	13
14	.16					.15	.08		.23	.35		.24	14
15	.56			1.14		.03	.14		.01			.03	15
16	.18			.68					.17				16
17	.15			.36		.01	1.16	.01				.19	17
18	.43			.02		.17	.10		1.33	.07		.38	18
19	.06		.15	.08		.06	.18			.08		.11	19
20	.04	.11		.33		.05	.12		.10	.26		.06	20
21	.05			.14		.05			.19	.06			21
22	.04				.11		.05		.16			.18	22
23	.03				.48		.64	.04	.03		.13	.04	23
24		.21			.10	.07			.10		.06		24
25						.03	.16	.15			.18		25
26							.33			.04	.05	.15	26
27				.19			.05	.24	.08		.37	.04	27
28		.08	.29	.08		.05		.07			.05	.08	28
29									1.36		.03		29
30		X	.40						.11			.08	30
31		X	.05	X		X			X	.07	X	.07	31
Total	1.97 ✓	1.01 ✓	1.05 ✓	3.55 ✓	1.94 ✓	.74 ✓	3.86 ✓	.85 ✓	5.17 ✓	1.68 ✓	1.99 ✓	2.92	YEAR'S TOTAL 26.73 ✓
Rain Days.	17 ✓	14 ✓	6 ✓	14 ✓	9 ✓	11 ✓	16 ✓	9 ✓	21 ✓	13 ✓	13 ✓	24 ✓	167 ✓

W. 8,000, IX. 17.

925

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hadham Hall, Little Hadham
in the County of Hertfordshire
by William Minet

Lat. Long.
Time of Observation 8 a m
Nearest Railway Station Bishop's Stortford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft 10 in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34			.08	.05	.02	.15			.07		.74	1
2	.18		.02		.22		.40		.11	.03	.15	.53	2
3	.24		.26				.15		.10		.12	.26	3
4	.07		.14			.05	.10	.15				.12	4
5	.03	.28	.32				.38		.11		.02	.25	5
6			.06								.02	.03	6
7	.03		.43								.11		7
8	.09		.05	.05							.09		8
9			.04	.02							.12		9
10	.11		.06	.09							.02		10
11	.03		.10	.22			.18					.03	11
12			.15	.02		.07	.26			.10	.02		12
13	.04			.18						.08		.02	13
14	.29			.58			.02		.15				14
15	.15	.02	.09	.14						.15	.03	.16	15
16	.23	.64		.06							.10	.08	16
17		.58	.03	.04							.25	.04	17
18		.32	.04					.02	.05			.08	18
19		.10	.48			.10	.12	.39	.13		.27	.02	19
20	.26	.05	.11			.87	.20	.51			.03		20
21	.23	.29	.02			.04	.22					.07	21
22		.11					.33		.31		.06	.39	22
23						.03	.07		.06			.09	23
24				.25		.03					.14	.04	24
25	.07				.03	.01		.26				.05	25
26	.22	.24	.15	.03				.42	.12			.32	26
27	.50	.07		1.03				.05				.06	27
28			.02	.26				1.06		.03	.07	.28	28
29	.14			.07				.14		.23	.23	.04	29
30				.26		.14		.08		.04	.16	.24	30
31	.02											.03	31
TOTAL	3.27 ✓	2.70 ✓	2.57 ✓	3.38 ✓	.30 ✓	1.36 ✓	2.58 ✓	3.08 ✓	1.14 ✓	.73 ✓	2.01 ✓	3.97 ✓	YEAR'S TOTAL 27.09 ✓
Days with ·01 in. or more	20 ✓	11 ✓	19 ✓	17 ✓	3 ✓	10 ✓	13 ✓	10 ✓	9 ✓	8 ✓	19 ✓	24 ✓	163 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max daily fall 1·06 in on Aug.st 28

879

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hadham Hall, Little Hadham

in the County of Herts.

by William Minet

Lat. 51·53 N Long. ·6 E

Time of Observation 8 a.m.

Nearest Railway Station Bishop Stortford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.52	.04		.30	.23	.01	.53	.03	.18	1
2							.03	.37	.09	.10		.04	2
3		.02		.08			.12		.06	.07		.09	3
4				.11				.05		.03		.12	4
5			.10		.06		.71	.04	.11			.04	5
6			.14		.06		.32					.02	6
7			.06	.12			.11					.03	7
8	.23	.03		.24			.04	.10					8
9	.32			.25			.11	.09					9
10	.17	.10	.13	.05			.10						10
11	.39		.05	.29	.02		.05					.13	11
12	.08		.08	.13		.29							12
13	.02	.03	.05	.14		.08					.05		13
14			.33	.17		.04	.10		.10	.01	.21		14
15		.02	.15	.12			.02		.13		.06	.05	15
16				.07					.44	.02			16
17	.02			.03	.10		.01		.16			.05	17
18	.02							.52	.18			.03	18
19	.13			.24				.04				.05	19
20	.09	.17		.38		.57							20
21							.70	.06	.36			.06	21
22				.19				.02	.15			.07	22
23							.71					.34	23
24	.03		.05									.03	24
25		.04	.07	.02	.29	.01	.17						25
26	.08		.06	.05	.34		.02					.01	26
27	.21	.02		.29		.20					.19	.10	27
28	.44				.04		.07					.03	28
29	.09		.29		.30		.02				.11	.31	29
30		X	.03		.04		.49		.15		.13	.11	30
31	.02	X		X		X			X	.17	X	.17	31
Total	2.34	.43	1.59	3.49	1.29	1.19	4.20	1.52	1.94	.93	.78	2.06	Year's Total 21.76
Days with ·01 in. or more	5 16	6 8	14	20	10	6	3 20	10	12	3 7	17	6 22	~~33~~ 152
Days with ·04 in. or more	11	2	13	18	9	5	15	9	11	4	6	16	~~119~~ 120

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√

REG 14

HERTS

LITTLE HOLMEAD – MUTFORDS FARM

1914 ONLY

FORM A. BRITISH RAINFALL. 15 FEB 1915

Kept at Mutfords Far Long.
9 am
in the County of He tion Braughing
by John S H uge 5 in.
ge above Ground 1 ft. in.
„ Sea Level ft.

IMPORTANT NOT Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·21	19	·30				25	1
2								·7			10	·6	2
3			24		13		61	28			25		3
4				19							65	23	4
5	15		5	27	8		27	91					5
6		9			2	10					19	23	6
7		17	27		62		7					33	7
8	·9	12	80	14	4	44		14					8
9	38		55			36						106	9
10	20				5								10
11		28	38	8		46					26	35	11
12		3	7						40			31	12
13		26	20						12	32		41	13
14		2	29				33			22		43	14
15	10		19									6	15
16			5										16
17		32							29			15	17
18		3	7									20	18
19		7	12				123				22		19
20		13	34			10							20
21		35	10			6						30	21
22				4			22	5	63				22
23			10		37				12				23
24				14			8		4		14		24
25	·4		10						40				25
26									3		13	72	26
27	·4		4									15·2	27
28									10				28
29	2		10						30		47		29
30		X									14	36	30
31		X		X		X			X		X	2	31
Total	1·02 ✓	1·87 ✓	4·06 ✓	·86	1·31	1·73	3·00	1·75	2·43	·54	2·55 ✓	6·99	YEAR'S TOTAL 28·11 ✓
Rain Days.	8	12	19	6	7	7	8	6	10	2	10	19	114

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
15 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Mutfords Farm, Little Hormead

in the County of Herts E4 RR

by John S. How

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Braughing

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						21	19	30				25	1
2								7			10	6	2
3			24		13		61	28			25		3
4				19							65	23	4
5	15		5	27	8		27	91					5
6		9			2	10					19	23	6
7		17	27		62		7					33	7
8	9	12	80	14	4	44		14					8
9	38		55			36						106	9
10	20				5								10
11		28	38	8		46					26	35	11
12		3	7						40			31	12
13		26	20						12	32		41	13
14		2	29				33			22		43	14
15	10		19									6	15
16			5										16
17		32							29			15	17
18		3	7									20	18
19		7	12				123				22		19
20		13	34			10							20
21		35	10			6						30	21
22				4			22	5	63				22
23			10		37				12				23
24				14			8		4		14		24
25	4		10						40				25
26									3		13	72	26
27	4		4									152	27
28									10				28
29	2		10						30		47		29
30		×									14	36	30
31		×		×		×			×		×	2	31
Total	1·02	1·87	4·06	·86	1·31	173	3·00	1·75	243	·54	255	6·99	YEAR'S TOTAL 28·11
Rain Days.	8	12	19	6	7	7	8	6	10	2	10	19	114

W. 8,000. X. 14.

RE 1911
Snowdon

Kept at Bowmans
in the County of Hert
by C. Barwel

HERTS
LONDON COLNEY - BOWMANS
1911–1919

top 5 in.
above Ground 1 ft. — in.
„ Sea Level 235 ft. T
9. A.M.
tion { Name Smallford. G.N.R.
Distance 3M Direction N.N.E.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04			·37			·03	·02					1
2	·06			·41	·16						·18	·12	2
3		·01		·01	·16					·05	·11	·07	3
4	·05	·03	·09	·06						·05	·15	·35	4
5	·08			·02								·10	5
6	·35		·07	·02						·05		·41	6
7	·04		·01							·05	·34	·28	7
8	·16		·18								·11	·17	8
9	·08			·02							·02		9
10	·03	·07	·14	·02							·06	·47	10
11	·20				·10						·54	·02	11
12	·03		·42		·02	·08			·03		·23		12
13			·06		·20				·42	·20		·26	13
14		·03	·02		·45							·44	14
15		·05	·18							·03	·06	·03	15
16			·02			·29					·34	·07	16
17			·15			·13					·22	·17	17
18		·12	·02			·11					·42	·21	18
19					·02	·21			·11	·10	·27	·11	19
20	·01	·04	·02					·43	·15	·02		·61	20
21	·02	·14				·01		·08		·43	·01	·07	21
22	·08		·07			·04				·21		·54	22
23		·08	·25			·60			·21			·14	23
24	·01	·09	·03			·13	·01			·77		·19	24
25		·05	·02	·06		·14	·23	·17					25
26		·03	·02	·11	·01	·08	·03	·01		·13		·22	26
27		·36	·08	·06					·15		·04	·08	27
28		·46		·23				·09			·05		28
29				·10		·10	·12		·21	·21			29
30				·02	·07	·05				·16	·01		30
31			·01		·47								31
Total	1·24	1·56	1·86	1·51	1·66	1·97	·42	·80	1·28	2·46	3·16	5·13	TOTAL for year
No. of Rain Days.	15	14	20	14	10	13	5	6	7	14	18	23	23·05 159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bowmans, London Colney
in the County of Hertfordshire 2
by C. Barwell Field

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 235 ft. T

Time of Observation 9. A.M.

Nearest Railway Station
Name Smallford. G.N.R.
Distance 3M. Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·37			·03	·02					1
2	·06			·41	·16						·18	·12	2
3		·01		·01	·16					·05	·11	·07	3
4	·05	·03	·09	·06						·05	·15	·35	4
5	·08			·02								·10	5
6	·35		·07	·02						·05		·41	6
7	·04		·01							·05	·34	·28	7
8	·16		·18								·11	·17	8
9	·08			·02							·02		9
10	·03	·07	·14	·02							·06	·47	10
11	·20				·10						·54	·02	11
12	·03		·42		·02	·08			·03		·23		12
13			·06		·20				·42	·20		·26	13
14		·03	·02		·45							·44	14
15		·05	·18							·03	·06	·03	15
16			·02			·29					·34	·07	16
17			·15			·13					·22	·17	17
18		·12	·02			·11					·42	·21	18
19					·02	·21			·11	·10	·27	·11	19
20	·01	·04	·02					·43	·15	·02		·61	20
21	·02	·14				·01		·08		·43	·01	·07	21
22	·08		·07			·04				·21		·54	22
23		·08	·25			·60			·21			·14	23
24	·01	·09	·03			·13	·01			·77		·19	24
25		·05	·02	·06		·14	·23	·17					25
26		·03	·02	·11	·01	·08	·03	·01		·13		·22	26
27		·36	·08	·06					·15		·04	·08	27
28		·46		·23				·09			·05		28
29				·10		·10	·12		·21	·21			29
30				·02	·07	·05				·16	·01		30
31			·01		·47								31
Total	1·24	1·56	1·86	1·51	1·66	1·97	·42	·80	1·28	2·46	3·16	5·13	TOTAL for year 23·05
No. of Rain Days.	15	14	20	14	10	13	5	6	7	14	18	23	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Bowmans London Colney

in the County of Herts 2

by C. Barwell Field

Lat. 51° 43' 17" N Long. 16' 47" W

Time of Observation 9 A.M.

Nearest Railway Station Smallford G.N.R 3 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 235 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·03		·06	·03		·05	·46		·14	1
2		·01	·09	·02		·22	·33	·02					2
3	·08		·12		·09	·17		·25	·02			·09	3
4	·25		·55		·25	·18		·07			·30	·01	4
5	·14	·11	·16			·02		·22	·01		·03		5
6	·33	·03	·01		·01			·20				·09	6
7	·02		·05			·49	·01	·20				·04	7
8	·38	·39	·23					·33	·02			·03	8
9	·14	·13		·05	·04	·14	·05	·05				·20	9
10		·05	·01					·56	·09		·20		10
11		·35				·02		·06	·03		·01	·26	11
12	·13	·12	·12		·04		·04		·02		·08		12
13						·02			·01		·16		13
14		·02	·04		·04			·12				·05	14
15	·01		·14		·14	·29		·03			·02	·17	15
16	·28		·06		·11	·04		·14		·17	·05		16
17	·40		·30			·11		·08					17
18	·05		·14					·13			·04	·11	18
19	·16	·18	·11				·26	·47					19
20	·02		·18		·02		·04	·20		·40			20
21	·01	·05	·36		·07			·16		·10	·06		21
22	·35	·16	·09		·07		·11	·16				·04	22
23	·32	·25	·30		·02		2·33	·44			·15	·11	23
24	·35	·03					·03	·07				·15	24
25						·14		·53			·25	·49	25
26		·04					·11	·33		·42	·50	·23	26
27			·03				·01			·22		·17	27
28		·05					·11	·07	·04	·43	·36	·37	28
29		·08				·30	·11	·22	1·36	·18	·01	·01	29
30	·01		·01		·30		·07	·04	·86	·22			30
31			·25		·03		·15	·14				·06	31
Total	3·43	2·05	3·43	·10	1·23	2·20	3·79	5·29	2·51	2·60	2·22	2·82	YEAR'S TOTAL 31·67
Rain Days.	19	17	23	3	14	14	16	27	11	9	15	20	188

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Rowmans London Colney
in the County of Herts
by C. Barwell Field

Lat. 51° 43' 17" N Long. 16' 47" W
Time of Observation 9 A.M.
Nearest Railway Station Smallford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·14	·11	·08					·22		·12		1
2		·13			·08		·21		·03	·35	·09		2
3	·05		·03	·19	·64							·05	3
4	·25		·04		·12		·15			·19	·05		4
5	·08						·14			·02		·06	5
6		·06	·05	·01	·11	·29	·06		·08	·14		·07	6
7		·17	·07		·11	·05	·08			·50	·07		7
8				·02	·14	·17				·15			8
9		·15	·03	·02	·04				·06		·07	·08	9
10				·13			·38	·02			·28		10
11	·54			·47				·01		·31	·45		11
12					·01						·55		12
13			·01					·01	·05		·32		13
14	·14		·07	·08			·59	·11		·18	·11		14
15	·15		·25	·30			·17						15
16	·08		·35	·17					·14		·01		16
17	·01		·01	·07		·40	·16					·10	17
18	·02		·22	·20			·02				·08		18
19	·35			·03			·14		·28				19
20	·09		·04			·05				·37	·04		20
21	·04		·17	·09			·06			·15	·40		21
22	·42		·19	·10				·05	·20				22
23			·02			·03	·01	·15	·03			·15	23
24	·02			·03						·01			24
25		·10		·18							·03		25
26		·01	·21	·15				·10		·60		·23	26
27			·03	·05						·03			27
28	·22		·20	·09						·09		·03	28
29	·04		·08	·60	·50			·05		·07		·02	29
30	·28			·05				·08		·16	·09		30
31			·02					·26		·03			31
Total	2·81	·76	2·20	3·11	1·75	·99	2·17	·84	1·09	3·35	2·76	·79	YEAR'S TOTAL 22·62
Rain Days.	18	7	21	22	9	6	13	10	9	17	16	9	157

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

25 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at "Bowmans" London Colney
in the County of Herts 2
by C. Barwell Field 4 RL

Lat. 51° 43′ 17″ N Long. 16′ 47″ W
Time of Observation 9 A.M.
Nearest Railway Station Smallford G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·47

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05				·02	·20				·04	1
2							·11	·15			·08	·29	2
3				·02	·20		·14				·04	·01	3
4	·13		·06	·25	·23			·07			·22	·09	4
5	·02		·07	·17	·16	·07	·58	·36			·03		5
6		·12	·02		·05	·15	·12	·03			·13	·50	6
7		·22	·22	·12	·44	·05	·04	·04			·01	·19	7
8	·04	·20	·63	·06	·11	·15	·20	·12				·04	8
9	·16		·58	·09		·32			·11			1·10	9
10	·05	·18	·03	·10	·06			·01	·17			·07	10
11		·24	·41	·01	·03	·56			·05		·12	·20	11
12	·02		·10			·01	·05		·31		·04	·46	12
13		·38	·22						·27	·01	·02	·36	13
14		·10	·41				·04		·01	·40	·16	·45	14
15	·06	·04	·25				·01	·01		·09	·03	·07	15
16			·05				·07		·09			·01	16
17		·45	·07									·31	17
18		·02	·10									·26	18
19		·05	·19				·02		·17		·25	·09	19
20		·27	·20				·04		·03	·01		·15	20
21		·44	·07			·05		·01		·02		·10	21
22		·02	·05		·25	·04	·08	·06		·40		·01	22
23		·07	·06		·15		·27	·01		·11	·01		23
24			·10	·04	·02		·06			·06	·13		24
25	·03		·17					·11		·31		·08	25
26	·01		·04					·03		·04	·16	·62	26
27			·02								·09	·27	27
28		·04			·04		·03			·03	·29	1·23	28
29	·09		·10							·22	·16	·01	29
30		×	·06							·05	·42	·37	30
31	·01	×		×	·13	×	·05		×		×	·03	31
Total	·62	2·84	4·33	·86	1·87	1·40	1·93	1·21	1·21	1·75	2·39	7·41	YEAR'S TOTAL 27·82
Rain Days.	11	16	27	9	13	9	18	14	9	13	19	28	186

W. 8,000. X. 14.

998

FORM A.
BRITISH RAINFALL.
3-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at "Bowmans" London Colney

in the County of Herts 2

by C. Barwell Field

Lat. 51° 43' 17" N Long. 16' 47" W.
Time of Observation 9 A.M.
Nearest Railway Station Smallford G.N.R
Diameter of Funnel of Rain Gauge 5 ins in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·12.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·12	·06		·07				·07		·08	·40	1
2	·24	·19	·23	·13				·86		·10		·15	2
3	·53		·04	·19			·09	·75				·27	3
4	·08							·22			·01	·42	4
5	·05	·44			·02			·02		·09		·27	5
6	·21	·07	·01	·29			1·04	·02				·20	6
7	·10	·30	·07				·38	·02				·29	7
8		·45	·03	·04			·05	·07					8
9	·08	·08		·07		·04		·09			·20	·52	9
10	·30		·03					·01				·11	10
11	·04		·02								·80		11
12	·07	·06		·22	·42			·07			·50	·03	12
13	·01	·42			1·20			·05					13
14		·05					1·0	·11	·07			·58	14
15	·33				·04			·07			·27	·11	15
16	·01	·41					·67	·02					16
17		·38			·45		·17			·01		·03	17
18		·16	·09		·09						·05		18
19	·01	·05	·02				·17						19
20	·30			·04								·23	20
21	·19	·08					·02			·01		·05	21
22	·78	·22	·36				·55		·02			·18	22
23	·01	·30	·15			·04	·14		·23	·32		·35	23
24			·10			·02	·17		·30	·09		·27	24
25				·07		·04	·16			·04			25
26		·15	·02			·07	·19		·02			·61	26
27		·01				·21	·27			·35		·09	27
28		·06				·17	·02		1·18				28
29	·01		·03.			·04	·13	·15			·12	·01	29
30		×				·19				·01	·16	·02	30
31	·09	×		×		×		·03	×	1·17	×	·24	31
Total	3·91.	4·0 ✓	1·26	1·05	2·29	·82	5·22	2·56	1·89	2·19	2·19	5·43	YEAR'S TOTAL 32·81 ✓
Rain Days.	21.	20	15	8	7	9	17	16	7	10	9	23	162.

W. 8,000. X. 15.

Exd CSE

REGISTER OF RAINFALL IN, 1916.

FORM A. BRITISH RAINFALL. 12 JAN 1917

Kept at Bowmans

in the County of Hertfordshire

by C. Barwell Field

Lat. 51° 43′ 17″ N Long. 16′ 47″ W

Time of Observation 9. AM.

Nearest Railway Station Smallford G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level T. 235. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12		·02		·08	·06	·01		·07	·04	·30		1
2	·38	·01	·14		·23				·11	·33	·06		2
3		·51	·11		·01	·02	·03		·20	·24	·35		3
4	·26	·09	·03		·04	·38			·02	·09	·39		4
5	·04	·01	·02	·05		·14				·10	·61		5
6	·01	·06	·25	·23	·01	·16	·35			·04	·46		6
7	·11		·35		·13	·11	·45			·02	·48	·04	7
8			·03		·40						·05	·23	8
9					·20	·01				·10		·08	9
10		·12	·17	·08	·01	·50	·22					·07	10
11	·08	·12	·08	·15	·01	·18						·05	11
12	·05	·04	·05	·17	·35	·14	·10	·17		·05			12
13		·45	·17	·06	·05	·05	·54	·41		·03			13
14		·41	·01	·02	·08		·01	·71		·02		·15	14
15		·15	·39	·06	·05		·05	·17					15
16			·25	·14			·23	·08		·05			16
17	·10	·07	·01	·15			·09	·12	·28	·44			17
18		·07	·05	·09				·45	·11	·05	·53		18
19	·08		·18	·12				·04	·27		·64	·15	19
20	·18		·16	·05							·02	·46	20
21	·03	·01	·65				·10					·39	21
22		·08	·06		·03					·04		·48	22
23	·03	·40	·01			·07		·02			·07	·12	23
24		·08			·02	·11		·04			·03	·42	24
25		·64	·07		·04			·16		·25	·09		25
26		·15	·01			·07		·05		·04			26
27	·14	·02	·98			·07		·27	·09	·23			27
28		·41	·40			·06			·14	·12		·24	28
29		·10				·20		1·50		·42	·01	·09	29
30		×	·01		·05	·08		·08		·39		·01	30
31		×		×		×		·04	×	·12	×	·02	31
Total	1·61	4·00	4·66	1·37	1·79	2·41	2·18	4·31	1·29	3·21	4·09	3·00	YEAR'S TOTAL 33·92
Rain Days.	14	22	27	13	18	18	12	16	9	22	15	16	202

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
9 - JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Bowmans London Colney
in the County of Hertfordshire
by C. Barwell Field

Lat 51°43'17" N. Long. 16'47" W.
Time of Observation 9 a.m.
Nearest Railway Station Smallford G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level T. 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·38		·05		·77	·05		·08	·01	1
2	·01			·35				·08		·01	·02		2
3	·01			·07				·28		·24	·30		3
4		·36	·20					·15		·39			4
5	·19			·17	·05			·10	·31	·09	·12		5
6	·02		·08	·02		·01			·05	·03	·06		6
7	·23					·06	·19			·58	·03	·01	7
8	·21		·01	·11			·76	·33		·25	·19	·18	8
9	·08			·10			·03	·14		·01	·07	·13	9
10	·25		·14	·26				·08			·04		10
11	·11	·17	·41	·09				·17		·34			11
12	·12		·04	·01	·06			·06		·46			12
13	·01		·04	·03				·18	·02			·03	13
14	·09			·24				·09					14
15	·04			·04			·02	·02		·03		·05	15
16	·04	·15		·18	·11	·07	·22			·43		·25	16
17	·01	·01		·11	·82		·20	·05	·38	·27			17
18	·07			·11	·07	·10	·15	·05	·32	·09			18
19	·01	·17	·15		·09		·20		·42				19
20	·05	·15	·10		·57	·05	·23	·25	·12		·09		20
21	·03		·07	·02	·04						·05		21
22	·01		·10			·02		·08		·11			22
23	·01	·06	·01		·10			·13		·05			23
24		·08				·04		·09		·21		·04	24
25			·04								·05		25
26			·08			·02		·15	·05		·33		26
27			·02					·92					27
28			·02			1·30		·22				·09	28
29			·02		·23	·14	·64	·38		·41		·13	29
30	·03	X	·15				1·11	·14		·01			30
31	·02	X	·13	X		X	·49	·03	X	·01	X	·04	31
Total	1·65	1·15	1·81	2·29	2·14	1·86	4·24	4·94	1·72	4·32	1·43	·96	YEAR'S TOTAL 28·51
Rain Days.	23	8	19	17	10	11	12	25	9	20	13	11	148

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

20

FORM A.
BRITISH RAINFALL.

6. 1. 19

Kept at Bowmans
in the County of Hertfordshire
by C. Barwell Field

Lat. 51° 43' 17" N. Long. 17' 47" W.
Time of Observation 9 a.m
Nearest Railway Station Smallford G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 T. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·06				·01		·01	·18		1
2				·10				·17	·01	·01	·07	·25	2
3	·01	·13	·05	·02	·52			·07	·09	·01	·56	·02	3
4		·07	·08						·32	·03	·50	·03	4
5		·02	·02		·10			·14	·09	·10		·03	5
6	·12	·19		·26	·10			·03	·01			·07	6
7	·02	·09		·10	·13			·02	·04	·10	·12		7
8		·01		·02					·20	·02	·08	·08	8
9	·03	·05		·02		·10	·43		·36	·15		·16	9
10	·06			·09			·45		·05	·01	·07	·28	10
11				·02	·08		·15		·05	·35	·05	·04	11
12	·01	·08			·30		·19		·01	·01		·03	12
13	·01	·03		·01	·20		·13		·21			·05	13
14	·21			·01		·16	·06		·25	·16		·21	14
15	1·09			1·08	·01		·14					·12	15
16	·24			·62					·70	·09		·01	16
17	·23		·01	·36		·23	·21		·01			·20	17
18	·49			·01		·11	·23		·58	·13		·16	18
19	·10		·05	·08		·07	·16		·04	·05		·20	19
20	·04	·15		·86			·07		·15	·22		·05	20
21	·10	·01		·50		·04	·08		·40	·06		·03	21
22	·06			·01	·19		·16		·10			·10	22
23					·48		·58	·05	·08	·01		·15	23
24	·02	·18			·01	·04	·04		·08		·12	·01	24
25							·12	·23		·01	·09		25
26					·02	·09	·15	·18		·03	·13	·20	26
27		·03		·08			·07	·28	·06		·10	·04	27
28		·03	·20	·02		·02					·25	·13	28
29									1·39		·05		29
30		×	·29						·07		·13	·04	30
31		×	·05	×		×		·04	×	·10	×	·03	31
Total	2·85	1·07	·75	4·33	2·14	·86	3·42	1·22	5·35	1·66	2·50	2·72	YEAR'S TOTAL 28·87
Rain Days.	18	14	8	21	12	9	18	11	25	21	15	27	199

W. 8,000, IX. 17.

~~W.~~ 188 cord by Surrounding Stns etc 883

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bowmans, London-Colney.
in the County of Hertfordshire
by C. Barwell Field.

Lat 51° 43' 17" N. Long 16' 47" W.
Time of Observation 9 a.m.
Nearest Railway Station Smallford G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 235 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·04	·07		·14		·28			·04	·04	·98	1
2	·30		·02		·04		·16		·26	·30	·14	·31	2
3	·35		·25		·01		·02		·07		·07	·27	3
4	·11		·33			·09	·14	·02.	·04	·01	·01	·18	4
5	·02	·28	·77				·16		·14		·02	·33	5
6	·02		·05	·01	·02							·08	6
7	·03		·44								·08		7
8	·12		·09	·02									8
9	·07		·01	·03	·06						·21		9
10	·15		·06	·03						·01	·04	·07	10
11	·04		·07	·22			·29					·03	11
12	·02		·20	·05		·06	·11			·09	·01	·01	12
13	·03	·06		·26					·01	·05		·02	13
14	·28			·74			·04		·22.	·03		·01	14
15	·26		·14	·17						·04		·43	15
16	·19	·61		·04							·12	·07.	16
17	·01	·91	·03								·22		17
18		·15	·09		·02			·05	·06		·07	·14	18
19	·02	·13	·86			·17	·10	·14	·16		·12	·01	19
20	·29	·08	·08			·82	·25	·30	·01			·02	20
21	·38	·32	·04				·19				·01	·10	21
22		·15				·03	·14		·58		·02	·31	22
23						·07		·06	·15	·02		·01	23
24				·08		·01	·06	·12		·17	(·14)		24
25	·06			·05	·24	·02		·40	·07.	·02		·06	25
26	·13	·23	·13	·10			·20	·01				·35	26
27	·80		·01	1·00				·37				·04	27
28			·12	·04				·83			·23	·27	28
29	·05			·03				·18		·21	·16	·03	29
30		×	·01	·22		·16		·06		·04	·27.	·38	30
31	·04	×	·04	×		×			×		×	·09	31
TOTAL	4·22	2·96	3·91	3·09	·53	1·43	2·14	2·54	1·77	1·03	1·98	4·60	YEAR'S TOTAL 30·20
Days with ·01 in. or more	25.	11.	23	17.	7	9	14	12.	12.	13	19.	26	188.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REG

HERTS.
MOOR PARK - (NR RICKMANSWORTH)
1911 - 1916

Kept at Moorpark
in the County of Rick
by Lord

p 5 in.
bove Ground 2 ft. in.
,, Sea Level 340 ft.
9 in morning
n { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3			36			1	6				1	1
2	4			32	16			2			23	18	2
3	6	2		2	17						12	2	3
4	3	6	8	9						11	11	20	4
5	2	2	1	5						9	2	15	5
6	30		9	2						1		30	6
7	9			5						10	35	40	7
8	12		16								11	16	8
9	18		3	3							2	3	9
10	1	5	18	3							5	55	10
11	25		3		54						63	2	11
12	4		44			3			1		13	2	12
13			5		48				36	30	12	30	13
14		4	1		27					1		36	14
15		6	14		1					2	3	3	15
16	2	2				19					38	8	16
17			2			21					24	20	17
18		17	6			28					33	23	18
19		1	1			21			16	4	32	18	19
20	2							45	12	9		60	20
21	3	15	2			1		39		37		10	21
22	8	1				7				38		48	22
23	2	9	15			47			20		2	18	23
24		14	2			4		4		69		20	24
25		8	5	3		22			2	5		2	25
26			2	17	2	4	25	2		16	2	33	26
27		36	9	10			2		13	1		17	27
28		37		27	5		[illegible]	9			8	1	28
29	1		1	6		20	13		23	30	1		29
30			1		6	6		12	2	15	2	1	30
31					33								31
Total	1·35 1,35	1·65 1,65	1,68	1,60	2,09	1,93	0,41	1,19	1,25	2,88	3,34	5,52	TOTAL for year 24·89
No. of Rain Days.	18	16	22	14	10	13	4	8	9	17	21	29	

W. 8,000, X. '11.

Rain days 181 ✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Moor Park
in the County of Rickmansworth Herts 2
by Lord Ebury

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 340 ft.
Time of Observation 9 in morning
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3			36			1	6				1	1
2	4			32	16			2			23	18	2
3	6	2		2	17						12	2	3
4	3	6	8	9						11	11	20	4
5	2	2	1	5						9	2	15	5
6	30		9	2						1		30	6
7	9			5						10	35	40	7
8	12		16								11	16	8
9	18		3	3							2	3	9
10	1	5	18	3							5	55	10
11	25		3		54						63	2	11
12	4		44			3			1		13	2	12
13			5		48				36	30	12	30	13
14		4	1		27					1		36	14
15		6	14		1					2	3	3	15
16	2	2				19					38	8	16
17			2			21					24	20	17
18		17	6			28					33	23	18
19		1	1			21			16	4	32	18	19
20	2							45	12	9		60	20
21	3	15	2			1		39		37		10	21
22	8	1				7				38		48	22
23	2	9	15			47			20		2	18	23
24		14	2			4		4		69		20	24
25		8	5	3		22			2	5		2	25
26			2	17	2	4	25	2		16	2	33	26
27		36	9	10			2		13	1		17	27
28		37		27	5		~~3~~	9			8	1	28
29	1		1	6		20	13		23	30	1		29
30			1		6	6		12	2	15	2	1	30
31					33								31
Total	1·35 1,35	1·65 1,65	1,68	1,60	2,09	1,93	0,41	1,19	1,25	2,88	3,34	5,52	TOTAL for year 24·89
No. of Rain Days.	18	16	22	14	10	13	4	8	9	17	21	29	

W. 8,000, X. '11.

All days 181

EX ML

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

Kept at Moorpark Gardens

in the County of Herts 2

by Lord Ebury

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 340 ft.

Time of Observation 6.30 Summer & 7.30 Winter

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			8	2		9	5	1	6	25	2	15	1
2	1	3	9	1		7	25	3	2			1	2
3	6		11			11	5	24	2		2	10	3
4	27	2	60		13	23		6			21	1	4
5	12		12			6		27			6		5
6	62	14				1		35	4		1	8	6
7	2	2	1		5	44	8	21				9	7
8	43	31	26	3		2		9				2	8
9	3	21	3	9		7	4					26	9
10	1	3				2		30			10	15	10
11	9	18	1			2			2		2	17	11
12	4	23	11		12	10					7		12
13	3	2	4							1	10	5	13
14	1		5		3			2	1	6	1	3	14
15	2	4	13		19	38		3		1	2	22	15
16	27	2	8		2	2		16		10	9		16
17	20		29			10		9				2	17
18	38		16			2		29		1	1	14	18
19	11	8	17				21	64			1		19
20	4	4	12			1	3	26		29			20
21	3	6	38		24			10		11	10		21
22	33	26	9		19		8	7		2	1	6	22
23	30	27	36		2		2	44		2	17	16	23
24	33	3						13		1		12	24
25						16	12	22			26	31	25
26		4						45		43	38	41	26
27			3			4				16		22	27
28		6				5	10	4	4	45	35	40	28
29		3				39	11	29	123	5	5		29
30					38	3	3	3	106	35			30
31			30		12		22	17		6		2	31
Total	375	212	362	15	149	244	139	499	250	239	207	320	TOTAL for year 3011
No. of Rain Days.	23	21	23	4	11	22	14	26	9	17	21	23	214

3011

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6 JAN 1914

Kept at Moor Park
in the County of Herts 2
by W. Haynes (name from Hopkinson)

Lat. 51, 37, 30 N Long. 0 26 20 W
Time of Observation
Nearest Railway Station Rickmansworth
Diameter of Rain Gauge ~~8~~ 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	8	11	10	15					21		9	14	1
2	3	11		3		~~6~~	6		2	10	6	2	2
3	3		5	19	52					2		5	3
4	28		1		10	~~7~~	7			10	3	10	4
5	10					~~10~~ 2	10		19	2	1	7	5
6		5	5		10	~~6~~ 13	6		3	9	6	11	6
7	1	15			16	4	1	~~[illegible]~~ 3		61	3	3	7
8		1	1		9	12				3	6		8
9		18			3				5		3	5	9
10			7	5		~~[illegible]~~	13	8			25		10
11	52			44	1			14		59	33		11
12					1						27		12
13	4							1	6		15		13
14	6	3	11	7	1			5		10	19		14
15	16	4	21	32		~~33~~	33		7				15
16	10		32	25									16
17	3	1	8	11		~~11~~	11				3	13	17
18	5		6	11		~~1~~	1		1		7	1	18
19	40		24	2	4	~~11~~	11		24			2	19
20	12		6	4		14				46			20
21			11	4	1					15	49		21
22	46		17	4		.	3		15				22
23						2		13	5			16	23
24	2		2	4				7			3		24
25		1		16									25
26		6	15	11				7		49		20	26
27			1	11						1			27
28	29		20	13	1					13		1	28
29	3		9	50	35			9		3		1	29
30	27							2		20			30
31			7					23					31
													YEAR'S TOTAL
Total	308	76	219	291	144	47	102	92	108	313	218	111	20.29
Rain Days.	20	11	21	20	13	6	11	11	11	16	17	15	172

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Moorpark Gardens

in the County of Herts 2

by Lord Ebury

Lat. 51°37'30 Long. 0 26.20 W

Time of Observation 7.30

Nearest Railway Station L. N. W

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			4					8			6	4	1
2				1		1		29			6	13	2
3			3		22		37	1			7		3
4	14		2	20	3			2			28	40	4
5	5		12	14	11	6	39	35					5
6		11			5	16	12	3			13	21	6
7		22	33	12	46	5	6					11	7
8	5	18	55	5	5	16	34	13				1	8
9	13		61	8		44			8			122	9
10	3	2		9	7			2				3	10
11		39	52	1	2	44			21		27	37	11
12	2	7	10				22		24		2	35	12
13		35	18						16	6	11	44	13
14		10	66						2	23	11	36	14
15	7	3	20						5	5	3	4	15
16			4				13				3		16
17		40	7						20			25	17
18		1	9									42	18
19		10	15				9				11	15	19
20		24	22									13	20
21		47	5			11				4		7	21
22		16	1		11	4	8	3		43			22
23		11	13		18	4				10			23
24			6		2		1	2		8	10		24
25	3		8					4		33		4	25
26			4				7	16		4	20	50	26
27	3		4								4	30	27
28		4			4					9	32	112	28
29	5		7							21	12		29
30		✕	15							6	40	32	30
31		✕		✕	11	✕	7		✕		✕	7	31
Total	60	300	445	70	147	151	195	118	96	172	246	708	YEAR'S TOTAL 27.08
Rain Days.	10	17	26	8	13	10	12	12	7	12	18	24	169

W. 8,000. X. 14.

est %

978

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6 JAN 1916

Kept at Moor Park Gardens

in the County of Herts 2

by

Lat. 51.37.30 N. Long. 0.26.20.W

Time of Observation 8 Oclock

Nearest Railway Station Rickmansworth L.&N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	44	19	4		5		2		15	2	26	40	1
2	13	24	25	5		3		53	1	8	1		2
3	36		9	17	2		3	47	5			44	3
4	11							4				30	4
5	4	38		2	2			2		4		26	5
6	18	6	2	30			62	5				20	6
7	10	34	4	1			49	4				27	7
8	2	53	2	4			3						8
9	2	14		7		8		11			22	60	9
10	32							16				9	10
11	1		5								60	5	11
12	10		1	23	26			23		1	30	4	12
13	2	52			124								13
14		4			1		81	13	8			68	14
15	15	4			5			4				30	15
16	1	30					71	7			16	8	16
17		41			47		6						17
18		14	9		12						2	2	18
19		6					15						19
20	35	1		8	1							14	20
21	8											8	21
22	65	10	34				68					24	22
23	2	33	5	2		4	15		46	38		25	23
24						2	49		43	14		25	24
25			4	6		3	8			3		14	25
26		10					3		2			44	26
27			1			35	48			32		14	27
28		7	1			3	1		92	15			28
29						4	17	15			13	1	29
30	5	X				7					18	4	30
31	2	X		X		X		5	X	91	X	17	31
Total	3.23	4.03	1.06	1.05	2.25	.71	5.01	2.09	2.12	2.08	1.93	5.63	YEAR'S TOTAL 31.19
Rain Days.	21	19	14	11	10	9	17	14	8	10	9	25	167

W. 8,000. X. 15.

951

FORM A.
BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Moor Park

in the County of Hertfordshire

by Lord Ebury

Lat. 51.37.30·N. Long. 0.26.20.W.

Time of Observation 8 o'clock

Nearest Railway Station L.N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. . in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22				17	3			6		27		1
2	45	3	7		17	3			23	41	2		2
3		56	6				2		13	17	25		3
4	26	13	1	4		44	2		6	26	52		4
5	2	3		3	6	14				10	72		5
6	1	6	24	15	1	7	5			8	33		6
7	13		36		12	4	47				69	3	7
8		1	5		20	12						22	8
9					26	3				5		13	9
10		10	8	6		27	5			6	1	1	10
11	5	18	5	8		14						15	11
12	4	4	13	9	22	14	5	19	1	2			12
13		36	35	14	4	5	27	12	1	6			13
14		44		2	10			62		5		12	14
15		16	24					20		5			15
16		8	39	14	3		25	6					16
17	12	3		5			2	60	26	40			17
18		15	5	15				22	11	10	54		18
19	14	1	19	26				2	34		70	10	19
20	16		15	6							5	22	20
21			54				7					60	21
22	2	3	6		2	1				6		42	22
23	1	30				5		3		2	3	14	23
24		5	2	1		22				7	2	20	24
25		50	7		6			22		14	16		25
26		12	1			12		4		6			26
27	6	5	82			19		35	14	18			27
28		32	19			8			11	2		29	28
29		6				22		124	5	30		14	29
30		X		5	6	3		6		36			30
31		X		X		X		3	X	12	X	3	31
Total	169	380	416	136	152	242	127	403	151	314	434	280	YEAR'S TOTAL 32.04
Rain Days.	14	24	22	15	14	20	10	15	12	23	14	15	198

W. 8,000, VIII. 16

—

MUCH HADHAM

HERTFORDSHIRE

1911-1920

AINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level ft. 961

Time of Observation 9 a.m.

Nearest Railway Station
Name Hadham
Distance 1m Direction SW.

sured daily at 9 a.m., and the result entered to the
nform to this almost universal rule, he is earnestly
nuary of the following year in the space provided
ructions for the measurement of rain,
particulars as to the British Rainfall
servers," sent post-free on application to
W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	11			11	~~17~~		01	04			02		1
2	18	03	01	15	17						13	12	2
3	01	03		02*	15					05	04	13	3
4	04		10	07*						02	08	17	4
5	04			07*						03		14	5
6	24		08	01*						01		40	6
7	03			01						08	21	30	7
8	18		14								20	20	8
9	16		02	02							01	01	9
10	02	06	08	01							05	34	10
11	25				52						50	01	11
12	16*		46		05				05		26		12
13	01		09		17				35	26	03	17	13
14			05*		58	03						39	14
15		04	39							04	05	01	15
16						58				01	24	06	16
17						04					24	12	17
18		14	01			23					55	10	18
19	02	02			04	10			14	06	34	04	19
20	02							12	19	05	01	53	20
21	02	11				03		13		32		13 3	21
22	11	01	15			02		02		09		50	22
23	02	09	23			92			31		01	17	23
24		06	05			03	07			90		17	24
25		04	04	06		24	54					02	25
26			02	20		05				14	05*	15	26
27		28	08	03					15		06*	08	27
28		21		20				04			01	02	28
29		X		03		14	31		33	21			29
30		X	01	03	01				02	16			30
31		X		X		X			X		X	01	31
Total	1·62	1·12	2·01	1·02	1·69	2·41	·93	·35	1·54	2·43	3·09	4·49	TOTAL for year 22·70
No. of Rain Days.	18	13	18	15	8	12	4	5	8	16	21	27	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Much Hadham.

in the County of Hertford. 3

by Thomas Woodham Mott.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft. 961

Time of Observation 9 a.m.

Nearest Railway Station
Name Hadham
Distance 1m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	11			11	~~17~~		01	04			02		1
2	18	03	01	15	17						13	12	2
3	01	03		02*	15					05	04	13	3
4	04		10	07*						02	08	17	4
5	04			07*						03		14	5
6	24		08	01*						01		46	6
7	03			01						08	21	30	7
8	18		14								20	20	8
9	16		02	02							01	01	9
10	02	06	08	01							05	34	10
11	25				52						50	01	11
12	16*		46		05				05		26		12
13	01		09		17				35	26	03	17	13
14			05*		58	03						39	14
15		04	39							04	05	01	15
16						58				01	24	06	16
17						04					24	12	17
18		14	01			23					55	10	18
19	02	02			04	10			14	06	34	04	19
20	02							12	19	05	01	53	20
21	02	11				03		13		32		18^{3}	21
22	11	01	15			02		02		09		50	22
23	02	09	23			92			31		01	17	23
24		06	05			03	07			90		17	24
25		04	04	06		24	54					02	25
26			02	20		05				14	05*	15	26
27		28	08	03					15		06*	08	27
28		21		20				04			01	02	28
29		X		03		14	31		33	21			29
30		X	01	03	01				02	16			30
31		X		X		X			X		X	01	31
Total	1·62	1·12	2·01	1·02	1·69	2·41	·93	·35	1·54	2·43	3·09	4·49	Total for year 22·70
No. of Rain Days.	18	13	18	15	8	12	4	5	8	16	21	24	165

W. 8,000, X. '11.

E.X. M L

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
13 JAN 1913

Kept at Much Hadham

in the County of Hertford 3

by Thomas Woodham Mott

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level ft. 361

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			07				05		09	24		13	1
2		05*	15			27	23	02				01	2
3	10	01*	06		11	18		36	01			11	3
4	23		61		11	24		04			37		4
5	09	08*	28	03				11	01		09		5
6	23	03			02		04	53			01	04	6
7	03				02	56		63				04	7
8	33	33	19			01	03	20	14			01	8
9	02	05		07	10	13						18	9
10		03						43	07		15	09	10
11	05	20				03			05	03	01	07	11
12	09	06	08		02	04					07		12
13	01	01	01			03		08	01		24	01	13
14					03	04		02		04	02	06	14
15		04	10		14	30		03		04	01	14	15
16	22		03		01	08		14			07		16
17	45*		31			13		06					17
18	04		09					04		02	03	10	18
19	14	06	09				15	31			02		19
20	02	01	10				01	15		39	01		20
21	01	02	35		14			14		09	06		21
22	36	11	14		02		06	18				03	22
23	43	25	24		03		05	52	02	01	13	06	23
24	46	01				05		21				10	24
25						16		76		01	22	37	25
26		02					32	37		31	47	31	26
27						03	01			11		11	27
28		04				01	01	02	06	28	24	26	28
29		03	02			17	08	14	1·22	41	08		29
30	02*	X			04	19	01	04	49	10			30
31		X	12	X		X	18	22	X	02	X	04	31
Total	3·33	1·44	3·04	·10	·79	2·65	1·23	5·75	2·47	2·10	2·30	2·27	TOTAL for year 27·47
No. of Rain Days.	~~20~~	~~20~~	~~19~~	~~2~~	~~18~~	~~19~~	~~14~~	~~26~~	~~11~~	~~15~~	~~19~~	~~21~~	~~199~~

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

961

REGISTER OF RAINFALL IN 1913

Kept at Much Hadham

in the County of Hertford 3

by Thomas Woodham Mott

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Hadham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	04	13	06	10					16	02	10	05	1
2	03	09			04		11		03	08	06		2
3	01		08	07	77							05	3
4	15		08		09		08			21	06	06	4
5	04						12		02	48	02	11	5
6		05	02		09	28	07		03	09	06		6
7		08			07	01	14	02		41	03		7
8			10	02	17	02				06	08		8
9		20	02	02	04	01			07		04	06	9
10	01		02				16	02			26		10
11	67			48	04			18		20	07		11
12					04			03		01	32		12
13	03								02		52		13
14	05	03	04	06			72	04	02	19	13		14
15	21	06	23	16			15						15
16	06		23	13					15		01		16
17	01	03	08	05		1.42	07				01	03	17
18	01		07	20			04		27		06	02	18
19	18		04	02			12		12			01	19
20	19		04	03		07	01			44			20
21	01	01	17	14			01			19	43		21
22	37		09				01		11				22
23						05	04	29	02			11	23
24	01		01	02		02					02		24
25		02		12								03	25
26			17	05				14		76	01	13	26
27		01	03	07				01		4			27
28	13		15	06					01	20		03½	28
29	11	X	04	16	22			19		01		02½	29
30	25	X		16				11		10	18	01½	30
31		X		X		X		30	X	02	X		31
Total	2.57	·71	1.77	2.12	1.57	1.88	1.85	1.33	1.03	3.51	2.47	·72	YEAR'S TOTAL 21.53
Rain Days.	~~21~~	~~11~~	~~21~~	~~20~~	~~10~~	~~8~~	~~15~~	~~11~~	~~13~~	~~18~~	~~20~~	~~14~~	~~182~~

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

11 JAN 1915

961

Kept at Much Hadham

in the County of Hertford 3

by Thomas Woodham Mott

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hadham G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04				44	25			07		1
2			02	01			04	05		03	14	13	2
3			31	01	12		34				09		3
4	15		01	24	01			03			61	21	4
5	03*		10	25	03	04	26	30					5
6		10			02	09	01	02			13	22	6
7		22	27	06	23		01					14	7
8	13	16	72	02	06	24	13	12				03	8
9	28		64	05		53			01			93	9
10	22	12	01	07	05				08				10
11		25	32		04	75			09			30	11
12	03*	03	08				01		42	02	26	27	12
13		25	15						09	34	05	31	13
14		02	26				17			22	14	30	14
15	05		17				03	02			06	04	15
16			07				13		01				16
17		23	03				01		13		02	06	17
18		04	07			01				01		25	18
19		06	16				92		04		18	18	19
20		14	23			11			24			04	20
21		39	08	03		03							21
22			02		14	04	08	03		24			22
23		01	07		24		01			11			23
24	02		02	09			06	01		03	13		24
25	02		09					06		34			25
26			01				02	09		06	15	64	26
27	03		01								01	23	27
28							02			07	28	1.31	28
29	01	X	06							32	13		29
30		X	05							03	31	18	30
31		X		X	18	X	02		X		X	04	31
Total	·97	2·02	4.07	.83	1.12	1.84	2.71	·98	1.11	1.82	2.76	5.81	YEAR'S TOTAL 26·04
Rain Days.	~~11~~	~~14~~	~~28~~	~~10~~	~~11~~	~~9~~	~~19~~	~~11~~	~~9~~	~~13~~	~~17~~	~~20~~	~~172~~

W. 8,000. X. 14.

Ex 9/26

1034

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
12 JAN 1916

961

3

Kept at Much Hadham

in the County of Hertford

by Thomas Woodham Mott

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hadham, G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	76	14			01				13	01	06	41	1
2	08	14	23	06				34		02		08	2
3	34		04	20			06	09		02		19	3
4	08							18				40	4
5	04	19	04					04		08	05	22	5
6	18			25			57					11	6
7	07	39	07		13	04	27	02				17	7
8		40		03									8
9	33	37		03				06			12	56	9
10	02	10	06					25			02	15	10
11		02	03								44	02	11
12	09				29		01	05			71		12
13	04	36			1.41								13
14		05					69	02	04			37	14
15	28			12	07			22		05	45*	09	15
16		39					61					04	16
17	01	12			34	15	19						17
18	01	25	27*		05	01					10		18
19		10	18*	08			11						19
20	26									02		36	20
21	13						02		02			03	21
22	60		28				41					09	22
23		17*	40				15		07	05		36	23
24		01	03				25	03	28	10		21	24
25		06	01	03			02			04		09	25
26						03	03			35		21	26
27		10				17	27		~~1.40~~	13		05	27
28		03						04	1.40				28
29		X	03*				37	10			11	08	29
30	02	X				20			02		05		30
31	03	X		X		X		02	X	62	X	12	31
Total	3.37	3.39	1.67	.80	2.30	.60	4.03	1.46	1.96	1.49	2.11	4.41	YEAR'S TOTAL 27.59
Rain Days.	~~19~~	~~19~~	~~13~~	~~8~~	~~7~~	~~6~~	~~16~~	~~14~~	~~7~~	~~12~~	~~10~~	~~23~~	~~154~~

W. 8,000. X. 15.

Eve 82

1007

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

1917

Kept at Much Hadham

in the County of Hertford

by T. W. Mott

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Hadham

Diameter of Funnel of Rain Gauge in. 961

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04		04		11				03		21		1
2	38	48			10	12	09		19	38	01		2
3			15						47	21	54		3
4	30		21	28		27	04		06	07	36		4
5	03		02*		02	20				06	51	02	5
6	13		15*		03	06					48		6
7		08	18*		13	14	28			07	82	04	7
8		02	02*		36							34	8
9	02				24	20				10			9
10		09	12*	12			04		03	02		09	10
11	06	15	5*	14	01	24						01	11
12		01	16	3	40	21	21	25		16			12
13		55		18	42	11	25	22		02			13
14			28	06	08			25				09*	14
15	04	43*	08	01			04	20		01			15
16		14		18	03			07		08			16
17	03	04		13			19	1.39	27	28			17
18	07	04	03	15			03		07	02	42		18
19	05	09	09	05							67	07*	19
20			25	05		04					04	43	20
21			81			27	19					47	21
22		07*	02		04					03		48	22
23		41*						03			05	07 [illegible]	23
24	10	04*	02					02		04	03	22	24
25		12*	07					20		08	04	12	25
26		44*	02							02			26
27	15	04*	96 [illegible]			04		15		40			27
28	03	33*	47 [illegible]		11	29			08	03		20	28
29		15						1.08		29		11	29
30	13	╳						20		32			30
31		╳		╳		╳		02	╳	06	╳	03	31
Total	1.56	3.72	4.20	1.38	2.08	2.19	1.36	4.08	1.20	2.75	4.18	2.79	YEAR'S TOTAL 31·49
Rain Days.	~~15~~	~~20~~	~~22~~	~~12~~	~~14~~	~~13~~	~~10~~	~~13~~	~~8~~	~~22~~	~~13~~	~~16~~	178

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

974

FORM A.
BRITISH RAINFALL

7. JAN 1918

96

Kept at Much Hadham

in the County of Hertford

by T. W. Mott

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Hadham G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01		14				84	05		10		1
2	02	02	01	44				17		02	03		2
3	03			01				45		27	08		3
4		05						15		60			4
5		04	06	16				12	12	11	09		5
6	27			03		13			03	02	05		6
7	30						17			48	02	03	7
8				14			84	25		21	08	14	8
9			06	12			02	20		02	12	10	9
10	26	02	19	13				08		02	01		10
11	18		42	08						24			11
12	09		02	03	13			02		30			12
13	06		02	01				05	05	03		02	13
14	02		01	13				09		02			14
15				39				01		02			15
16	06	06	01	12	05		10			59		26	16
17				11	55		20	02	37	38			17
18	05					10	16	04	37	01			18
19		10	09		10				29		02		19
20		17	11		1·41			02	05		20		20
21		01	06		03					01	06	02	21
22			06					09		18	01		22
23		08	05		19	02		17		29		03	23
24		02				07		09		11	59		24
25		01	09						01		01	02	25
26			09			02		25	02			03	26
27	02		02					81	03			03	27
28		03	01			50		12		02		4	28
29	02	╳	07		68	17	75	10		17		15	29
30	03	╳	13				84	15		02	01	01	30
31		╳	19	╳		╳	29	02	╳	02	╳	03	31
Total	1·41 ✓	·62 ✓	1·77 ✓	2·04 ✓	3·14 ✓	1·01 ✓	3·37 ✓	4·31 ✓	1·39 ✓	4·16 ✓	1·48 ✓	·91 ✓	YEAR'S TOTAL 25·61
Rain Days.	14 ✓	13 ✓	21 ✓	15	8 ✓	7 ✓	9 ✓	24 ✓	11 ✓	25 ✓	16 ✓	14 ✓	177

W. 8,000, IX. 17.

3.14

55

FORM A.
BRITISH RAINFALL.

21·1 19

REGISTER OF RAINFALL IN 1918

Kept at Much Hadham
in the County of Hertford
by Thomas Woodham Mott

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02		16						09	08	05	1
2	03	07		04				13			09	08	2
3	01	01	05	01	48			20	10		03	07	3
4		06	07						50		52		4
5		02	01		07			18			51		5
6	07	10	01	29	04				10			07	6
7	11	09		04	04				06	07			7
8		02							12	18			8
9	06	03		01		09	17		40	05		20	9
10	06	01	01	03			35			18		20	10
11	01						21		02			04	11
12	02	12			03		04		08	22			12
13	01	03		108	34		05		10			15	13
14	14			51	22	15	04		18	25		07	14
15	88			31			14		03			13	15
16	22			01					22			05	16
17	11					02	90		02			14	17
18	40					18	08		122			40	18
19	06	02	14	08		09	18		03			10	19
20	02	10		47		05	10		29	06		08	20
21	06	01		12	12					08			21
22	02			01			05	03	16	27			22
23	01				60	02	58		04	05			23
24		20			08	04	02	12	08		02	02	24
25					02	07	30				34	04	25
26		01	01				42				13	12	26
27		01		17			03	25			13		27
28	01	02	28	01		04		01	05		32	07	28
29	01								1.40		04		29
30			40						~~1.40~~		08	13	30
31			02									07	31
Total	2.32	.95	1.00	3.35	2.04	.75	3.66	.92	5.20	1.50	2.29	2.28	YEAR'S TOTAL 26.26
Rain Days.	21	19	10	17	11	10	17	7	21	11	12	21	177

W. 8,000, IX. 17.

Fr

920

5 JAN 20

961

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Much Hadham
in the County of Hertford
by T. Woodham Mott

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Hadham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	03			15		37			05		100	1
2	20		02		11		43		17	02	15	21	2
3	27		31				10		13		11	21	3
4	06		22			10	14	28			01	15	4
5	04	30	12				35		11		04	21	5
6			20								02	07	6
7	03		32								15		7
8	08		08	10							08		8
9	02		04	06							20		9
10	04		08	10							02		10
11	10		14	25			24				01	05	11
12							15			08	02	01	12
13	05	02		25						09		01	13
14	19	03		42			05		15	02			14
15	13	05		24						25	03	17	15
16	17	60	65								11	04	16
17		83	85								22		17
18		13	07					02	05		04		18
19		10	53			·24	14	29	20		15	09	19
20	20	07	06			·74 ~~24~~	22	39			02	04	20
21	40	28				~~74~~	34				01	05	21
22		18					14		40		06	40	22
23							10	02	06		03	08	23
24				26		03	02	05			15	02	24
25	07					03		49				03	25
26	19	23	17	06				05	12			37	26
27	80	12	02	154				35		03		01	27
28	07			18				79		07	13	32	28
29		X		05				14		21	15	04	29
30	02	X	06	28		13		11		04	25	27	30
31	02	X	04	X		X			X	01	X	02	31
TOTAL	3.47	2.97	3.98	3.79	·26	1.27	2.79	2.98	1.39	·87	2.16	3.87	YEAR'S TOTAL 29.80
Days with ·01 in. or more	22	14	19	13	2	6	14	12	9	11	24	24	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

874

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

21 JAN 1921

961

Kept at Much Hadham

in the County of Hertford

by T. W. Mott

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hadham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				45	04		27	21		40		21	1
2			03	01			06	32	06	15		09	2
3		03		03			09		09	09		02	3
4			02	08			05	05	02	04		10	4
5			08*		07		59	01	15			04	5
6			14	02	06		30					02	6
7	02		08	13	02		11					02	7
8	14	02		34			12	08					8
9	31	02		16			03	06					9
10	23	03	14	02			10					03	10
11	33		05	30	02	02	15					13*	11
12	08	01	07*	10		24					02		12
13	04	03	09	11		06					04	01*	13
14			27	18		04	09		10	05	17		14
15	01		15*	13			03		39		06	04*	15
16	05		01	14		02	01		23			01*	16
17	01		01	01	09	52	01		25			03	17
18	17							50	20			04	18
19				38				06				02	19
20	08	14		35		55			10				20
21	01			01			67	06	40			05	21
22	01			18				05	11			07	22
23							73					35	23
24	02		03									01	24
25	01	04	04	02	02		17						25
26	06		07	04	12		04				03	02	26
27	26	03		31		17					21	10	27
28	44		32		02		07						28
29	10		09		16		04				11	31	29
30	03	×	01	02		03	37		16		14	19	30
31	01	×		×		×			×	29	×	08	31
Total	2.42	.35	1.70	3.52	.62	1.65	4.10	1.40	2.26	1.02	.78	1.99	Year's Total 21.81
Days with ·01 in. or more	~~22~~	~~9~~	~~19~~	~~24~~	~~10~~	~~9~~	~~22~~	~~10~~	~~13~~	~~6~~	~~8~~	~~24~~	~~176~~
Days with ·04 in. or more	~~13~~	~~2~~	~~13~~	~~16~~	~~6~~	~~6~~	~~18~~	~~9~~	~~12~~	~~6~~	~~6~~	~~14~~	~~121~~

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

HERTS
NEW BARNET.

1911 - 1912

REGIS —— 1

Kept at New Barne… …owdon …5 in.

in the County of Hertford… …Ground 1 ft. 0 in.

…Sea Level 215 ft.

by F. L. Hall… …m.

Name New Barnet/SE

Distance 100 yds Direction ~~[illegible]~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											...	...	1
2										New Raingauge installed Oct 21/11	·25	·16	2
3											·14	·01	3
4											·15	·23	4
5											...	·24	5
6											...	·16	6
7											·28	·44	7
8											·18	·17	8
9											·01	·01	9
10											·07	·34	10
11											·61	...	11
12											·15	...	12
13											·10	·21	13
14											...	·17?	14
15											·01	·02	15
16											·30	·04	16
17											·50	·13	17
18											·48	·12?	18
19											·25	·14	19
20											·01	·66	20
21											...		21
22										·09	...		22
23										...	·02		23
24										1·11	...		24
25										·02	...		25
26										·17	·01		26
27										...	·01	1·20	27
28										...	·02	·01	28
29										·26	·01	...	29
30										·14	...	...	30
31										...		·01	31
Total										10 days 1·79	3·56	4·47	TOTAL for year
No. of Rain Days											21	?	

9,000, IX. '10.

1

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN. 1912

Kept at New Barnet

in the County of Hertfordshire 3

by F. L. Halliwell

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 215 ft.

Time of Observation 7 a.m.

Nearest Railway Station
Name New Barnet
Distance 700 yds Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											...	...	1
2										New Raingauge installed Oct 21/11	·25	·16	2
3											·14	·01	3
4											·15	·23	4
5											...	·24	5
6											...	·16	6
7											·28	·44	7
8											·18	·17	8
9											·01	·01	9
10											·07	·34	10
11											·61	...	11
12											·15	...	12
13											·10	·21	13
14											...	·17?	14
15											·01	·02	15
16											·30	·04	16
17											·50	·13	17
18											·48	·12?	18
19											·25	·14	19
20											·01	·66	20
21											...		21
22										·09	...		22
23										...	·02		23
24										1·11	...		24
25										·02	...		25
26										·17	·01		26
27										...	·01	1·20	27
28										...	·02	·01	28
29										·26	·01	...	29
30										·14	...	...	30
31										...		·01	31
Total										10 days 1·79	3·56	4·47	TOTAL for year
No. of Rain Days											21	?	

9,000, IX. '10.

Various Insp estd. 5·III·13

REGISTER Exd DS OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at New Barnet
in the County of Hertfordshire 3
by Frank L. Halliwell

Lat. Long.
Time of Observation 7·30 a.m.
Nearest Railway Station New Barnet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	...	·06	·01	...	·08	...	...	·03	·31	...	·16	1
2	...	Snow ·03		...	...	·15	·08	·15	...	...	...	·01	2
3	·03	Snow ·01	}·19	...	·03	·09	·03	·33	...	...	...	·08	3
4	·21	·01	·59	...	·28	·08	·01	·06	...	...	·19	...	4
5	·06	·09		...	...	·04	...	·13	...	...	·08	...	5
6	·60	·02	}·10	...		...	...	·10	...	...	...	·07	6
7	...	...	·02	...	}·01	·49	...	·18	...	...	...	·02	7
8	·39	·29	·17	...	...	·02	·02	·14	...	...	·01	·01	8
9	·03	·23	...	·02	·01	·13	·04	...	...	...	·07	·16	9
10	·01	·04	...	...	...	·02	...	·27	·03	...	...	·19	10
11	·03	·33	...	...	...		...	...	·03	·01	...	·09	11
12	·04	·18	·05	...	·15	}·10	...	...	...	·01	·08	...	12
13	·02	·01	·06	...	...	·01	·03	...	...	...	·11		13
14	...	...	·01	...	...	...	...	·01	...	·05	...		14
15	...	·01	·06	...	·27	·36	...	·16	...		·01	}·34	15
16	·20	...	·03	...	·07	·06	...	·08	...		·05		16
17	·47	...	·29	...	...	·08	...	·06	...		...	Readings discontinued due to removal	17
18	·24	...	·14	...	...	...	...	·07	...		·03		18
19	·12	·03	·12	...	...	...	·06	·56	...	}·06	·01		19
20	·09	...	·09	...	·04	...	...	·20	...	·36	...		20
21	·01	·06	·45	...	·02	...	...	·10	...		·04		21
22	·21	·20	·12	...	·03	...	(·25)	·06	...		...		22
23	·39	·32	·33	...	...	...	·52	·51	...		·19	(1·50)	23
24	·45	·02	...	...	...	·02	·01	·11	...	?which day	...		24
25	...	...	...	...	...	·11	...	·42	...		·70		25
26	...	·01	...	...	...	...	·07	·44	...		...		26
27	...	...	·01	...	...	...	...	...	...		...		27
28	...	·04	...	...	...	(·05)	·03	·03	·05		·33		28
29	...	·02	·01	...	...	·17	·27	·25	1·07		·10		29
30	...		·37		·22	...	...	·07	1·01	}1·64	...		30
31	·01				·03		·24	·17		...			31
Total	3·61	1·95	3·27	0·03	1·16	2·08	(1·66)?	4·66	2·22	2·24	2·00	(2·63)	YEAR'S TOTAL 27·49
Rain Days.	20	20	?	2	12	?	13?	25	6	?	15	?	

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.
18 MAR 1912

RE 1911

HERTS.
NEW BARNET - GAS WORKS.
1911-1913; 1916-1920

Kept at New Barnet Ga

in the County of H

by

top 8 in.
above Ground ft. in.
„ Sea Level ft.

tion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.050			.550				.030					1
2	.180			.305	.240						.265	.195	2
3		.030			.215					.060	.140	.100	3
4	.080	.020	.080	.190						.035	.175	.310	4
5	.010			.065						.070		.110	5
6	.420		.095									.330	6
7	.050			.020						.110	.285	.280	7
8	.150	.080	.195								.188	.185	8
9	.105		.035									.015	9
10	.040		.125	.060							.095	.390	10
11	.340				.475						.625	.020	11
12	.095		.495		.070	.070			.050		.265	.015	12
13			.075		.390				.480	1.170	.010	.245	13
14		.045	.020		.410							.480	14
15		.060	.275							.025	.050		15
16						.385					.395	.080	16
17			.175			.105					.470	.155	17
18		.196	.015			.170					.500	.230	18
19		.050			.020	.140			.220	.115	.275	.095	19
20		.030	.015						.155	.070		.670	20
21		.085						.285		.435	.010	.090	21
22			.030			.030		.141		.205		.415	22
23		.180	.260			.815			.310		.045	.125	23
24		.140	.045				.025			1.160		.170	24
25	.010	.060	020	.060		.255	1.256	.035	.010	.040			25
26			.030	.190		.125	.050	.020		.180	.020	.290	26
27		.490	.085	.140				.025	.130			.092	27
28		.325		.240	.060		.085	.060			.049		28
29				.055		.185	.110		.255	.280	.020		29
30					.045					.180			30
31					.225								31
Total	1.530	1.791	2.070	1.875	2.150	2.280	1.526	.596	1.610	4.135	3.882	5.087	TOTAL for year 28.532
No. of Rain Days.	12	14	18	11	10	10	5	7	8	15	19	24	153

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

REGISTER OF RAINFALL IN 1911

Eng Rly

Kept at New Barnet Gas Works Albert Road

in the County of Herts 3

by J Hopkinson

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.050			.550				.030					1
2	.180			.305	.240						.265	.195	2
3		.030			.215					.060	.140	.100	3
4	.080	.020	.080	.190						.035	.175	.310	4
5	.010			.065						.070		.110	5
6	.420		.095									.330	6
7	.050			.020						.110	.285	.280	7
8	.150	.080	.195								.188	.185	8
9	.105		.035									.015	9
10	.040		.125	.060							.095	.390	10
11	.340				.475						.625	.020	11
12	.095		.495		.070	.070			.050		.265	.015	12
13			.075		.390				.480	1.170	.010	.245	13
14		.045	.020		.410							.480	14
15		.060	.275							.025	.050		15
16						.385					.395	.080	16
17			.175			.105					.470	.155	17
18		.196	.015			.170					.500	.230	18
19		.050			.020	.140			.220	.115	.275	.095	19
20		.030	.015						.155	.070		.670	20
21		.085						.285		.435	.010	.090	21
22			.030			.030		.141		.205		.415	22
23		.180	.260			.815			.310		.045	.125	23
24		.140	.045				.025			1.160		.170	24
25	.010	.060	.020	.060		.255	1.256	.035	.010	.040			25
26			.030	.190		.125	.050	.020		.180	.020	.290	26
27		.490	.085	.140				.025	.130			.092	27
28		.325		.240	.060		.085	.060			.049		28
29				.055		.185	.110		.255	.280	.020		29
30					.045					.180			30
31					.225								31
Total	1.530	1.791	2.070	1.875	2.150	2.280	1.526	.596	1.610	4.135	3.882	5.087	TOTAL for year 28.532
No. of Rain Days.	12	14	18	11	10	10	5	7	8	15	19	24	153

W. 8,000, X. '11.

made

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

18 FEB 1913

Ex. 1898

Kept at Gas Works New Barnet.

in the County of Herts 3

by J. J. Bancroft. B.Sc. M.S.Cl.

Lat. Long.
Time of Observation
Nearest Railway Station as before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.090	.020	-	.115	.100	.	.035	.310	.	.180	1
2	.	.	.140	.015	.005	.140	.300	.115	.	.	.	.	2
3	.002	.	.105		.038	.141	.020	.372	.025	.	.	.100	3
4	.225	.	.551		.265	.110	.	.115	.	.	.240	.	4
5	.230	.	.105		.	.	.	.155	.	.	.038	.	5
6	.430	.	.030		.	.005	.	.095	.	.	.	.090	6
7	.	.005	.		.025	.515	.020	.225	.	.	.	.035	7
8	.390	.425	.188		.	.	.030	.145	.250	.	.	.018	8
9	.035	.100	.	.040	.018	.160	.040	.015	.	.	.	.190	9
10	.	.055	.		.	.015	.	.198	.035	.	.150	.185	10
11	.002	.415	.005		.	.030	.	.033	.040	.	.	.115	11
12	.068	.105	.105		.175	.100	.	.		.	.105	—	12
13	.	.	.020		.	.020	.020	.		.	.130	.065	13
14	.	.	.023		.035	.	.	.085		.080	.	.035	14
15	.	.005	.075		.270	.220	.	.005		.	.	.285	15
16	.275	.	.055		.088	.060	.	.168		.068	.080	.	16
17	.165	.	.275		.	.100	.	.		.	.	.018	17
18	.150	.	.145		.	.	.	.140		.025	.048	.135	18
19	.198	.055	.120		.	.	.075	.438		.015	.	.	19
20	.	.	.125		.048	.	.015	.210		.360	.	.	20
21	.	.085	.455		.028	.	.	.115		.068	.055	.	21
22	.225	.205	.120		.030	.	.240	.270		.120	.	.035	22
23	.400	.325	.318		.	.	.570	.285		.015	.190	.	23
24	.430	.030	.		.	.025	.015	.075		.	.	.157	24
25	.	.	.		.	.165	.	.645		.	.300	.570	25
26	.	.020	.		.	.	.060	.215		.440	.430	.220	26
27	.	.	.018		.	.040	.	.		.205	.	.255	27
28	.	.050	.	.005	.	.050	.090	.115	.070	.330	.325	.230	28
29	.	.050	.025		.	.140	.280	.190	1.220	.358	.090	.	29
30	.		.		.218	.	.	.070	.810	.135	.	.	30
31	.		.395		.037	.	.230	.180	.	.	.	.060	31
Total	3.225	1.930	3.488	.080	1.280	2.151	2.105	4.774	2.485	2.529	2.181	2.978	YEAR'S TOTAL 29.206
Rain Days.	~~15~~ 13	~~15~~ 14	23.	~~4~~ 3	14	~~19~~ 18	16	26.	8	14	13.	20	~~187~~ 182

W. 7,500, XI. 12

Smale ✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

27 JAN 1914

BARNET DISTRICT GAS & WATER COMPANY
ENGINEER
F. J. BANCROFT
& MANAGER

4 B2 3

Kept at ....

in the County of ....

by ....

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·030	·190	·115	·340	-	·005	-	-	·150	-	·060	·038	1
2	·065	·150	·015	-	-	-	·058	-	·050	-	·025	-	2
3	-	-	·045	·250	·395	-	-	-	-	-	-	·026	3
4	·200	·015	·025	·025	·200	-	·145	-	-	·180	·035	·020	4
5	·090	-	-	-	-	·025	·045	-	·130	·040	·020	·034	5
6	-	·048	·078	-	·100	·240	·058	-	·020	·210	·030	·070	6
7	-	·135	-	-	·128	·040	·270	·005	-	·400	·120	-	7
8	-	·025	·050	·010	·136	·130	-	-	-	·090	·035	-	8
9	-	·140	-	·025	·033	·005	-	-	·055	-	·036	·078	9
10	-	-	·040	·135	·058	-	·355	·025	-	-	·290	-	10
11	·765	-	-	·475	·305	-	-	·065	-	·425	·078	-	11
12	-	·025	-	-	·028	-	-	-	-	-	·575	-	12
13	·080	·010	·018	-	-	-	-	·030	-	·005	·328	-	13
14	·085	·018	·114	·065	·018	-	·370	·080	·077	·160	·110	-	14
15	·135	·052	·220	·330	-	-	·160	-	-	-	-	-	15
16	·080	-	·285	·120	-	-	-	-	·110	-	-	-	16
17	·030	-	·048	·205	-	-	·180	-	·050	-	·032	-	17
18	·020	-	·140	·122	·045	-	-	-	-	-	·088	-	18
19	·215	-	·015	-	-	-	·110	-	·255	-	-	·030	19
20	·070	-	·045	·045	-	·065	-	-	-	·560	·028	-	20
21	·025	-	·245	·138	-	-	·060	-	-	·200	·658	-	21
22	·395	-	·135	·020	-	-	-	-	·150	-	·015	-	22
23	-	-	·020	-	-	·028	-	·145	·030	-	-	·170	23
24	·015	-	·010	·035	-	·005	-	·048	-	-	-	-	24
25	-	·030	-	·155	-	·030	-	-	-	·020	·005	-	25
26	-	·045	·220	·162	-	-	-	·110	-	·645	-	·270	26
27	·015	·005	·050	·022	-	-	-	-	-	·025	-	-	27
28	·190	-	·190	·085	-	-	-	-	-	·095	-	-	28
29	·070		·090	·455	·525	-	-	·056	-	·018	-	·020	29
30	·258		-	·126	-	-	-	·035	-	·040	·110	-	30
31	-		·030	-	-		-	·300		·020		-	31
Total	2·833	·888	2·243	3·345	1·971	·573	1·811	·899	1·077	3·133	2·678	·756	YEAR'S TOTAL 22·207
Rain Days.	20	14	24	22	12	~~10~~ 9	11	11	11	17	20	10	~~182~~ 181

W. 7,500, XI. 12

✓ End Ely

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

2. MAR 1917

Kept at Gas Wks New Barnet

in the County of Hertfordshire

by F. J. Bancroft

Lat. 51° 39' 5" N Long. 0° 10' 15" W

Time of Observation 9 am.

Nearest Railway Station New Barnet

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 217 ft.

Fy

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.020	.	.005	.	.120	.040	.	.	.130	.180	.390	.	1
2	.620	.020	.090	.	.255	.	.	.	.140	.365	.100	.	2
3	.	.328	.200	.	.005	.	.	.	.225	.330	.400	.	3
4	.240	.045	.	.	.	.415	.045	.	.026	.125	.100	.	4
5	.030	.	.	.020	.038	.130	.025	.	.	.180	.775	.020	5
6	.090	.080	.250	.260	.	.050	.	.	.	.	.400	.	6
7	.	.	.200	.	.115	.165	.415	.	.	.	.700	.	7
8	.	.030	.	.	.440	.	.040	.	.	.010	.015	.	8
9	.010	.020	.100	.	.345	.435	.	.	.	.130	.020	.200	9
10	.	.	.095	.095	.	.180	.060	.	.	.005	-	.350	10
11	.040	.130	.015	.155	.	.330	.	.	.016	.	.	.030	11
12	.025	.200	.030	.105	.350	.110	.025	.	.010	.	.	.	12
13	.	.600	.200	.050	.070	.130	.138	.200	.	.140	.005	.	13
14	.	.320	.010	.020	.100	.	.	.155	.	.	.	.145	14
15	.	.260	.390	.	.	.	.	.380	.	.005	.	.	15
16	.	.020	.160	.145	.045	.	.035	.120	.	.020	.	.010	16
17	.090	.045	.	.035	.	.	.300	.220	.297	.605	.	.020	17
18	.015	.100	.100	.040	.	.	.030	1.290	.090	.025	.310	.	18
19	.130	.	.080	.100	.	.	.	.240	.110	.	1.010	.100	19
20	.180	.	.175	.170	.	.	.	.	.	-	.040	.560	20
21	.025	.	.740	.080	.	.	.	.	.	.	.005	.	21
22	.	.035	.050	.	.015	.	.	.	.	.050	.005	.	22
23	.028	.300	.	.	.	.105	.	.	.	.240	.080	.	23
24	.	.	.015	.	.070	.285	.	.030	.	.080	.040	.100	24
25	.	.470	.100	.	.	.	.	.034	.	.035	.020	.	25
26	.	.080	.020	.	.020	.020	.	.021	.	.035	.050	.	26
27	.080	.120	1.035	.	.	.078	.	.405	.100	.500	.	.	27
28	.	.350	.225	.	.	.240	.	.035	.	.100	.	.	28
29	.	.070	.		.	.245	.	1.715	.	.310	.	500	29
30	.	X	.	.	.045	.015	.	.088	.	.590	.	.100	30
31	.	X	.	X	.	X	.	.050	X	.110	X	.100	31
Total	1.623	3.623	4.285	1.275	2.033	2.973	1.113	4.983	1.144	4.170	4.465	2.235	YEAR'S TOTAL 33.922
Rain Days.	15	21	23	13	15	17	10	15	10	22 ~~23~~	18 ~~19~~	13	192 ~~194~~.

W. 8,000, VIII. 16

made ✓

949

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

23. JAN.

Kept at Gas Works" New Barnet

in the County of Herts.

by F. J. Bancroft.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station New Barnet

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Date 1917.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·005	.	.	·200	.	.	·005	·700	.	.	·140	.	1
2	.	.	.	·280	.	·030	.	·060	·025	·005	·090	.	2
3	.	.	.	·040	.	.	.	·270	.	·360	·340	.	3
4	·070	·120	·200	.	.	.	·030	·300	.	·310	.	.	4
5	·100	.	.	·365	.	.	.	·070	1·560	·105	·170	.	5
6	·300	.	.	.	.	·030	.	-	·025	.	·100	·010	6
7	·125	.	.	.	.	.	·120	.	-	·370	·015	·040	7
8	·030	.	.	·100	.	.	·700	·120	.	·250	·200	.	8
9	·290	.	·100	·060	·005	.	·025	·200	-	.	·070	·350	9
10	·070	.	·100	·230	·005	.	.	·110	-	.	·020	.	10
11	·080	.	·440	·240	.	.	.	-	-	.	.	.	11
12	·020	·015	.	·005	.	.	.	·060	.	.	·015	·030	12
13	·010	.	·080	.	.	.	.	·065	.	.	.	·010	13
14	·030	.	·015	·200	.	.	.	·100	.	1·020	.	·015	14
15	·040	.	.	·010	.	.	·260	·020	-	·070	.	.	15
16	.	·128	.	·205	·220	·210	·050	.	-	·750	.	·250	16
17	.	.	.	·120	·650	.	·250	·060	·500	·290	.	.	17
18	·010	·040	.	·070	·100	·220	·110	-	-	.	.	.	18
19	·020	·170	·040	.	·095	.	.	.	-	.	.	.	19
20	·100	·200	·120	.	·720	.	.	.	·005	·005	·120	.	20
21	.	.	·020	.	·040	.	.	.	.	·020	·020	·015	21
22	.	.	·040	.	.	.	.	·100	.	·080	.	.	22
23	.	·110	.	.	·105	·050	.	-	.	.	.	·020	23
24	.	·010	.	.	.	·040	.	-	.	·290	.	.	24
25	.	·100	·035	.	.	.	.	·210	.	.	·040	.	25
26	.	.	·040	.	.	.	.	·250	·180	.	·450	·005	26
27	.	.	·030	.	.	·150	.	·760	·030	.	.	·030	27
28	.	.	·025	.	.	.	.	·135	.	.	.	·040	28
29	.	.	·015	.	·405	·950	1·300	·210	.	·260	.	.	29
30	·015		·330	.	.	.	1·340	·120	.	·015	.	·140	30
31	·025		·050		.		·310	·010		·015		.	31
Total	1·340	·893	1·680	2·125	2·345	1·680	4·500	3·930	2·325	4·215	1·790	·955	YEAR'S TOTAL 27·778
Rain Days.	18.	9.	17.	14.	10.	8	12	21	7	17	14	13	160

W. 8,000, IX. 17.

Exd 9x 32

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

17.X.18

Kept at Gas Wks. New Barnet
in the County of Herts
by F. J. Bancroft. FM

Lat. ______ Long. ______
Time of Observation 9 am.
Nearest Railway Station New Barnet
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	·005	.	·340	.	.	.	.	.	.	·150	·110	1
2	·010	.	.	·095	-	.	.	.	.	·010	·200	·250	2
3	.	·100	·030	·025	·500	.	.	·400	.	·050	·560	·020	3
4	.	·080	·100	·065	.	.	.	.	.	·030	·590	·025	4
5	.	·050	·020	.	·130	.	.	·190	.	·020	.	·005	5
6	·130	·240	.	·400	·140	.	.	·100	.	·070	.	·080	6
7	·030	·110	.	·070	·100	.	.	·050	.	·075	.	.	7
8	.	·060	.	·030	.	.	·010	.	.	·035	·190	·025	8
9	·020	·050	.	·020	.	.	·370	.	.	·120	.	·310	9
10	·040	·020	.	·045	.	·090	·410	.	.	·025	.	·330	10
11	.	.	.	·030	.	.	·100	.	·100	·200	·060	·095	11
12	.	·100	.	.	·260	.	·155	.	.	.	.	·015	12
13	.	·030	.	.	·190	.	.	.	·260	.	.	·030	13
14	·240	.	·020	·005	.	·230	.	.	.	·260	.	.	14
15	1·090	.	.	·780	.	.	.	.	.	.	.	·320	15
16	·190	.	.	·470	-	·050	·330	.	.	·035	.	·010	16
17	·240	.	·015	·250	·230	·110	·420	.	·290	.	.	·160	17
18	·590	.	.	.	.	·210	.	.	·330	·120	.	·110	18
19	.	.	·030	·090	.	·070	·010	.	.	.	.	·220	19
20	·050	·175	-	·210	.	.	.	.	·570	·300	.	·050	20
21	·080	.	.	·740	.	·025	.	.	·300	·030	.	.	21
22	·070	·005	-	·020	·370	-	·510	.	·450	·050	.	·210	22
23	.	.	.	·005	·300	-	·640	·105	·305	.	.	·035	23
24	.	·200	.	.	.	·030	·050	·005	·120	.	·070	-	24
25	·015	.	.	.	.	.	·320	·050		.	·035	-	25
26	.	.	.	.	·150	.	·220	·120	.	·050	·255	·180	26
27	·005	·025	·020	.	.	.	·110	·050	·040	·050	·120	·035	27
28	.	.	.	·130	.	.	.	·010	.	.	·280	-	28
29	·020	.	·110	-	-	.	.	.	1·160	.	·020	·165	29
30	.	×	·100	-	-	.	.	.	·020	.	.	·075	30
31	.	×	·210	×	-	×	.	.	×	.	×	·020	31
Total	2·820	1·250	·655	3·820	2·370	·815	3·655	1·080	3·945	1·530	2·530	2·885	YEAR'S TOTAL 27·355
Rain Days	16	~~15~~ 14	10	~~20~~ 19	10	8	14	~~10~~ 9	12	18	12	25	~~170~~ 167

W. 6,500, VII. 18. w w c

897

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Gas Works, New Barnet.
in the County of Hertford
by F.J. Bancroft.
Engineer.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.480	-	-	-	.160	-	.350	-	.025	-	-	1.210	1
2	.295	-	.030	-	.140	-	.090	-	.320	.250	.140	.120	2
3	.315	-	.265	-	-	-	.095	-	.065	-	.050	.340	3
4	-	.010	.400	-	.010	.070	.180	.080	.010	-	.020	.200	4
5	.170	.330	.490	-	-	-	.100	-	.210	-	.025	.300	5
6	.015	-	.125	.005	-	-	-	-	-	-	.010	.085	6
7	.045	-	.450	-	-	-	-	-	-	-	.040	-	7
8	.080	-	-	.055	-	-	-	-	-	-	-	-	8
9	.045	-	.095	.025	.085	-	-	-	-	-	.250	-	9
10	.420	-	.090	.030	-	-	-	-	-	-	-	.060	10
11	-	-	.095	.310	.005	-	.420	-	-	-	-	.020	11
12	.050	-	.145	.020	-	.045	-	-	-	-	-	.005	12
13	.030	-	-	.245	-	-	-	-	-	.050	-	-	13
14	.420	-	-	.380	-	-	.055	-	.230	.040	-	-	14
15	.250	-	.185	.210	-	-	-	-	-	-	-	.420	15
16	.045	.910	-	.010	-	-	-	-	-	.060	.170	.045	16
17	-	.750	.050	-	-	-	-	.035	-	-	.280	.030	17
18	-	.075	.080	-	-	-	-	.210	.070	-	.120	.110	18
19	.065	.195	1.115	-	-	.270	-	.250	-	-	.100	-	19
20	.375	.095	.085	-	-	.840	-	-	.100	-	-	.005	20
21	.230	.360	.035	-	-	-	.440	-	-	-	.005	.130	21
22	-	.180	-	-	-	-	.120	-	.200	-	-	.350	22
23	.010	-	-	-	-	.060	-	.140	.100	.100	.065	.005	23
24	-	-	-	.130	-	.015	.025	.350	-	-	.105	.790	24
25	-	-	-	.030	.180	-	-	.080	-	-	-	-	25
26	-	.210	.135	-	-	-	-	.530	.140	-	-	-	26
27	.920	.055	.015	1.410	-	-	.030	.545	-	-	.075	-	27
28	.030	.010	.120	.040	-	-	-	.350	-	-	.290	-	28
29	.010		-	.040	-	-	-	-	-	.090	-	.050	29
30	-		.020	.265	-	.220	-	.100	-	.025	.510	.300	30
31	-		.020		-		.005			.005		.005	31
Total	4.300	3.180	4.045	3.205	.580	1.520	1.910	2.670	1.470	.620	2.255	4.580	Year's Total 30.335
Days with ·01 in. or more	21	11	21	15	6	7	12	11	11	7	17	19	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

850

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 MAR 1921

Kept at Gas Wks New Barnet
in the County of Hertfordshire
by F. J. Bancroft pp. F. Moore

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ......ft. ......in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.	.	.	·005	·705	.	.	.	·310	1
2	.	.	·020	·210	.	.	.	·065	·025	·045	·165	1·100	2
3	.	·080	.	·320	·120	.	.	·275	.	·050	·005	·320	3
4	.	·030	.	.	.	.	·030	·300	.	.	.	.	4
5	.	.	·080	·300	.	.	.	·075	.	.	.	.	5
6	.	.	.	.	·055	.	.	.	1·560	.	.	·300	6
7	·030	.	·215	.	·140	.	·120	.	·020	·015	·005	·050	7
8	·100	·040	.	·230	.	.	·700	·125	.	·030	.	.	8
9	·460	·020	.	·180	.	.	·025	·200	.	.	.	.	9
10	.	·060	·110	.	·020	.	.	·110	.	.	.	.	10
11	·720	.	·070	.	.	.	.	.	.	.	·320	·450	11
12	·090	.	.	·380	.	·505	.	·065	.	·010	.	.	12
13	·150	.	.	·140	.	.	.	·060	.	.	.	.	13
14	·005	.	·465	·130	.	.	.	·100	.	.	.	.	14
15	·010	·040	·060	·260	.	·270	·260	·025	.	·005	·885	·090	15
16	.	·005	·010	·170	.	.	·050	.	.	.	.	.	16
17	.	.	.	·110	·110	·060	·250	·060	.	.	·280	·100	17
18	·130	·005	.	.	.	·020	·110	.	·505	.	.	.	18
19	·080	·010	.	·070	.	.	.	.	.	·015	.	.	19
20	·060	·110	.	·300	.	·680	.	.	.	.	.	·025	20
21	.	.	.	·210	.	.	.	·005	.	·010	·230	·110	21
22	·020	.	.	·005	.	.	.	·100	·005	.	·010	·340	22
23	.	·005	.	·340	.	.	.	.	.	·140	·040	·450	23
24	.	·030	·090	.	.	.	.	.	.	·230	.	.	24
25	.	·025	·070	.	.	.	.	·210	.	.	.	.	25
26	·085	.	·070	·050	.	.	.	·255	·185	.	.	.	26
27	·200	·070	.	·005	·170	·080	.	·760	·035	·020	.	·230	27
28	·580	·020	·200	·390	.	·020	.	·135	.	.	.	·020	28
29	·310	.	·100	·040	·190	.	1·300	·210	.	.	·005	·420	29
30	.	X	.	.	.	·010	1·340	·120	·005	·010	·010	·300	30
31	.	X	.	X	.	X	·310	·010	X	·260	X	·140	31
TOTAL	3·030	·550	1·560	3·840	·805	1·645	4·500	3·970	2·340	·840	1·955	4·755	YEAR'S TOTAL 29·790
Days with ·01 in. or more	16	13	13	19	7	8	12	21	7	13	9	17	155
Days with ·04 in. or more	12	6	11	18	6	5	9	19	3	5	6	15	115

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

5-FEB 1916

HERTS
NEW BARNET - GREEN HILL PARK
1915 - 1919

REGI 15

Kept at Green Hill P ong. 0·11 W
9·a·m
in the County of Herts on New·Barnet
Rain Gauge 5· in.
by W. Lockyer e above Ground 2 ft. 2 in.
,, Sea Level 289 ft.

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·50	0·15	0·07	—	—	—	—	—	0·17	0·06	0·25	0·44	1
2	0·33	0·10	0·28	0·20	—	—	—	0·53	—	0·05	—	0·11	2
3	0·43	—	0·05	0·12	—	—	0·03	0·50	0·02	—	0·01	0·46	3
4	0·07	—	—	—	—	—	—	1·04	—	0·03	—	0·28	4
5	0·05	0·40	—	—	—	—	—	0·01	—	0·04	—	0·31	5
6	0·20	0·02	—	0·24	0·07	—	0·88	0·03	—	—	—	0·39	6
7	0·18	0·25	0·05	—	—	—	0·39	0·03	—	—	0·01	0·15	7
8	0·05	0·55	0·02	0·04	—	—	0·14	0·05	—	—	—	—	8
9	Nil	0·10	—	0·07	—	0·05	—	0·07	—	0·02	0·33	0·67	9
10	0·30	—	0·03	—	—	—	—	0·18	—	—	—	0·14	10
11	0·04	—	—	—	—	—	—	—	—	0·01	0·85	—	11
12	0·09	0·02	—	0·25	0·41	—	—	0·13	—	0·01	0·44	0·03	12
13	0·01	0·40	—	—	1·62	—	—	—	—	—	—	—	13
14	Nil	0·05	—	—	—	—	1·18	0·13	0·06	—	—	0·67	14
15	0·24	—	—	—	0·05	—	0·04	0·15	—	—	0·25	0·12	15
16	0·02	0·40	—	—	—	—	0·75	—	—	—	—	0·02	16
17	Nil	0·35	—	—	0·70	—	0·12	0·03	—	—	—	—	17
18	Nil	0·20	—	—	0·10	—	—	—	—	—	0·05	—	18
19	Nil	0·07	—	—	0·02	—	0·11	—	—	0·01	—	0·01	19
20	0·30	—	—	0·04	—	—	—	—	—	—	—	0·29	20
21	Nil	—	—	—	—	—	0·02 ~~[illegible]~~	—	—	0·01	—	0·03	21
22	0·93	0·17	0·29	0·04	—	—	0·67	—	0·24	—	—	0·17	22
23	Nil	—	0·29	—	—	0·02	0·24	—	0·36	0·34	—	0·36	23
24	Nil	—	0·10	—	—	—	0·12	—	—	0·11	—	0·20	24
25	Nil	—	0·05	0·08	—	0·02	0·16	—	—	0·02	—	0·20	25
26	Nil	0·33	—	—	—	—	0·07	—	0·02	0·01	—	0·47	26
27	Nil	—	—	—	—	0·32	0·20	—	—	0·41	0·02	0·08	27
28	Nil	0·08	—	—	—	0·04	—	—	1·45	0·15	—	—	28
29	Nil		—	—	—	—	~~0·36~~	—	—	0·01	0·15	0·02	29
30	0·06	X	—	—	—	0·44	0·36	0·15	—	—	0·15	0·01	30
31	0·03	X	—	X	—	X	—	0·07	X	1·12	X	0·18	31
Total	3·83	3·64	1·23	1·08	2·97	0·89	5·48	3·10	2·32	2·41	2·51	5·81	YEAR'S TOTAL 35·27
Rain Days.	18	17	10	9	7	6	17	15	7	17	11	25	159

W. 8,000. X. 15.

5 mile

FORM A.
BRITISH RAINFALL.

5-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Green Hill Park New Barnet
in the County of Herts
by W. Lockyer

Lat. 51·39 Long. 0·11 W
Time of Observation 9 a.m
Nearest Railway Station New Barnet
Diameter of Funnel of Rain Gauge 5· in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 289 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·50	0·15	0·07	—	—	—	—	—	0·17	0·06	0·25	0·44	1
2	0·33	0·10	0·28	0·20	—	—	—	0·53	—	0·05	—	0·11	2
3	0·43	—	0·05	0·12	—	—	0·03	0·50	0·02	—	0·01	0·46	3
4	0·07	—	—	—	—	—	—	1·04	—	0·03	—	0·28	4
5	0·05	0·40	—	—	—	—	—	0·01	—	0·04	—	0·31	5
6	0·20	0·02	—	0·24	0·07	—	0·88	0·03	—	—	—	0·39	6
7	0·18	0·25	0·05	—	—	—	0·39	0·03	—	—	0·01	0·15	7
8	0·05	0·55	0·02	0·04	—	—	0·14	0·05	—	—	—	—	8
9	Nil	0·10	—	0·07	—	0·05	—	0·07	—	0·02	0·33	0·67	9
10	0·30	—	0·03	—	—	—	—	0·18	—	—	—	0·14	10
11	0·04	—	—	—	—	—	—	—	—	0·01	0·85	—	11
12	0·09	0·02	—	0·25	0·41	—	—	0·13	—	0·01	0·44	0·03	12
13	0·01	0·40	—	—	1·62	—	—	—	—	—	—	—	13
14	Nil	0·05	—	—	—	—	1·18	0·13	0·06	—	—	0·67	14
15	0·24	—	—	—	0·05	—	0·04	0·15	—	—	0·25	0·12	15
16	0·02	0·40	—	—	—	—	0·75	—	—	—	—	0·02	16
17	Nil	0·35	—	—	0·70	—	0·12	0·03	—	—	—	—	17
18	Nil	0·20	—	—	0·10	—	—	—	—	—	0·05	—	18
19	Nil	0·07	—	—	0·02	—	0·11	—	—	0·01	—	0·01	19
20	0·30	—	—	0·04	—	—	—	—	—	—	—	0·29	20
21	Nil	—	—	—	—	—	0·02 ~~[illegible]~~	—	—	0·01	—	0·03	21
22	0·93	0·17	0·29	0·04	—	—	0·67	—	0·24	—	—	0·17	22
23	Nil	—	0·29	—	—	0·02	0·24	—	0·36	0·34	—	0·36	23
24	Nil	—	0·10	—	—	—	0·12	—	—	0·11	—	0·20	24
25	Nil	—	0·05	0·08	—	0·02	0·16	—	—	0·02	—	0·20	25
26	Nil	0·33	—	—	—	—	0·07	—	0·02	0·01	—	0·47	26
27	Nil	—	—	—	—	0·32	0·20	—	—	0·41	0·02	0·08	27
28	Nil	0·08	—	—	—	0·04	—	—	1·45	0·15	—	—	28
29	Nil		—	—	—	—	~~0·36~~	—	—	0·01	0·15	0·02	29
30	0·06	X	—	—	—	0·44	0·36	0·15	—	—	0·13	0·01	30
31	0·03	X	—	X	—	X	—	0·07	X	1·12	X	0·18	31
Total	3·83	3·64	1·23	1·08	2·97	0·89	5·48	3·10	2·32	2·41	2·51	5·81	YEAR'S TOTAL 35·27
Rain Days.	18	17	10	9	7	6	17	15	7	17	11	25	159

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
18. JAN. 1917

Kept at Green Hill Park New Barnet
in the County of Herts
by W Lockyer

Lat. 51·39 Long. 0 11·W
Time of Observation 9. a.m
Nearest Railway Station New Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level ~~400~~ 287 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~0·04~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
~~1~~	~~0·~~	~~Nil~~	~~0·09~~	~~Nil~~	~~0·01~~	~~Nil~~	~~0·03~~	~~Nil~~	~~0·07~~	~~Nil~~	~~0·12~~	~~Nil~~	~~1~~
1 ~~2~~	0·16	Nil	Nil	Nil	0·13	0·04	Nil	Nil	0·11	0·04	0·32	Nil	1 ~~2~~
2 ~~3~~	0·55	0·03	0·11	Nil	0·25	Nil	Nil	Nil	0·15	0·36	0·02	Nil	2 3
3 ~~4~~	Nil	0·40	0·21	Nil	Nil	Nil	0·05	Nil	0·25	0·33	0·50	Nil	3 ~~4~~
4 ~~5~~	0·25	0·05	Nil	Nil	Nil	0·43	0·04	Nil	0·03	0·13	0·45	Nil	4 ~~5~~
5 ~~6~~	0·03	Nil	Nil	Nil	0·04	0·14	Nil	Nil	Nil	0·16	0·65	0·01	5 ~~6~~
6 ~~7~~	Nil	0·09	0·24	0·23	0·01	0·10	0·39	Nil	Nil	0·05	0·44	Nil	6 ~~7~~
7 ~~8~~	0·08	Nil	0·29	Nil	0·11	0·15	0·09	Nil	Nil	0·01	0·68	0·04	7 ~~8~~
8 ~~9~~	Nil	Nil	0·05	Nil	0·46	Nil	Nil	Nil	Nil	Nil	0·02	0·33	8 ~~9~~
9 ~~10~~	0·01	Nil	Nil	Nil	0·31	0·32	Nil	Nil	Nil	0·10	0·01	0·03	9 ~~10~~
10 ~~11~~	Nil	0·18	0·08	0·09	Nil	0·38	0·06	Nil	Nil	Nil	0·01	0·08	10 ~~11~~
11 ~~12~~	0·08	0·14	Nil	0·15	Nil	0·18	Nil	Nil	0·01	Nil	0·01	0·03	11 ~~12~~
12 ~~13~~	0·03	0·03	0·04	0·11	0·33	0·14	0·02	0·20	0·01	0·07	0·01	0·01	12 ~~13~~
13 ~~14~~	Nil	0·44	0·19	0·10	0·10	0·17	0·19	0·11	Nil	0·03	Nil	Nil	13 ~~14~~
14 ~~15~~	Nil	0·41	0·01	0·01	0·08	Nil	Nil	0·35	Nil	0·08	Nil	0·15	14 ~~15~~
15 ~~16~~	Nil	0·29	0·41	0·01	Nil	Nil	0·02	0·18	Nil	Nil	Nil	Nil	15 ~~16~~
16 ~~17~~	Nil	0·01	0·15	0·15	0·03	Nil	0·23	0·24	Nil	0·01	Nil	Nil	16 ~~17~~
17 ~~18~~	0·10	0·06	Nil	0·04	Nil	Nil	0·05	1·07	0·31	0·61	Nil	Nil	17 ~~18~~
18 ~~19~~	0·02	0·08	0·05	0·08	Nil	Nil	Nil	0·30	0·11	0·02	0·60	Nil	18 ~~19~~
19 ~~20~~	0·15	Nil	0·14	0·25	Nil	Nil	Nil	Nil	0·12	Nil	0·76	Nil	19 ~~20~~
20 ~~21~~	0·18	Nil	0·16	0·07	Nil	Nil	Nil	Nil	Nil	Nil	0·04	0·59	20 ~~21~~
21 ~~22~~	0·02	Nil	0·81	0·01	Nil	Nil	0·05	Nil	Nil	Nil	0·02	0·35	21 ~~22~~
22 ~~23~~	Nil	0·01	0·07	Nil	Nil	Nil	Nil	Nil	Nil	0·04	0·02	0·56	22 ~~23~~
23 ~~24~~	0·03	0·17	Nil	Nil	Nil	0·11	Nil	0·03	Nil	0·21	0·05	0·08	23 ~~24~~
24 ~~25~~	Nil	0·20	0·01	Nil	0·08	0·28	Nil	0·03	Nil	0·08	0·04	0·39	24 ~~25~~
25 ~~26~~	Nil	0·35	0·09	Nil	Nil	Nil	Nil	0·24	Nil	0·05	0·12	Nil	25 ~~26~~
26 ~~27~~	Nil	0·05	0·02	Nil	Nil	0·02	Nil	0·04	Nil	0·04	Nil	Nil	26 ~~27~~
27 ~~28~~	0·07	0·06	1·02	Nil	Nil	0·13	Nil	0·32	0·09	0·52	Nil	Nil	27 ~~28~~
28 ~~29~~	Nil	0·51	0·34	Nil	Nil	0·23	Nil	0·02	0·08	0·01	0·02	0·26	28 ~~29~~
29 ~~30~~	Nil	~~0·09~~	Nil	Nil	Nil	0·23	Nil	1·94	0·03	0·41	0·01	0·14	29 ~~30~~
30 ~~31~~	Nil		Nil	~~0·01~~	0·04	~~0·03~~	Nil	0·12	~~Nil~~	0·63	~~Nil~~	Nil	30 ~~31~~
31	Nil		Nil	[illegible]	Nil	[illegible]	Nil	0·07		0·12		0·04	31 YEAR'S TOTAL
Total	1·76	3·65	4·49	1·31	1·97	3·08	1·19	5·26	1·30	4·11	4·80	3·09	36·01
Rain Days.	15	21	21	14	13	17	11	16	12	24	22	16	202

W. 8,000, VIII. 16

The Lodge
Green Hill Park
New Barnet
Jan 17 — 1917

Dr H. R. Mill

Sir

I am very sorry in making my record for rainfall I did it wrong; I have corrected it by crossing the top line off & putting it at the bottom & also have altered the dates which bring it right. I did not notice what I had done untill I had finished, & if you cannot understand it please send me a fresh one, & I will forward the cost of the same on..

Yours truly

W Lockyer

[illegible]

950

FORM A.
BRITISH RAINFALL.

10

REGISTER OF RAINFALL IN 1917

Kept at Green Hill Park New Barnet
in the County of Hertfordshire
by W Lockyer

Lat. 51° 39 Long. 0·11 w
Time of Observation 9. a.m
Nearest Railway Station New Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 289 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	0·02	Nil	0·07	Nil	Nil	Nil	0·93	0·03	Nil	0·15	Nil	1
2	0·02	0·01	Nil	0·75	Nil	0·02	Nil	0·08	Nil	Nil	0·09	Nil	2
3	Nil	Nil	Nil	0·04	Nil	Nil	Nil	0·30	Nil	0·25	0·37	Nil	3
4	Nil	0·16	0·15	Nil	Nil	Nil	0·02	0·24	Nil	0·41	Nil	Nil	4
5	0·26	Nil	0·04	0·23	Nil	Nil	Nil	0·18	1·07	0·10	0·19	Nil	5
6	Nil	Nil	Nil	0·20	Nil	Nil	Nil	Nil	0·05	Nil	0·10	Nil	6
7	0·23	Nil	Nil	Nil	Nil	Nil	0·11	Nil	Nil	0·35	0·01	0·04	7
8	0·16	Nil	Nil	0·10	Nil	Nil	0·80	0·10	Nil	0·26	0·20	0·15	8
9	0·05	Nil	0·05	0·15	Nil	Nil	0·07	0·28	0·01	Nil	0·07	0·22	9
10	0·35	Nil	0·14	0·10	Nil	Nil	Nil	0·07	Nil	Nil	0·03	0·05	10
11	0·11	Nil	0·45	0·45	Nil	Nil	Nil	Nil	0·02	0·40	Nil	Nil	11
12	0·14	0·01	0·05	Nil	Nil	Nil	Nil	0·05	Nil	0·60	0·02	0·02	12
13	0·03	Nil	0·10	0·03	Nil	Nil	Nil	0·07	0·03	0·02	Nil	0·01	13
14	0·01	Nil	0·02	0·18	Nil	Nil	Nil	0·10	Nil	Nil	Nil	Nil	14
15	0·09	Nil	Nil	0·03	Nil	Nil	0·30	0·05	Nil	0·06	Nil	Nil	15
16	0·02	0·14	Nil	0·19	0·13	0·23	0·03	Nil	Nil	0·74	Nil	0·11	16
17	0·01	0·02	Nil	0·10	0·75	Nil	0·23	0·03	0·50	0·29	Nil	Nil	17
18	0·06	0·04	Nil	0·10	0·10	0·18	0·14	0·03	0·18	0·07	Nil	Nil	18
19	0·01	0·17	0·04	Nil	0·11	0·05	Nil	0·01	0·40	Nil	Nil	Nil	19
20	0·04	0·20	0·10	Nil	0·70	Nil	0·05	Nil	Nil	Nil	0·12 ~~Nil~~	Nil	20
21	0·05	Nil	0·03	Nil	0·10	Nil	Nil	Nil	Nil	Nil	0·04 ~~Nil~~	Nil	21
22	Nil	Nil	0·03	Nil	Nil	0·13	Nil	0·09	Nil	0·09	Nil	Nil	22
23	Nil	0·10	Nil	Nil	0·10	Nil	Nil	0·17	Nil	Nil	Nil	0·13	23
24	Nil	0·10	Nil	Nil	Nil	0·06	Nil	0·05	Nil	0·30	0·04	Nil	24
25	Nil	0·05	0·05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·04	Nil	25
26	Nil	Nil	0·07	Nil	Nil	Nil	Nil	0·26	0·04	Nil	0·43	0·02	26
27	Nil	Nil	0·05	Nil	Nil	0·10	Nil	0·80	Nil	Nil	Nil	Nil	27
28	Nil	Nil	0·02	Nil	Nil	1·01	Nil	0·15	Nil	Nil	Nil	0·05	28
29	Nil		Nil	Nil	0·31	0·05	1·30	0·22	Nil	0·27	Nil	0·13	29
30	0·03	✕	0·10	Nil	Nil	Nil	1·40	0·12	Nil	0·02	Nil	0·02	30
31	0·05	✕	0·30	✕	Nil	✕	~~1·05~~	0·02	✕	Nil	✕	Nil	31
Total	1·72	1·02	1·79	2·72	2·30	1·83	5·53	4·40	2·33	4·23	1·90	0·95	YEAR'S TOTAL 30·72
Rain Days.	19	12	18	15	8	9	12	24	10	16	15	12	170

W. 8,000, IX. 17.

Ex Df

33

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Green Hill Park. New Barnet

in the County of Hertfordshire

by W. Lockyer

Lat. 51°39 Long. 0: 11 W
Time of Observation 9. a. m
Nearest Railway Station New Barnet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 287 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	Nil	Nil	0·25	Nil	Nil	Nil	Nil	Nil	0·02	Nil	0 10	1
2	Nil	0·07	Nil	0·10	Nil	Nil	Nil	0·18	Nil	Nil	0 03	0 25	2
3	Nil	0·02	Nil	0·03	0·55	Nil	Nil	0·26	0 04	Nil	0·66	0 02	3
4	Nil	0 08	0 15	0·07	Nil	Nil	Nil	0·06	0·40	Nil	0·69	0 03	4
5	Nil	0 05	0 02	Nil	0 12	Nil	Nil	0·17	0·07	0 08	Nil	Nil	5
6	0·13	0·25	Nil	0·28	0·15	Nil	Nil	0·10	Nil	Nil	Nil	0 08	6
7	Nil	0 12	Nil	0·20	0·12	Nil	Nil	0·07	0·12	0·08	Nil	Nil	7
8	Nil	0 05	Nil	0·02	Nil	Nil	0·02	Nil	0·19	Nil	Nil	0 03	8
9	0·03	0 08	Nil	0·02	Nil	0·10	0·27	Nil	0·41	0 16	Nil	0 30	9
10	0 03	Nil	Nil	0·05	Nil	Nil	0·53	Nil	Nil	Nil	0 25	0 31	10
11	Nil	Nil	Nil	0 03	0 07	Nil	0 23	Nil	0·15	0 21	Nil	0 10	11
12	Nil	0 10	Nil	Nil	0·15	Nil	0 10	Nil	0 03	Nil	Nil	0 02	12
13	Nil	0 03	Nil	0·02	0·23	Nil	0 05	Nil	0 15	0 24	Nil	0 03	13
14	0·23	Nil	Nil	Nil	Nil	0·25	0·16	Nil	0 35	Nil	Nil	0 20	14
15	1·61	Nil	Nil	0·50	Nil	Nil	0 15	Nil	0 03	Nil	Nil	0 10	15
16	0·55	Nil	Nil	1·03	Nil	0·02	Nil	Nil	0 16	Nil	Nil	0 02	16
17	0 25	Nil	0·02	0·37	0 32	0·15	0 45	Nil	0 05	0·11	Nil	0 15	17
18	0·57	Nil	Nil	Nil	Nil	0·23	0 02	Nil	1·28	0·06	Nil	0 10	18
19	0 04	Nil	0 04	0·07	Nil	0·05	0·30	Nil	0 05	0·24	Nil	0·10	19
20	0 03	0·18	Nil	0·60	Nil	0·02	0·10	Nil	0 10	0·03	Nil	Nil	20
21	0·07	0·02	Nil	0·35	Nil	Nil	Nil	Nil	0 20	0·01	Nil	Nil	21
22	0 08	Nil	Nil	Nil	0·25	Nil	0 05	Nil	0 27	Nil	Nil	0 35	22
23	0 02	Nil	Nil	Nil	0 33	Nil	0 48	0 04	0 08	Nil	Nil	Nil	23
24	Nil	0 21	Nil	Nil	Nil	0·04	0 07	Nil	0 08	Nil	0 07	Nil	24
25	Nil	Nil	Nil	Nil	Nil	0 05	0 25	0 11	Nil	0 05	0·08	Nil	25
26	Nil	Nil	Nil	Nil	0·10	Nil	0 35	0 10	Nil	Nil	0·23	0·15	26
27	0 02	0·03	0 02	0·05	Nil	Nil	0 05	0 27	0 05	Nil	0 10	0 05	27
28	Nil	Nil	0·18	0·10	Nil	Nil	Nil	0 02	Nil	Nil	0·27	0 15	28
29	Nil		Nil	Nil	Nil	Nil	Nil	Nil	1·00	Nil	0·03	Nil	29
30	Nil	✕	0·47	Nil	Nil	Nil	Nil	Nil	Nil	0 10	Nil	Nil	30
31	0 03	✕	0 03	✕	Nil	✕	Nil	0 03	✕	0·10	✕	0·12	31
Total	3·69	1·29	0·93	4·14	2·39	0·91	3 63	1 41	5·26	1·49	2 41	2 76	YEAR'S TOTAL 30·31
Rain Days.	15	14	8	19	11	9	18	12	22	14	10	22	174

W, 6,500, VII. 18. w w c

[illegible] · 486

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Green Hill Park New Barnet

in the County of Herts

by W. Lockyer

Lat. 51-39 N Long. 0' 11 W

Time of Observation 9. a m

Nearest Railway Station New Barnet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 287 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·20	0·14	Nil	Nil	010	Nil	027	Nil	Nil	0·04	Nil	102	1
2	0·50	0·12	003	Nil	018	Nil	018	Nil	025	017	015	023	2
3	0·30	Nil	0·30	Nil	002	Nil	012	Nil	005	Nil	005	030	3
4	0·34	Nil	031	Nil	Nil	006	020	0·06	Nil	Nil	003	018	4
5	0·02	0·10	045	Nil	Nil	Nil	008	Nil	020	Nil	003	030	5
6	004	055	005	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	009	6
7	003	Nil	040	Nil	Nil	Nil	Nil	Nil	Nil	Nil	004	Nil	7
8	009	Nil	005	0·08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	8
9	005	Nil	003	002	003	Nil	Nil	Nil	Nil	Nil	022	Nil	9
10	Nil	Nil	008	005	Nil	Nil	Nil	Nil	Nil	Nil	003	005	10
11	040	Nil	008	030	Nil	Nil	030	Nil	Nil	Nil	Nil	003	11
12	005	Nil	015	Nil	Nil	Nil	012	Nil	Nil	005	Nil	Nil	12
13	Nil	Nil	Nil	025	Nil	005	Nil	Nil	Nil	005	Nil	002	13
14	003	Nil	Nil	038	Nil	Nil	006	Nil	026	Nil	Nil	003	14
15	0·40	003	020	020	Nil	Nil	Nil	Nil	Nil	009	Nil	040	15
16	035	0·02	Nil	002	Nil	Nil	Nil	Nil	Nil	Nil	015	004	16
17	005	080	005	002	Nil	Nil	Nil	Nil	Nil	Nil	025	002	17
18	Nil	0·28	005	Nil	Nil	Nil	Nil	003	006	Nil	008	012	18
19	Nil	065	095	Nil	Nil	Nil	0·11	020	010	Nil	012	Nil	19
20	0·05	027	010	Nil	Nil	020	023	026	Nil	Nil	Nil	003	20
21	0·34	005	003	Nil	Nil	083	013	Nil	Nil	Nil	Nil	011	21
22	020	034	Nil	Nil	Nil	003	015	Nil	0·16	Nil	005	032	22
23	Nil	018	Nil	Nil	Nil	Nil	Nil	Nil	013	Nil	003	Nil	23
24	Nil	Nil	Nil	011	Nil	007	004	013	Nil	020	010	Nil	24
25	Nil	Nil	Nil	003	Nil	002	Nil	030	Nil	Nil	002	Nil	25
26	005	Nil	Nil	Nil	0·07	Nil	0·05	010	015	Nil	Nil	047	26
27	011	020	013	095	Nil	Nil	Nil	040	Nil	Nil	Nil	002	27
28	1 05	005	002	015	Nil	Nil	Nil	080	Nil	002	020	030	28
29	Nil		011	005	Nil	Nil	Nil	022	Nil	017	018	005	29
30	Nil		Nil	023	Nil	020	Nil	013	Nil	003	026	033	30
31	Nil		Nil		Nil		Nil	Nil		Nil		Nil	31
TOTAL	4·$\overset{6}{9}$5	3·78	3·57	2·84	040	1·46	2·04	2·63	1·36	082	199	446	YEAR'S TOTAL 30·00
Days with ·01 in. or more	20	15	20	15	5	8	14	11	9	9	18	22	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

IN 19*11*

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

HERTS.
NEWGATE STREET - ST. MARY'S VICARAGE
1911 ONLY

Kept at *Hatfield*

in the County of

by *Rev. H. Willes*

…ttern

…ameter of top *5* in.

…ight of top above Ground *1* ft. *6* in.

„ „ „ Sea Level *372* ft.

…servation *9 A.M. / Cuffley station*

…ilway Station { Name ~~*Rev. H. W. [illegible]*~~ Distance *1½ m* Direction *S.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. *nil*

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13			·40									1
2				·22									2
3													3
4	·06		·10										4
5		·06											5
6	·42		·09										6
7	·03												7
8	·15		·17	·24									8
9	·11												9
10	·03	·11	·13	·07									10
11	·28												11
12			·45										12
13			·10										13
14			·02										14
15		·06	·22										15
16													16
17													17
18		·15	·09										18
19													19
20		·03	·04										20
21	·04	·24											21
22	·12		·18										22
23			·35										23
24		·24											24
25		·04	·05										25
26				·18	[illegible]								26
27		·48	·09	·06									27
28		·30		·19									28
29													29
30													30
31													31
Total	1·37	1·71	2·08	1·36	✓								TOTAL for year
No. of Rain Days.	10	10	14	7									

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Hatfield St Marys Vicarage newgate St

in the County of Hertford 3

by Rev. H. Willes Southey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 372 ft.

Time of Observation 9 A.M

Nearest Railway Station
Name ~~Rev H. W. Southey~~ Cuffley station
Distance 1½ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13			·40									1
2				·22									2
3													3
4	·06		·10										4
5		·06											5
6	·42		·09										6
7	·03												7
8	·15		·17	·24									8
9	·11												9
10	·03	·11	·13	·07									10
11	·28												11
12			·45										12
13			·10										13
14			·02										14
15		·06	·22										15
16													16
17													17
18		·15	·09										18
19													19
20		·03	·04										20
21	·04	·24											21
22	·12		·18										22
23			·35										23
24		·24											24
25		·04	·05										25
26				·18	[illegible]								26
27		·48	·09	·06									27
28		·30		·19									28
29													29
30													30
31													31
Total	1·37	1·71	2·08	1·36	✓								TOTAL for year
No. of Rain Days.	10	10	14	7									

W. 8,000, X. '11.

1019

FORM A.
BRITISH RAINFALL
13 JAN 1916

REGIST

HERTS.
NEWGATE STREET - WATERWORKS P/S.
1915 ONLY

Kept at Waterworks Pumpin
in the County of Hertford.
by Cheshunt. U.D.C.

0° 6' W
a.m
Cuffley
n Gauge 5 in.
ve Ground 1 ft. – in.
Sea Level 250 – ft.

IMPORTANT NOTE.— daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	·14	·10	-	-	-	-	-	·12	·04	·14	·41	1
2	·31	·20	·21	·11	·04	-	-	1·13	·03	·05	·02	·15	2
3	·37	-	·04	·19	-	-	·03	·60	·09	-	-	·31	3
4	·08	-	·01	-	-	-	-	·22	-	·04	-	·37	4
5	·05	·36	-	-	·33	-	-	·03	-	·06	-	·26	5
6	·20	·04	-	·27	·02	-	·67	-	-	-	-	·34	6
7	·13	·37	·04	·02	-	-	·37	·03	-	-	-	·15	7
8	·05	·45	·03	-	-	-	·02	·04	-	-	·03	-	8
9	·01	·08	-	·04	-	·08	-	·10	-	-	·27	·65	9
10	·28	-	·03	-	-	·02	-	·66	-	-	-	·18	10
11	·02	-	·02	-	-	-	-	-	-	-	·95	·02	11
12	·08	-	-	·26	·35	-	-	·10	-	·06	·36	snow ·03	12
13	·04	·35	-	-	1·44	-	-	·02	-	-	-	-	13
14	-	·06	-	-	-	-	1·02	·15	·05	-	-	·46	14
15	·22	·01	-	-	-	-	–	·33	-	-	snow ·32	·13	15
16	·04	·43	-	-	·07	-	·72	·23	-	-	-	·03	16
17	-	·40	-	-	·49	-	·21	·05	-	-	-	-	17
18	-	·17	·08	-	·11	-	·02	-	-	-	·06	-	18
19	-	·11	·08	-	·02	-	·13	-	-	-	-	-	19
20	·32	-	·03	·04	-	-	·01	-	-	-	-	·30	20
21	·10	-	-	-	-	-	·01	-	-	-	-	·05	21
22	·89	·40	·33	-	-	-	·50	-	-	-	-	·15	22
23	·02	·09	·06	-	-	·02	·20	-	·20	·29	-	·26	23
24	-	·02	·02	-	-	·04	·27	-	·17	·04	-	·25	24
25	-	-	·01	·09	-	·02	·26	-	-	·07	-	·13	25
26	-	·11	-	-	-	-	·08	-	-	-	-	·33	26
27	-	-	·02	-	-	·56	·38	-	·02	·40	-	·08	27
28	-	·14	-	-	-	·14	·02	-	1·28	·20	-	-	28
29	-	✕	·05	-	-	·32	·06	·15	-	-	·15	·05	29
30	·03	✕	-	-	-	·19	-	-	·03	·04	·09	·02	30
31	·10	✕	-	✕	-	✕	-	·06	✕	·72	✕	·20	31
Total	3·75	3·93	1·16	1·02	2·87	1·39	4·98	3·90	1·99	2·01	2·39	5·31	YEAR'S TOTAL 34·70
Rain Days.	21	19	17	8	9	9	19	16	9	12	10	25	144

W. 8,000. X. 15.

1019

FORM A.
BRITISH RAINFALL
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Waterworks Pumping Station, Newgate St.
in the County of Hertford.
by Cheshunt. U.D.C. per R. Tharpe.
Engineer & Surveyor

2

Lat. 51° 43½ Long. 0° 6' W
Time of Observation 9. a. m
Nearest Railway Station Cuffley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 250 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·14	·10	-	-	-	-	-	·12	·04	·14	·41	1
2	·31	·20	·21	·11	·04	-	-	1·13	·03	·05	·02	·15	2
3	·37	-	·04	·19	-	-	·03	·60	·09	-	-	·31	3
4	·08	-	·01	-	-	-	-	·22	-	·04	-	·37	4
5	·05	·36	-	-	·33	-	-	·03	-	·06	-	·26	5
6	·20	·04	-	·27	·02	-	·67	-	-	-	-	·34	6
7	·13	·37	·04	·02	-	-	·37	·03	-	-	-	·15	7
8	·05	·45	·03	-	-	-	·02	·04	-	-	·03	-	8
9	·01	·08	-	·04	-	·08	-	·10	-	-	·27	·65	9
10	·28	-	·03	-	-	·02	-	·66	-	-	-	·18	10
11	·02	-	·02	-	-	-	-	-	-	-	·95	·02	11
12	·08	-	-	·26	·35	-	-	·10	-	·06	·36	snow ·03	12
13	·04	·35	-	-	1·44	-	-	·02	-	-	-	-	13
14	-	·06	-	-	-	-	1·02	·15	·05	-	-	·46	14
15	·22	·01	-	-	-	-	—	·33	-	-	snow ·32	·13	15
16	·04	·43	-	-	·07	-	·72	·23	-	-	-	·03	16
17	-	·40	-	-	·49	-	·21	·05	-	-	-	-	17
18	-	·17	·08	-	·11	-	·02	-	-	-	·06	-	18
19	-	·11	·08	-	·02	-	·13	-	-	-	-	-	19
20	·32	-	·03	·04	-	-	·01	-	-	-	-	·30	20
21	·10	-	-	-	-	-	·01	-	-	-	-	·05	21
22	·89	·40	·33	-	-	-	·50	-	-	-	-	·15	22
23	·02	·09	·06	-	-	·02	·20	-	·20	·29	-	·26	23
24	-	·02	·02	-	-	·04	·27	-	·17	·04	-	·25	24
25	-	-	·01	·09	-	·02	·26	-	-	·07	-	·13	25
26	-	·11	-	-	-	-	·08	-	-	-	-	·33	26
27	-	-	·02	-	-	·56	·38	-	·02	·40	-	·08	27
28	-	·14	-	-	-	·14	·02	-	1·28	·20	-	-	28
29	-	X	·05	-	-	·32	·06	·15	-	-	·15	·05	29
30	·03	X	-	-	-	·19	-	-	·03	·04	·09	·02	30
31	·10	X	-	X	-	X	-	·06	X	·72	X	·20	31
Total	3·75	3·93	1·16	1·02	2·87	1·39	4·98	3·90	1·99	2·01	2·39	5·31	YEAR'S TOTAL 34·70
Rain Days.	21	19	17	8	9	9	19	16	9	12	10	25	174

W. 8,000. X. 15.

NORTHAW
C.E. SCHOOL
HERTFORDSHIRE
1911–1920

AINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RAIN GAUGE
Pattern
Diameter of top 5. in.
Height of top above Ground 1. ft. – in.
" " " Sea Level 400. ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Potter's Bar.
Distance 2½. Direction N.

sured daily at 9 a.m., and the result entered to the onform to this almost universal rule, he is earnestly anuary of the following year in the space provided ructions for the measurement of rain, particulars as to the British Rainfall servers," sent post-free on application to W.

Jan. 1, following.

I							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							.02	-03	–	–	–	–	1
2	.12	–	–	.25	.22	–	.11	–	–	–	.23	–	2
3	.01	.03	–	.02	.20	–	–	–	–	.11	.06	.09	3
4	.05	.03	.09	snow .19	–	–	–	–	–	.04	.08	.29	4
5	.01	.01	–	snow .06	–	–	–	–	–	.06	–	.15	5
6	.41	–	.07	–	–	–	–	–	–	–	–	.38	6
7	.02	–	–	–	–	–	–	–	–	.09	.27	.33	7
8	.15	–	.17	–	–	–	–	–	–	–	.17	.19	8
9	.08	–	.03	.02	–	–	–	–	–	–	–	–	9
10	.03	.10	.16	.04	–	–	–	–	–	–	.06	.40	10
11	.21	–	–	–	.31	–	–	–	–	–	.68	.01	11
12	.05	–	.46.	–	.06	.13	–	–	.06	–	.25	–	12
13	–	–	.04	–	.10	–	–	–	.55	.41	.02	.25	13
14	–	.03	.16	–	.38	–	–	–	–	.01	–	.49	14
15	–	.04	.10	–	–	–	–	–	–	.04	.04	.04	15
16	–	–	.01	–	–	.33	–	–	–	.01	.37	.10	16
17	–	.01	.08	–	–	.11	–	–	–	–	.31	.18	17
18	.01	.11	–	–	–	.25	–	–	–	–	.45	.24	18
19	–	–	–	–	.01	.13	–	–	–	.10	.22	.20	19
20	.01	.02	.02	–	–	.01	–	.28	.22	.07	–	.67	20
21	.01	.07	.01	–	–	.03	–	.05	.29	.48.	.01	.09	21
22	.11	–	.07	–	–	.07	–	–	.01	.27	–	.45	22
23	–	.11	.25	–	–	.86	–	–	–	–	.02	.16	23
24	.01	.10	.05	–	–	.08	–	.01	.33	1.08	–	.20	24
25	–	.03	.04	.04	–	.22	.64	.03	.01	–	–	–	25
26	–	.01	.02	.14	.01	.06	.05	.01	–	.20	.02	.22	26
27	–	.55	.07	.04	–	–	–	–	.18	–	.02	.08	27
28	–	.30	–	.24	.03	–	.04	.07	–	–	.03	–	28
29	–	+	–	.05	–	.14	.15	–	.25	.23	.01	–	29
30	–	+	.01	.01	.03	–	=	.01	–	.18	–	.01	30
31	–	+	–	+	.74	+	–	–	+	–	+	–	31
Total	1.31	1.55	1.91.	1.54.	2.09	2.42	1.01.	.49.	1.90.	3.38.	3.32	5.22.	TOTAL for year ✓
No. of Rain Days.	17.	16.	20.	13.	11.	13.	6.	8.	9.	16.	20.	23.	26.14.

172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at P. Inst. Northaw.

in the County of Hertfordshire 3

by (Miss) E. L. Poland

RAIN GAUGE
Pattern
Diameter of top 5. in.
Height of top above Ground 1. ft. — in.
" " " Sea Level 400. ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Potters Bar.
Distance 2½. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	–	–	.44	–	–	.02	.03	–	–	–	–	1
2	.12	–	–	.25	.22	–	.11	–	–	–	.23	–	2
3	.01	.03	–	.02	.20	–	–	–	–	.11	.06	.09	3
4	.05	.03	.09	snow .19	–	–	–	–	–	.04	.08	.29	4
5	.01	.01	–	snow .06	–	–	–	–	–	.06	–	.15	5
6	.41	–	.07	–	–	–	–	–	–	–	–	.38	6
7	.02	–	–	–	–	–	–	–	–	.09	.27	.33	7
8	.15	–	.17	–	–	–	–	–	–	–	.17	.19	8
9	.08	–	.03	.02	–	–	–	–	–	–	–	–	9
10	.03	.10	.16	.04	–	–	–	–	–	–	.06	.40	10
11	.21	–	–	–	.31	–	–	–	–	–	.68	.01	11
12	.05	–	.46.	–	.06	.13	–	–	.06	–	.25	–	12
13	–	–	.04	–	.10	–	–	–	.55	.41	.02	.25	13
14	–	.03	.16	–	.38	–	–	–	–	.01	–	.49	14
15	–	.04	.10	–	–	–	–	–	–	.04	.04	.04	15
16	–	–	.01	–	–	.33	–	–	–	.01	.37	.10	16
17	–	.01	.08	–	–	.11	–	–	–	–	.31	.18	17
18	.01	.11	–	–	–	.25	–	–	–	–	.45	.24	18
19	–	–	–	–	.01	.13	–	–	–	.10	.22	.20	19
20	.01	.02	.02	–	–	.01	–	.28	.22	.07	–	.67	20
21	.01	.07	.01	–	–	.03	–	.05	.29	.48	.01	.09	21
22	.11	–	.07	–	–	.07	–	–	.01	.27	–	.45	22
23	–	.11	.25	–	–	.86	–	–	–	–	.02	.16	23
24	.01	.10	.05	–	–	.08	–	.01	.33	1.08	–	.20	24
25	–	.03	.04	.04	–	.22	.64	.03	.01	–	–	–	25
26	–	.01	.02	.14	.01	.06	.05	.01	–	.20	.02	.22	26
27	–	.55	.07	.04	–	–	–	–	.18	–	.02	.08	27
28	–	.30	–	.24	.03	–	.04	.07	–	–	.03	–	28
29	–	+	–	.05	–	.14	.15	–	.25	.23	.01	–	29
30	–	+	.01	.01	.03	–	=	.01	–	.18	–	.01	30
31	–	+	–	+	.74	+	–	–	+	–	+	–	31
Total	1.31	1.55	1.91.	1.54.	2.09	2.42	1.01.	.49.	1.90.	3.38.	3.32	5.22.	TOTAL for year ✓
No. of Rain Days.	17.	16.	20.	13.	11.	13.	6.	8.	9.	16.	20.	23.	26.14. 172

W. 8,000, X. '11.

cod by H Hopkinson on 8/3/13. 5.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

Kept at S. Just . Northaw

in the County of Hertfordshire 3

by Edith J. Poland (Miss)

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Potters' Bar - G. N. R.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·12	-	-	·37	·64	-	·06	·45	-	·19	1
2	-	snow ·02	·11	·01	-	·19	·36	·02	·01	-	-	-	2
3	·06	-	·15	-	·08	·16	·01	·40	·02	-	-	·10	3
4	·24	-	·70	-	·23	·10	-	·02	-	-	·27	·01	4
5	·14	snow ·13	·09	-	-	·01	-	·13	-	-	·05	·01	5
6	·32	·03	-	-	-	-	-	·27	-	-	-	·03	6
7	·01	·01	·04	-	·02	·44	-	·10	-	-	·01	·06	7
8	·39	·48	·20	-	-	·01	-	·13	·03	-	·01	·07	8
9	·14	·10	·01	·06	·02	·18	·04	·02	-	-	-	·18	9
10	·01	·05	-	-	-	·02	-	·44	·03	-	·14	·16	10
11	·06	·41	-	-	-	·02	-	·05	·05	·01	·01	·10	11
12	·07	·09	·11	-	16	·10	-	-	-	-	·07	·01	12
13	·01	·01	·01	-	-	·01	·01	-	-	·01	·03	·03	13
14	-	-	·04	-	·03	-	-	·15	-	·04	·01	·02	14
15	-	·02	·07	-	·16	·34	-	·05	-	-	·01	·18	15
16	·34	-	·05	-	·10	·03	-	·15	-	·05	·09	-	16
17	snow ·69	-	·30	-	-	·11	-	·06	-	-	-	-	17
18	·07	-	·12	-	-	·01	-	·13	-	-	·04	·16	18
19	·21	·07	·09	-	-	-	·10	·49	·01	-	·02	-	19
20	·04	-	·14	-	·02	-	·02	·16	-	·43	-	·01	20
21	-	·06	·47	-	·04	-	-	·09	-	·07	·07	-	21
22	·27	·17	·01	-	·11	-	·23	·18	-	·01	·01	·04	22
23	·34	·30	·33	-	·02	-	·26	·46	·01	·03	·21	·09	23
24	·51	·03	·01	-	·01	-	·01	·07	-	-	-	·18	24
25	-	·01	-	-	-	·15	-	·72	-	-	·26	·49	25
26	-	·02	-	-	-	-	·07	·27	-	·49	·52	·35	26
27	-	-	·01	-	-	·01	·01	·01	-	·21	-	·21	27
28	-	·04	-	-	-	·05	·02	·07	·08	·43	·36	·25	28
29	-	·02	·01	-	-	-	·31	·22	1.37	·66	·09	-	29
30	-	+	-	-	·15	·12	·09	-	·93	·23	-	-	30
31	-	+	·26	×	·09	+	·21	·13	+	·01	×	·06	31
Total	3.92.	2.07	3.45	·07.	1.24	2.43.	1.79	4.99	2.60	3.13.	2.38.	2.99	YEAR'S TOTAL
Rain Days.	19.	20.	24.	2.	15.	20.	16.	27.	11.	15.	20.	24.	Rain day 213.
Total since Jany 1st		5.99.	9.44.	9.51	10.75	13.18	14.97.	19.96.	22.56.	25.69.	28.07.	31.06	31.06

Hard Frost

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at S. part. Northaw.
in the County of Hertfordshire 3
by (Miss) G. J. Poland.

Lat. – Long. –
Time of Observation 9. A.M.
Nearest Railway Station Potters' Bar G.N.R.
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1. ft. – in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.14	.15	.10	–	–	–	–	.24	–	.09	.12	1
2	.05	.16	.01	–	–	–	.07	–	.20	–	.07	.01	2
3	–	–	.01	.20	.52	–	–	–	.06	–	.01	.06	3
4	.25	–	.01	.02	.12	–	.14	–	–	.22	.06	.02	4
5	.05	.01	–	–	–	.03	.43	–	.07	.05	.02	.03	5
6	–	.04	.09	–	.10	.24	.08	–	.02	.38	.01	.03	6
7	–	.17	–	–	.09	–	.21	.01	–	.32	.07	–	7
8	–	.02	–	–	.17	.18	.01	–	–	.65	.07	.01	8
9	–	.16	.02	.02	.04	.01	–	–	.06	.01	.04	.10	9
10	.03	–	.03	.19	–	–	.78	.02	–	–	.28	.01	10
11	.69	–	–	snow .50	.02	–	.01	.03	.01	.31	.16	–	11
12	.01	.01	–	–	.02	–	–	–	–	.01	.47	–	12
13	.06	.01	.01	–	–	–	–	.04	.05	–	.31	–	13
14	.06	.02	.08	.09	–	–	.40	.08	–	.19	.11	–	14
15	.16	.11	.26	.36	–	–	.21	–	.02	.01	.01	–	15
16	.08	.01	.34	.20	–	–	–	.03	.09	–	.01	–	16
17	.02	.02	.02	.04	–	–	.18	–	–	–	.01	.03	17
18	.01	–	.24	.10	–	–	.02	–	.01	–	.02	.03	18
19	.25	–	.02	–	–	–	.16	–	.30	–	.01	.02	19
20	.10	–	.04	.05	–	.17	–	–	.01	.48	.03	–	20
21	.04	–	.16	.21	–	–	–	–	–	.20	.58	–	21
22	.43	–	.17	.02	–	–	–	–	.15	.01	.61	–	22
23	.01	–	.01	–	–	.03	.02	.14	.03	–	.01	.15	23
24	.02	.01	.01	.02	–	.01	–	–	–	–	.01	–	24
25	–	.02	–	.15	–	.05	.01	–	.01	.01	–	.01	25
26	–	.02	.25	.10	–	–	–	.15	–	.73	–	.22	26
27	.01	.01	.02	.11	–	–	–	.01	–	.03	–	–	27
28	.21	–	.25	.07	–	–	–	–	–	.14	–	–	28
29	.07	+	.10	.46	.57	–	–	.66	–	.05	.01	.02	29
30	.32	+	.01	.07	–	–	–	.15	–	.10	–	–	30
31	.01	+	.02.	+	–	+	–	.09	+	.02	+	–	31
Total	2.98	.94	2.33	3.08	1.65.	.72	2.73	.81	1.33	3.32	2.48	.87	YEAR'S TOTAL 23.24
Rain Days.	24.	17.	25.	21.	9.	8.	15.	12.	16	20	25.	16.	~~198.~~ 208

W.7,000, XI. 13

EX ML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at S. Just, Northaw

in the County of Hertfordshire 3

by Edith L Poland (Miss)

Lat. – Long. –
Time of Observation 9. A.M.
Nearest Railway Station Potters Bar (3 miles)
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	–	–	–	–	·22	–	–	·04	·05	1
2	·01	–	–	·01	–	–	·07	·13	–	–	·11	·26	2
3	·01	–	·07	–	·20	–	·64	–	–	–	·03	·01	3
4	·11	·01	·02	·24	·07	–	–	·10	–	–	·31	·34	4
5	·04	–	·06	·16	·11	·06	·57	·34	–	–	·02	–	5
6	–	·12	–	–	·05	·14	·01	·04	–	–	·29	·25	6
7	–	·29	·46	·12	·55	·08	·07	·15	–	–	·04	·17	7
8	·06	·27	·62	·10	·10	·16	·37	–	–	–	–	·02	8
9	·119	·01	·64	·11	·01	·37	·01	–	·09	–	–	1.35	9
10	·06	·20	·02	·11	·06	–	–	–	·11	–	–	·02	10
11	·05	·31	·42	–	·03	·60	–	–	·13	–	·12	·30	11
12	·02	·06	·11	–	–	·01	·02	–	·36	–	–	·41	12
13	–	·43	·18	–	–	–	–	–	·27	·03	·03	·56	13
14	–	·09	·63	–	–	–	·06	–	·01	·28	·13	·48	14
15	·05	·01	·20	–	–	–	·01	–	·01	·09	·06	·06	15
16	·01	·01	·05	–	–	–	·16	–	·07	–	·02	–	16
17	–	·39	·10	–	–	–	–	–	·17	–	–	·30	17
18	–	·03	·08	–	–	–	–	–	–	–	·01	·35	18
19	–	·04	·24	–	–	–	·03	–	·02	–	·14	·11	19
20	–	·24	·18	–	–	·04	·06	–	·16	–	·01	·12	20
21	–	·51	·09	–	–	·01	–	–	–	·02	–	·07	21
22	–	·02	·04	–	·47	–	·14	·07	–	·38	–	·01	22
23	–	·05	·13	–	·23	–	·04	–	–	·12	–	·02	23
24	·02	·01	·04	·03	·01	·01	·08	–	–	·03	·13	·01	24
25	·05	–	·16	–	–	–	–	·12	–	·35	·01	·09	25
26	·01	–	·04	–	–	–	·03	·08	–	·05	·21	·65	26
27	·05	–	·01	–	–	–	–	·01	–	–	·01	·32	27
28	·01	·01	–	–	·01	–	–	–	–	·02	·42	1.24	28
29	·06	X	·11	–	–	–	–	–	–	·28	·19	·01	29
30	·01	X	·07	–	–	–	–	–	–	·04	·55	·25	30
31	·02	X	–	X	·22	X	·03	–	X	–	X	·03	31
Total	·84	3.11	4.82	·88	2.12	1.48	2.40	1.26	1.40	1.69	2.88	7.86	YEAR'S TOTAL 30.74
Rain Days.	19.	21.	27.	8.	14.	10.	18.	16	11.	12.	22.	29.	207

W. 8,000. X. 14.

Cnd fr auth thy own stats 9.11.16 78

1020

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915.

Kept at S. Inst. Northaw
in the County of Hertfordshire 3
by Mrs G. L. P. Oland

Lat. .... Long. ....
Time of Observation 9. A. M.
Nearest Railway Station Potters' Bar. 3 miles
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.15	.06	-	.03	-	-	-	-	.03	.14	.46	1
2	.28	.22	.22	.08	-	.01	-	.22	.05	.06	-	.12	2
3	.47	.01	.04	.33	-	-	.02	-	.13	-	.01	.32	3
4	.07	-	.02	-	-	-	-	.45	.07	-	-	.41	4
5	.04	.45	-	-	-	-	-	-	-	-	.01	.32	5
6	.20	.02	.01	.31	-	-	.96	.20	.01	.08	.03	.31	6
7	.14	.38	.04	-	-	-	.43	.42	-	-	-	.20	7
8	.06	.54	.05	.03	-	-	.02	.07	-	-	.01	-	8
9	-	.11	-	.03	-	.05	-	.05	-	-	-	.65	9
10	.28	-	.01	-	-	-	-	.02	-	-	.34	.17	10
11	.03	-	.02	-	.01	-	-	.08	-	-	.02	.02	11
12	.09	.02	.01	.26	.39	-	-	.11	-	-	.93	.03	12
13	.03	.43	-	-	1.47	-	-	.42	-	.04	.41	-	13
14	-	.06	-	-	-	-	1.09	-	.03	-	-	.59	14
15	.22	.01	-	-	.07	-	-	.12	-	-	-	.16	15
16	.01	.44	-	-	.01	-	.72	.11	-	-	snow .45	.03	16
17	-	.44	-	-	.58	-	.18	.02	-	-	-	-	17
18	-	.18	snow .13	-	.14	-	.01	.65	-	-	-	-	18
19	.01	.06	-	-	.02	-	.14	-	-	-	.05	-	19
20	.34	-	snow .01	-	-	-	-	-	-	-	-	.32	20
21	.15	-	-	-	.02	-	.01	-	-	-	-	.07	21
22	.85	.16	.36	.02	-	-	.57	-	-	-	-	.19	22
23	.01	snow .21.	.13	-	-	-	.19	.07	.18	.34	-	.30	23
24	-	-	-	-	-	.02	.40	-	.39	.12	-	.22	24
25	-	-	.08	.09	-	.04	.23	-	-	.08	-	.17	25
26	-	.14	-	-	-	-	.02	-	.02	.01	-	.38	26
27	-	.02	-	-	-	.59	.48	-	-	.42	-	.01	27
28	-	.06	-	-	-	.05	.01	-	1.36	.20	3 ~~.19~~	.02	28
29	-	✕	snow .02	-	-	.09	.10	-	.01	.02	.18	-	29
30	.04	✕	-	-	-	.44	-	.12	-	.02	.12	.02	30
31	.06	✕	-	✕	-	✕	-	-	✕	.93	✕	.25	31
Total	3.85	4.11	1.21	1.15	2.74.	1.29	5.58.	3.13.	2.25	2.35	~~2.85~~ 2.70	5.84	YEAR'S TOTAL 36·10
Rain Days.	21.	21.	16.	8.	10.	8.	18.	16.	10.	13.	~~14.~~ 13	25.	36.35. 179

W. 8,000. X. 15.

✓ tw Mid. and pr auth 991

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL

Kept at S. Just. Northaw
in the County of Hertfordshire
by Edith - T. Poland (Miss)

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Potters Bar. G. N. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	–	·03	–	·04	·05	–	–	·10	·04	·25	–	1
2	·39	·02	·14 snow	–	·22.	·03	·01	–	·13	·44	·02	–	2
3	·01	·45	·14	–	–	–	·04	–	·30	·34	·56	–	3
4	·26	·06	–	–	·01	·71	–	–	·03	·07	·50	–	4
5	·03	·01	·04 snow	·02	·03	·10	–	–	–	·13	·67	–	5
6	–	·06	·36	·28	·01	·14	·34	–	–	·07	·54	–	6
7	·09	–	·35	–	·12	·11	·33	–	–	·03	·60	·03	7
8	–	–	–	–	·47	–	·04	–	–	–	·16	–	8
9	·01	–	·03	–	–	·05	–	–	–	·16	–	·07	9
10	–	·16	·09	·08	–	·34	·19	·12	–	·03	·01	·03	10
11	–	·16	·06	·16	–	·15	–	–	–	–	·01	·64	11
12	–	·04	·03	·13	·40	·15	·07	·22	–	·07	–	·07	12
13	·06	·47	·12	·08	·04	·17	·27	·19	–	·05	·01	–	13
14	·07	·48	·02	·02.	·09	·01	·01	·57	–	·05	–	snow ·10	14
15	–	·17	·42	·02	–	–	·04	·09	–	·01	–	–	15
16	·02	·04	·18	·14	·08	–	·14	·03	–	·07	–	–	16
17	·13	·08	·01	·15	–	–	·16	·21	·29	·55	·05	·02	17
18	–	·07	·05	·09	–	–	–	·20	·18	·05	part-snow ·51	–	18
19	·10	·03	·12	·17	–	–	–	–	–	·01	·73	·12	19
20	·21	–	·25	·08	–	–	–	·04	–	–	·03	·41	20
21	·03	–	·75	·01	–	–	·17	–	–	–	·02	·50	21
22	–	·02	·07	–	·03	–	–	–	–	·04	·01	·52	22
23	·02	·43	·01	–	–	·11	–	·03	–	·07	·09	·12	23
24	–	·06	·04	–	–	·38	–	·04	–	·07	·05	snow ·46	24
25	–	snow ·60	·10	–	·10	–	–	·24	–	·13	·10	·03	25
26	–	·18 snow	·01	–	–	·04	–	·09	–	·07	–	–	26
27	·15	·09	1.17	–	–	·04	–	·14	·08	·49	–	–	27
28	–	·45 snow	–	–	–	·03	–	–	–	·02	–	·21	28
29	·01	·14	·10	–	–	·21	–	1.56	·03	·46	·02	·12	29
30	–	✕	–	–	·30	·14	–	·10	–	·46	–	–	30
31	–	✕	–	✕	–	✕	–	·05	✕	·12	✕	·02	31
Total	1.79	4.27	4.65 4.69	1.48	1.94	2.96	1.81	3.92	1.06	4.10	4.98 4.93	2.87	YEAR'S TOTAL 35.77 35.77
Rain Days.	17.	23.	26.	14.	14	19.	13.	17.	8.	27	21.	17	216

W. 8,000, VIII. 16

958

FORM A.
BRITISH RAINFALL.

7 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at S. Just. Northaw

in the County of Hertfordshire

by Edith J Poland. (Mrs)

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Potters' Bar

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	Snow .03	.01	Snow .25	–	–	–	1.03	.10	–	.15	–	1
2	.01	–	–	Snow .55	–	.04	–	.09	–	–	.03	–	2
3	.02	–	–	Snow .06	–	–	–	.36	–	.22	–	–	3
4	–	Snow .10	Snow .15	.01	–	–	.05	.37	–	.52	–	–	4
5	.21	–	.06	.23	–	–	–	.04	.94	.14	.18	–	5
6	.01	–	.03	.03	–	.02	–	–	.02	.05	.05	–	6
7	.24	–	.01	–	–	.06	.13	–	–	.30	.02	.03	7
8	.13	–	–	.12	–	–	.73	.11	–	.28	.18	.21	8
9	Snow .07	–	Snow .05	Snow .08	–	–	.11	.43	.02	.02	.05	.14	9
10	.26	–	.16	Snow .25	–	–	–	.09	–	–	.03	.03	10
11	.11	.02	.52	Snow .32	–	–	–	–	–	.39	–	–	11
12	.11	–	.02	.01	–	–	–	.12	–	.65	–	.03	12
13	.07	–	.03	–	–	–	.02	.13	.03	.07	–	.01	13
14	–	–	.06	.18	–	–	–	.11	–	.03	–	.05	14
15	Snow .08	–	.01	.01	–	–	.03	.03	–	.03	–	.01	15
16	.07	.12	–	.20	.11	.08	.10	–	–	.77	–	Snow .33	16
17	.01	.02	–	.10	.79	–	.22	–	.44	.44	.02	–	17
18	.07	.02	–	.16	.10	.08	.25	.08	.27	.03	–	–	18
19	.03	.12	.09	.02	.17	.04	.22	.02	.41	–	–	–	19
20	.05	.22	.11	–	.68	–	–	.04	.01	–	.11	–	20
21	.03	.01	.03	.01	.05	–	–	.08	–	.03	.07	.01	21
22	–	–	.05	–	–	–	–	.24	–	.12	.01	–	22
23	–	.08	–	–	–	–	–	.07	–	.06	–	.02	23
24	–	.12	–	–	–	.05	–	–	–	.21	.05	–	24
25	–	.03	.05	–	–	–	–	.25	–	.02	.01	–	25
26	–	.01	.08	–	–	–	–	.82	.04	–	.45	.01	26
27	–	–	.06	–	–	.03	–	.18	–	–	–	.03	27
28	–	–	.02	–	–	1.02	–	.26	–	–	.01	.03	28
29	–	×	.01	–	.12	.21	1.50	.12	–	.25	–	.11	29
30	.03	×	Snow .25	–	–	–	1.57	.02	–	.04	.04	.04	30
31	.09	×	Snow .07	×	–	×	.56	–	×	.02	×	–	31
Total	1.70	.90	1.93	2.59	2.02 2·02	1.63	5.49	5.09	2.28	4.69	1.46	1.09	YEAR'S TOTAL 30.87
Rain Days.	20.	13.	23.	18.	7.	10.	13.	24	10.	23.	17.	16	194

5.11

30·87

W. 8,000, IX. 17.

#MR 40

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

16. 1. 19

Kept at S. Inst. Northaw

in the County of Hertfordshire

by Miss E. J. Poland

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Potters Bar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							–						
1	–	·03	–	·08	–	–	–	–	·02	–	·16	·06	1
2	–	·05	–	·06	–	–	–	·14	–	·02	·03	·10	2
3	·01	·02	·04	·03	·48	–	–	·34	–	·01	·66	·03	3
4	–	·11	·12	·01	·02	–	–	(·02)	·49	·02	·64	·23	4
5	–	·05	·02	–	·14	–	–	·14	·09	·11	–	·04	5
6	·11	·25	·01	·36	·08	–	–	·06	–	·02	–	·10	6
7	·06	·11	–	·13	·17	–	·01	·04	·21	·12	·13	·03	7
8	–	·06	–	·03	–	–	·29	·02	·31	·02	·10	·03	8
9	·04	·06	–	·04	–	·08	·50	–	·47	·15	·01	·33	9
10	·10	·01	·11	·07	–	–	·21	–	·12	·02	·03	·25	10
11	–	–	–	·03	·08	–	·18	–	·08	·24	·06	·07	11
12	·01	·10	–	–	·16	–	·06	–	·02	–	–	·02	12
13	–	·04	–	·01	·18	–	·18	–	·12	–	–	·10	13
14 snow	·25	–	·01	snow	·01	·28	·16	–	·38	·20	–	·17	14
15	1.28	–	–	1.23	–	–	·01	–	·02	·01	·01	·12	15
16	·23	–	–	·48	–	·13	·72	–	·17	·02	–	–	16
17	·20	–	·01	·45	·08	·02	·07	–	·05	–	–	·23	17
18	·60	–	–	·02	·05	·22	·21	–	·81	·09	–	·14	18
19	·06	·02	·05	·12	–	·13	·10	–	·05	·09	–	·22	19
20	·03	·14	–	·63	–	·06	·11	–	·17	·33	·02	·04	20
21	·12	·01	–	·33	–	·01	·07	–	·38	·08	–	·02	21
22	·09	–	–	·02	·33	–	·58	–	·18	·01	·04	·22	22
23	·02	·11	–	·02	·55	–	·02	·05	·06	–	·01	·01	23
24	–	·21	–	–	·04	·03	·16	–	·07	–	·02	–	24
25	–	·02	–	–	–	·06	·31	·11	–	–	·07	–	25
26	–	–	–	–	·28	–	·04	–	–	·03	·21	·17	26
27	–	·01	·01	·08	–	–	·01	·30	·06	·01	·11	·05	27
28	–	·06	·22	·04	–	–	–	·03	–	–	·30	·15	28
29	·01	✕	·01	–	–	–	–	–	1.44	–	·04	–	29
30	–	✕	·42	–	–	–	–	·02	·06	–	·05	·10	30
31	–	✕	·03	✕	–	✕	–	·05	✕	·11	✕	·04	31
Total	3.22	1.47	1.06	4.27	2.65	1.02	4.00	1.32	5.83	1.71	2.70	3.07	YEAR'S TOTAL 32.52
Rain Days.	17	20	13	22	15	10.	21.	13	24	21.	20	27	223

W. 6,500, VII. 18. W W C

Wn Hfb

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Vernon's House, Northaw

in the County of Hertfordshire

by Mrs James Paterson

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Cuffley. G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	snow ·04	–	·02	·06	–	·14	–	–	·05	·06	1·06	1
2	·30	–	·04	–	·15	–	·18	–	·26	·04	·02	·30	2
3	·34	–	·27	–	·02	–	·17	–	·65	–	·14	·29	3
4	·15	·04	·28	–	–	·08	·17	·06	·61	–	–	·15	4
5	·03	snow ·41	·46	–	–	–	·03	–	·19	–	·03	·26	5
6	·03	–	·10	·03	–	–	–	–	–	–	·01	·08	6
7	·07	frost & snow on ground –	·48	–	–	–	–	–	–	–	–	–	7
8	·10	–	·10	·06	–	–	–	–	–	–	–	–	8
9	·03	–	·10	·01	·14	–	–	–	–	–	·56	–	9
10	·26	–	·09	·06	–	–	–	–	–	–	–	·04	10
11	·06	–	·11	·28	–	–	·22	–	–	–	snow ·02	·02	11
12	·02	–	·17	·06	–	·02	·11	–	–	·05	on –	–	12
13	·06	–	–	·25	–	–	–	–	·01	·04	ground –	–	13
14	·33	·04	–	·52	–	–	·06	–	·35	·03	–	–	14
15	·23	·04	·16	·16	–	–	–	–	–	–	snow ·05	·14	15
16	·12	·79	·01	·04	–	–	–	–	–	–	·11	–	16
17	·01	(·59)	·04	·02	–	–	–	–	–	–	·21	·29	17
18	–	·29	·08	–	–	–	–	·07	·06	–	·06	·02	18
19	·05	·18	·70	–	–	·21	·10	·16	·03	–	·13	–	19
20	·39	·13	·09	–	–	·84	·21	·31	·64	–	–	–	20
21	·20	·39	·07	–	–	·09	·17	–	–	·03	–	·07	21
22	–	·21	–	–	–	·03	·11	–	·42	–	·05	·40	22
23	–	–	–	–	–	·02	·01	·04	·14	–	·02	–	23
24	–	–	–	·15	–	·02	·01	·08	–	·12	·13	–	24
25	·04	–	–	·07	·08	·02	–	·45	–	–	–	–	25
26	·12	·25	·13	·11	–	–	–	·01	–	–	–	·39	26
27	snow 1·46	·02	·03	snow 2·16	–	–	–	·35	–	–	snow ·10	·08	27
28	–	–	snow ·13	·11	–	–	–	·85	–	–	·25	·27	28
29	·05		–	·07	–	–	–	·17	–	·19	·19	·04	29
30	–		·02	·27	–	·14	–	·07	–	–	·26	·34	30
31	·04		–		–		–	–		·02		·01	31
TOTAL	4·94	3·42	3·66	4·45	·45	1·47	1·69	2·62	1·56	·57	2·40	4·25	YEAR'S TOTAL 31·48
Days with ·01 in. or more	25	14	22	19	5	10	14	12	11	9	19	19	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8̶60

W̶ ~~Ow~~

Form A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Vernon's House Northaw

in the County of Hertfordshire

by Mrs James Paterson.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Cuffley G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·80	(1·24)	–	·29	–	–	·21	·10	·31	1
2	–	–	·01	–	–	–	·05	·60	·07	·29	–	·17	2
3	–	–	–	·06	–	–	·01	–	·06 ~~·08~~	·08	–	–	3
4	–	·08	–	·08	–	–	·09	·09	–	–	–	– ×	4
5	–	–	·07	–	–	–	·53	·02	·09	–	–	·21 ×	5
6	–	–	·11	·09	·16	–	·27	–	–	–	–	·03	6
7	·01	·02	frost & snow ·06	·17	–	–	·11	–	– ~~·15~~	·15	–	–	7
8	·11	–	–	·11	–	–	–	·06	–	–	–	snow ·15	8
9	–	·01	–	·02	–	–	·03	·05	–	–	–		9
10	·77	–	·08	–	–	·04	·10	–	–	–	–		10
11	·23	–	·04	·60	·03	·10	·20	–	–	–	–	×	11
12	·06	–	·01	·16	–	·39	–	–	–	–	–		12
13	·08	–	·10	·17	–	–	–	–	–	–	·13		13
14	–	–	snow ·30	·31	–	·10	·03	–	·14	·74	·21		14
15	·01	–	·10	·27	–	–	–	–	·49	·05	–	×	15
16	–	·07	–	·36	·02	·09	–	–	·25	·11	–	×	16
17	–	–	–	·02	·14	·09	–	–	·43	–	–	×	17
18	·03	–	–	–	–	–	–	·52	·07	–	–		18
19	·12	–	–	·22	–	–	–	·02	–	–	–	·11 ×	19
20	–	·07	–	·31	–	·70	–	–	·07	–	–	–	20
21	·05	–	–	–	–	–	·65	·04	·44	–	–	·35	21
22	–	–	–	·31	–	–	–	–	·16	–	–	·17	22
23	–	–	–	–	–	–	·71	–	–	–	–	·25	23
24	–	·03	–	–	–	–	·18	–	–	–	–	×	24
25	–	–	·10	·05	–	–	–	–	–	–	–		25
26	·10	–	·04	–	–	–	–	–	–	–	–	×	26
27	·20	·06	–	·26	·11	·10	–	–	–	–	·62		27
28	·26	–	·16	–	·11	–	·06	–	–	–	–	×	28
29	·40	–	·09	·04	–	–	–	–	–	–	·09		29
30	·04	✕	–	·03	·01	–	·49	–	·52	–	·23	×	30
31	–	✕	–	✕	·02	✕	–	–	✕	·11	✕	·83 ×	31
Total	2·47	·34	1·27	4·44	·74	1·61	3·80	1·40	2·79	1·74	1·38	2·58	Year's Total 24·56
Days with ·01 in. or more	15	7	14	21	9	8	16	8	12	8	6	(19)	(143)
Days with ·04 in. or more	12	4	12	18	5	8	13	6	12	8	6	(15)	(119)

No measurement between ← Hard frost till 16 or 17.

No measurement between Rain most days & ~~[illegible]~~ [illegible]

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TELEPHONE
POTTERS BAR 15.

Vernon's House,
Northaw,
Hertfordshire.

JAN 1928

Mrs Paterson much regrets that her December readings were very irregular

Jan. 2. 1928

FORM A2.
BRITISH RAINFALL.

18 APR 1912

RI 19 11.

HERTS
NORTHAW – BARVIN PARK
(NR. POTTERS BAR)
1911 – 1913

Kept at Potters B

in the County of He

by W. E. B

top .... in.
p above Ground .... ft. .... in.
" Sea Level .... ft.
9 am
ation { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·45	·64	–	–	·09	–	–	–	–	·10	1
2	–	–	–	–	·21	–	–	–	–	–	·26	·17	2
3	·35	–	–	–	·22	–	–	–	–	–	·10	·12	3
4	–	–	–	–	–	–	–	–	–	·08	·13	·39	4
5	–	–	–	–	–	–	–	–	–	·04		–	5
6	·41	–	–	·15	–	–	–	–	–	–	} ·31	·62	6
7	–	–	–	–	–	–	–	–	–	·10	~~·18~~	–	7
8	–	–	–	–	–	–	–	–	–	–	·19	·22	8
9	·27	–	–	–	–	–	–	–	–	–	–	·12	9
10	–	–	·49	–	–	–	–	–	–	–	·06	·28	10
11	·32	–	–	–	·38	–	–	–	–	–	·60	–	11
12	–	–	·46	–	·14	·22	–	–	–	–	·35	–	12
13	–	–	·07	–	·19	–	–	–	·55	·22	–	·27	13
14	–	–	·16	–	·27	–	–	–	–	–	–	–	14
15	–	·35	·13	–	–	–	–	–	–	–	·05	–	15
16	–	–	–	–	–	·36	–	–	–	–	·36	·56	16
17	–	–	·11	–	–	·09	–	–	–	–	·46	–	17
18	–	–	–	–	–	·19	–	–	–	–	·49	·54	18
19	–	·23	–	–	–	·11	–	–	–	–	·23	–	19
20	–	–	–	–	–	–	–	–	·14	·22	–	·74	20
21	–	–	–	–	–	–	–	·37	·13	–	–	–	21
22	–	–	–	–	–	·07	–	–	–	·64	–	·64	22
23	–	–	·31	–	–	·90	–	–	33	·11	–	–	23
24	–	–	–	–	–	–	–	–	–	1·09	–	–	24
25	–	·39	–	–	–	·24	·89	–	–	–	–	–	25
26	–	–	·07	·20	–	·07	·04	–	–	·12	–	–	26
27	–	·54	·05	–	–	–	–	–	·16	–	–	–	27
28	–	–	–	·27	–	–	·06	·05	–	–	–	–	28
29	–	–	–	·06	–	·15	·15	–	·24	·24	–	–	29
30	–	–	–	–	–	·04	–	–	–	·21	–	–	30
31	–				·56		–	–				–	31
Total	1·35	1·51	2·30	1·32	1·97	2·44	1·23	·42	1·55	3·07	3·59	4·77	TOTAL for year 25·52
No. of Rain Days.	4	4	10	5	7	11	5	2	6	11	13	13	~~81~~ 91

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
18 APR 1912

REGISTER OF RAINFALL IN 1911.

Ex. F. C.

Kept at Potters Bar (Barvin)

in the County of Herts.

by W. E. Balston

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.45	.64	—	—	.09	—	—	—	—	.10	1
2	—	—	—	—	.21	—	—	—	—	—	.26	.17	2
3	.35	—	—	—	.22	—	—	—	—	—	.10	.12	3
4	—	—	—	—	—	—	—	—	—	.08	.13	.39	4
5	—	—	—	—	—	—	—	—	—	.04		—	5
6	.41	—	—	.15	—	—	—	—	—	—	} .31	.62	6
7	—	—	—	—	—	—	—	—	—	.10	~~.18~~	—	7
8	—	—	—	—	—	—	—	—	—	—	.19	.22	8
9	.27	—	—	—	—	—	—	—	—	—	—	.12	9
10	—	—	.49	—	—	—	—	—	—	—	.06	.28	10
11	.32	—	—	—	.38	—	—	—	—	—	.60	—	11
12	—	—	.46	—	.14	.22	—	—	—	—	.35	—	12
13	—	—	.07	—	.19	—	—	—	.55	.22	—	.27	13
14	—	—	.16	—	.27	—	—	—	—	—	—	—	14
15	—	.35	.13	—	—	—	—	—	—	—	.05	—	15
16	—	—	—	—	—	.36	—	—	—	—	.36	.56	16
17	—	—	.11	—	—	.09	—	—	—	—	.46	—	17
18	—	—	—	—	—	.19	—	—	—	—	.49	.54	18
19	—	.23	—	—	—	.11	—	—	—	—	.23	—	19
20	—	—	—	—	—	—	—	—	.14	.22	—	.74	20
21	—	—	—	—	—	—	—	.37	.13	—	—	—	21
22	—	—	—	—	—	.07	—	—	—	.64	—	.64	22
23	—	—	.31	—	—	.90	—	—	33	.11	—	—	23
24	—	—	—	—	—	—	—	—	—	1.09	—	—	24
25	—	.39	—	—	—	.24	.89	—	—	—	—	—	25
26	—	—	.07	.20	—	.07	.04	—	—	.12	—	—	26
27	—	.54	.05	—	—	—	—	—	.16	—	—	—	27
28	—	—	—	.27	—	—	.06	.05	—	—	—	—	28
29	—	—	—	.06	—	.15	.15	—	.24	.24	—	—	29
30	—	—	—	—	—	.04	—	—	—	.21	—	—	30
31	—				.56		—	—				—	31
Total	1.35	1.51	2.30	1.32	1.97	2.44	1.23	.42	1.55	3.07	3.59	4.77	TOTAL for year 15.52
No. of Rain Days.	4	4	10	5	7	11	5	2	6	11	13	13	~~81~~ 91

W. 8,000, X. '11.

Copy from Original MS both
rel. to obsn.

Cor. for W.D. 16.IV.13.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

16 APR 1913

Kept at Northaw, Barvin Park E4B

in the County of Hertfordshire 3

by W. E. Balston Esq

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.33		.04		.20	.14	.75			1
2			.24			.59	.05		.06	.34		.20	2
3							.315	.10	.02				3
4			.76		.10	.16		.37				.11	4
5					.19	.09					.31		5
6	.74							.12			.02		6
7								.18				.07	7
8	.58				.03	.52		.16				.06	8
9		.59	.45					.10	.04			.04	9
10				.07		.34		.09				.17	10
11								.33	.04		.26	.16	11
12								.06	.04		.03	.12	12
13		.64	.11		.13	.14					.10		13
14										.07	.12	.05	14
15	.45		.06					.07		.04		.02	15
16					.21	.36					.02	.22	16
17			.13		.09	.04		.18		.07	.06		17
18			.24			.11						.20	18
19			.07					16			.03		19
20	.58		.09		.06		.11	.37					20
21			.15					.12		.41		.17	21
22			.38					.11		.09	.07		22
23			.03		.09		.23	.40					23
24	.65	.61	.30				.11	.28		.04	.21		24
25	.46							a little not taken				.19	25
26						.16		.83			.32	.55	26
27							11	.22		.41	.51	.49	27
28						.05				.23			28
29						.05		.27	.19	.34	.44	.21	29
30						.07	.24	.05	1.38	38			30
31					.17		.05			.17			31
Total	— ~~3.46~~ 3.46	— ~~1.84~~ 1.84	.33 ~~3.01~~ 3.34	— ~~.40~~ .07	.04 ~~1.07~~ 1.11	— ~~2.72~~ 2.68	.20 ~~1.215~~ 1.415	.14 ~~4.77~~ 4.71	.75 ~~1.91~~ 2.52	— ~~3.34~~ 2.59	— 2.50 2.50	.10 ~~3.03~~ 3.13	YEAR'S TOTAL ~~29.265~~ ~~29.366~~
Rain Days.	6	3	~~13~~ 14	~~2~~ 1	~~9~~ 10	~~14~~ 13	~~8~~ 9	23	8	~~13~~ 12	14	~~17~~ 18	~~130~~ 131

29.36

W. 7,500, XI. 12

Copy for Mo. Book

ret to obser.

and for W.D. 25-11-14

REGISTER OF RAINFALL IN 1913

Sent PM

FORM A.
BRITISH RAINFALL

16 APR 1913

Kept at Northaw Barvin Park

in the County of Hertfordshire 3

by W. E. Balston

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.10	.19	.26	.03									1
2				.16									2
3	.11	.18											3
4				.19									4
5	.13												5
6													6
7	.08												7
8		.15											8
9													9
10		.20	.06										10
11				.32									11
12	.54			.45									12
13													13
14													14
15		.10	.10										15
16	.32		.27										16
17			.38										17
18	.18												18
19			.26										19
20	.14		.09										20
21													21
22			.21										22
23			.12										23
24													24
25													25
26													26
27			.25										27
28			.21										28
29													29
30	.25		.08										30
31	.26												31
Total	.19 ~~2.11~~ 2.20	.26 ~~.82~~ .89	.03 ~~2.29~~ 2.06										YEAR'S TOTAL
Rain Days.	10 ✓	5 ✓	12 ✓										

W. 7,500, XI. ·12

Cowley Ho

"Easby"

REGIST

HERTS

NORTHWOOD – "EASBY"

1911 – 1913

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept at Northwood

in the County of Herts

by Mrs Sandford

8 in.

round ft. 10 in.

ea Level 400 ft.

a.m

ame Northwood

istance 1 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			·60	·01								1
2	·07			·35	·27			·08			·32	·17	2
3	·04	·02			·27						·12		3
4	·05	·03	·07	·06						·05	·24	·11	4
5	·03	·01		·05						·08		·48	5
6	·40		·10	·01							·01	·45	6
7										·11	·33	·31	7
8	26		·28								·13	·25	8
9	05		·01									·11	9
10	·05	·05	·18	·01							·08	·57	10
11	28				·33						·59	·04	11
12	snow 04		·57		·08						·26	·01	12
13			·07						·57	·46	·01	·47	13
14			·13		·49							·39	14
15		·12			·09					·01	·08	·03	15
16						·38					·37	·10	16
17			·02			·10					·33	·25	17
18		·20	·03			·32					·49	·32	18
19									·18	02	·27	·20	19
20		·06				·38		·68	·15	10		·88	20
21		·06						·26		65		·08	21
22	·13		·01			·12				13		·65	22
23		·13	·15			·68			·26			·21	23
24						·09	·01	·02		1·15		·18	24
25		·23		·10		·30	·31			·10		·01	25
26		·07	·01	·24		·02		·02		·18		·37	26
27		·57	·15	·33					·14			·13	27
28		·40			·09		·01	·07			·07		28
29						·32	·13		·25	·32			29
30			01		·04	·04				·16	·01		30
31					1·24								31
Total	1·43	1·95	1·73	1·75	2·91	2·75	·46	1·~~05~~ ·13	1·49	3·52	3·71	6·71	TOTAL for year 29·~~46~~ 54 29·54
No. of Rain Days	12	13	15	9	10	11	4	6	6	14	17	25	142

9,000, IX. '10.

Coll by Hopkinson 12·III·12

"Easbey"

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept at Northwood
in the County of Herts 2
by Mrs Sandford Fawcett

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 400 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name Northwood
Distance 1 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			·60	·01								1
2	·07			·35	·27			·08			·32	·17	2
3	·04	·02			·27						·12		3
4	·05	·03	·07	·06						·05	·24	·11	4
5	·03	·01		·05						·08		·48	5
6	·40		·10	·01							·01	·45	6
7										·11	·33	·31	7
8	26		·28								·13	·25	8
9	05		·01									·11	9
10	·05	·05	·18	·01							·08	·57	10
11	28				·33						·59	·04	11
12	snow 04		·57		·08						·26	·01	12
13			·07						·57	·46	·01	·47	13
14			·13		·49							·39	14
15		·12			·09					·01	·08	·03	15
16						·38					·37	·10	16
17			·02			·10					·33	·25	17
18		·20	·03			·32					·49	·32	18
19									·18	02	·27	·20	19
20		·06				·38		·68	·15	10		·88	20
21		·06						·26		65		·08	21
22	·13		·01			·12				13		·65	22
23		·13	·15			·68			·26			·21	23
24						·09	·01	·02		1·15		·18	24
25		·23		·10		·30	·31			·10		·01	25
26		·07	·01	·24		·02		·02		·18		·37	26
27		·57	·15	·33					·14			·13	27
28		·40			·09		·01	·07			·07		28
29						·32	·13		·25	·32			29
30			01		·04	·04				·16	·01		30
31					1·24								31
Total	1·43	1·95	1·73	1·75	2·91	2·75	·46	·13 1·~~05~~	1·49	3·52	3·71	6·71	TOTAL for year 54 29·~~46~~ 29·54
No. of Rain Days	12	13	15	9	10	11	4	6	6	14	17	25	142

9,000, IX. '10.

Ex. Jd entd by Sum stats 5.V.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

10 FEB 1913

Kept at Easby. Northwood
in the County of Hertford 2
by Mrs Sandford Fawcett

Lat. 51° 36' 50" Long. 0° 24' 5"
Time of Observation 9 A.M.
Nearest Railway Station Northwood
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORT … entered to the
previous day. … he is earnestly
requested to a … space provided
for it at the … ain,
the selection … fall
Organization … to
Dr. H. R. M …

Jan. 1, following.

Weetwood, Watford
5/5/13

I have detected a mistake in daily rainfall for Easby Northwood. March 25 ·37 No rain fell anywhere on that day. The entry appears to be a duplicate for ·37 on 31st. This makes month 4·41, Year 35·40, & one day less of rain.

John Hopkinson

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·21	1
2													2
3	·07											·10	3
4	·31												4
5	·23												5
6	·60											·10	6
7			[illegible]		·04	·40	[illegible]	[illegible]			[illegible]	·17	7
8	·61	·32	·23			·05		·14			·01	·02	8
9		·35	·01	04		·23	·03	·02				·34	9
10		·04						·38			·10	·21	10
11	·17	·31	·01			·01					·01	·17	11
12		·13	·12		·24	·08				·01	·08		12
13		·01	·16								·11	·05	13
14					·02			·05		·10		·02	14
15		·03	·23		·27	·44		·03				·29	15
16	·49	·01	·16			·10		·22		·09	·10		16
17	·66		·30					·13					17
18	·05		·25					·13			·01	·16	18
19	·09	·09	·12			·01	·34	·54					19
20	·07	·03	·21				·03	·15		·49	·01		20
21	·02	·10	·62		·32			·10		·08			21
22	·30	·26	·05		·14			·22		·02		·05	22
23	·35	·45	·40				·14	·54	·01	·02	·18	·18	23
24	·39	·01					·10	·13				·19	24
25			~~·37~~			·17		·55			·33	·62	25
26		·02					·30	·39		·54	·51	·41	26
27						·03				·23		·27	27
28		·07				·01		·14	·02	·44	·52	·30	28
29		·02				·34	·22	·32	1·68	·20	·03		29
30					43	·02	·01		1·08	·22			30
31			·37		16		·25	·06		·01		·06	31
Total	4·41	2·41	4·41 ~~4·78~~	·04	1·79	2·57	1·91	5·73	3·11	2·80	2·30	3·92	YEAR'S TOTAL 35·40 35·77
Rain Days.	15	21	22	1	9	18	13	25	7	14	15	20	180

W. 7,500, XI. ·12

E.S.D. entd by Sun stats 5.V.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

10 FEB 1913

Kept at Easley. Northwood

Lat. 57° 36′ 50″ Long. 0° 24′ 5″

Time of Observation 9 A.M.

in the County of …d

by Mrs Sa

ft. 10 in.

400 ft.

IMPORT … entered to the previous day. … he is earnestly requested to a … space provided for it at the … in, the selection … fall Organization … to Dr. H. R. M

Jan. 1, following.

Dr H. R. Mill
62 Camden Square
N.W.
London

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·07	·05		·22	·35		·21	1
2		·01	·10			·08	·32	·02	·07				2
3	·07		·15			·27	·06	·34	·03			·10	3
4	·31	·01	·72		·17	·17		·09					4
5	·23	·12	·11					·50			·27		5
6	·60	·02	·01			·09		·44				·10	6
7			·01		·04	·40	·06	·10			·03	·17	7
8	·61	·32	·23			·05		·14			·01	·02	8
9		·35	·01	04		·23	·03	·02				·34	9
10		·04						·38			·10	·21	10
11	·17	·31	·01			·01					·01	·17	11
12		·13	·12		·24	·08				·01	·08		12
13		·01	·16								·11	·05	13
14					·02			·05		·10		·02	14
15		·03	·23		·27	·44		·03				·29	15
16	·49	·01	·16			·10		·22		·09	·10		16
17	·66		·30					·13					17
18	·05		·25					·13			·01	·16	18
19	·09	·09	·12			·01	·34	·54					19
20	·07	·03	·21				·03	·15		·49	·01		20
21	·02	·10	·62		·32			·10		·08			21
22	·30	·26	·05		·14			·22		·02		·05	22
23	·35	·45	·40				·14	·54	·01	·02	·18	·18	23
24	·39	·01					·10	·13				·19	24
25			~~·37~~			·17		·55			·33	·62	25
26		·02					·30	·39		·54	·51	·41	26
27						·03				·23		·27	27
28		·07				·01		·14	·02	·44	·52	·30	28
29		·02				·34	·22	·32	1·68	·20	·03		29
30					43	·02	·01		1·08	·22			30
31			·37		16		·25	·06		·01		·06	31
Total	4·41	2·41	4·41 ~~4·78~~	·04	1·79	2·57	1·91	5·73	3·11	2·80	2·30	3·92	YEAR'S TOTAL 35·40 35·77
Rain Days.	15	21	22	1	9	18	13	25	7	14	15	20	180

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 FEB 1914

Kept at Easby. Northwood
in the County of Herts E+R 2
by Mrs Sandford Fawcett.

Lat. 51° 36' 50" Long. 0° 24' 5"
Time of Observation 9. A.M.
Nearest Railway Station Northwood
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	20	01	23					22		10	17	1
2	08	09	01				15		04	07	09		2
3	·01		07		70					03		06	3
4	·21			25	12		07			13		10	4
5	10						20		30	01	02	08	5
6	~~10~~	08	07	01		23	24		02	50	05	14	6
7	36	15			11	02	01	06		61	10	02	7
8		01			11	19				07	02		8
9		22							06		03	04	9
10			11	08			33	08			62		10
11	68				11			07		62	53		11
12				60	01						36		12
13									07		42		13
14	15	02	14				54	08			03		14
15	15	06	23	42			15		05				15
16	13		33	11					11				16
17	02	01	10				18				03	15	17
18			11	18							05	01	18
19	42		14				12		31				19
20	11		08	03	05	03				86	07	03	20
21	01		26				01			14	60		21
22	52		17										22
23			02			01		25	28		01	24	23
24	01			13				08	01				24
25		04		18							03	03	25
26		03	22	13				06		78		25	26
27			02	10						04			27
28	41		29	16						14		02	28
29			11	61				10				02	29
30	30			03	41			05		34			30
31			10					46					31
Total	3·67	·91	2·59	3·25	1·62	·48	2·00	1·29	1·47	4·34	3·16	1·36	YEAR'S TOTAL 26·14
Rain Days.	17	11	20	16	8	5	11	10	11	14	18	15	156

W.7,000, XI. 13

Northwood
Woodhouse, Eaves
Hertfordshire
1919–1920

898

TISH RAINFALL ORGANIZATION.

INFALL IN 1919.

17 JAN 20

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northwood.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

y at 9 a.m. and the result entered to the previous day.
sal rule, he is earnestly requested to add
n the space provided for it at the end of
, the selection and placing of rain gauges,
given in "*Rules for Rainfall Observers*,"
itish Rainfall Organization, 62, Camden

Jan. 1, following.

not be entered on this form. 1919

Da							ly	August	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
												1·24	1
2												·25	2
3												·33	3
4												·24	4
5												Nil	5
6												·03	6
7												Nil	7
8												Nil	8
9												Nil	9
10												·10	10
11												·08	11
12												Too little to measure.	12
13												·01	13
14												·01	14
15												·60	15
16												Nil	16
17												·08	17
18											·37	·07	18
19											·25	Nil	19
20											·0[illegible] Nil	·01	20
21											·02	·08	21
22											·02	·36	22
23											N	Nil	23
24											·37	·02	24
25											N	·04	25
26											Nil	·45	26
27											Too little to measure	·07	27
28												·34	28
29											·25	·04	29
30		X									·31	·41	30
31		X		X		X			X		X	·03	31
TOTAL												4·89	YEAR'S TOTAL
Days with ·01 in. or more													

NB. Woodhouse Eaves is in Hertfordshire but Northwood postal address is Middlesex

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

898

17 JAN 20

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Woodhouse Eaves Northwood.
in the County of ~~Hertford~~ Middlesex
by S. F. Fox

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northwood.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

1919

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·24	1
2												·25	2
3												·33	3
4												·24	4
5												Nil	5
6												·03	6
7												Nil	7
8												Nil	8
9												Nil	9
10												·10	10
11												·08	11
12												Too little to measure.	12
13												·01	13
14												·01	14
15												·60	15
16												Nil	16
17												·08	17
18											·37	·07	18
19											·25	Nil	19
20											·0[illegible] Nil	·01	20
21											·02	·08	21
22											·02	·36	22
23											N	Nil	23
24											·37	·02	24
25											N	·04	25
26											Nil	·45	26
27											Too little to measure	·07	27
28												·34	28
29											·25	·04	29
30											·31	·41	30
31												·03	31
TOTAL												4·89	YEAR'S TOTAL
Days with ·01 in. or more													

NB. Woodhouse Eaves is in Hertfordshire but Northwood postal address is Middlesex

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Woodhouse Eaves. Northwood

in the County of Middlesex Herts.

by S. F. Fox.

Lat. 51°37'30"N Long. 0°24'30"W.

Time of Observation 9 a.m.

Nearest Railway Station Northwood.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

1920

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	·01	—	·72	·14	—	·32	—	—	·40	·01	·24	1
2	Nil	Nil	·01	·01	·01	—	·06	·59	·08	·04	—	·12	2
3	Nil	·07	—	·06	—	—	·27	—	·08	·04	—	·10	3
4	—	·05	—	·07	—	—	·02	·12	—	·33	—	·05	4
5	—	—	·08	·01	·04	—	·72	·03	·02	·01	—	·03	5
6	—	—	·24	·04	·14	—	·52	—	—	—	—	·02	6
7	—	·01	—	·24	·01	—	·19	·01	—	—	·01	·04	7
8	·04	·03	—	·19	·04	—	·16	·14	—	·01	—	—	8
9	·38	·01	·01	·10	—	—	·01	—	—	—	—	—	9
10	·55	·05	·08	·01	—	·06	·13	—	—	—	—	—	10
11	·23	—	·06	·21	·06	·05	·27	—	—	—	—	—	11
12	—	·01	·02	·15	·03	1·21	·02	—	—	—	—	Snow	12
13	·22	·01	·11	·22	—	·01	—	—	—	—	·06	Snow	13
14	·02	·02	·30	·20	—	·11	·05	—	·12	·21	·23	—	14
15	·02	Nil	·18	·34	—	—	·01	—	·21	·22	·08	—	15
16	Too small to measure	·01	·01	·30	·20	·11	—	—	·30	·13	—	—	16
17	·01	—	—	·01	·02	—	·02	—	·29	·04	·01	·18	17
18	·05	—	—	—	·01	—	—	·66	·32	—	—	·08	18
19	·10	—	—	·13	·01	—	—	·05	·06	—	·01	·03	19
20	·12	·06	—	·27	—	·71	—	—	—	—	—	—	20
21	Nil.	—	—	·01	—	—	·52	·02	·50	—	—	·12	21
22	·01	—	—	·31	—	—	·01	—	·09	—	—	·24	22
23	·01	·01	—	·01	—	—	1·13	—	—	—	—	·45	23
24	·01	—	·10	·01	—	—	—	—	—	·01	—	·07	24
25	·01	·02	·12	·01	~~Nil~~	—	·26	—	—	—	—	—	25
26	·07	—	·13	·01	·01	·01	·06	—	—	—	—	·04	26
27	·24	·07	·01	·27	—	—	—	—	—	—	·61	·20	27
28	·40	·02	·20	·09	·11	—	·28	—	—	—	·05	—	28
29	·27	—	·04	·01	·03	—	·02	—	—	—	—	·35	29
30	·01	╳	—	—	·05	—	·46	—	·25	—	·22	·19	30
31	·07	╳	—	╳	·01	╳	—	—	╳	·24	╳	·23	31
TOTAL	2·84	·46	1·70	4·01	·92	2·27	5·51	1·62	2·32	1·68	1·29	2·78	YEAR'S TOTAL 27·40
Days with ·01 in. or more	21	16	17	28	17	8	23	8	12	12	10	~~21~~ 19	191
X-04	13	5	12	18	9	6	16	5	11	9	6	17	193 Days 127

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HERTS.
NORTHWOOD - GATE HOUSE
1911-1920

REGI … 1.

FORM A2.
BRITISH RAINFALL.
8 JAN

Kept at Gate Ho
in the County of Hert
by Oliver S.

G.C Rwy gauge
8½ in.
…ve Ground 3 ft. 6 in.
Sea Level 450 ft.
a.m.
Name Northwood
Distance 1¼ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	Nil	·58	Nil	Nil	Nil	·07	Nil	Nil	Nil	Nil	1
2	·06	"	"	·26	·19	"	"	Nil	"	"	·24	·17	2
3	·02	·01	"	Nil	·19	"	"	"	"	"	·10	·06	3
4		·03	·07	·03	Nil	"	"	"	"	·05	·09	·29	4
5	·07	·01	Nil	Nil	"	"	"	"	"	·07	Nil	·12	5
6	·34	Nil	·11	Nil	"	"	"	"	"	Nil	"	·25	6
7	·03	"	Nil	·09	"	"	"	"	"	·10	·29	·39	7
8	·15	"	Nil	Nil	"	"	"	"	"	Nil	·13	·15	8
9	·07	"	·22	"	"	"	"	"	"	"	·01	·04	9
10	·03	·04	Nil	·01	"	"	"	"	"	"	·02	·43	10
11	·25	Nil	·14	Nil	·28	"	"	"	"	"	·65	·03	11
12	·04	"	·40	"	·12	·04	"	"	"	"	·20	·01	12
13	·03	"	·08	"	·35	Nil	"	"	"	·40	·03	·32	13
14	Nil	·04	Nil	"	·10	"	"	"	·50	Nil	Nil	·38	14
15	Nil	·06	·12	"	Nil	"	"	"	Nil	·02	·05	·03	15
16	Nil	Nil	Nil	"	"	·33	"	"	"	Nil	·37	·07	16
17	Nil	"	·02	"	"	·17	"	"	"	"	·29	·18	17
18	Nil	·14	·01	"	"	·18	"	"	"	"	·40	·27	18
19	Nil	Nil	Nil	"	"	·29	"	"	"	·03	·20	·17	19
20	Nil	·03	"	"	"	Nil	"	"	"	·07	Nil	·64	20
21	·04	·05	·01	"	"	"	"	·45	·20	·60	"	·03	21
22	·08	·01	·01	"	"	·04		·30	Nil	·03	"	·51	22
23	·02	·10	·13	"	"	·59	"	·01	·22	·01	·02	·20	23
24	Nil	·14	·04	"	"	·19	·01	Nil	Nil	·87	Nil	·16	24
25	"	·06	Nil	·06	"	·14	·24	·03	·01	·09	"	·01	25
26	"	Nil	·01	·20	"	·02	·04	Nil	Nil	·15	·01	·33	26
27	"	·43	·09	·04	"	Nil	·04	"	·11	Nil	Nil	·16	27
28	"	·38	Nil	·24	·08	"	Nil	"	Nil	·01	·03	Nil	28
29	"		"	Nil	Nil	·19	·12	·09	·20	·27	Nil	"	29
30	"		"	"	·04	·03	Nil	Nil	·02	·13	"	·01	30
31	"		"		1·10		"	"		·01		Nil	31
Total	1·23	1·53	1·46	1·51	2·45	2·21	·45	·95	1·26	2·91	3·13	5·41	TOTAL for year 24·50
No. of Rain Days.	15	15	15	9	9	12	5	6	7	17	18	27	155

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

8 JAN

REGISTER OF RAINFALL IN 1911.

Kept at Gate House Pinner Hill Northwood

in the County of Herts 2

by Oliver S. Holt.

RAIN GAUGE
Pattern Old G. C. Rwy guage
Diameter of top 8½ in.
Height of top above Ground 3 ft. 6 in.
„ „ „ Sea Level 450 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Northwood
Distance 1¼ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	Nil	Nil	·58	Nil	Nil	Nil	·07	Nil	Nil	Nil	Nil	1
2	·06	„	„	·26	·19	„	„	Nil	„	„	·24	·17	2
3	·02	·01	„	Nil	·19	„	„	„	„	„	·10	·06	3
4		·03	·07	·03	Nil	„	„	„	„	·05	·09	·29	4
5	·07	·01	Nil	Nil	„	„	„	„	„	·07	Nil	·12	5
6	·34	Nil	Nil	Nil	„	„	„	„	„	Nil	„	·25	6
7	·03	„	Nil	·09	„	„	„	„	„	·10	·29	·39	7
8	·15	„	Nil	Nil	„	„	„	„	„	Nil	·13	·15	8
9	·07	„	·22	„	„	„	„	„	„	„	·01	·04	9
10	·03	·04	Nil	·01	„	„	„	„	„	„	·02	·43	10
11	·25	Nil	·14	Nil	·28	„	„	„	„	„	·65	·03	11
12	·04	„	Nil	„	·12	·04	„	„	„	„	·20	·01	12
13	·03	„	·08	„	·35	Nil	„	„	„	·40	·03	·32	13
14	Nil	·04	Nil	„	·10	„	„	„	·50	Nil	Nil	·38	14
15	Nil	·06	·12	„	Nil	„	„	„	Nil	·02	·05	·03	15
16	Nil	Nil	Nil	„	„	·33	„	„	„	Nil	·37	·07	16
17	Nil	„	·02	„	„	·17	„	„	„	„	·29	·18	17
18	Nil	·14	·01	„	„	·18	„	„	„	„	·40	·27	18
19	Nil	Nil	Nil	„	„	·29	„	„	„	·03	·20	·17	19
20	Nil	·03	„	„	„	Nil	„	„	„	·07	Nil	·64	20
21	·04	·05	·01	„	„	„	„	·45	·20	·60	„	·03	21
22	·08	·01	·01	„	„	·04		·30	Nil	·03	„	·51	22
23	·02	·10	·13	„	„	·59	„	·01	·22	·01	·02	·20	23
24	Nil	·14	·04	„	„	·19	·01	Nil	Nil	·87	Nil	·16	24
25	„	·06	Nil	·06	„	·14	·24	·03	·01	·09	„	·01	25
26	„	Nil	·01	·20	„	·02	·04	Nil	Nil	·15	·01	·33	26
27	„	·43	·09	·04	„	Nil	·04	„	·11	Nil	Nil	·16	27
28	„	·38	Nil	·24	·08	„	Nil	„	Nil	·01	·03	Nil	28
29	„		„	Nil	Nil	·19	·12	·09	·20	·27	Nil	„	29
30	„		„	„	·04	·03	Nil	Nil	·02	·13	„	·01	30
31	„		„		1·10		„	„		·01		Nil	31
Total	1·23	1·53	1·46	1·51	2·45	2·21	·45	·95	1·26	2·91	3·13	5·41	TOTAL for year 24·50
No. of Rain Days.	15	15	15	9	9	12	5	6	7	17	18	27	155

W. 8,000, X. '11.

[illegible] 5.III.13 W DL

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
JAN 191

Kept at Gate House [Northwood]

in the County of Hertford 2

by O S Holb

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

From 1911 Record 2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·11	·07			·30		·18	1
2			·09			·04	·33	·02	·03		·01		2
3	·05	·03	·12		·01	·20	·03	·31			·01	·07	3
4	·25	·02	·53		·14	·20		·08			·18	·01	4
5	·22	·10	·10			·01		·43	·04		·05		5
6	·49	·02				·11		·30				·08	6
7					·04	·50	·06	·28				·35	7
8	·46	·30	·19	·01		·01		·08					8
9	·02	·19	·01	·04		·09	·03	·02				·21	9
10		·04				·02		·39			·08	·16	10
11	·09	·30				·02			·02		·01	·13	11
12	·05	·14	·12		·20	·09				·01	·06		12
13	·02	·01	·01								·10	·02	13
14	·01		·02		·02			·07		·09		·01	14
15	·01	·03	·15		·22	·42		·03			·01	·23	15
16	·34		·07			·01		·22		·08	·08		16
17	}*		·25		·02	·10		·08				·01	17
18	} ·56		·18					·12	·01		·01	·11	18
19	·19	·09	·16				·30	·43		·01			19
20			·12			·01	·04	·07		·39			20
21	·02	·09	·38		·22			·10		·08	·07		21
22	·30	·22	·09		·13		·11	·14		·03	·01	·04	22
23	·33	·34	·35		·01		·08	·48		·02	·15	·16	23
24	·35	·02						·13				·16	24
25						·13		·44			·27	·61	25
26		·02					·26			·47	·35	·18	26
27			·03			·03		·12		·15		·18	27
28		·06				·01		·27	·04	·38	·41	·26	28
29		·02				·27	·18	·03	1·38	·17			29
30					·40	·02	·01	·21	·90	·18			30
31			·31		·15		·20	·06				·05	31
Total	3·76	2·04	3·35	·05	1·56	2·40 2·40	1·70	4·91	2·42	2·36	1·86	3·21	TOTAL for year 29·62
No. of Rain Days.	19 18	19	21	2	12	21	13	26	7	14	17	21	192

W. 8,000, X. '11.

* Rain guage door frozen up.

Total Rainfall for year 29·52. on 194 days.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

5 - JAN 1914

Kept at Gate House - Northwood

in the County of Herts

2

by

Lat. Long.

Time of Observation

Nearest Railway Station as last year

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·12	·08	·20	–	–	–	–	·22	·04	·10	·12	1
2	·02	·13	·01	·01	–	–	·12	–	·03	·10	·05	·01	2
3	·02	–	·05	·21	·57	–	–	–	–	·07	T	·03	3
4	·23	–	–	·01	·13	–	·08	–	–	·01	·04	·06	4
5	·09	–	–	–	–	T	·13	–	·23	·18	·02	·07	5
6	–	·06	·05	·01	·07	·20	·34	–	·03	·77	·03	·13	6
7	–	·12	–	–	·03	·03	–	·06	–	·05	·08	·03	7
8	–	·02	·02	T	–	·13	–	–	·06	–	·03	–	8
9	–	·19	–	–	·13	T	–	–	–	–	·03	·04	9
10	–	–	·06	·08	·02	–	·44	·09	–	·66	·53	–	10
11	·52	–	–	·46	·05	–	–	·07	–	·01	·50	–	11
12	–	·01	–	–	·02	–	–	–	–	–	·31	–	12
13	·05	–	·01	–	–	–	–	·01	·10	·13	·24	–	13
14	·07	·02	·07	·04	–	–	·40	·06	·10	·01	·14	–	14
15	·15	·04	·15	·27	–	–	·23	–	–	–	–	–	15
16	·12	–	·26	·14	–	–	–	–	–	–	–	–	16
17	·02	–	·01	·04	–	–	·15	T	·27	–	·03	·10	17
18	·01	–	·20	·06	T	–	–	–		–	·05	–	18
19	·31	–	·03	·01	·04	–	·13	–		·64	–	·03	19
20	·08	–	·06	·03	·01	–	–	–	T	·15	–	–	20
21	–	–	·13	·05	–	–	·01	–	–	–	·59	–	21
22	·50	–	·11	·03	–	–	–	·05	·21	–	·01	–	22
23	–	–	·02	–	–	·01	–	·16	·02	–	–	·20	23
24	·01	·04	–	–	–	–	–	·06	T	–	·02	–	24
25	–	·02	–	·13	–	–	–	–	T		–	–	25
26	–	·04	·16	·10	–	–	–	·05	–	·64	–	·18	26
27	–	–	·02	·09	·01	–	–	–	–	·03	·01	–	27
28	·35	–	·24	·13	–	–	–	–	–	·10	–	–	28
29	·03		·08	·55	·35	–	–	·07	–	·03	–	–	29
30	·21		–	·04	–	–	–	–	–	·28	·03	·04	30
31	–		·06		–		–	·41		·02		–	31
Total	2·83	·81	1·88	2·69	1·43	·37	2·03	1·09	1·27	3·92	2·84	1·04	YEAR'S TOTAL 22·20
Rain Days.	19	12	22	22	12	4	10	11	10	19	20	13	174

1st to 24th sh'd be a day later

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Gate House Northwood

in the County of Herts. 2

by O. S. Holt

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Northwood

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 448 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	—	—	—	—	·13	—	—	·06	·07	1
2	—	—	—	·02	—	—	·14	·21	—	—	·04	·10	2
3	—	—	·03	·02	·19	—	·48	—	—	—	·01	·02	3
4	·16	—	·01	·21	·01	—	—	·03	—	—	·30	·29	4
5	·05	—	·11	·15	·10	·07	·48	·28	—	—	—	—	5
6	·01	·12	·01	—	·04	·12	·03	·03	—	—	·14	·17	6
7	—	·22	·33	·18	·75	·05	·20	—	—	—	·01	·11	7
8	·05	·22	·54	·04	·05	·13	·11	·13	—	—	+	·02	8
9	·17	—	·59	·10	—	·55	—	—	·08	—	—	1·33	9
10	·01	·12	—	·09	·07	—	—	—	·17	—	—	·03	10
11	—	·21	·45	—	—	·45	—	—	·09	—	·25	·26	11
12	—	·06	·13	—	—	—	·20	—	·25	—	·02	·40	12
13	—	·26	·28	—	—	—	—	—	·17	·08	·12	·40	13
14	—	·06	·37	—	—	—	·04	—	·01	·33	·11	·37	14
15	·07	—	·17	—	—	—	—	·01	·07	·05	·03	·04	15
16	·02	—	·04	—	—	—	·19	—	·01	—	—	—	16
17	—	·44	·06	—	—	—	—	—	·13	—	—	·22	17
18	—	—	·09	—	—	—	—	—	—	—	·01	·34	18
19	—	·09	·14	—	—	—	·14	—	·01	—	·15	·11	19
20	—	·20	·15	—	—	·02	—	—	·06	—	—	·12	20
21	—	·42	·09	—	—	·06	—	—	—	·02	—	·04	21
22	—	·03	·02	—	·17	·05	·10	·04	—	·39	—	—	22
23	—	·10	·13	—	·22	·03	—	—	—	·08	—	—	23
24	—	·01	·09	·01	·02	·01	—	—	—	·07	·11	·01	24
25	·02	—	·09	—	—	—	—	·09	—	·33	—	·07	25
26	—	—	·13	—	—	—	·08	·09	—	·06	·18	·51	26
27	·04	—	·03	—	—	—	—	—	—	—	·02	·23	27
28	—	·03	—	—	·04	—	—	—	—	·05	·34	1·14	28
29	·05	×	·14	—	—	—	—	—	—	·26	·11	·01	29
30	·01	×	·07	—	—	—	—	—	—	·05	·46	·35	30
31	—	×	—	×	·13	×	03	—	×		×	02	31
Total	·66	2·59	4·32	·82	1·79	1·54	2·22	1·04	1·05	1·77	2·47	6·78	YEAR'S TOTAL 27·05 ✓
Rain Days.	12	16	27	9	12	11	13	10	11	12	19	27	179. ✓

W. 8,000. X. 14.

977

FORM A.
BRITISH RAINFALL.

5. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Gate House Pinner Hill Northwood

in the County of ~~Middlesex~~ Hertford 2

by O. S. Holt.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Northwood

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 448 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·16	·01	–	·02	–	·01	–	·22	·04	·37	·37	1
2	·23	·15	·26	·08	–	·02	–	·55	–	·05	–	·09	2
3	·31	–	·05	·18	–	–	·02	·43	–	–	–	·43	3
4	·08	–	–	–	–	–	–	·04	–	–	·01	·29	4
5	·03	·36	–	·02	·01	–	–	·02	–	·06	–	·31	5
6	·20	·04	–	·25	–	–	·78	·02	–	–	–	·27	6
7	·16	·26	·07	–	–	–	·58	·04	–	–	–	·22	7
8	·03	·38	–	·03	–	–	·03	·05	–	–	–	–	8
9	~~·30~~	·03	–	·06	–	·05	–	·09	–	–	·26	·63	9
10	·30	·02	·02	–	–	–	–	·07	–	–	–	·14	10
11	·01	·03	·03	–	–	–	–	–	–	–	·78	·02	11
12	·09	·02	–	·25	·34	–	–	·17	–	·01	·41	·03	12
13	–	·58	–	–	1·30	–	–	–	–	–	–	–	13
14	–	·02	–	–	–	–	1·16	·08	·08	–	–	·69	14
15	·15	·03	–	–	·05	–	·01	·08	–	–	·02	·18	15
16	–	·34	–	–	–	–	·75	·08	–	–	–	·04	16
17	–	·37	–	–	·65	–	·07	·06	–	–	–	–	17
18	–	·14	·09	–	·10	–	–	–	–	–	·14	–	18
19	–	·05	–	–	–	–	·15	–	–	–	–	–	19
20	·29	–	–	·09	·01	–	–	–	–	–	–	·18	20
21	·02	·03	–	–	–	–	–	–	–	–	–	·06	21
22	·88	·12	·32	–	–	–	·76	–	·01	–	–	·15	22
23	·01	·20	·06	–	–	·01	·41	–	·17	·53	–	·27	23
24	–	–	·04	–	–	·01	·56	–	·54	·17	–	·36	24
25	–	–	–	·05	–	·04	·29	–	·01	·07	–	·03	25
26	–	·11	–	–	–	·10	·19	–	–	–	–	·54	26
27	–	–	–	–	–	·47	·49	–	–	·36	–	·01	27
28	–	·05	·01	–	–	·04	–	–	1·20	·14	–	–	28
29	–	×	–	–	–	–	·15	·17	–	·18	·11	·01	29
30	·04	×	·01	–	–	·08	–	–	–	–	·19	·03	30
31	·01	×	·02	×	–	×	–	·05	×	·95	×	·17	31
Total	3·30	3·49	·99	1·01	2·48	·82	6·41	2·00	2·23	2·56	2·29	5·52	YEAR'S TOTAL 33·10
Rain Days.	18	22	13	9	8	9	17	16	7	11	9	25	164

W. 8,000. X. 15.

✓ 95

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Gate House Northwood

in the County of Herts

by O. S. Holt

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	–	–	–	·19	·03	–	–	·15	–	·25	–	1
2	·45	·01	·08	–	·26	–	–	–	·16	·52	·01	–	2
3	–	·44	·11	–	·01	–	·03	–	·19	·32	·39	–	3
4	·29	·06	–	·01	–	·59	·07	–	·05	·15	·49	–	4
5	·02	·01	–	·02	·04	·23	–	–	–	·12	·60	–	5
6	–	·06	·33	·16	–	·09	·42	–	–	·06	·40	–	6
7	·11	–	·18	–	·18	·12	·54	–	–	·01	·74	·03	7
8	–	–	·02	–	·30	·01	–	–	–	–	·01	·31	8
9	–	·01	–	–	·29	·15	–	–	–	·10	–	·04	9
10	–	·20	·09	·06	·01	·28	·18	–	–	·01	·01	·07	10
11	·02	·15	·13	·16	–	·15	–	–	–	–	·01	·13	11
12	·04	·03	–	·02	·33	·15	·04	·24	–	·05	–	–	12
13	–	·48	·43	·18	·01	·02	·22	·20	–	·03	·01	–	13
14	–	·56	–	·01	·12	–	·01	·84	–	·07	–	·09	14
15	–	·33	·34	–	–	–	·13	·15	–	·05	–	·03	15
16	T	·01	·36	·17	·02	–	·23	·15	–	–	–	–	16
17	·09	·08	–	·10	–	–	·01	1·59	·34	·54	·64	–	17
18	·01	·10	·05	·11	–	–	–	·28	·28	·10	·82	–	18
19	·14	–	·20	·30	–	–	–	·01	·22	–	·03	·13	19
20	·14	·01	·16	·06	–	–	–	–	–	–	·01	·68	20
21	T	–	·58	–	–	–	·44	–	–	–	·01	·19	21
22	–	·06	–	–	–	·01	–	–	–	·03	·03	·62	22
23	·02	·19	–	·01	·01	·06	–	·02	–	·03	·04	·07	23
24	–	–	·02	–	·02	·34	–	·20	–	·14	·14	·35	24
25	–	·57	·14	–	·05	–	–	·02	–	·01	–	–	25
26	–	·15	·01	–	–	·08	–	·06	–	·07	–	–	26
27	·05	–	1·12	–	–	·10	–	·42	·15	·25	·01	–	27
28	–	·37	·27	–	–	·22	–	·01	·14	·01	·01	·26	28
29	T	·07	–	–	–	·28	–	1·26	·01	·38	·01	·15	29
30	–	X	–	·06	·01	T	–	·05	–	·43	–	·01	30
31	–	X	–	X	–	X	–	·05	X	·14	X	·03	31
Total	1·60	3·95	4·62	1·43	1·85	2·91	2·32	5·55	1·69	3·62	4·67	3·19	YEAR'S TOTAL 37·40
Rain Days.	13	22	19	15	16	18	12	17	10	24	22	17	205

W. 8,000, VIII. 16

977

cnd by Hopkinson

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

7 JAN 1918

Kept at Gate House Northwood

in the County of Middlesex & Herts.

by O. S. Holt.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

As last year.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·40	—	—	—	1·01	·05	—	·10	·01	1
2	—	—	—	·15	—	·10	—	·08	—	—	·21	—	2
3	—	·03	—	·04	—	—	—	·27	—	·37	·04	—	3
4	—	·19	·25	—	—	—	·09	·16	—	·34	—	—	4
5	·28	—	—	·25	—	—	—	—	·17	·10	·14	—	5
6	—	—	·07	—	—	·07	—	—	·11	·03	·09	—	6
7	·30	—	—	—	—	·20 ·29	·18	—	—	·38	·02	·02	7
8	·25	—	·07	—	—	—	1·02	·74	—	·31	·19	·16	8
9	·02	·01	·04	·09	·01	—	·13	·13	·01	—	·09	·08	9
10	—	—	·19	·23	—	—	—	·11	—	—	·02	·02	10
11	·44	—	·42	·34	—	—	—	—	—	·45	—	—	11
12		—	·08	·02	—	—	—	·15	—	·60	·01	—	12
13	·05	—	·11	·02	—	—	—	·20	·03	·02	—	·01	13
14	—	—	—	·23	—	—	—	·09	—	·06	—	—	14
15	—	—	—	—	—	—	·21	—	—	·03	—	—	15
16	·03	·10	—	·23	·11	·21	·17	—	—	·82	—	·26	16
17	·01	·01	—	·13	·78	—	·25	·07	·56	·29	—	—	17
18	·05	·08	—	·11	·12	·23	·22	—	·22	·11	—	—	18
19	·01	·21	·05	—	·06	·08	—	—	·49	—	—	—	19
20	·05	·21	·04	—	·56	—	·02	—	—	—	·06	—	20
21	—	—	—	·01	·05	·03	—	—	—	·03	·02	—	21
22	—	—	·02	—	—	·16	—	·04	—	·07	·01	—	22
23	—	·13	·11	—	·12	—	—	·19	—	—	—	·01	23
24	—	·07	—	—	—	·04	—	·07	T	·37	—	·06	24
25	—	·02	·05	—	—	—	—	—	—	·01	·10	—	25
26	—	—	·05	—	—	·01	—	·27	·03	—	·33	—	26
27	—	—	—	—	—	—	—	·93	—	—	—	·03	27
28	—	—	·02	—	—	2·10	—	·18	—	—	—	·04	28
29	·01	—	·01	—	·01	·02	1·00	·03	—	·31	—	·10	29
30	—	╳	·38	—	—	—	1·22	·12	—	·04	·04	—	30
31	—	╳	·04	╳	—	╳	·40	·01	╳	·05	╳	·04	31
Total	1·50	1·06	2·01	2·25	1·82	3·25	4·91	4·85	1·67	4·79	1·47	·84	YEAR'S TOTAL 30·42
Rain Days.	13	11	19	14	9	12	12	20	9	21	16	13	168

W. 8,000, IX. 17.

3

FORM A.
BRITISH RAINFALL
2 . 1 . 19

REGISTER OF RAINFALL IN 1918.

Kept at Gate House Northwood

in the County^ies^ of Herts – Middlesex

by A. S. Holt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·22	—	—	—	—	—	—	·19	·08	1
2	—	·11	—	·10	—	—	—	·40	—	·02	·18	·27	2
3	—	·01	·03	·03	·60	—	—	·08	·05	·01	·55	·02	3
4	—	·10	·06	·03	—	—	—	·02	·46	—	·38	·03	4
5	—	·03	·01	—	·05	—	—	·15	·19	·07	—	·01	5
6	·14	·26	—	·32	·10	—	—	·01	·01	—	—	·10	6
7	—	·13	—	·09	·14	—	—	·04	·02	·07	·19	·01	7
8	·02	·06	—	·01	—	—	—	·01	·30	·03	—	·01	8
9	—	·10	—	·07	—	·10	·45	—	·42	·20	—	·20	9
10	·02	—	—	·07	—	—	·45	—	·03	·01	·01	·38	10
11	—	—	—	·03	·10	—	·34	—	·16	·44	·04	·10	11
12	—	·13	—	—	·17	—	·13	—	·20	·01	—	·01	12
13	·09	·01	—	—	·28	—	·21	—	·38	—	—	·15	13
14	·23	—	·03	·01	—	·21	·05	—	·01	·21	—	·17	14
15	1·15	—	—	·67	—	—	·15	—	—	—	—	·13	15
16	·24	—	—	·25	—	·04	—	—	·89	·07	—	·02	16
17	·28	—	—	·17	·19	·22	·19	—	·01	—	—	·13	17
18	·64	—	—	—	—	·24	·06	·04	·40	·05	—	·10	18
19	·06	·02	·04	·05	—	·04	·25	·03	·03	·02	·01	·10	19
20	·02	·15	—	·80	—	·03	·09	—	·12	·17	·02	·01	20
21	·15	·03	—	·78	—	—	—	—	·47	·05	—	·02	21
22	·11	—	—	—	·19	—	·30	—	·13	—	·01	·18	22
23	·04	—	—	·01	·32	—	·84	·04	·01	—	—	·02	23
24	—	·16	—	—	—	·02	·04	—	·06	—	·09	—	24
25	—	—	—	—	—	—	·20	·19	—	—	·02	—	25
26	—	—	—	—	—	—	·33	·02	·01	·03	·21	·19	26
27	—	·01	·01	·05	—	—	·05	·29	·05	—	·13	·03	27
28	—	·06	·22	·02	—	·03	—	·01	—	—	·18	·18	28
29	—	X	·01	—	—	—	—	—	1·23	—	·01	·02	29
30	—	X	·46	—	—	—	—	—	·05	—	·07	·03	30
31	—	X	·02	X	—	X	—	·03	X	·13	X	·01	31
Total	3·19 ✓	1·40 ✓	·89 ✓	3·78 ✓	2·14 ✓	·93 ✓	4·13 ✓	1·36 ✓	5·69 ✓	1·59 ✓	2·29 ✓	2·71 ✓	YEAR'S TOTAL 30·10 ✓
Rain Days.	14 ✓	17 ✓	10 ✓	20 ✓	10 ✓	9 ✓	17 ✓	15 ✓	25 ✓	17 ✓	17 ✓	29 ✓	200 ✓

W. 8,000, IX. 17.

867

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Northwood

in the County of Hertford

by O. S. Holt.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
„ „ „ „ Sea Level .... ft.

As in previous years

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·05	·02	·01	·20	–	·37	–	–	·03	·02	1·16	1
2	·30	–	·01	–	·11	–	·02	–	·19	·06	·07	·13	2
3	·37	–	·42	–	·03	–	·24	–	·07	–	·04	·34	3
4	·10	·11	·43	–	–	·08	·14	·09	·05	–	·03	·20	4
5	·01	·07	·45	–	–	–	·02	–	·16	–	·04	·33	5
6	·04	·30	·14	·01	·01	–	–	–	–	–	–	·02	6
7	·04	·03	·59	–	–	–	–	–	–	–	·08	–	7
8	·14	ill	·05	·01	–	–	–	–	–	–	·02	–	8
9	·05	–	·05	·03	·08	–	–	–	–	–	·03	–	9
10	·15	–	·10	·03	–	–	–	–	–	–	·03	·14	10
11	·09	–	·11	·24	–	–	·33	–	–	–	·01	·05	11
12	–	–	·03	·02	–	·06	–	–	–	·06	·04	·01	12
13	·02	·02	·01	·19	–	–	·06	–	–	·06	–	·02	13
14	·40	–	·01	·51	–	–	·06	–	·40	–	–	·02	14
15	·31	·12	·11	·30	–	–	–	–	–	–	–	·63	15
16	·11	·80	–	–	–	–	–	–	–	–	·12	·22	16
17	–	·45	–	·01	–	–	–	–	–	–	·28	·09	17
18	–	·02	·05	–	–	–	–	·01	·06	–	·15	·06	18
19	·12	·19	ill	–	–	·28	·46	·11	03	–	·17	–	19
20	·28	·14	1·10	–	–	·82	·12	·28	–	–	·01	·08	20
21	·33	·42	·01	–	–	·01	·20	–	–	–	·02	·04	21
22	–	·23	–	–	–	–	·06	·01	·37	–	·02	·40	22
23	–	–	–	–	–	·03	–	·03	·05	–	·02	–	23
24	–	–	–	·19	–	·01	·18	·05	–	·28	·13	·02	24
25	·07	·01	–	·03	·01	·04	–	·57	–	·02	–	·05	25
26	·14	·15	–	·16	–	–	–	–	·10	–	–	·43	26
27	·92	·03	·04	·81	–	–	–	·55	–	–	–	·10	27
28	–	–	·07	·22	–	–	–	·85	–	·01	·27	·36	28
29	–		–	·07	–	–	–	·22	–	·05	·05	·07	29
30	–		·01	·22	–	·16	–	·10	–	·01	·42	·44	30
31	·01		·07		–		·02	·01		–		·01	31
TOTAL	4·50 ✓	3·14 ✓	3·88 ✓	3·06 ✓	·44 ✓	1·49 ✓	2·28 ✓	2·88 ✓	1·48 ✓	·58 ✓	2·07 ✓	5·42	YEAR'S TOTAL 31·22.
Days with ·01 in. or more	22 ✓	17 ✓	22 ✓	18 ✓	6 ✓	9 ✓	14 ✓	13 ✓	10 ✓	9 ✓	23 ✓	26 ✓	189. ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

818

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gate House Northwood

in the County of Herts.

by O. S. Holt.

Lat. Long. See

Time of Observation former

Nearest Railway Station returns.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·70	·16	—	·28	—	—	·55	·01	·26	1
2	—	—	·01	·01	—	—	·22	·60	·08	·06	—	·12	2
3	—	·05	—	·12	—	—	·07	—	·07	·04	—	·09	3
4	—	·04	—	·05	—	—	·40	·13	·01	·39	—	·03	4
5	—	—	·09	—	·05	—	·41	·04	·02	·01	—	·02	5
6	—	—	·23	—	·16	—	·60	—	—	—	—	·02	6
7	·02	—	—	·27	—	—	·42	—	—	—	·01	·01	7
8	·04	·04	—	·30	·03	—	·12	·14	—	—	—	—	8
9	·43	·01	·01	·03	—	—	—	·02	—	—	—	—	9
10	·80	·07	·08	—	—	·07	·15	—	—	—	—	·02	10
11	·20	—	·07	·20	·09	·05	·33	—	—	—	—	·14	11
12	·10	·01	·01	·16	—	1·30	·01	—	—	·01	·01	—	12
13	·16	—	·12	·24	—	—	—	—	—	—	·05	—	13
14	·02	·03	·35	·29	—	·10	·06	—	·15	·23	·25	·01	14
15	·02	·04	·18	·28	—	—	·01	—	·50	·28	·07	·01	15
16	—	—	—	·34	—	·13	—	—	·08	·17	—	·01	16
17	·04	—	—	·01	·23	—	·02	—	·60	—	—	·05	17
18	·10	—	—	—	·01	—	—	·67	·15	·01	—	·02	18
19	·05	—	—	·22	—	·10	—	·05	—	—	·01	·02	19
20	·07	·05	—	·26	—	·74	—	—	·04	—	—	·04	20
21	—	—	—	—	—	—	·58	·03	·46	—	—	·08	21
22	·01	—	—	·34	—	—	·02	—	·08	—	—	·28	22
23	·01	—	—	·01	—	—	1·25	—	—	·01	—	·47	23
24	·02	·01	·11	—	—	—	—	—	—	—	·02	·07	24
25	·01	·02	·12	·02	—	—	·27	—	—	·01	—	—	25
26	·06	—	·14	—	·01	·01	·07	—	—	—	—	·07	26
27	·22	·10	·01	·28	—	·14	·23	—	—	—	·63	·17	27
28	·41	·01	·21	·09	·13	·03	·15	—	—	—	·05	·01	28
29	·25	—	·03	—	—	—	·03	—	—	—	·23	·37	29
30	·05		—	—	·05	·06	·47	—	·26	—	·23	·25	30
31	·03		·01		·01		·02	—		·25		·19	31
TOTAL	3·12	·48	1·79	4·22	·93	2·73	5·89	1·68	2·50	2·02	1·57	2·83	YEAR'S TOTAL 29·76
Days with ·01 in. or more	23 ~~8~~	13 ~~6~~	18 7	21 ~~5~~	11 ~~4~~	11 ~~2~~	24 ~~6~~	8 ~~2~~	13 ~~2~~	13 ~~5~~	12 ~~5~~	26 ~~1~~	193 ~~63~~
Days with ·04 in. or more	15	7	11	16	7	9	18	6	11	8	7	15	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

OFFLEY SCHOOL HOUSE
HERTS
1913–1920

19 13

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Off

in the County of

by Charle

Long. 20″ W.

on 9 a.m.

Station Hitchin

Gauge 5″ in.

auge above Ground 1 ft. — in.

„ Sea Level 526 ft.

IMPORTAN … n. and the result entered to the previous day. … st universal rule, he is earnestly requested to add … ng year in the space provided for it at the end … easurement of rain, the selection and … he British Rainfall Organization are … ee on application to Dr. H. R. MILL,

Jan. 1, following.

Date.	Jan.	Feb.								Oct.	Nov.	Dec.	*Date.*
1	·10	·16								—	·13	·08	1
2	·02	·12					[illegible]		·12	·03	·02	—	2
3	·02	·01	·10	·03	·70	—	·01	—	—	—	·01	·06	3
4	·20	·01	·01	—	·03	—	·09	—	—	·20	·02	·11	4
5	·09	—	—	—	—	—	·10	—	—	·06	·02	·22	5
6	—	·03	·10	·01	·15	·21	·17	—	—	·18	—	—	6
7	—	·	—	—	·08	·01	·03	·02	·02	·60	·	·02	7
8	—		—	·01	·18	·16	—	—	—	·15	·12	—	8
9	—	·37	—	·02	·02	·20	—	—	—	—	·02	·06	9
10	—	—	·01	·20	—	—	·11	—	·21	—	·31	—	10
11	·59	—	—	·43	·05	—	—	—	—	·23	·31	—	11
12	·02	·02	—	—	·07	—	—	·01	—	·01	·32	—	12
13	·09	—	—	·01	—	—	—	·02	·05	—	·40	—	13
14	·04	—	—	·01	—	—	·30	·05	—	·21	—	—	14
15	·05	—	·06	·22	—	—	·12	—	·03	—	—	—	15
16	·03	·03	·50	·25	—	—	—	—	·03	·01	—	—	16
17	·32	·02	·09	·15	—	·25	·03	—	·01	—	·01	·04	17
18	·13	—	·15	·18	—	—	·18	·01	·15	—	·03	—	18
19	·04	—	·06		·01	—	—	—	·46	—	—	·03	19
20	·42	—	·09	·02	—	·03	—	—	—	·25	—	—	20
21	·03	·01	·09	·15	·07	—	·01	—	—	·09	·32	—	21
22	·03	—	·06	·16	—	—	—	·10	·13	—	·01	—	22
23	·02	—	·10	—	—	·07	·02	·05	·03	·01	—	·07	23
24	·09	—	·01	·03	—	—	—	—	—	·01	·01	—	24
25	·03	·02	—	·16	—	—	·02	—	—	—	—	·01	25
26	—	·01	·23	·12	—	—	—	·18	—	·56	—	·15	26
27	·01	·01	·06	·07	—	—	—	—	—	·02	—	—	27
28	·18	—	·20	·17	—	—	—	—	·01	·09	·01	·02	28
29	·03		·06	·54	·29	—	—	·08	·01	·06	—	·02	29
30	·25		—	·01	—	—	—	·08	—	·19	·08	—	30
31	—		·01	—	—		—	·51		—		·01	31
Total	2·8·3	·82	2·09	3·04	1·70	·93	1·28	1·11	1·56	2·96	2·15	·90	YEAR'S TOTAL 21·37
Rain Days.	24	13	21	24	12	7	14	11	14	19	18	14	191

W.7,000, XI. 13

913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Offley School.

in the County of Hertford

by Charles Wm Mears

Lat.

Long. 20″ W.

Time of Observation 9 a.m

Nearest Railway Station Hitchin

Diameter of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·16	·04	·08	·05	—	—	—	·30	—	·13	·08	1
2	·02	·12	·06	·01	—	—	·09	—	·12	·03	·02	—	2
3	·02	·01	·10	·03	·70	—	·01	—	—	—	·01	·06	3
4	·20	·01	·01	—	·03	—	·09	—	—	·20	·02	·11	4
5	·09	—	—	—	—	—	·10	—	—	·06	·02	·22	5
6	—	·03	·10	·01	·15	·21	·17	—	—	·18	—	—	6
7	—	·	—	—	·08	·01	·03	·02	·02	·60	·	·02	7
8	—		—	·01	·18	·16	—	—	—	·15	·12	—	8
9	—	·37	—	·02	·02	·20	—	—	—	—	·02	·06	9
10	—	—	·01	·20	—	—	·11	—	·21	—	·31	—	10
11	·59	—	—	·43	·05	—	—	—	—	·23	·31	—	11
12	·02	·02	—	—	·07	—	—	·01	—	·01	·32	—	12
13	·09	—	—	·01	—	—	—	·02	·05	—	·40	—	13
14	·04	—	—	·01	—	—	·30	·05	—	·21	—	—	14
15	·05	—	·06	·22	—	—	·12	—	·03	—	—	—	15
16	·03	·03	·50	·25	—	—	—	—	·03	·01	—	—	16
17	·32	·02	·09	·15	—	·25	·03	—	·01	—	·01	·04	17
18	·13	—	·15	·18	—	—	·18	·01	·15	—	·03	—	18
19	·04	—	·06		·01	—	—	—	·46	—	—	·03	19
20	·42	—	·09	·02	—	·03	—	—	—	·25	—	—	20
21	·03	·01	·09	·15	·07	—	·01	—	—	·09	·32	—	21
22	·03	—	·06	·16	—	—	—	·10	·13	—	·01	—	22
23	·02	—	·10	—	—	·07	·02	·05	·03	·01	—	·07	23
24	·09	—	·01	·03	—	—	—	—	—	·01	·01	—	24
25	·03	·02	—	·16	—	—	·02	—	—	—	—	·01	25
26	—	·01	·23	·12	—	—	—	·18	—	·56	—	·15	26
27	·01	·01	·06	·07	—	—	—	—	—	·02	—	—	27
28	·18	—	·20	·17	—	—	—	—	·01	·09	·01	·02	28
29	·03		·06	·54	·29	—	—	·08	·01	·06	—	·02	29
30	·25		—	·01	—	—	—	·08	—	·19	·08	—	30
31	—		·01	—	—		—	·51		—		·01	31
Total	2·83	·82	2·09	3·04	1·70	·93	1·28	1·11	1·56	2·96	2·15	·90	YEAR'S TOTAL 21·37
Rain Days.	24	13	21	24	12	7	14	11	14	19	18	14	191

W.7,000, XI. 13

BRITISH RAINFALL. FORM A.

7 - JAN 1915

REGISTER OF RAINFALL IN 1914

4

Kept at Offley School House

in the County of Herts

by C. W. Mears

Lat. 51° N. Long. 20" W.

Time of Observation 9 a. m

Nearest Railway Station Hitchin

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	—	—	—	·09	·18	—	—	·09	—	1
2	·01	—	·02	·03	—	—	·05	·08	—	—	·08	·14	2
3	—	—	·01	—	·13	—	·44	·11	—	—	·14	—	3
4	·20	—	—	·18	·08	—	—	·10	—	—	·31	·30	4
5	·03	—	·06	·31	·06	·16	·65	·22	—	—	·01	—	5
6	—	·07	—	—	·03	·12	·08	·02	—	—	·10	·12	6
7	—	·20	·24	·15	·33	·01	·06	·08	—	—	·01	·40	7
8	·10	·08	·70	·13	·06	·61	·05	·02	—	—	—	·01	8
9	·21	—	·45	·17	·01	·57	—	—	·07	—	—	·87	9
10	·10	·13	·03	·11	·04	—	—	—	·14	—	—	·02	10
11	—	·12	·29	—	·10	·53	—	—	—	—	·35	·33	11
12	·02 SNOW	·02	·08	—	—	·02	·04	—	·50	—	·03	·43	12
13	—	·24	·14	—	—	—	—	—	·08	·29	·06	·25	13
14	—	·03	·34	—	—	—	—	—	—	·64	·20	·67	14
15	·12	—	·17	—	—	—	—	·01	·02	·01	·02	·10	15
16	·02	—	·03	—	—	—	·01	—	·01	—	·09	—	16
17	·01	·39	·10	—	—	—	—	—	·11	·01	—	·20	17
18	—	—	·02	—	—	—	·01	—	—	—	—	·50	18
19	—	·05	·12	—	—	·01	—	—	·03	—	·20	·06	19
20	—	·29	·27	—	—	—	—	—	—	—	—	·09	20
21	—	·35	·09	—	—	·78	—	—	—	·03	—	·15	21
22	—	·02	·05	·02	·45	·03	·06	·06	—	·47	—	—	22
23	—	·05	·06	—	·12	·03	·01	·01	—	·10	—	·05	23
24	·01	·01	·09	·04	·02	—	·11	—	—	·20	·15	—	24
25	·04	—	·15	—	—	—	·01	·12	—	·25	·01	·15	25
26	—	·01 MIST	·07	—	—	—	·02	·02	—	·02	·14	·40	26
27	·05	—	·02	—	—	—	—	·01	—	·03	·02	·15	27
28	—	·03	—	—	·11	—	—	—	—	·03	·73	1·15	28
29	·03		—	—	—	—	—	—	—	·34	·12	—	29
30	—		·10	—	—	—	—	—	—	·04	·29	·33	30
31	—		·05	—	·14		·04	—		—	—	·01	31
Total	·95	2·09	3·75	1·14	1·68	2·27	1·73	1·04	·96	2·46	3·15	6·88	YEAR'S TOTAL 28·10
Rain Days.	14	17	26	9	14	11	16	14	8	14	21	24	188

W. 7,500, XI. 12

E4 B1

REGISTER OF RAINFALL IN 1915

1047

FORM A.
BRITISH RAINFALL.

18 JAN 1916

Kept at Offley School House

in the County of Herts 3

by C. W. Mears

Lat. 51° N Long. 20" W
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·07	·09	—	·10	—	—	—	·20	·04	·11	·27	1
2	·15	·25	·19	·14	—	—	—	·55	·22	·04	·01	·09	2
3	·47	—	·01	·12	—	—	·09	·66	·03	—	·02	·14	3
4	·10	—	—	—	·01	—	—	·16	—	—	·02	·53	4
5	·03	·42	·04	·03	—	—	—	·02	—	·02	—	·22	5
6	·17	·04	—	·23	—	—	·71	·03	—	—	·02	·04	6
7	·07	·26	·05	—	—	—	·36	·05	—	—	—	·20	7
8	—	·39	·06	·02	—	—	·02	·01	—	—	—	—	8
9	—	·03	—	·03	—	—	—	—	—	—	·24	·50	9
10	·23	·01	·01	—	—	·08	—	·68	·01	—	·02	·07	10
11	·06	—	·05	—	·01	—	—	—	·01	—	·84	—	11
12	·04	·08	·01	·35	·37	—	—	·17	·01	·06	·71	·07	12
13	·03	·30	—	—	1·64	—	—	·02	—	—	—	—	13
14	—	·02	—	—	·02	—	·39	·20	—	—	—	—	14
15	·11	—	—	—	·03	—	—	·11	—	—	·18	·50	15
16	·02	·26	—	—	—	—	·53	·38	—	—	—	·08	16
17		·26	—	—	·31	—	·23	—	—	—	—	—	17
18	—	·12	·13	—	—	—	—	—	—	·01	·06	—	18
19	—	—	·01	—	—	—	·11	—	—	—	—	—	19
20	—	—	—	·09	—	—	—	—	—	—	—	·28	20
21	·25	·02	—	—	·03	—	·02	—	—	·03	—	·07	21
22	·13	·02	·45	—	—	—	·43	—	—	—	—	·13	22
23	·75	·21	·25	—	—	·04	·16	—	·09	·29	·01	·21	23
24	·02	—	·18	—	—	·06	·06	—	·40	·03	—	·12	24
25	—	—	·01	·02	—	·01	·03	—	·01	—	—	·32	25
26	—	·09	—	—	—	—	·11	—	—	—	—	·31	26
27	—	·03	·03	—	—	·51	·08	·27	·01	·41	—	·01	27
28	—	·08	—	—	—	·05	·01	—	·97	·24	—	—	28
29	—	X	—	—	—	·13	·02	—	—	—	·13	·06	29
30	·03	X	—	—		—	—	·04	—	·02	·02	·02	30
31	·05	X		X		X	—		X	·69	X	·20	31
Total	3·14	2·96	1·57	1·03	2·52	·88	3·36	3·35	1·96	1·88	2·39	4·44	YEAR'S TOTAL 29·48
Rain Days.	19	20	16	9	9	7	17	15	11	12	14	23	172

W. 8,000. X. 14.

1019

Ead 70

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at Offley School House

in the County of Hertford

by C W Mears

Lat. 51° N Long. 20" W

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·02	—	·09	—	—	—	·01	—	·25	—	1
2	·29	·04	·21	—	·20	·02	—	—	·06	·52	·02	—	2
3	—	·47	·03	—	·01	—	—	—	·16	·21	·14	—	3
4	·19	·15	—		·01	·30	·03	—	—	·13	·32	—	4
5	·04	—	—	·07	·05	·17	—	—	—	·09	·40	—	5
6	—	·06	·23	·24	·02	·14	·38	—	—	·04	·45	—	6
7	·05	—	·18	—	·06	·06	·14	—	—	·16	·35	·02	7
8	·01	—	—	—	·39	·03	—	—	—	—	—	·29	8
9	—	—	—	—	·27	—	—	—	—	—	—	·04	9
10	—	·07	·13	·06	—	·12	·02	—	—	—	—	·02	10
11	·07	·16	·08	·10	·01	·21	—	—	—	—	·02	·08	11
12	·02	·01	·10	·04	·35	·21	·21	·03	·02	·20	—	—	12
13	·02	·49	·10	·08	·16	·06	·15	·15	—	·01	—	—	13
14	—	·33	—	·03	·02	—	—		—	—	—	·05	14
15	—	·11	·53	·16	—	—	·03	·08	—	—	—	—	15
16	—	·04	·25	·20	·07	—	·11	·08	—	·06	—	—	16
17	·07	·04	—	·11	—	—	·06	·04	·24	·30	—	—	17
18	·01	·08	·04	·03	—	—	—	·04	·59	—	·65	—	18
19	·10	·05	·20	·03	—	—	—	—	—	—	·68	·12	19
20	·11	—	·51	—	—	—	—	—	—	—	·13	·45	20
21	·01	—	·92	—	—	—	·41	—	—	—	—	·65	21
22	·01	·10	·01	—	·11	·01	—	·05	—	·05	·01	·50	22
23	·02	·28	—	—	—	·10	—	·02	—	—	·02	·08	23
24	—	·06	·04	—	·03	·59	—	·15	—	—	·02	·36	24
25	—	·30	·13	—	—	—	—	·08	—	·23	·09	—	25
26	—	·10	·07	—	—	·08	—	·11	·08	·05	·02	—	26
27	·08	·02	·58	—	—	·53	—	—	·01	·14	—	—	27
28	—	·38	·24	—	—	·23	—	1·43	—	·13	·01	·20	28
29	—	·10	—	—	—	·16	—	·18	—	·25	—	—	29
30	·01	X	—	—	—	·13	—	—	—	·13	—	·14	30
31	·01	X	—	X	—	X	—	·02	X	·03	X	—	31
Total	1·15	3·44	4·60	1·15	1·85	3·15	1·54	2·46	1·17	2·73	3·58	3·00	YEAR'S TOTAL 29·82
Rain Days.	19	22	21	12	16	18	10	14	8	18	17	14	189

W. 8,000. X. 15.

✓ 987

cnd fr WD

W DREGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

24. JAN. 1918

Kept at Offley School House

in the County of Hertford

by C. W. Mears.

Lat. 51° N Long. 20" W.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·04	–	·26	–	–	–	·45	–	–	·10	–	1
2	–	–	–	·05	–	–	–	1·49	–	·02	–	–	2
3	·02	–	–	·05	–	–	–	·16	–	·60	·11	–	3
4	–	–	–	·03	–	–	–	·70	–	·53	–	–	4
5	–	·12	–	–	–	–	–	·17	–	·10	·11	–	5
6	·17	–	·09	·21	–	·08	–	·16	1·15	·05	·03	–	6
7	–	·02	–	–	–	·50	–	–	·10	·33	–	–	7
8	·26	–	–	–	–	–	·29	–	–	·23	·09	·05	8
9	·24	–	–	·10	–	–	1·37	·93	·02	–	·11	·12	9
10	·04	–	·05	·15	–	–	·20	·75	–	·03	·02	–	10
11	·22	–	–	·19	–	–	–	·13	–	·29	–	–	11
12	·08	·05	·51	·04	–	–	–	·18	–	·30	–	·02	12
13	·13	–	–	·02	–	–	–	·12	–	·03	·02	–	13
14	·21	–	–	–	–	–	–	·03	·04	–	–	–	14
15	–	–	–	·10	·02	–	–	–	–	·04	–	–	15
16	·05	–	–	·07	–	–	·11	–	–	·75	–	·06	16
17	·03	·16	–	·18	·05	·94	·10	·10	·40	·30	–	–	17
18	–	·02	–	·14	1·03	–	·27	–	·60	–	–	–	18
19	·06	–	–	·17	·04	·13	·52	–	·29	–	–	–	19
20	–	·10	–	–	·12	·08	–	–	–	–	·12	–	20
21	–	·14	·15	–	·55	–	–	–	–	·02	·05	–	21
22	–	–	·02	·05	·01	–	–	–	–	·19	–	–	22
23	–	–	·11	–	–	–	–	·16	–	·10	–	·05	23
24	·01	·14	–	–	·10	–	–	·10	–	·12	–	–	24
25	–	–	–	–	–	·10	–	–	–	–	·09	–	25
26	–	·10	·05	–	–	–	–	·26	·10	–	·24	–	26
27	–	–	·04	–	–	–	–	·58	–	–	–	·07	27
28	–	–	–	–	–	·20	–	·11	–	·02	–	·07	28
29	–	–	·03	–	–	1·71	–	·20	–	·35	–	·16	29
30	–	X	·05	–	–	·29	1·20	·11	–	–		–	30
31	·02	X	·04	X	–	X	1·22	·16	X	–	X	·05	31
	·04	–	·26	–	–	–	·45	–	–	·10	–	(–)	YEAR'S TOTAL
Total	~~1·54~~	~~·89~~	~~1·14~~	~~1·81~~	~~1·92~~	~~4·03~~	~~5·28~~	~~7·05~~	~~2·70~~	~~4·40~~	~~1·09~~	~~·65~~	32·50
	1·58	·85	1·40	1·55	1·92	4·03	5·73	6·60	2·70	4·50	·99	·65	32·50
Rain Days.	15	9	12	16	8	9	10	20	8	20	17	9	147

W. 8,000, VIII. 16

Esc 8 L

68

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
25.1.19

Kept at Offley School
in the County of Herts.
by Charles William Mears

Lat. 51° N Long. 20" W
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	–	–		① ·06	–	–	–	–	–	–		·18	
1	–	·08	–	② ·19	–	–	–	·07	·03	–	·16	–	1
2	–	·03	–	–	·48	–	–	–	–	–	·16	·05	2
3	–	·01	·05	–	–	–	–	–	–	–	·67	·03	3
4	–	·04	·07	–	–	–	–	–	·60	·03	–	–	4
5	–	·04	–	–	·24	–	–	·15	·20	·04	–	·03	5
6	·08	·06	·02	·25	·03	–	–	·02	–	–	–	–	6
7	·05	·09	–	·17	·13	–	–	–	·06	·13	·10	–	7
8	·07	–	–	–	–	–	–	–	·23	·11	–	·03	8
9	–	·04	–	·06	–	·20	·19	–	× }	·10	·09	–	9
10	–	–	–	·07	–	–	·16	–	·41 – }	–	–	·22	10
11	–	–	–	·05	·04	–	·07	–	·11	·52	·08	·03	11
12	·05	·10	–	–	·17	–	·11	–	·03	–	–		12
13		·02	–	·01	·31	–	·04	–	·11	–	–		13
14	·18	–	–	–	–	–	·09	–	·28	·16	–	·29	14
15	·72	–	–	1·31	–	–	·31	–	–	–	–	·14	15
16	·18	–	–	·61	–	–	·24	–	·71	·01	–	·02	16
17	·11	–	–	·21	·20	–	–	–	·04	–	–	·10	17
18	·40	–	–	–	–	·15	·16	–	·46	·08	–	·36	18
19	·02	·02	·07	·16	–	·10	·21	–	·04	·10	–	·13	19
20	·01	·05	–	·39	–	·20	·01	–	·08	·18	–	·10	20
21	·07	–	–	·37	–	·06	–	–	·81	·06	–	·02	21
22	·04	–	–	–	·21	–	·05	–	·11	–	–	·16	22
23	·02	–	–	–	–	–	·30	·03	·07	–	·06	–	23
24	–	·17	–	–	·56	–	–	–	·09	–	·14	–	24
25	–	–	–	–	–	·08	·04	·30	–	–	·02	–	25
26	–	–	–	–	–	–	·25	–	–	·05	·20	·24	26
27	–	–	–	·11	–	–	·17	·30	·15	·68	·15	}	27
28	–	·06	·18	–	–	–	–	–	–	·46	·30	·12 }	28
29	–			–	–	–	–	–	1·53	–	·02	–	29
30	–	×	·33	–	–	–	–	–	·03	–	·06	·06	30
31	·03	×	·13	×	–	×	–	–	×	·09	×	·02	31
Total	2·03	·81	·85	4·02	2·37	·79	2·40	·87	6·18	2·80	2·21	2·33	YEAR'S TOTAL 27 66
Rain Days.	15	14	7	15	10	6	16	6	22 ✓	16	14	21	162

W. 6,500. VII. 18. W W C

E4R

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

20 JAN 20

Kept at Offley School

in the County of Hertford

by Charles William Mears

Lat. 51° N Long. 20" W

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·07	·01	·04	·08	·02	·18	–	–	·04	–	1·32	1
2	·16	–	–	–	·11	–	·05	·05	·25	·07	·20	·64	2
3	·52	–	·31	–	–	–	·11	–	·05	–	·13	·24	3
4	·09	–	·36	–	–	·06	·16	·09	·03	–	–	·20	4
5	·11	·30	·60	–	–	–	·14	·04	·35	–	–	·19	5
6	–	–	·09	–	·42	–	–	–	–	·02	·08	·10	6
7	·07	–	·31	–	–	–	–	–	–	–	·16	–	7
8	·15	–	·09	·09	–	–	–	–	–	–	·03	–	8
9	–	–	·02	·14	·04	–	–	–	–	–	·11	–	9
10	–	–	·08	·04	–	–	–	–	–	–	–	·05	10
11	·05	–	·10	·15	–	–	·47	–	–	–	–	·02	11
12	–	–	·35	·01	–	·09	·18	–	–	–	·08	–	12
13	·07	·03	–	·21	–	–	–	–	·05	·25	–	–	13
14	·25	–	–	·32	–	–	·08	–	·09	–	–	–	14
15	·29	·01	–	·22	–	–	–	–	–	–	·03	·28	15
16	·04	·75	·20	·05	–	–	–	–	–	–	·13	·05	16
17	–	·64	–	–	–	–	–	–	–	–	·18	·02	17
18	–	–	·07	–	–	–	–	·27	·04	–	·02	·09	18
19	·05	·13	·54	–	–	·21	·18	·37	·21	–	·03	–	19
20	·21	·05	·10	–	–	·70	·54	·41	–	–	–	·04	20
21	·34	·36	·02	–	–	–	·45	–	–	–	–	·06	21
22	–	·17	–	–	–	–	·15	–	·16	–	·02	·30	22
23	–	–	–	·26	–	·04	·04	·02	–	·05	·02	·07	23
24	~~·10~~	–	–	–	–	–	·02	–	·01	·21	·03	·02	24
25	·10	–	–	·09	·14	–	–	·20	–	–	–	·04	25
26	·18	·29	·13	·05	–	–	·04	·21	·06	–	–	·28	26
27	1·17	·10	·06	·61	–	–	–	·50	–	–	·07	–	27
28	·06	–	·07	·04	–	–	·02	·79	–	·02	·18	·28	28
29	·06	–	–	·05	–	–	–	·21	–	·35	·03	·04	29
30	–		·02	·33	–	·22	–	·03	–	·09	·31	·38	30
31	·04		–		–		–	–		·04		·01	31
TOTAL	4·39	2·90	3·53	2·70	·79	1·34	2·81	3·19	1·30	1·14	1·84	4·72	YEAR'S TOTAL 30·65
Days with ·01 in. or more	21	12	20	17	5	7	16	13	11	10	19	23	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Bed 910

885

24 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Offley School

in the County of Hertfordshire

by C. W. Mears

Lat. 51° N Long. 20" W.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·67	·15	–	·20	·15	–	·31	·05	·23	1
2	–	–	–	·13	–	–	–	·11	·10	·04	–	·13	2
3	–	·02	–	·17	–	–	·02	–	–	·07	–	–	3
4	–	–	–	·16	–	–	·06	·17	–	·18	–	·06	4
5	–	–	·04	–	·06	–	·67	·05	·11	–	–	·02	5
6	–	–	·13	–	·13	–	·55	–	–	–	–	·02	6
7	–	–	·15	·09	–	–	·16	–	–	–	–	·05	7
8	·26	·04	–	·39	·01	–	·11	–	–	–	–	–	8
9	·30	–	–	·20	–	–	·09	·16	–	–	–	–	9
10	·16	·11	–	–	–	·04	–	–	–	–	–	·03	10
11	·28	–	·04	·41	·04	·06	·05	–	–	–	–	·03	11
12	·04	·01	·10	·13	–	·55	·01	–	–	–	·06	–	12
13	–	–	·07	·20	–	·07	·10	–	–	–	·05	·03	13
14	–	·02	·23	·20	–	·04	–	–	·13	·19	·27	·03	14
15	–	–	·16	·09	–	–	–	–	·07	–	·08	–	15
16	·01	–	·04	·16	–	–	–	–	·10	·10	·01	–	16
17	·03	–	·03	·01	·11	–	·04	–	·37	–	–	–	17
18	·10	–	–	·23	·01	–	–	·45	·05	–	–	–	18
19	–	–	–	·24	–	–	–	·12	–	–	–	·11	19
20	·22	·24	–	·01	–	·53	–	–	–	–	–	–	20
21	–	–	–	·20	–	–	·47	·09	·33	–	–	–	21
22	–	–	–	–	–	–	–	–	–	–	–	–	22
23	–	–	–	–	–	–	·49	–	·55	–	·05	·44	23
24	·03	–	·13	–	–	–	–	–	–	–	–	·05	24
25	–	·10	·05	·01	·09	–	·32	–	–	–	–	–	25
26	·16	–	·09	–	·09	·03	·04	–	–	–	–	·02	26
27	·23	·04	–	·32	–	·34	·11	–	–	–	·80	·15	27
28	·49	–	·08	–	·43	–	·03	–	–	–	·05	·02	28
29	·09	–	·12	–	·07	–	·13	–	–	–	·16	·27	29
30	·04	X	–	–	·03	·08	·21	–	·50	–	·17	·16	30
31	–	X	·25	X	·01	X	–	–	X	·25	X	·13	31
													YEAR'S TOTAL
TOTAL	2·44	·58	1·71	4·02	1·23	1·74	3·86	1·30	2·31	1·14	1·75	1·98	24·06 ✓
Days with ·01 in. or more	15	8	16	20	13	9	20	8	10	7	11	19	156 ✓
Days with ·04 in. or more	~~11~~ 12	~~8~~ 5	15	17	9	8	17	8	10	7	10	11	~~126~~ 129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS

OFFLEY VICARAGE

1911 - 1915; 1917 - 1920

REGI

FORM A2. BRITISH RAINFALL.

- 6 JAN 1912

Kept at Offley

in the County of Hert

by Rev. E. P. G.

l. Symonds

Snowdon

5 in.

ve Ground 1 ft. in.

Sea Level 525 ft.

9 a.m

Name Hitchin.

Distance 4½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		—	28	—	—	13	·09			—	—	1
2	02			21	·10	—	—	·01			·13	·11	2
3	—	02	—	—	·13	—	—	—			·03	·08	3
4	07	03	14	17	—	—	—	—		06	·06	·45	4
5	01	01	—	02	—	—	—	·11		·07	·01	·02	5
6	22	—	03	—	—	—	—	—		·01	·02	·44	6
7	01	—	02	—	—	—	—	—		·12	·30	·24	7
8	19	—	15	—	—	—	—	—		·04	·06	·18	8
9	13	—	—	—	—	—	—	—		—	·01	·01	9
10	02	10	10	02	—	—	—	—		—	·18	·38	10
11	20	—	—	—	10	—	—	—		—	·50	·01	11
12	05	—	48	—	—	—	—	—	·03	21	·30	—	12
13	—	—	05		40	—		—	24	·08	—	·44	13
14	—	—	05	—	20	—		—	—	·01	—	39	14
15	—	04	22	—	—	—		—	—	04	·05	·02	15
16	—	—	02	—	—	·11		—	—	·01	·28	05	16
17	—	—	01	—	—	·14		—		—	05	·19	17
18	—	14	01	—	—	06		—		01	·35	·12	18
19	—	—	—	—	—	·33		—	·05	·07	·23	·12	19
20	·01	05	02	—	—			·55	·23	·01	—	·67	20
21	·02	08	—	—	—			·92		·34	—	·14	21
22	·01	02	42	—	—	·13		—		·04	—	·61	22
23	·01	15	27	—	—	·90		—	·20	—	—	·16	23
24	—	06	02	—	—	15		—	—	·34	—	·18	24
25	—	05	02	·04	03	24	·01	05	—	—	—	·02	25
26	—	02	09	20	02	03	·04	—	—	·08	·05	·16	26
27	—	30	~~07~~	·02	—	—		—	17	—	—	·06	27
28	—	·24	~~[illegible]~~	·24	05	—		·01		—	·04	—	28
29	—	—	·01	·02	—	·15	·13	—	27	·18	01	—	29
30	—	—	·01 ~~[illegible]~~	·09	·02	·09		—	·06	15	—	·01	30
31			—		1.25			—		—		·01	31
Total	·99	1.31	2.17	1.31	2.30	2.33	·31	1.74	1.25	1.87	2.66	5.27	TOTAL for year 23.51
No. of Rain Days	15	15	21	11	10	11	4	7	8	19	19	27	167

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Symonds
5 - JAN 1912
6

Kept at Offley Vicarage.
in the County of Herts. 4
by Rev. E. P. Galty.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 525 ft.
Time of Observation 9 a. m
Nearest Railway Station Name Hitchin.
Distance 4½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		—	28	—	—	·13	·09			—	—	1
2	02			21	·10	—	—	·01			·13	·11	2
3	—	02	—	—	·13	—	—	—			·03	·08	3
4	07	03	14	17	—	—	—	—		06	06	·45	4
5	01	01	—	02	—	—	—	·11		07	·01	·02	5
6	22	—	03	—	—	—	—	—		·01	·02	44	6
7	01	—	02	—	—	—	—	—		·12	30	·24	7
8	19	—	15	—	—	—	—	—		·04	·06	·18	8
9	13	—	—	—	—	—	—	—		—	·01	·01	9
10	02	10	10	02	—	—	—	—		—	·18	·38	10
11	20	—	—	—	10	—	—	—		—	·50	·01	11
12	05	—	48	—	—	—	—	—	·03	21	·30	—	12
13	—	—	05		40	—		—	24	·08	—	·44	13
14	—	—	05	—	20	—		—	—	01	—	·39	14
15	—	04	·22	—	—	—		—		·04	·05	·02	15
16	—	—	02	—	—	·11		—	—	·01	·28	05	16
17	—	—	01	—	—	·14		—		—	·05	·19	17
18	—	14	01	—	—	06		—		01	·35	·12	18
19	—	—	—	—	—	·33		—	·05	·07	·23	·12	19
20	01	05	02	—	—			·55	·23	·01	—	·67	20
21	·02	08	—	—	—			·92		·34	—	14	21
22	01	02	42	—	—	·13		—		·04	—	61	22
23	·01	15	27	—	—	·90		—	·20	—	—	·16	23
24	—	06	02	—	—	15		—	—	·34	—	·18	24
25	—	05	02	·04	03	24	·01	05	—	—	—	·02	25
26	—	02	09	·20	02	03	·04	—	—	·08	·05	·16	26
27	—	30	03	.02	—	—		—	·17	—	—	·06	27
28	—	·24	[illegible]	·24	05	—		·01		—	·04	—	28
29	—	—	·01	·02	—	·15	·13	—	27	·18	·01	—	29
30	—	—	·01	·09	·02	.09		—	·06	15	—	·01	30
31			—		1.25			—		—		·01	31
Total	·99	1·31	2·17	1·31	2·30	2·33	·31	1·74	1·25	1·87	2·66	5·27	TOTAL for year 23·51
No. of Rain Days	15	15	21	11	10	11	4	7	8	19	19	27	167

9,000, IX. '10.

made

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

9 JAN 1913

Kept at Offley Vicarage.

in the County of Hertford. 4

by E. P. Gatty.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
„ „ „ Sea Level 525 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Hitchin
Distance 4 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	03	·	·	02	02	16	09	47		14	1
2	—	03	03	01	·	41	77	·				01	2
3	11	02	05		30	11	01	22	01		01	05	3
4	15	—	66		16	28	01	08		02	30		4
5	09	10	32		·	02	·	12	02		11	01	5
6	30	02	·		·	13	03	43			·	06	6
7	—	—	·		02	72	03	09				04	7
8	35	29	16		·	·	·	11	06		01	01	8
9	02	10	·	10	01	53	02	05				23	9
10	01	03	·			·	·	76	07		10	06	10
11	13	17	01			01	·	06	06			13	11
12	11	17	10		03	15	05	02			09		12
13	—	06	·			10	01	05	01		17		13
14	02	—	·		05	04		01		01	01		14
15	01	02	19		25	25		01			01	19	15
16	28	·	02		18	23		03		03	05		16
17	76	·	21			08		06				11	17
18	04	·	25			·		34			02	03	18
19	24	15	15			01	56	48					19
20	01	01	20		01		05	14		20			20
21	01	03	59		37		·	22		29	06		21
22	56	09	11		08		05	22				03	22
23	43	44	27		01		1.57	42		02	23	12	23
24	20	·	·				16	16	01			11	24
25	01	·	·		·	14		55			29	47	25
26	—	02	·			·	27	57		38	33	25	26
27	—	·	01			03		02		25		15	27
28	—	02	·			02	04	05	06	33	40	32	28
29	—	03	02	01		15	23	38	1.35	26		01	29
30	01	·	·		15	01	05	08	·67	09			30
31	—	·	03		04		18	22	·	01		01	31
Total	3.85	1.80	3.41	·12	1.66	3.44	4.11	6.05	2.41	2.36	2.19	2.54	TOTAL for year 33.94
No. of Rain Days.	22	19	20	3	14	21	19	30	11	13	16	22	210

W. 8,000, X. '11.

I made

cord for auth 25.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Offley Vicarage. [illegible]
in the County of Herts. 4
by Rev E P Gatty

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	18	10	10	06	—	—	—	30	—	16	04	1
2	01	13	—	—	02	—	11	—	18	08	02	—	2
3	02	—	12	04	72	—	—	—	—	—	—	04	3
4	21	—	01	—	03	—	09	—	—	20	02	23	4
5	10	01	—	—	—	—	11	—	—	07	—	14	5
6	—	03	14	—	11	22	14	—	02	30	—	01	6
7	01	20	—	—	07	—	03	03	—	41	08	02	7
8	—	—	—	—	16	15	—	—	—	14	02	—	8
9	01	25	02	02	02	24	—	—	20	—	04	—	9
10	—	—	—	22	—	—	07	—	—	22	30	06	10
11	71	—	—	43	03	—	—	—	—	—	27	—	11
12	—	—	—	—	07	—	—	—	—	—	32	—	12
13	—	01	—	—	—	—	—	02	03	20	41	—	13
14	11	01	12	01	—	—	28	05	—	—	01	—	14
15	16	02	20	25	—	—	13	—	—	—	—	—	15
16	03	—	15	24	—	—	—	—	04	01	—	—	16
17	05	02	23	14	—	26	02	—	—	—	01	03	17
18	02	—	16	20	—	—	07	—	17	—	05	—	18
19	35	—	06	01	02	—	09	—	50	—	—	04	19
20	11	—	08	23	—	05	—	—	—	24	—	—	20
21	08	—	08	12	10	—	—	—	12	09	30	—	21
22	40	—	18	—	—	—	—	08	03	—	02	—	22
23	—	—	—	—	—	05	01	05	—	—	—	08	23
24	04	—	—	02	—	—	—	02	—	—	—	—	24
25	—	02	—	15	—	—	07	—	—	—	—	—	25
26	—	—	25	12	—	—	—	18	—	55	—	15	26
27	—	02	05	08	01	—	—	—	—	01	02	—	27
28	20	—	25	20	—	—	—	—	—	06	—	01	28
29	03	—	12	64	28	—	—	08	—	06	—	04	29
30	28	—	—	01	—	—	—	08	—	20	14	—	30
31	—	—	—	—	—	—	—	53	—	—	—	—	31
Total	2.98	·90	2.32	3.23	1.50	·97	1.16	1.12	2.59	2.84	2.19	·89	YEAR'S TOTAL 21·89 21.89
Rain Days.	21	12	18	20	14	6	~~14~~ 13	10	10	16	17	13	~~171~~ 170

cndly Hopkinson Spr arith 9.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Offley Vicarage Hitchin

in the County of Herts 4

by Rev. E. P. Gatty

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02						13	20			08		1
2	24			04				08		01	08	16	2
3			03		15		04	17			15	01	3
4				18	06			09			33	29	4
5			07	36	07	17	70	18					5
6		09			04	13	04	02			08	13	6
7		28	23	14	34		05	01				40	7
8	11	10	75	13	06	58	05	07					8
9	22		47	21	01	60			06			83	9
10	11	19	02	11	04				14			01	10
11	03	19	31	01	10	49					50	35	11
12		02	10				04		50		03	45	12
13		28	15			01			09	29	05	25	13
14		05	34							66	13	63	14
15	·13		19								06	09	15
16	02		03				02		03		10		16
17	01	44	09						09			25	17
18			05									52	18
19		05	21			01			03		20	05	19
20		31	28									09	20
21		44	10			17				04		16	21
22		02	07	02	28	02	07	07		45			22
23		03	09		11	01				10		10	23
24	01		09	04			12			22	17		24
25	05		15				01	09		25	01	22	25
26			07				02	04		03	19	38	26
27	06	01	02							05		20	27
28		04		~~11~~	11					05	80	1.62	28
29	03		10							35	13		29
30		X	03							05	35	35	30
31	01	X		X	13	X	03		X		X		31
Total	1.05 ✓	2.54 ✓	4.04 ✓	1.24 ✓	1.50 ✓	2.19 ✓	1.32 ✓	1.02 ✓	·94	2.45 2.55	3.44 ✓	7.54	YEAR'S TOTAL 29.37 ✓
Rain Days.	14 ✓	16	25	10	13	10	13	11	7	13	18	23	173

W. 8,000. X. 14.

cnd by Hopkinson on 9.III.16

1048

FORM A.
BRITISH RAINFALL.
18. JAN 1916

REGISTER OF RAINFALL IN 19~~16~~15

Kept at Offley

in the County of Herts. 3

by E. P. Gatty.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·08	08	–	09						·67	–	1
2	·15	·23	·22	·15		·04		·48	·29	·07	·12	·35	2
3	·50	–	–	·14			·08	·65	·03	–	·02	·15	3
4	·09							·11			·02	·54	4
5	·07	·42	–	03						·02	–	·14	5
6	·19	·03	·05	·30			·61			·01		·13	6
7	·09	·30	·10	–	·10		·29	·05				·19	7
8	–	·42	·02	·02			·02				·02	–	8
9	·–	·02	–	03		·08		·01			·28	·54	9
10	27	·01						·59				·08	10
11	·06	–	·06		·02					·05	·90	–	11
12	08	-	–	·33	·42			·27			·54	07	12
13	–	·38			1.57			01	·23				13
14	–	05			·02		·33 ·38	·10				·35	14
15	·13				·08			·08			·21	·15	15
16	·02	35					·57	·27				06	16
17		23			·28		·19						17
18		·15	17								·05		18
19			02				·14						19
20	28			·09						01		·37	20
21	·11	·02			·08		·04					·14	21
22	·75		·48				·48						22
23	01	21	35			·03	·16		·09	·27		·22	23
24			·20			·05	·06			·03		·10	24
25			·01	·02		01	·01					·35	25
26		·11					·11					·30	26
27		·03	·03			·66	·10		·01	·50		·04	27
28		·09							·93	·14			28
29						·20		24			·13	·05	29
30	03	X				·05					·02	01	30
31	05	X		X		X		04	X		X	15	31
Total	3.38	3.13	1.79	1.11	2.60	1.12	3.19	2.90	1.38	1.10	2.98	4.48	YEAR'S TOTAL 29·16
Rain Days.	18	18	13	9	9	8	15	13	6	9	12	22	152

W. 8,000. X. 15.

J. made ✓ 988

REGISTER OF RAINFALL IN 1917

ERM

FORM A.
BRITISH RAINFALL

-7. JAN 1918

Kept at Offley Vicarage Hitchin
in the County of Herts
by Rev E P Gatty

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								1.53	·08		·10		1
2				·28		·01		·15		·01	·05		2
3	·03		·11					·65		·57	·14		3
4			·03	·06				·10	1.01	·50	·10		4
5	·18	·22						·16	·09	·11	·03		5
6				·25		·02				·13	·02		6
7	·28					1.04	·27			·27			7
8	·24			·13			1.55	·95		·24	·15	·04	8
9	·04		·07	·22			·13	·84		·01	·02	·12	9
10	·30			·05				·16	·02				10
11		·12	·15	·22						·30	·01		11
12	·12		·48	·04	·01			·16		·30		·02	12
13	·27	·04	·02					·12	·02	·03		·05	13
14				·18	·02			·15					14
15							·03	·03		·02			15
16		·18		·18		1.00	·06	·		·70			16
17	·12			·17	1.07		·26	·10	·40	·30		·07	17
18		·04	·08	·16	·03	·16	·58		·60	·01			18
19	·10		·09		·10	·08			·28				19
20		·24			·55			·02	·01		·12		20
21		·02	·04	·05	·01			·12			·05		21
22			·20					·11		·20			22
23		·15			·10			·27		·05			23
24	·08	·04				·09		·55		·13		·05	24
25		·08	·11				·01				·08		25
26						·01		·11	·08		·24		26
27			·06			·20						·02	27
28		·02	·05			1.42		·19					28
29						·38	·86	·10		·34		·07	29
30		X					1.13	·11				·15	30
31		X	·33	X		X	·35		X		X	·04	31
Total	1·76	1·15	1.82	1.99	~~18·9~~ 1.89	4·41	5.23	6.68	2.59	4.22	1.11	·63	YEAR'S TOTAL 33·48
Rain Days.	11	11	14	13	8	11	11	22	10	19	13	10	153

4.67

W. 8,000, IX. 17.

~~W.~~ C.E.

69

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. 1. 19

Kept at Offley Vicarage.

in the County of Herts.

by Rev E. P. Gatty.

Lat. Long.

Time of Observation 9. am.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·08							·16	·03	1
2		·10		·21				·07	·06	·	·21	·15	2
3		·02	·05		·47						·55	·05	3
4		·03	·06						·80		·40	·01	4
5		·03			·22			·13	·08	·08		·02	5
6	·09	·08	·01	·25								·03	6
7	·08	·10		·15	·15	·01		·01	·	·07	·11	·03	7
8				·01					·26	·05	·06	·10	8
9	·04	·04		·05		·16	·19		·40	·15		·08	9
10	·05			·06			·18		·01		·01		10
11				·04	·05		·04		·06	·50	·07		11
12	·07	·08			·17		·08		·06			·04	12
13	·03	·03		·01	·30		·04		·05	·16		·05	13
14	·17					·20	·09		·36			·25	14
15	·80			·92		·02	·20		·02			·13	15
16	·23			·91			·01	(·01)	·72	·02			16
17	·12			·20	·15		·25		·02			·14	17
18	·45					·14	·20		·43	·05		·37	18
19	·02	·03	·05	·18		·11	·18		·04	·09		·17	19
20	·02	·05		·50		·02	·01		·07	·17		·05	20
21	·06			·34		·04			·92	·05			21
22	·04				·32		·05		·12			·20	22
23	·02				·53		·33	·04	·04			·03	23
24		·18				·02	·01		·10		·20		24
25						·05	·05	·30	·19		·02		25
26							·22	·09		·04	·18	·22	26
27				·10			·10	·31			·02	·02	27
28		·05	·20	·03				·02			·17	·12	28
29									1·48		·30	·05	29
30	·01	X	·33						·02		·06	01	30
31		X	·10	X		X			X	·09	X		31
Total	2·30 ✓	·82 ✓	·81 ✓	4·04 ✓	2·36 ✓	·77 ✓	2·23 ✓	·98 ✓	6·31 ✓	1·52 ✓	2·52 ✓	2·35 ✓	YEAR'S TOTAL 24·01 ✓
Rain Days.	17 ✓	13 ✓	8 ✓	17 ✓	9 ✓	10 ✓	18 ✓	~~8~~ 9	23 ✓	13 ✓	15 ✓	24	17~~5~~6 ✓

W. 8,000, IX. 17.

932

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Offley Vicarage Hitchin
in the County of Herts
by Rev. E. P. Gatty

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·05	·01		·10	·04	·20			·02		1.35	1
2	·17		·08				·04	·03	·24	·09	·13	·50	2
3	·55		·01		·10		·11		·05		·19	·29	3
4	·09		·05			·05	·15	·07	·04		·01	·20	4
5	·12	·36	·60				·15	·04	·42			·16	5
6	·02		·54		·40						·03	·16	6
7	·05		·14								·20		7
8	·17		·30	·10							·03		8
9	·02		·03	·15	·04						·11		9
10	[illegible]		·12	·04							·02		10
11	·03		·09	·15			·47					·08	11
12			·32	·05		·11	·15			·17	·07	·02	12
13	·06	·04		·25					·04	·16			13
14	·32		·20	·24					·09			·26	14
15	·36	·01		·22							·03	·05	15
16	·05	·70		·05							·13	·13	16
17		·50									·20		17
18		·11	·60					·27	·04		·03		18
19	·07	·11	·09			·40	·18	·37	·20			·02	19
20	·23	·05	·05			·49	·50	·41				·04	20
21	·30	·50	·02			·02	·50				·03	·06	21
22		·03					·13		·13		·01	·32	22
23				·02		·03	·03	·01	·02		·02	·04	23
24				·21						·20	·03	·04	24
25	·10			·07	·11	·01		·18				·04	25
26	·22	·02	·15	·03			·05	·15	·05			·31	26
27	1·20	·27		1·36				·09			·07	·02	27
28		·10	·03				·01	1·06		·02	·18	·28	28
29	·10		·10	·06				·21		·32	·03	·16	29
30	·05		·02	·30		·22		·12		·02	·31	·35	30
31	·02		·04							·08		·01	31
TOTAL	4.68	2.85	3.59	3.30	·75	1·37	2.67	3.01	1.32	1.06	1.86	4.83	YEAR'S TOTAL 31.29
Days with ·01 in. or more	23	14	22	16	5	9	14	13	11	9	21	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

886

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Offley Vicarage.
in the County of Herts.
by E. P. Getty.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 526 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·68	·12		·01	·09	·07	·29	·02	·20	1
2			·01	·10	·03		·17	·12	·09	·05		·11	2
3		·02		·15		·03	·01			·05			3
4				·16			·11	·16	·07	·17			4
5			·13		·04		·60						5
6			·12				[illegible]	·01				·15	6
7			·12	·05	·12		·15						7
8	·26	·13		[illegible]	·12		·25						8
9	·20			·22				·35				[illegible]	9
10	·1		·15			[illegible]						[illegible]	10
11	[illegible]	·13	·13	·42	·04	[illegible]	·12					·12	11
12		·01	·06	·72		·51	[illegible]				·02		12
13	·04	·01	·13	·13		·04					·03		13
14			[illegible]	·28		·03	·08		·12	·17	·25	·05	14
15	·01	·02	·40	·19					·08	·01	·07	·01	15
16			·02		·07				·06	·08	·02	·01	16
17	·02		·02	·02	·10		·04		1·38	·02		·03	17
18	·18				·02			·25	·05			·06	18
19	·06			·23				·15				·01	19
20	·06	[illegible]		[illegible]		·52		·15				·05	20
21				·30			·25	·07	·31				21
22				[illegible]					[illegible]			·08	22
23	·02						·44					·31	23
24			·09	·07								·05	24
25		·06	·10	·01	·07		·30						25
26	·10		·09		·07		·03				·05	·05	26
27	·30	·04	·01	·31		·31	·14				·69		27
28	·50		·19		·40		·02				·06	·15	28
29	·09		·16		·03		·14				·13	·27	29
30	·04	✕			·07	·08	·20	·01	·47		·18	·25	30
31		✕		✕	·02	✕		·01	✕	·26	✕	·03	31
TOTAL	2·52	·53	1·81	3·99	1·16	1·64	3·51	~~2·51~~ 1·11	2·53	1·10	1·52	1·93	~~23·75~~
Days with ·01 in. or more	3	5	6	4	6	3	4	3	—	2	4	8	~~[illegible]~~
Days with ·04 in. or more	13	4	12	16	9	6	16	8	11	7	7	13	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PRESTON
"LABURNUMS"
HERTS
1911- 1920

REGIS 11

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at The Laburnums 8 in.
in the County of Herts ove Ground 2 ft. 6 in.
by R deV Pryor Sea Level 480 ft.
a. m.
Name Hitchin
Distance 3¾ m Direction N

IMPORTANT NOTE.—Ra d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	–	·20	–	–	·12	·07	–	–	–	–	1
2	·07	–	–	·19	·10	–	–	–	–	–	·12	·11	2
3	–	·04	–	·01*	·13	–	–	·04	–	·02	·13	·05	3
4	·07	·05	·13	·19*	–	–	–	–	–	·34	·21	·31	4
5	·02	–	–	·02*	–	–	–	–	–	·06	·02	·21	5
6	·18	–	·05	·01*	–	–	–	–	–	–	·02	·39	6
7	·01	–	–	–	–	–	–	–	–	·14	·25	·24	7
8	·21	–	·17	–	–	–	–	–	–	·02	·08	·18	8
9	·21	–	–	·02	–	–	–	–	–	–	·02	·02	9
10	·02	·12	·08	–	–	–	–	–	–	–	·11	·30	10
11	·25	–	·01	–	·19	–	–	–	–	–	·40	–	11
12	·08*	–	·42	–	–	–	–	–	·04	·18	·29	–	12
13	–	–	·05*	–	·45	–	–	–	·22	·09	·01	·30	13
14	–	–	·03*	–	·28	–	–	–	–	–	–	·33	14
15	–	·04	·19	–	–	–	–	–	–	·03	·06	·03	15
16	–	–	·04	–	–	·10	–	–	–	·01	·25	·05	16
17	–	–	·01	–	–	·07	–	–	–	–	·11	·03	17
18	–	·11	·01	–	–	·03	–	–	–	–	·43	·16	18
19	–	–	–	–	·01	·23	–	–	·11	·04	·27	·10	19
20	·02	–	·02	–	–	·01	–	·51	·12	·02	–	·59	20
21	·02	·20	–	–	–	–	–	·79	–	·41	·02*	·12	21
22	·04	–	·26	–	–	·17	–	·02	–	·04	–	·56	22
23	–	·13	·27	–	–	·91	–	–	·21	–	–	·14	23
24	–	–	·02*	–	–	·15	–	–	–	·53	–	·11	24
25	–	·05	–	·05	·02	·22	·12	–	–	–	–	·02	25
26	–	·01	·01	·15	·02	·05	·01	·02	–	·13	–	·13	26
27	–	·27	·09	·04	–	–	–	–	·12	–	·03*	·07	27
28	–	·27	·02	·25	–	–	·01	·14	–	–	·07	–	28
29	–	·	·01	·01	–	·15	·14	–	·31	·21	·02	–	29
30	–	·	·02	·06	·03	·05	–	–	·06	·18	–	–	30
31	–	·	–		·60	–	–		·	–		–	31
Total	1·22	1·29	1·91	1·20	1·83	2·14	0·40	1·59	1·19	2·45	2·92	4·55	TOTAL for year 22·69
No. of Rain Days.	14	11	21	13	10	12	5	7	8	17	21	24	163

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at The Laburnums, Preston, Hitchin

in the County of Herts 3

by R. deV Pryor

✱ = snow

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 480 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Hitchin
Distance 3¾ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·20	–	–	·12	·07	–	–	–	–	1
2	·07	–	–	·19	·10	–	–	–	–	–	·12	·11	2
3	–	·04	–	·01✱	·13	–	–	·04	–	·02	·13	·05	3
4	·07	·05	·13	·19✱	–	–	–	–	–	·34	·21	·31	4
5	·02	–	–	·02✱	–	–	–	–	–	·06	·02	·21	5
6	·18	–	·05	·01✱	–	–	–	–	–	–	·02	·39	6
7	·01	–	–	–	–	–	–	–	–	·14	·25	·24	7
8	·21	–	·17	–	–	–	–	–	–	·02	·08	·18	8
9	·21	–	–	·02	–	–	–	–	–	–	·02	·02	9
10	·02	·12	·08	–	–	–	–	–	–	–	·11	·30	10
11	·25	–	·01	–	·19	–	–	–	–	–	·40	–	11
12	·08✱	–	·42	–	–	–	–	–	·04	·18	·29	–	12
13	–	–	·05✱	–	·45	–	–	–	·22	·09	·01	·30	13
14	–	–	·03✱	–	·28	–	–	–	–	–	–	·33	14
15	–	·04	·19	–	–	–	–	–	–	·03	·06	·03	15
16	–	–	·04	–	–	·10	–	–	–	·01	·25	·05	16
17	–	–	·01	–	–	·07	–	–	–	–	·11	·03	17
18	–	·11	·01	–	–	·03	–	–	–	–	·43	·16	18
19	–	–	–	–	·01	·23	–	–	·11	·04	·27	·10	19
20	·02	–	·02	–	–	·01	–	·51	·12	·02	–	·59	20
21	·02	·20	–	–	–	–	–	·79	–	·41	·02✱	·12	21
22	·04	–	·26	–	–	·17	–	·02	–	·04	–	·56	22
23	–	·13	·27	–	–	·91	–	–	·21	–	–	·14	23
24	–	–	·02✱	–	–	·15	–	–	–	·53	–	·11	24
25	–	·05	–	·05	·02	·22	·12	–	–	–	–	·02	25
26	–	·01	·01	·15	·02	·05	·01	·02	–	·13	–	·13	26
27	–	·27	·09	·04	–	–	–	–	·12	–	·03✱	·07	27
28	–	·27	·02	·25	–	–	·01	·14	–	–	·07	–	28
29	–	·	·01	·01	–	·15	·14	–	·31	·21	·02	–	29
30	–	·	·02	·06	·03	·05	–	–	·06	·18	–	–	30
31	–	·	–		·60	–	–		·	–		–	31
Total	1·22	1·29	1·91	1·20	1·83	2·14	0·40	1·59	1·19	2·45	2·92	4·55	TOTAL for year 22·69 ✓
No. of Rain Days.	14	11	21	13	10	12	5	7	8	17	21	24	163 ✓

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 - JAN 1913

Kept at The Laburnums Preston

in the County of Hertford 3

by R de W Pyr

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 480 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Hitchin
Distance 3 3/4 m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	–	·02	·02	·03	·08	·38	–	·10	1
2	–	·03	·07	·02	–	·23	·53	–	·02	–	–	–	2
3	·09	·03	·01	–	·21	·16	·01	·23	–	–	·01	·06	3
4	·17	–	·47	–	·15	·16	–	·12	·02	–	·28	·02	4
5	·10	·12*	·29	–	–	–	–	·05	–	–	–	·02	5
6	·25	·03	–	–	·03	·05	–	·38	–	–	–	·08	6
7	·06	–	–	–	·03	·58	–	·02	–	–	–	·05	7
8	·29	·26	–	–	·08	–	–	·22	·07	–	–	·03	8
9	·07	·08	–	–	–	·22	–	·02	–	·02	–	·23	9
10	·01	·03	–	–	–	·03	–	·38	·15	·02	·08	·08	10
11	·13	·15	–	–	–	·02	–	·04	·06	–	·02	·11	11
12	·09	·15	–	–	·02	·11	·06	·01	–	–	·07	–	12
13	·02	·03	–	–	–	·03	–	·05	·01	–	·17	–	13
14	–	–	·03	–	·05	·04	–	·02	–	·03	·01	·01	14
15	–	·04	·11	–	·14	·29	–	·03	–	–	·02	·16	15
16	·23	–	·02	–	·15	·18	–	·06	–	·07	·03	–	16
17	·50*	–	·22	–	–	·08	–	·07	–	·01	–	·03	17
18	·06	–	·20	–	–	·01	–	·33	–	–	·04	·10	18
19	·20	·08	·16	–	–	–	·54	·62	–	–	·02	–	19
20	·03	·01	·09	–	·02	–	·04	·10	–	·06	–	–	20
21	·02	·03	·60	–	·35	–	–	·15	–	·16	·05	–	21
22	·54	·10	·11	–	·04	–	·08	·18	–	·04	–	–	22
23	·37	·66	·27	–	·02	–	2·84	·38	·02	–	·17	·03	23
24	·22	–	–	–	–	–	·02	·18	–	–	–	·11	24
25	–	–	–	–	–	·14	–	·54	–	–	·30	·51	25
26	–	·02	–	–	–	–	·18	·41	–	·33	·43	·38	26
27	–	–	–	–	–	·03	·10	·01	–	·21	–	·15	27
28	–	·03	–	–	–	·02	·06	·06	·09	·48	26	·29	28
29	–	·03	–	–	–	·11	·15	·41	1·03	·24	–	–	29
30	·04		·06	·01	·11	·02	·09	–	·64	·13	–	–	30
31	–		–		·04		·13	·23		·01		·04	31
Total	3·49	1·91	2·74	0·03	1·44	2·53	4·85	5·33	2·19	2·19	1·96	2·59	TOTAL for year 31·25
No. of Rain Days.	21	19	16	2	15	21	15	29	11	15	16	21	201

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5-JAN 1914

Kept at The Laburnums, Preston Est RR 3

in the County of Hertford

by R. de Pryor

Lat. 51° 55' Long. 0° 17' W.
Time of Observation 9 a.m.
Nearest Railway Station Hitchin G.N.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·15	·08	·09	–	–	–	–	·38	–	–	·05	1
2	·02	·13	–	–	·07	–	·13	–	·08	·11	·17	–	2
3	·03	–	·13	·04	·70	–	–	–	–	·01	·03	·12	3
4	·19	–	–	–	·05	–	·11	–	–	·36	·05	·11	4
5	·09	·02	–	–	·01	–	·09	–	·02	·05	–	·26	5
6	–	·06	·05	–	·15	·22	·18	–	·02	·29	·02	–	6
7	–	·15	–	–	·11	–	·08	·04	–	·60	·06	·02	7
8	–	–	–	·02	·16	·11	–	–	–	·15	·09	–	8
9	–	·20	–	·05	·02	·12	–	–	·14	–	·02	·06	9
10	·02	–	–	·17	–	–	·07	·01	–	–	·40	–	10
11	·52	–	–	·43*	·15	–	–	·01	–	·31	·25	–	11
12	–	·02	·03	–	·05	–	–	–	–	·02	·37	–	12
13	·03	·01	–	–	–	–	–	·03	·03	·01	·39	–	13
14	·06	·02	·09	·03	–	–	·44	·08	–	·19	·09	–	14
15	·08	·04	·20	·19	–	–	·05	–	·07	–	–	–	15
16	·04	–	·32	·21	–	–	–	–	·02	–	–	–	16
17	·05	·02	·13*	·13	–	·65	·03	–	·01	–	·03	·10	17
18	·03	–	·18	·18	–	–	·02	–	–	–	·02	·02	18
19	·34	–	·06	–	–	–	·16	·03	·52	–	–	·04	19
20	·17	–	·06	·02	–	·22	–	–	–	·30	·01	–	20
21	·04	–	·13	·11	·04	·01	·01	–	–	·10	·22	–	21
22	·34	–	·16	·15	–	–	·02	·07	·23	–	–	–	22
23	·03	–	·01	–	·07	–	–	·06	–	–	·02	·07	23
24	–	–	–	·03	–	–	–	·07	–	–	–	–	24
25	–	–	–	·18	–	–	·02	–	·02	–	–	–	25
26	–	·03	·24	·12	–	–	–	–	–	·56	·01	·14	26
27	–	·01	·03	·05	–	–	–	–	–	·03	–	–	27
28	·15	–	·18	·08	–	–	–	–	·02	·07	–	·03*	28
29	·04	·	·10	·47	–	–	–	·09	·01	·05	·01	·03*	29
30	·24	·	·01	·02	·33	–	–	·09	–	·20	·10	–	30
31	–	·	–	·	–	·	–	·57	·	–	·	–	31
Total	2·55	·86	2·19	2·77	1·91	1·33	1·41	1·15	1·57	3·41	2·36	1·04	YEAR'S TOTAL 22·55
Rain Days.	21	13	19	21	13	6	14	12	14	18	20	13	184

W.7,000, XI. 13

Obr. confirms May 3.

cndly c. 9·11·15 EX [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Preston – Hitchin

in the County of Herts 3

by R de J Pryor

Lat. 51° 55′ Long. 0° 17 W

Time of Observation 9. a. m.

Nearest Railway Station Hitchin

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	–	–	–	·10	·25	–	·01	·08	·04	1
2	–	–	·02	·03	–	–	·05	·06	–	–	·07	·16	2
3	–	–	·03	–	–	–	·53	·24	–	–	·16	–	3
4	·24	–	·01	·21	–	–	–	·12	–	–	·28	·25	4
5	–	–	·09	·31	·06	·11	·63	·17	–	–	·01	–	5
6	–	·10	–	–	·04	·06	·08	·02	–	–	·31	·17	6
7	–	·18	·23	·09	·35	–	·07	·02	–	–	–	·22	7
8	·43	·12	·77	·09	·03	·38	·08	·09	–	–	·01	·03	8
9	·19	–	·50*	·16	–	·42	–	–	·04	–	–	·84	9
10	·11	·13	·04*	·06	·05	–	–	–	·13	–	–	–	10
11	–	·14	·30	·02	·08	·39	–	–	·02	–	·24	·30	11
12	·05*	·03	·08	·01	–	·01	·03	–	·37	·02	·02	·48	12
13	·02*	·24	·15	–	–	–	–	–	·08	·30	·06	·26	13
14	–	·05	·35	–	–	–	·03	–	–	·32	·10	·71	14
15	·08	·03	·19	–	–	–	–	·02	·03	·02	·05	–	15
16	·03	–	·06	–	–	–	–	–	·01	–	·03	·08	16
17	–	·42	·05	–	–	–	–	–	·11	–	–	·16	17
18	–	–	·05*	–	–	–	·01	–	–	·01	·01	·43	18
19	–	·06	·17*	–	–	·18	–	–	·06	·01	·24	·04	19
20	–	·18	·28	–	–	·02	–	–	–	·01	–	·08	20
21	–	·31	·11	–	–	·14	–	–	–	·03	–	·14	21
22	–	·07	·01	·01	·20	·02	·03	·04	–	·66	–	–	22
23	–	·15	·06	–	·10	–	·01	–	–	·16	–	–	23
24	–	·01	·13	·04	·01	–	·13	–	–	·11	·10	–	24
25	·05	–	·13	–	–	–	–	·10	–	·33	–	·08	25
26	–	–	·10	–	–	–	·02	·04	–	·03	·12	·39	26
27	·06	–	·02	–	–	–	–	–	–	–	·02	·15	27
28	·01	·05	–	·01	·03	–	·01	–	–	·05	·54	1·41	28
29	·04		·09	–	–	–	–	–	–	·25	·10	–	29
30	·01		·04	–	–	–	–	–	–	·05	·22	·30	30
31	·01		–		·11		·05	–		–		·06	31
Total	1·03	2·29	4·06	1·04	1·06	1·73	1·86	1·17	0·85	2·37	2·77	6·77	YEAR'S TOTAL 26·99 26·99
Rain Days.	14	19	27	12	11	10	16	12	9	17	21	23	190 190

W. 8,000. X. 14.

To Check anlyc. 9·III·16

1042

FORM A. BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Laburnums. Preston

in the County of Hertford 3

by R. de V. Pryor

Lat. 51° 55' Long. 0° 17 W.
Time of Observation 9. a. m
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	–	·08	–	·08	–	–	–	·11	·04	·06	·61	1
2	·15	·24	·18	–	–	·03	–	·46	·15	·02	·01	·09	2
3	·39	–	·01	·12	–	–	·12	·60	·04	–	–	·12	3
4	·07	–	–	·15	–	–	–	·11	–	–	–	·54	4
5	·04	·35	–	–	–	–	–	·02	–	–	–	·09	5
6	·16	·04	·04	·04	–	–	·98	·04	–	–	–	·05	6
7	·07	·27	·09	·23	–	–	·25	·04	–	–	–	·35	7
8	·01	·32	·02	–	–	–	·01	–	–	–	–	–	8
9	–	·03	–	–	–	·07	–	·02	–	–	·25	·44	9
10	·27	–	·01	–	–	–	–	·17	–	–	–	·06	10
11	·01	–	–	–	·02	–	–	–	–	–	·73	–	11
12	·05	·04	·04	·32	·38	–	–	·10	–	·11	·62	·06*	12
13	·03	·39	–	–	1·46	–	–	·01	–	–	–	–	13
14	·15	·05	–	–	–	–	·43	·78	·04	–	–	·43	14
15	·01	–	–	–	·03	–	–	·10	–	–	·15*	·10	15
16	·02	·29	–	–	–	–	·49	·20	–	–	–	·06	16
17	–	·30	–	–	·27	–	·20	–	–	–	–	–	17
18	–	·11	·15*	–	–	–	–	–	–	–	–	–	18
19	–	·02	·01	–	–	–	·07	–	–	–	–	–	19
20	·27	–	–	·06	·03	–	–	·02	–	–	–	·31	20
21	·12*	·05	–	–	–	–	·02	–	–	–	–	·07	21
22	·88	·03	·38	–	–	–	·43	–	–	–	–	·15	22
23	·02	·19*	·22	–	–	–	·15	–	·22	·27	–	·27	23
24	·49*	–	·10	–	–	–	·22	–	·28	·03	–	·21	24
25	–	–	·02	·03	–	·02	·03	–	–	·02	–	·24	25
26	–	·08	–	–	–	–	·18	–	–	–	–	·25	26
27	–	·03	–	–	–	·22 22	·11	–	·01	·39	–	–	27
28	–	·09	·02*	–	–	·29	·09	·03	·96	·13	–	–	28
29	–	X	–	–	–	·01	·08	·18	–	–	·15	·10	29
30	·02	X	–	–	–	–	·07	–	–	–	·14	–	30
31	·13	X	–	X	–	X	–	·06	X	·74	X	·18	31
Total	~~3·50~~ 3·31	2·90	1·37	·95	2·27	·64	3·93	2·94	1·81	1·75	2·11	4·78	YEAR'S TOTAL 28·96 28·76
Rain Days.	22	19	15	7	7	6	18	17	8	9	8	22	157

W. 8,000. X. 15.

cardby Hopkinson

1014

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

4 JAN 1917

Kept at Preston - Hitchin
in the County of Herts
by R. Lee. Pryor

Lat. 51°55. Long. 0° 17 W.
Time of Observation 9. a.m
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 480. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	–	–	–	·10	·04	·01	–	·03	·03	·27	–	1
2	·38	·05	·13*	–	·25	–	–	–	·04	·47	·03	–	2
3	–	·38	·07*	–	–	–	–	–	·22	·23	·15	–	3
4	·25	·08	·02*	–	–	·38	–	–	·01	·43	·30	–	4
5	–	·01	·01*	·09	·04	·19	–	–	–	·08	·38	·02	5
6	–	·07	·23*	·25*	·07	·05	·32	–	–	·10	·41	–	6
7	·05	–	·20*	–	·07	·05	·29	–	–	·16	·59	·04	7
8	–	–	·02*	–	·35	·01	–	–	–	–	–	·26	8
9	–	–	·02*	–	·28	–	–	–	–	·02	–	·04	9
10	–	·09	·15*	·06	–	·20	·03	–	–	·02	–	–	10
11	·07	·14	·07*	·12	·02	·15	–	–	·01	–	–	·10	11
12	·02	·01	·08*	·05	·42	·18	·18	·11	·02	·25	–	–	12
13	·03	·51	·12	·13	·15	·06	·12	·14	–	·02	–	–	13
14	–	·27*	–	·05	·03	–	–	·05	–	·02	–	·07	14
15	–	·15	·42	·02	–	–	·04	–	·01	–	–	–	15
16	–	·05	·19	·22	·08	–	·12	·13	–	·05	–	–	16
17	·08	·05	–	·20	–	–	·04	·29	·25	·27	–	–	17
18	–	·08	·05	·13	–	–	–	·50	·17	·02	·67*	–	18
19	·02	·02	·18	·05	–	–	–	·02	·37	–	·65	·16*	19
20	·21	–	·52	·04	–	–	–	·02	–	–	·05	·40	20
21	–	–	·82	–	–	–	·76	–	–	–	–	·50	21
22	–	·10*	·02	–	·08	·01	–	–	–	·05	–	·46	22
23	–	·47*	·01*	–	–	·10	·01	·04	–	·03	·06	·10*	23
24	–	·06*	·05*	·01	·01	·40	–	·05	–	·05	·04	·38*	24
25	–	·53*	·13	–	·03	–	–	·11	–	·11	·09	–	25
26	–	·06*	·06*	–	–	·11	–	·01	–	·05	·03	–	26
27	·09	·05*	1·03*	–	–	·38	–	·13	·13	·11	–	–	27
28	–	·35*	·14*	–	–	·29	–	·01	·03	·05	–	·24	28
29	–	·10	–	–	–	·15	–	1·10	–	·39	–	–	29
30	–	X	–	–	–	·14	–	·16	–	·31	–	·15	30
31	–	X	–	X	·01	X	–	·02	X	·05	X	·02	31
Total	1·31	3·68	4·74	1·42	1·99	2·89	1·92	2·89	1·29	3·37	3·72	2·94 ✓	YEAR'S TOTAL 32·16 ✓
Rain Days.	11	23	25	14	16	18	11	17	12	25	14	15	201

W. 8,000, VIII. 16

8l ✓ ~~133~~ 982

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Preston, Hitchin

in the County of Hertfordshire

by R de V Pryor

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09				1·31	·04		·10		1
2	·02		·01	·12		·06		·12			·04		2
3	·03			·02				·63		·66	·10		3
4		·17	·05					·21		·65			4
5	·17		·02	·22				·13	1·20	·09	·07		5
6						·02			·11	·03	·04		6
7	·21		·01			·02	·33			·60	·02	·01	7
8	·24			·11			1·11	·45		·25	·12	·07	8
9	·03		·05	·15				·68	·02		·08	·12	9
10	·26		·13	·18				·10		·03	·03		10
11	·06	·03	·45	·03						·33			11
12	·10		·02	·02	·02			·16		·22			12
13	·14		·04					·10	·04	·02			13
14				·08	·02					·02			14
15	·03				·01		·03	·03		·03			15
16	·03	·11		·22	·11	·18	·05			·69		·11	16
17				·17	·80		·25	·07	·40	·31			17
18	·06			·13	·04	·12	·16		·52	·01			18
19	·02	·10	·09		·12	·03			·26				19
20	·05	·15	·10		·59		·02		·03		·13		20
21			·04	·07							·05		21
22			·10	·02				·05		·20			22
23		·11	·02		·09			·10		·09			23
24		·04				·14		·08		·23	·02		24
25		·01				·02	·01		·02		·07		25
26			·09					·23	·09		·28	·11	26
27						·13		·75				·03	27
28			·02			1·62		·20		·02		·05	28
29			·07			·14	1·48	·17		·26		·12	29
30	·04	X	·07				·87	·08				·02	30
31	·03	X	·17	X		X	·50	·04	X		X	·04	31
Total	1·52	·72	1·55	1·63	1·80	2·48	4·81	5·69	2·73	4·74	1·15	·68	YEAR'S TOTAL 29·50 ~~29·46~~
Rain Days.	17	8	19	15	9	11	11	21	11	20	14	10	166

4·91

W. 8,000, VIII. 16

63

FORM A.
BRITISH RAINFALL
13.1.19

[illegible]

REGISTER OF RAINFALL IN 1918.

Kept at The Laburnums - Preston

in the County of Herts

by R. de V. Pryor

Lat. 51'55" Long. 0.17 W

Time of Observation 9. A.M.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01*	·05	–	–	–	–	–	–	·14	·04	1
2	–	·14	–	·21	–	–	–	·02	·01	·01	·06	·15	2
3	–	·03	·06	–	·51	–	–	–	·12	–	·58	·07	3
4	–	·04	·06	–	–	–	–	–	·45	·03	·33	·03	4
5	–	·03	–	–	·19	–	–	·10	·02	·05	–	·02	5
6	·06	·11	–	·26	·08	–	–	·03	–	–	–	·04	6
7	·03*	·10	–	·12	·09	·01	–	–	·06	·13	·12	·01	7
8	–	–	–	·02	–	–	·01	·01	·08	·03	–	·04	8
9	·02*	·05	–	·05	–	·10	·24	–	·33	·11	–	·12	9
10	·05	–	–	·07	–	–	·14	–	·01	·03	–	·12	10
11	–	–	–	·04	–	–	·14	–	·07	·40	·14	·02	11
12	–	·11	–	–	·13	–	·10	–	·02	–	–	·02	12
13	·03*	·02	–	·02	·18	–	·10	–	·10	–	–	·15	13
14	·20	–	·01	·03	–	·15	·05	–	·23	·19	–	·17	14
15	1·27*	–	–	1·20*	–	·05	·13	–	·01	–	–	·10	15
16	·25*	–	–	·35	–	–	–	–	·74	·02	–	·02	16
17	·09	–	–	·26	·02	–	·32	–	·05	–	–	·11	17
18	·52	–	–	–	–	·17	·37	–	·22	·06	–	·41	18
19	·04	·03	·05	·15	–	·01	·16	–	·02	·08	–	·17	19
20	·02	·05	–	·48	–	·03	·03	–	·08	·21	–	·04	20
21	·09	–	–	·18	–	·03	–	–	·92	·04	–	·01	21
22	·05	–	–	–	·34	–	·10	–	·08	–	–	·14	22
23	·02	–	–	–	·56	·03	·38	·05	·05	–	–	·04	23
24	–	·18	–	–	–	–	–	–	·08	–	·15	–	24
25	–	–	–	–	–	·06	·10	·26	–	·01	·04	–	25
26	–	–	–	–	–	–	·13	·08	·01	·05	·19	·20	26
27	–	·02	·01	·11	–	–	·25	·29	·15	–	·10	·02	27
28	–	·05*	·19	·02	–	·04	–	·03	–	–	·37	·11	28
29	–	X	–	–	–	–	–	–	1·36	–	·02	–	29
30	–	X	·30	–	–	–	–	–	·04	–	·06	·06	30
31	–	X	·26	X	–	X	–	·01	X	·06	X	·02	31
Total	2·74 ~~2·72~~	0·96	0·95	3·62	2·10	0·68	2·75	0·88	5·31	1·51	2·30	2·45	YEAR'S TOTAL 26·25 ~~26·23~~
Rain Days.	15	14	9	18	9	11	17	10	26	17	13	28	187

W. 6,500-VII. 18 w w c

927

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at The Laburnums, Preston

in the County of Hertford

by R. de U. Pryor

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

„ „ „ „ Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·04*	–	·02*	·09	·01	·16	–	–	·04	·01	1·13	1
2	·20	–	·02	–	·08	–	·20	–	·29	·06	·18	·61	2
3	·48	–	·31	–	–	–	·06	–	·06	–	·09	·20	3
4	·08	–	·26	–	–	·06	·30	·08	·03	–	–	·24	4
5	·11	·27*	·42	–	–	–	·14	·02	·15	–	·01	·20	5
6	·02	–	·08	–	·18	–	–	–	–	·01	·04	·10	6
7	·04	–	·45	–	–	–	–	–	–	–	·10	·02	7
8	·12	–	·07	·09	–	–	–	–	–	–	·03	–	8
9	–	–	·02	·19	·05	–	–	–	–	–	·06	–	9
10	·03	–	·08	·04	–	–	–	–	–	·01	·02*	–	10
11	·03	–	·04	·19	–	–	·48	–	–	–	–	–	11
12	·01	–	·31	·03	–	·08	·18	–	·01	·13	·06*	·02	12
13	·06	–	–	·23	–	–	–	–	·02	·10	–	·01	13
14	·26	–	–	·25	–	–	·06	–	·10	·01	–	–	14
15	·32	–	·08	·20	–	–	–	–	–	–	·04*	·26	15
16	·01	·68	–	·09	–	–	–	–	–	–	·11	·06	16
17	–	·50*	–	–	–	–	–	–	–	–	·20	·04	17
18	–	·20*	·07	–	–	–	–	·19	–	–	·02	·07	18
19	·03	·10	·53	–	–	·23	·10	·33	·24	–	·11	·03	19
20	·18	·06	·08	–	–	·53	·45	·38	–	–	·01	·02	20
21	·38	·35	·03*	–	–	·03	·41	–	–	–	·01	·06	21
22	–	·14	–	–	–	–	·07	–	·21	–	·03	·31	22
23	–	–	–	–	–	·03	·03	·01	·01	–	·03	·03	23
24	–	–	–	·22	–	–	·02	·01	–	·20	·03	·07	24
25	·08*	–	–	·10	·07	·02	–	·22	–	–	–	·03	25
26	·17	·25*	·12	·03	–	–	·02	·20	·08	–	–	·29	26
27	1·18*	·07	·05	1·15*	–	–	–	·43	–	·02	–	·07	27
28	–	–	·05*	–	–	–	·01	·69	–	·04	·16*	·24	28
29	·10*		–	·06	–	–	–	·13	–	·23	·02	·05	29
30	·01*		·02*	·26	–	·19	–	·04	–	·07	·46	·40	30
31	·02*		·01*		–		–	–		·03		·02	31
Total	4·28	2·66	3·10	3·15	0·47	1·18	2·69	2·73	1·20	0·95	1·83	4·58	Year's Total 28·82
Days with ·01 in. or more	24	11	21	16	5	9	16	13	11	13	23	26	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

881

9 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Laburnums, Preston
in the County of Herts
by R de J Pryor

Lat. 51° 55" Long. 0° 17" W
Time of Observation 9 a.m.
Nearest Railway Station Hitchin G. N. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·65	·12	–	·19	·20	·02	·51	·03	·22	1
2	–	–	·01	·15	–	–	·15	·13	·06	·15	–	·12	2
3	–	–	–	·17	·01	·03	·03	·01	·07	·07	–	·01	3
4	–	–	–	·13	–	–	·09	·15	·03	·17	–	·04	4
5	–	–	·02	–	·06	–	·57	·04	·05	·01	–	·02	5
6	–	–	·11	–	·10	–	·36	–	–	–	–	·02	6
7	–	–	·11*	·09	·02	–	·13	–	–	–	–	·05	7
8	·21	·04	–	·30	·01	–	·32	·03	–	–	–	·01	8
9	·26	–	–	·22	–	–	–	·10	–	–	–	–	9
10	·23	·10	·05	–	–	·01	·07	–	–	–	–	–	10
11	·27	–	·04	·46	·07	·02	·07	–	–	–	–	–	11
12	·04	·01	·06	·10	–	·46	·01	–	–	–	·04	–	12
13	–	·06	·07	·25	–	·03	–	–	–	–	·10	·03*	13
14	–	·01	·24	·25	–	·05	·14	–	·10	·29	·27	·02*	14
15	–	–	·24*	·08	–	–	–	–	·21	·06	·07	–	15
16	·01	·05	·02	·06	–	–	–	–	·11	–	–	–	16
17	·03	–	·01	·03	·11	–	·07	–	·21	–	–	·04	17
18	·06	–	–	–	–	–	–	·45	·08	–	–	·06	18
19	·10	–	–	·21	–	·12	–	·08	–	–	–	·01	19
20	·06	·12	–	·25	–	·38	–	–	·01	–	–	·02	20
21	–	–	–	–	–	–	·30	·06	·40	–	–	·05	21
22	–	–	–	·19	–	–	–	–	·39	–	–	·08	22
23	–	–	–	–	–	–	·73	–	–	–	–	·30	23
24	–	·01	·10	–	–	–	–	–	–	–	–	·04	24
25	–	·05	·09	–	·35	·01	·28	–	–	–	–	–	25
26	·16	–	·09	·02	·11	·01	·03	–	–	–	–	·02	26
27	·20	·05	·01	·28	–	·35	·07	–	–	–	·80	·11	27
28	·41	–	·07	–	·33	·01	·03	–	–	–	–	·01	28
29	·10	–	·09	–	·03	–	·15	–	–	–	·14	·20	29
30	·03		·34	–	–	·08	·22	–	·32	–	·16	·20	30
31	·03		–		·02		–	–		·29		·11	31
TOTAL	2·20	0·50	1·77	3·89	1·34	1·56	4·01	1·25	2·06	1·55	1·61	1·79	YEAR'S TOTAL 23·53
Days with ·01 in. or more	16	10	19	19	13	13	21	10	14	8	8	24	175
Days with ·04 in. or more	12	7	14	17	8	6	17	8	11	7	7	14	128

REG 1912

FORM A. BRITISH RAINFALL.
10 JAN 1913

—

HERTS.

RADLETT – SEWAGE WORKS

1912–1914; 1916

Kept at Gills Hill a
(Radlett Sewag
in the County of Hertf
by Watford Rural D
Ernest Harl

…ong.
…on Radlett
9 a.m.
…ge 5 in.
…e above Ground — ft. 10 in.
Sea Level 346·86 ft.

NOTE.—Rain should be measure … Full instructions for the measurement of rain and particulars as to the Brit… "…Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·08	—	—	·14	·12	—	·05	·36	—	·16	1
2	—	·01	·04	—	—	·09	·32	·08	·01	—	—	—	2
3	·04	—	·06	—	·03	·16	—	·23	·01	—	—	·05	3
4	·19	—	·50	—	·29	·22	—	·06	—	—	·23	—	4
5	·16	·04	·11	—	—	—	—	·23	·01	—	·05	—	5
6	·38	·02	—	—	—	—	—	·25	—	—	—	·10	6
7	·01	—	—	—	—	·49	—	·16	—	—	—	—	7
8	·36	·30	·23	·04	—	—	·01	·14	—	—	—	—	8
9	·12	·14	—	—	—	·12	·01	·05	—	—	—	·19	9
10	—	·03	—	—	—	·02	—	·34	·01	—	·12	·16	10
11	·09	·24	—	—	—	·02	—	—	—	—	·03	·11	11
12	·06	·08	—	—	·08	·09	—	—	·03	—	·08	—	12
13	—	·01	·13	—	—	·11	—	—	—	·01	·14	—	13
14	—	—	·02	—	·03	—	—	·02	—	·04	—	—	14
15	—	·02	·13	—	·16	·36	—	·01	—	—	·01	·18	15
16	·24	—	·06	—	·05	·10	—	·11	—	·04	·03	—	16
17	·41	—	·28	—	—	·08	—	·08	—	—	—	—	17
18	·06	—	·12	—	—	—	—	·08	—	·01	·03	·13	18
19	·02	·09	·12	—	—	—	·49	·35	—	—	—	—	19
20	·11	—	·15	—	—	—	·03	·41	—	·28	—	—	20
21	—	·03	·31	—	·04	—	—	·04	—	·10	·03	—	21
22	·33	·15	·14	—	·14	—	·20	·12	—	—	—	·03	22
23	·41	·28	·29	—	—	—	1·12	·41	—	—	·18	·14	23
24	·39	—	—	—	—	—	·02	·06	—	—	—	·10	24
25	—	—	—	—	—	·14	—	·55	—	—	·22	·45	25
26	—	·02	—	—	—	—	·02	·30	—	·38	·60	·29	26
27	—	—	·01	—	—	—	—	—	—	·15	—	·14	27
28	—	·03	—	—	—	—	·05	·08	—	·40	·35	·43	28
29	—	·05	—	—	—	·22	·12	·22	1·35	·16	—	—	29
30	—		—	—	·35	—	·21	—	·86	·17	—	—	30
31	—		·31		·09		·12	·12		—		·03	31
Total	3·41	1·60	3·15	·04	1·32	2·36	2·84	4·53	2·33	2·16	2·00	2·72	TOTAL for year ✓ 28·46
No. of Rain Days.	14	14	19	1	10	15	14	25	8	12	14	16	168

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Gills Hill Lane, Radlett –
(Radlett Sewage Disposal Works)
in the County of Hertfordshire 2
by Watford Rural District Council
Ernest Hailey, Surveyor

Lat. Long.
Nearest Railway Station Radlett
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " Sea Level 346·86 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·08	—	—	·14	·12	—	·05	·36	—	·16	1
2	—	·01	·07	—	—	·09	·32	·08	·01	—	—	—	2
3	·04	—	·06	—	·03	·16	—	·23	·01	—	—	·05	3
4	·19	—	·50	—	·29	·22	—	·06	—	—	·23	—	4
5	·16	·07	·11	—	—	—	—	·23	·01	—	·05	—	5
6	·38	·02	—	—	—	—	—	·25	—	—	—	·10	6
7	·01	—	—	—	—	·49	—	·16	—	—	—	—	7
8	·36	·30	·23	·04	—	—	·01	·14	—	—	—	—	8
9	·12	·14	—	—	—	·12	·01	·05 ~~·77~~	—	—	—	·19	9
10	—	·03	—	—	—	·02	—	·34	·01	—	·12	·16	10
11	·09	·27	—	—	—	·02	—	—	—	—	·03	·11	11
12	·06	·08	—	—	·08	·09	—	—	·03	—	·08	—	12
13	—	·01	·13	—	—	·11	—	—	—	·01	·14	—	13
14	—	—	·02	—	·03	—	—	·02	—	·07	—	—	14
15	—	·02	·13	—	·16	·36	—	·01	—	—	·01	·18	15
16	·27	—	·06	—	·05	·10	—	·11	—	·07	·03	—	16
17	·41	—	·28	—	—	·08	—	·08	—	—	—	—	17
18	·06	—	·12	—	—	—	—	·08	—	·01	·03	·13	18
19	·02	·09	·12	—	—	—	·49	·35	—	—	—	—	19
20	·11	—	·15	—	—	—	·03	·41	—	·28	—	—	20
21	—	·03	·31	—	·07	—	—	·07	—	·10	·03	—	21
22	·33	·15	·17	—	·17	—	·20	·12	—	—	—	·03	22
23	·41	·28	·29	—	—	—	1·12	·41	—	—	·18	·14	23
24	·39	—	—	—	—	—	·02	·06	—	—	—	·10	24
25	—	—	—	—	—	·14	—	·55	—	—	·22	·45	25
26	—	·02	—	—	—	—	·02	·30	—	·38	·50	·29	26
27	—	—	·01	—	—	—	—	—	—	·15	—	·17	27
28	—	·03	—	—	—	—	·05	·08	—	·40	·35	·43	28
29	—	·05	—	—	—	·22	·12	·22	1·35	·16	—	—	29
30	—		—	—	·35	—	·21	—	·86	·17	—	—	30
31	—		·31		·09		·12	·12		—		·03	31
Total	3·41	1·60	3·15	·04	1·32	2·36	2·84	4·53	2·33	2·16	2·00	2·72	TOTAL for year
No. of Rain Days.	17	17	19	1	10	15	14	25	8	12	14	16	28·46 168

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

Ex 98

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 8 APR 1914

Kept at Gills Hill Lane Radlett = Disposal Site.

in the County of Hertfordshire 2

by A. Gransley for E. H. L. Lailey Esq.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Radlett

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 9½ in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·13	·12	·15	—	—	·13	—	N.R.	—	·03	·17	1
2	—	·10	—	—	·08	—	—	—	·64	·15	·10	—	2
3	·01	—	·02	·18	·61	—	—	—	—	—	N.R.	·03	3
4	·34	—	·01	—	·16	—	·18	—	—	·15	N.R.	·04	4
5	·08	—	—	—	—	—	·18	—	—	—	N.R.	—	5
6	—	·01	·04	—	·08	·16	·09	—	—	·20	N.R.	·09	6
7	—	·15	—	—	·09	—	·05	—	—	·38	N.R.	—	7
8	—	—	·05	·02	·13	·22	—	—	·11	·11	·16	—	8
9	—	·15	—	—	·02	—	—	—	—	—	—	·06	9
10	—	—	·02	·20	—	—	·39	—	—	—	·46	—	10
11	·55	—	—	(·39) ·39	—	—	—	·06	—	·35	·48	—	11
12	—	—	—	—	·02	—	—	—	—	—	·34	—	12
13	·02	—	—	—	—	—	—	·03	·09	·15	·31	—	13
14	·04	·01	·04	·09	—	—	·58	·10	—	—	·08	—	14
15	·12	·02	·23	·28	—	—	·14	—	·05	—	—	—	15
16	·08	—	·32	·16	—	—	—	—	—	—	—	—	16
17	·02	—	·02	—	—	·21	·18	—	—	—	N.R.	·11	17
18	·02	—	·28	·14	—	—	—	—	—	—	N.R.	·02	18
19	·30	—	·03	—	—	—	·12	—	·34	—	N.R.	—	19
20	·10	—	·04	·03	—	—	—	—	—	·50	·55	—	20
21	·02	—	·19	·12	—	—	·04	—	—	·15	—	—	21
22	·36	—	·15	—	—	—	—	—	·17	—	—	—	22
23	·01	—	·02	—	—	—	—	—	·02	—	—	·15	23
24	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	—	—	—	—	—	—	—	—	—	25
26	—	·05	·21	·25	—	—	—	·13	—	·63	—	·25	26
27	—	—	—	—	—	—	—	—	—	—	—	—	27
28	·25	—	·24	—	—	—	—	·03	—	N.R	—	—	28
29	·05		·04	·58	·44	—	—	—	—	N.R.	—	—	29
30	·18		—	·03	—	—	—	—	—	·27	—	—	30
31	—		·04		—		—	—		·03		—	31
Total	2·64	0·62	2·20	2·6$\overset{5}{2}$	1·63	0·59	2·08	0·35	1·45	3·04	2·54	0·95	YEAR'S TOTAL 20·44
Rain Days.	19	8	20	14	9	3	11	5	7	12	9	9	126

W.7,000, XI. 13

N.R. means no record taken on those days

Exe 82

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.

8 JAN 1915

Kept at Radlett Disposal Works

in the County of Herts 2

by Ernest Bailey, Surveyor to The Watford Rural District Council

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9½ in.
" " " Sea Level 346·86 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Radlett
Distance ½ mile Direction E. S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	—	—	—	—	—	—	—	·05	—	1
2	—	—	—	·01	·18	—	·07	·42	—	—	·05	—	2
3	—	—	—	—	·09	—	·08	—	—	—	—	—	3
4	·15	—	—	·21	·15	—	—	·08	—	—	·32	·40	4
5	·03	—	·10	·15	·04	·09	—	·45	—	—	·03	—	5
6	—	·12	—	—	·63	—	·65	·02	—	—	·12	·17	6
7	—	·20	—	·04	·63	·23	—	—	—	—	—	·13	7
8	—	·16	1·25	·08	·08	·15	·51	·11	—	—	—	—	8
9	·15	—	·63	·06	—	·40	—	—	·14	—	—	1·27	9
10	—	·16	—	·10	·05	—	—	—	—	—	—	—	10
11	—	·16	·50	—	—	·64	—	—	·21	—	·16	·32	11
12	·06	·07	·10	—	—	—	·13	—	—	—	—	·50	12
13	—	·27	·29	—	—	—	—	—	—	—	—	·45	13
14	—	·07	·45	—	—	—	·03	—	·46	·34	·16	·34	14
15	·08	—	·22	—	—	—	—	—	·02	·09	—	—	15
16	—	—	·03	—	—	—	—	—	—	—	—	—	16
17	—	·41	·07	—	—	—	—	—	·23	—	—	—	17
18	—	—	·08	—	—	—	—	—	—	—	—	—	18
19	—	·04	·23	—	—	—	·09	—	—	—	·21	—	19
20	—	·23	·22	—	—	—	—	—	—	—	—	·60	20
21	—	—	·06	—	—	·09	—	—	—	·02	—	—	21
22	—	·45	—	—	·24	—	·11	—	—	—	—	·07	22
23	—	·06	·08	—	·21	·07	—	—	—	·50	—	—	23
24	—	—	·07	·02	—	—	·06	—	—	—	·12	—	24
25	·05	—	·16	—	—	—	—	—	—	·46	—	—	25
26	—	—	·06	—	—	—	·03	—	—	·04	·15	·57	26
27	·04	—	—	—	—	—	—	·14	—	—	·02	·23	27
28	—	·02	—	—	·04	—	—	—	—	·03	·35	1·25	28
29	·02		·10	—	—	—	—	—	—	·25	—	—	29
30	—		·07	—	—	—	—	—	—	·04	·56	·46	30
31	—		—		·14		—	—		—		·02	31
Total	·58	2·42	4·49	·67	2·48	1·67	1·76	1·22	1·06	1·77	2·30	6·48	TOTAL for year 27·50
No. of Rain Days	8	14	21	8	12	7	10	6	5	9	13	15	128

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
12. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Radlett Sewage Farm
in the County of Hertfordshire
by A. Gramsly (Watford R. D. C.)

Lat. .... Long. ....
Time of Observation Various
Nearest Railway Station Radlett - Midland Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground X ft 9½ in.
" " " " Sea Level 346·86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	0	0	0	0	0	0	0	0	0	0	1
2	·32	—	·14	0	·42	0	0	0	0	0	·58	0	2
3	—	·35	·14	0	0	0	0	0	2·70	0	0	0	3
4	—	·07	0	0	·04	·30	0	0	0	0	0	0	4
5	·18	—	0	·07	0	·08	0	0	0	0	·90	0	5
6	·02	·02	·37	·20	0	0	0	0	0	0	0	0	6
7	—	—	·29	0	·07	·19	·52	0	0	0	1·40	0	7
8	·11	—	0	0	·43	0	0	0	0	0	0	0	8
9	—	—	0	0	·20	0	0	0	0	0	0	0	9
10	—	·19	0	0	0	·54	·19	0	0	1·20	0	0	10
11	·07	·15	·19	0	0	·10	0	0	0	0	0	0	11
12	—	0	0	·40	·36	·11	·03	·20	0	0	0	0	12
13	—	·41	·25	·08	0	0	·42	·31	0	0	0	0	13
14	—	·28	0	0	·09	0	0	·35	0	0	0	0	14
15	—	·18	·42	0	0	0	0	0	0	0	0	0	15
16	—	·03	·30	·17	·04	0	·20	·25	0	0	0	0	16
17	0	·09	0	·07	0	0	·04	·37	0	0	0	0	17
18	0	·08	·04	·10	0	0	0	·59	0	0	0	0	18
19	·17	·04	·23	·16	0	0	0	0	·60	0	1·14	0	19
20	·17	—	·20	·04	0	0	0	0	0	0	0	·78	20
21	—	—	·70	0	0	0	·06	0	0	0	0	0	21
22	·02	0	·06	0	·03	0	0	0	0	0	0	0	22
23	·03	·61	0	0	0	0	0	0	0	0	0	0	23
24	—	0	0	0	0	0	0	0	0	0	0	0	24
25	—	0	·06	0	·05	0	0	0	0	0	0	0	25
26	—	0	0	0	0	0	0	0	0	0	0	0	26
27	·12	·78	·97	0	0	0	0	0	0	0	0	1·82	27
28	—	·41	·37	0	0	0	0	0	0	0	0	0	28
29	—	·08	0	0	0	0	0	0	0	0	0	0	29
30	—	X	0	0	0	·64	0	0	0	0	·15	0	30
31	—	X	·20	X	0	X	0	0	X	1·96	X	·32	31
Total	1·32 ✓	3·77 ✓	4·93 ✓	1·29 ✓	1·73 ✓	1·96 ✓	1·46 ✓	~~2·07~~ ✓	~~3·30~~ ✓ 8.53	~~3·16~~ ✓	4·17	2·92	YEAR'S TOTAL 32·08
Rain Days.	~~11~~ ✓	~~16~~ ✓	~~17~~ ✓	~~9~~ ✓	~~10~~ ✓	~~7~~ ✓	~~7~~ ✓	~~6~~ ✓	~~2~~ ✓	~~2~~ ✓	~~5~~ ✓	~~3~~ ✓	~~95~~

W. 8,000, VIII. 16

0 signifies no readings taken on those days.

WATFORD RURAL DISTRICT COUNCIL.

OFFICES. 9, Market Street,
Watford, Herts.

ERNEST H. L. LAILEY,
Surveyor.

TELEPHONE No 83, WATFORD.

11th January 1917

Dear Sir

Rainfall Record

I herewith beg to send you Register of Rainfall for 1916, taken at the Radlett Sewage Farm. Owing to the great scarcity of labour it has not been practicable to take the record every day, but the total for the year is correct. I have instructed my man to make an effort to secure a record on the last day of each month, so that a correct monthly record may be available in future: & I am afraid the totals for July, August, & September of 1916 must not be relied upon too closely.

Yours faithfully
Ernest Lailey

Dr H. R. Mill
British Rainfall Organisation
62 Camden Square
London
N.W.

ROTHAMSTED
EXPERIMENTAL STN.
HERTS
1911 - 1920

REGI

936

FORM A2.
BRITISH RAINFALL.

2 FEB 19

Kept at Rothamsted Ex

in the County of Herts

by The Lawes Agric

pe

in. Area 1/1000 acre
Ground — ft. 9 in.
Sea Level 420 ft.

Name Harpenden (Midland)
Distance ¾ mile Direction North

IMPORTANT NOTE.—I … the result entered to the previous day. If an Observer … rsal rule, he is earnestly requested to add the reading a … r in the space provided for it at the end of this par … ent of rain, the selection and placing of … ish Rainfall Organization are given in "Ru … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.030	0.003	—	0.404	—	0.002	0.058	0.083	0.003	—	0.002	—	1
2	0.056	0.002	—	0.315	0.156	—	—	0.007	—	—	0.164	0.138	2
3	—	0.030	—	0.003	0.178	0.016	—	0.010	—	0.021	0.106	0.050	3
4	0.066	0.032	0.125	(0.190)	0.002	—	—	—	0.011	0.140	0.152	0.510	4
5	0.011	0.011	0.002	(0.005)	0.001	—	—	0.016	—	0.035	0.012	0.030	5
6	0.311	0.002	0.086	(0.003)	—	—	—	0.002	—	0.005	0.054	0.590	6
7	0.056	0.003	0.014	0.002	—	—	—	0.001	—	0.084	0.292	0.216	7
8	0.162	—	0.160	—	—	—	—	—	—	0.008	0.096	0.202	8
9	0.122	—	0.039	0.032	—	—	—	—	—	0.004	0.020	0.041	9
10	0.032	0.130	0.142	0.019	0.041	—	—	—	—	—	0.078	0.539	10
11	0.330	0.006	0.008	0.003	0.240	0.004	—	0.007	—	0.005	0.614	0.016	11
12	(0.069)	—	(0.500)	—	0.005	0.008	—	—	0.012	0.302	0.384	0.008	12
13	(0.002)	—	(0.063)	—	1.255	0.001	—	—	0.380	0.721	0.010	0.376	13
14	(—)	0.005	(0.031)	0.002	0.858	—	—	—	0.004	0.018	0.002	0.438	14
15	(0.014)	0.058	(0.209)	—	0.004	—	0.001	—	—	0.024	0.086	0.027	15
16	(0.002)	—	0.021	0.001	0.008	0.154	—	0.005	0.004	0.004	0.350	0.114	16
17	0.002	0.004	0.078	—	0.005	0.154	—	—	0.005	0.009	0.144	0.269	17
18	—	0.203	0.029	0.004	—	0.495	—	—	0.002	0.003	0.392	0.326	18
19	0.003	0.015	—	0.002	0.002	0.242	—	—	0.082	0.075	0.336	0.209	19
20	0.018	0.056	0.033	0.002	—	0.008	—	0.611	0.242	0.020	0.002	0.696	20
21	0.022	0.252	0.008	—	0.004	0.033	—	0.132	0.004	0.414	0.006	0.126	21
22	0.042	0.002	0.117	0.006	—	0.190	—	0.023	0.004	0.070	0.005	0.644	22
23	0.008	0.203	0.434	—	—	0.896	—	0.005	0.245	0.006	—	0.202	23
24	—	0.003	0.023	—	0.006	0.094	—	0.021	0.007	0.672	—	0.162	24
25	—	0.052	0.008	0.050	0.017	0.163	0.158	0.005	0.019	0.212	0.002	0.021	25
26	—	0.028	0.003	0.162	0.001	0.069	0.240	0.010	0.006	0.160	(0.033)	0.202	26
27	0.005	0.346	0.108	0.027	—	0.002	0.039	0.014	0.168	0.004	(0.042)	0.094	27
28	0.005	0.332	0.001	0.272	0.022	0.002	—	0.090	0.003	0.007	0.042	0.002	28
29	0.002		0.011	0.080	—	0.196	0.156	—	0.316	0.250	0.013	—	29
30	0.002		0.012	0.010	0.050	0.007	0.002	—	—	0.194	0.005	0.014	30
31	0.003		0.002		0.933		—	0.006		0.007		0.002	31
Total	1.375	1.878	2.267	1.594	3.788	2.736	0.654	1.048	1.517	3.494	3.444	6.255	TOTAL for year 30.030
No. of Rain Days.	17 ~~15~~	17 ~~15~~	23 ~~20~~	12 ~~11~~	13 ~~10~~	15 ~~12~~	5	15 ~~10~~	11 ~~9~~	23 ~~17~~	23 ~~21~~	27 ~~26~~	~~171~~ 201

W. 8,000, X. '11.

936

FORM A2.
BRITISH RAINFALL.
2 FEB 1912

REGISTER OF RAINFALL IN 19 1

Kept at Rothamsted Exptl. Station
in the County of Herts 2
by The Lawes Agricl. Trust
per A. D. Hall

RAIN GAUGE
Pattern
~~Diameter of top~~ — in. Area 1/1000 acre
Height of top above Ground — ft. 9 in.
" " " Sea Level 420 ft.
Time of Observation 9 a m
Nearest Railway Station: Name Harpenden (Midland)
Distance 3/4 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.030	0.003	–	0.404	–	0.002	0.058	0.083	0.003	–	0.002	–	1
2	0.056	0.002	–	0.315	0.156	–	–	0.007	–	–	0.164	0.138	2
3	–	0.030	–	0.003	0.178	0.016	–	0.010	–	0.021	0.106	0.050	3
4	0.066	0.032	0.125	(0.190)	0.002	–	–	–	0.011	0.140	0.152	0.510	4
5	0.011	0.011	0.002	(0.005)	0.001	–	–	0.016	–	0.035	0.012	0.030	5
6	0.311	0.002	0.086	(0.003)	–	–	–	0.002	–	0.005	0.054	0.590	6
7	0.056	0.003	0.014	0.002	–	–	–	0.001	–	0.084	0.292	0.216	7
8	0.162	–	0.160	–	–	–	–	–	–	0.008	0.096	0.202	8
9	0.122	–	0.039	0.032	–	–	–	–	–	0.004	0.020	0.041	9
10	0.032	0.130	0.142	0.019	0.041	–	–	–	–	–	0.078	0.539	10
11	0.330	0.006	0.008	0.003	0.240	0.004	–	0.007	–	0.005	0.614	0.016	11
12	(0.069)	–	(0.500)	–	0.005	0.008	–	–	0.012	0.302	0.384	0.008	12
13	(0.002)	–	(0.063)	–	1.255	0.001	–	–	0.380	0.721	0.010	0.376	13
14	(–)	0.005	(0.031)	0.002	0.858	–	–	–	0.004	0.018	0.002	0.438	14
15	(0.014)	0.058	(0.209)	–	0.004	–	0.001	–	–	0.024	0.086	0.027	15
16	(0.002)	–	0.021	0.001	0.008	0.154	–	0.005	0.004	0.004	0.350	0.114	16
17	0.002	0.004	0.078	–	0.005	0.154	–	–	0.005	0.009	0.144	0.269	17
18	–	0.203	0.029	0.004	–	0.495	–	–	0.002	0.003	0.392	0.326	18
19	0.003	0.015	–	0.002	0.002	0.242	–	–	0.082	0.075	0.336	0.209	19
20	0.018	0.056	0.033	0.002	–	0.008	–	0.611	0.242	0.020	0.002	0.696	20
21	0.022	0.252	0.008	–	0.004	0.033	–	0.132	0.004	0.414	0.006	0.126	21
22	0.042	0.002	0.117	0.006	–	0.190	–	0.023	0.004	0.070	0.005	0.644	22
23	0.008	0.203	0.434	–	–	0.896	–	0.005	0.245	0.006	–	0.202	23
24	–	0.003	0.023	–	0.006	0.094	–	0.021	0.007	0.672	–	0.162	24
25	–	0.052	0.008	0.050	0.017	0.163	0.158	0.005	0.019	0.212	0.002	0.021	25
26	–	0.028	0.003	0.162	0.001	0.069	0.240	0.010	0.006	0.160	(0.033)	0.202	26
27	0.005	0.346	0.108	0.027	–	0.002	0.039	0.014	0.168	0.004	(0.042)	0.094	27
28	0.005	0.332	0.001	0.272	0.022	0.002	–	0.090	0.003	0.007	0.042	0.002	28
29	0.002		0.011	0.080	–	0.196	0.156	–	0.316	0.250	0.013	–	29
30	0.002		0.012	0.010	0.050	0.007	0.002	–	–	0.194	0.005	0.014	30
31	0.003		0.002		0.933		–	0.006		0.007		0.002	31
Total	1.375	1.878	2.267	1.594	3.788	2.736	0.654	1.048	1.517	3.494	3.444	6.255	TOTAL for year 30.030
No. of Rain Days.	17 ~~15~~	17 ~~15~~	23 ~~20~~	12 ~~11~~	13 ~~10~~	15 ~~12~~	5	15 ~~10~~	11 ~~9~~	23 ~~17~~	23 ~~21~~	27 ~~26~~	~~171~~ 201

W. 8,000, X. '11.

Note

The figures in parentheses (see January, March, April & November) relate to snow, hoarfrost, &c, the deposits of which in the Large Gauge are not fully melted until the final thaw, so that the daily distribution is not known. It is however calculated from the total amount for the period in the Large Gauge according to the daily distribution in the 8" gauge, the depositions in which are melted and measured daily.

BRITISH RAINFALL. FORM A.

3 MAR 1913

936

REGISTER OF RAINFALL ~~IN~~ 1912

Bx. MCol

Kept at Rothamsted Exptl. Station, Harpenden

in the County of Hertford 2

by Lawes Agricl. Trust

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Midland

~~Diameter of Rain Gauge~~ Area ~~in.~~ 1/1000 acre

Height of top of Gauge above Ground 0 ft. 9 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·007	–	0·091	0·008	–	0·036	0·013	0·004	0·060	0·326	0·003	0·175	1
2	–	(0·005)	0·086	0·038	–	0·206	0·412	0·010	0·008	0·008	0·003	0·012	2
3	0·094	(0·013)	0·060	0·002	0·156	0·248	0·004	0·245	0·022	0·008	0·008	0·124	3
4	0·258	(–)	0·909	0·002	0·264	0·216	0·009	0·035	0·002	0·003	0·294	0·007	4
5	0·168	(0·092)	0·368	0·004	0·002	0·003	0·002	0·388	0·025	0·002	0·078	0·025	5
6	0·288	(0·046)	0·006	–	0·011	0·002	0·002	0·312	0·005	0·003	0·001	0·058	6
7	0·040	0·002	0·010	–	0·014	0·637	0·002	0·538	0·001	0·007	0·001	0·088	7
8	0·428	0·380	0·237	–	–	0·003	0·008	0·189	0·036	0·009	0·005	0·024	8
9	0·075	0·155	0·003	0·100	0·009	0·494	0·023	0·068	0·002	0·011	0·001	0·276	9
10	0·005	0·034	0·006	0·004	–	0·006	–	0·114	0·064	0·007	0·197	0·091	10
11	0·118	0·352	0·010	0·002	–	0·068	0·002	0·010	0·067	0·002	0·013	0·167	11
12	0·097	0·228	0·130	0·001	0·018	0·160	0·004	0·002	0·002	0·007	0·121	0·007	12
13	0·002	0·019	0·008	–	–	0·020	0·001	0·004	0·020	0·006	0·234	0·015	13
14	0·007	0·001	0·054	0·003	0·031	0·009	–	0·010	0·002	0·010	0·005	0·014	14
15	0·004	0·036	0·070	–	0·138	0·324	–	0·080	0·001	0·006	0·006	0·214	15
16	0·390	0·008	0·058	–	0·062	0·006	–	0·090	0·002	0·078	0·019	0·008	16
17	(0·556)	–	0·258	0·002	–	0·118	–	0·108	0·004	0·008	0·002	0·026	17
18	(0·052)	–	0·141	–	–	0·005	–	0·554	–	0·020	0·016	0·100	18
19	(0·220)	0·100	0·120	–	–	0·002	0·716	0·877	–	0·006	0·007	–	19
20	0·024	0·005	0·190	–	–	0·002	0·030	0·064	0·002	0·338	0·002	–	20
21	0·017	0·036	0·897	–	0·288	0·002	0·001	0·198	0·003	0·090	0·050	0·002	21
22	0·424	0·160	0·066	–	0·052	–	0·094	0·284	0·007	0·030	0·005	0·021	22
23	0·331	0·422	0·357	–	0·006	0·001	1·300	0·448	0·006	0·006	0·186	0·248	23
24	0·264	0·005	–	–	0·002	0·017	0·014	0·147	–	0·004	0·002	0·266	24
25	0·002	0·003	–	–	0·002	0·208	0·001	0·550	–	0·005	0·320	0·554	25
26	–	0·032	0·009	–	0·001	0·003	0·094	0·461	0·005	0·484	0·549	0·270	26
27	(0·005)	0·005	0·008	–	–	0·040	0·058	0·005	0·003	0·274	0·010	0·192	27
28	(0·006)	0·037	–	–	–	0·128	0·038	0·215	0·055	0·595	0·372	0·316	28
29	(–)	0·034	0·034	–	–	0·311	0·204	0·273	1·518	0·241	0·002	0·003	29
30	(0·002)		–	–	0·339	0·009	0·064	0·035	0·796	0·138	0·005	0·005	30
31	(0·002)		0·102	–	0·079		0·258	0·210		0·012	0·	0·085	31
Total	3·886	2·210	4·288	0·166	1·474	3·284	3·354	6·528	2·718	2·744	2·517	3·423	YEAR'S TOTAL 36·592
Rain Days.	~~18~~ 22	~~17~~ 20	~~21~~ 26	~~2~~ 3	~~12~~ 14	~~16~~ 21	~~14~~ 16	27	~~10~~ 14	~~11~~ 26	~~11~~ 19	~~22~~ 26	~~188~~ 234

W. 7,500, XI. ·12

Lawes Agricl Trust
(46930)

936

FORM A. BRITISH RAINFALL. 5 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Rothamsted E4 R
in the County of Hertford 2
by The Lawes Agricultural Trust

Lat. Long.
Time of Observation 9 - 10 a m
Nearest Railway Station Harpenden (Midland)
~~Diameter~~ Area of Rain Gauge 1/1000 Acre
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.024	0.144	0.086	0.033	0.028	0.003	-	-	0.385	-	0.244	0.032	1
2	0.028	0.136	0.005	0.011	0.068	-	0.118	-	0.016	0.322	0.143	0.001	2
3	0.091	0.002	0.066	0.078	0.684	-	0.004	-	0.005	0.007	0.006	0.120	3
4	0.368	0.004	0.099	0.002	0.040	-	0.125	-	-	0.036	0.029	0.057	4
5	0.092	0.011	0.002	-	0.008	0.011	0.052	-	0.086	0.036	0.010	0.062	5
6	0.005	0.050	0.074	0.004	0.106	0.381	0.120	-	0.005	0.300	0.009	0.041	6
7	0.005	0.290	0.003	0.002	0.208	0.013	0.058	0.001	0.004	0.500	0.058	0.012	7
8	0.002	0.018	0.055	0.006	0.144	0.279	-	-	0.001	0.191	0.068	0.001	8
9	-	0.220	0.009	0.023	0.020	0.060	-	0.001	0.067	-	0.026	0.063	9
10	0.017	0.006	0.068	0.125	0.003	0.001	0.069	0.020	-	-	0.381	-	10
11	0.459	0.004	0.004	0.516	0.019	-	0.001	0.476	-	0.308	0.310	-	11
12	0.010	0.018	0.003	0.003	0.056	-	0.003	0.002	0.001	0.010	0.487	0.002	12
13	0.028	0.004	0.019	0.003	0.002	0.001	-	0.040	0.133	0.004	0.371	0.005	13
14	0.118	0.010	0.114	0.052	0.001	-	0.406	0.100	0.003	0.146	0.037	-	14
15	0.136	0.023	0.235	0.318	0.002	-	0.062	-	0.002	-	0.034	-	15
16	0.080	0.004	(0.390)	0.126	0.002	-	-	-	0.030	0.007	0.002	0.001	16
17	0.028	0.013	(0.033)	0.064	0.001	0.348	0.068	0.006	0.004	0.002	0.013	0.098	17
18	0.026	-	0.191	0.304	0.009	0.002	0.032	0.001	0.012	0.001	0.102	0.016	18
19	0.504	-	0.009	0.005	-	-	0.142	0.001	0.475	-	-	0.012	19
20	0.132	-	0.084	0.030	-	0.031	-	-	-	0.473	0.010	0.002	20
21	0.019	0.006	0.143	0.148	0.060	-	0.011	-	-	0.109	0.469	0.004	21
22	0.505	0.007	0.240	0.002	-	-	0.007	0.089	0.204	0.005	0.010	0.001	22
23	0.004	0.005	0.014	0.003	-	0.066	0.008	0.023	0.024	0.005	0.003	0.098	23
24	0.003	-	0.002	0.040	-	0.004	-	0.001	0.009	0.006	0.010	0.004	24
25	0.002	0.012	0.002	0.176	0.001	-	0.003	-	0.001	0.011	-	0.005	25
26	0.005	0.013	0.218	0.215	0.001	-	-	0.128	0.002	0.593	0.007	0.164	26
27	0.001	0.013	0.026	0.102	0.003	-	-	-	0.007	0.032	0.003	0.001	27
28	0.288	0.001	0.196	0.138	-	-	0.001	-	0.011	0.101	0.010	(0.021)	28
29	0.030		0.094	0.618	0.340	-	0.001	0.067	0.009	0.052	0.002	(0.043)	29
30	0.354		0.009	0.016	-	-	-	0.094	-	0.226	0.090	(0.006)	30
31	0.005		0.025		-		-	0.526		0.011		(-)	31
Total	3.360	1.004	2.518	3.163	1.806	1.200	1.291	1.576	1.496	3.494	2.944	0.872	YEAR'S TOTAL 24.724
Rain Days.	~~21~~ 23	~~15~~ 18	~~21~~ 24	~~20~~ 22	~~12~~ 14	8	~~12~~ 14	~~10~~ 11	~~11~~ 15	~~18~~ 22	~~21~~ 24	~~14~~ 16	~~181~~ 211

42

W.7,000, XI. 13

Note — The figures in parentheses in the March & December columns relate to snow hoarfrost &c. the deposits of which in the Large Gauge are not fully melted until the final thaw, so that the daily distribution is not known. It is however calculated from the total amount for the period in the Large Gauge according to the daily distribution in the 8 inch Gauge, the depositions in which are melted and measured daily.

[Est D 83] 936

FORM A. BRITISH RAINFALL.

30 1915

REGISTER OF RAINFALL IN 1914

Kept at Rothamsted

in the County of Hertford 2

by The Lawes Agricultural Trust

Lat. Long.

Time of Observation 9 - 10 a.m.

Nearest Railway Station Harpenden (Midland)

~~Diameter~~ Area of Rain Gauge 1000 Acre

Height of top of Gauge above Ground 0 ft. 9 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.002	0.004	0.009	0.001	–	–	0.001	0.139	0.003	–	0.044	0.018	1
2	0.010	–	0.003	0.034	–	0.002	0.070	0.077	0.004	0.001	0.086	0.152	2
3	0.005	0.006	0.018	0.002	0.198	–	0.170	0.278	–	0.001	0.214	0.027	3
4	0.180	0.010	–	0.312	0.054	–	–	0.154	–	0.003	0.248	0.490	4
5	0.014	0.010	0.049	0.328	0.001	0.114	0.578	0.442	0.001	–	0.017	0.005	5
6	–	0.108	–	–	0.054	0.072	0.056	0.021	–	–	0.381	0.265	6
7	0.004	0.392	0.188	0.130	0.406	0.053	0.007	0.026	–	0.001	0.011	0.456	7
8	0.082	0.201	0.951	0.134	0.089	0.278	0.090	0.122	0.003	–	–	0.021	8
9	0.211	0.006	0.496	0.096	0.002	0.327	–	0.006	0.090	–	0.001	1.091	9
10	0.058	0.214	0.037	0.059	0.055	–	–	0.005	0.200	–	0.011	0.008	10
11	–	0.252	0.402	0.004	0.099	0.651	–	–	0.022	0.004	0.214	0.386	11
12	(0.017)	0.094	0.118	0.003	–	0.003	0.092	0.005	0.370	0.008	0.033	0.460	12
13	(0.005)	0.404	0.190	0.002	–	–	–	0.002	0.258	0.160	0.027	0.397	13
14	(–)	0.144	0.398	0.001	–	–	0.026	0.001	–	0.347	0.218	0.417	14
15	(0.062)	0.002	0.190	0.001	–	–	0.011	–	0.025	0.033	0.021	0.076	15
16	0.018	0.001	0.094	0.004	–	–	0.128	–	0.050	–	0.037	0.008	16
17	–	0.461	0.084	0.001	–	–	–	–	0.182	0.004	0.016	0.340	17
18	–	0.009	0.062	–	–	–	–	–	0.003	0.003	0.015	0.470	18
19	0.001	0.061	(0.175)	0.001	–	0.013	0.022	–	0.062	0.002	0.214	0.050	19
20	–	0.316	(0.222)	–	–	0.008	0.001	–	0.005	0.005	0.001	0.146	20
21	–	0.416	(0.096)	–	–	0.064	0.001	0.043	0.001	0.041	0.009	0.056	21
22	–	0.122	0.052	0.001	0.191	0.128	0.068	0.054	0.001	0.739	–	0.008	22
23	–	0.159	0.110	–	0.072	–	0.016	0.007	0.003	0.174	0.001	0.012	23
24	0.016	0.009	0.083	0.030	0.002	0.001	0.151	0.011	0.005	0.110	0.114	0.007	24
25	0.043	0.002	0.168	0.001	–	–	0.007	0.153	0.002	0.361	0.013	(0.108)	25
26	0.012	0.004	0.072	–	–	–	0.003	0.044	0.002	0.025	0.188	(0.588)	26
27	0.058	0.005	0.032	0.002	–	–	–	0.001	0.013	0.008	0.019	0.238	27
28	0.007	0.040	–	0.004	0.082	–	–	0.003	–	0.130	0.418	(1.277)	28
29	0.056		0.112	–	–	0.001	–	0.002	0.002	0.310	0.166	(0.009)	29
30	0.003	╳	0.021	–	–	0.001	–	0.002	0.001	0.056	0.362	(0.493)	30
31	0.019	╳	–	╳	0.110	╳	0.072	0.002	╳	0.007	╳	0.028	31
Total	0.883	3.452	4.432	1.151	1.415	1.716	1.570	1.591	1.298	2.533	3.099	8.107	YEAR'S TOTAL 31.247
Rain Days.	15	~~17~~	25	8	11	9	14	13	9	12	24	~~25~~	~~182~~
	17	22	26			10	16	16	10	15	25	31	207

W. 8,000. X. 14.

Note - The figures in parentheses in January, March + December columns relate to snow, hoarfrost, &c, the deposits of which in the Large Gauge are not fully melted until the final thaw, so that the daily distribution is not known. It is however, calculated from the total amount for the period in the Large Gauge, according to the daily distribution in the 8 inch Gauge, the depositions in which are melted and measured daily.

Essd FW

1012

936

FORM A.
BRITISH RAINFALL.
14 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Rothamsted

in the County of Hertford

by Lawes Agricultural Trust.

Lat. Long.

Time of Observation 9-10 a.m.

Nearest Railway Station Harpenden (Midland)

~~Diameter~~ Area of Funnel of Rain Gauge 1/1000 Acre ~~in.~~

Height of top of Gauge above Ground 0 ft. 9 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·521	0·141	0·039	–	0·039	–	0·003	0·006	0·194	0·080	0·072	0·331	1
2	0·188	0·236	0·246	0·142	–	0·030	–	0·738	0·012	0·030	0·015	0·154	2
3	(0·588)	0·008	0·026	0·128	0·002	–	0·238	0·997	0·110	–	0·006	0·196	3
4	(0·073)	–	–	–	–	–	0·002	0·030	0·004	0·010	0·016	0·468	4
5	0·039	0·485	0·003	0·002	0·065	–	–	0·029	0·003	0·026	0·005	0·247	5
6	0·206	0·049	0·016	0·366	0·002	0·005	0·725	0·010	0·003	0·006	0·005	0·073	6
7	0·084	0·422	0·103	0·034	–	–	0·318	0·013	0·001	–	0·008	0·228	7
8	0·039	0·452	0·010	0·021	–	–	0·032	0·042	0·002	–	0·009	0·004	8
9	0·006	0·030	–	0·066	–	0·047	–	0·021	0·007	–	0·230	0·600	9
10	0·387	0·009	0·022	–	0·001	–	–	0·037	0·007	–	0·014	0·094	10
11	0·029	0·002	0·021	0·001	0·008	–	0·003	0·004	0·005	0·006	0·800	0·020	11
12	0·070	0·050	0·007	0·294	0·463	–	0·003	0·116	0·003	0·044	0·662	(0·049)	12
13	0·009	0·474	–	0·003	1·468	–	–	0·005	–	0·005	0·002	(0·002)	13
14	0·001	0·060	–	–	0·006	–	0·650	0·108	0·063	0·002	0·012	(0·593)	14
15	0·230	0·005	–	0·004	0·033	–	0·003	0·184	–	0·001	(0·198)	0·108	15
16	0·015	0·661	–	–	–	–	0·762	0·002	–	–	(0·003)	0·091	16
17	0·001	0·381	–	0·001	0·355	–	0·267	0·002	0·009	–	(0·006)	0·002	17
18	0·002	0·138	(0·205)	0·002	0·017	–	–	0·004	–	0·004	(0·037)	–	18
19	0·002	0·078	(0·026)	–	0·002	–	0·118	0·001	0·003	–	0·001	0·006	19
20	0·359	0·004	(–)	0·098	0·005	–	–	–	0·003	0·003	0·002	0·257	20
21	(0·154)	0·062	0·001	–	0·010	–	0·030	–	0·002	0·015	–	0·063	21
22	(1·016)	0·164	0·386	0·001	–	–	0·620	–	0·007	0·006	–	0·134	22
23	0·012	(0·301)	0·211	0·004	–	0·043	0·110	–	0·266	0·482	0·001	0·318	23
24	–	(0·006)	0·037	–	–	0·007	0·448	–	0·475	0·086	–	0·358	24
25	–	(0·003)	0·003	0·055	–	0·028	0·128	0·001	0·010	0·035	0·022	0·328	25
26	–	(0·127)	(0·005)	–	–	0·067	0·113	0·002	0·004	0·002	0·005	0·440	26
27	0·001	0·030	(0·008)	–	–	0·194	0·050	0·003	0·004	0·486	0·006	0·098	27
28	–	0·162	0·003	–	–	0·101	0·005	–	1·287	0·164	0·006	–	28
29	–	✕	0·002	–	–	0·061	0·086	0·190	0·003	0·005	0·143	0·028	29
30	0·028	✕	0·002	–	0·001	[1·210]	0·003	–	0·004	0·037	0·090	0·014	30
31	0·054	✕	0·002	✕	–	✕	–	0·022	✕	1·062	✕	0·257	31
Total	4·114	4·540	1·384	1·222	2·477	1·793	4·717	2·587	2·491	2·597	2·376	5·561	YEAR'S TOTAL 35·859
Rain Days.	21 19	26 20	15 13	9	11 8	10 9	18 ~~16~~	15 ~~14~~	10 8	17 13	20 ~~15~~	26 ~~25~~	198 ~~169~~

W. 8,000. X. 15.

(see notes on back)

E. J. Russell
(870)

Notes – The figures in parentheses in the January, February, March, November & December columns relate to snow hoarfrost, etc, the deposits of which in the Large Gauge are not fully melted ~~until~~ until the final thaw, so that the daily distribution is not known. It is however calculated from the total amount for the period in the Large Gauge according to the daily distribution in the 8-inch gauge, the depositions in which are melted and measured daily.

June 30th. — The record entered in square brackets is that obtained in the 5-inch gauge, as owing to the exceptionally heavy downpour which prevailed during the storm at midday the collecting cylinders under the large gauge overflowed.

cond fr auth # Fw 936

FORM A. BRITISH RAINFALL.

17 FEB 191

REGISTER OF ~~RAINFALL~~ IN 1916

Kept at Rothamsted

in the County of Hertford

by Lawes Agricultural Trust

Lat. Long.

Time of Observation 9–10 am.

Nearest Railway Station Harpenden (Midland)

~~Diameter~~ area of Funnel of Rain Gauge 1000 acre

Height of top of Gauge above Ground 0 ft. 9 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~*Date.*~~
1	0·082	–	(0·011)	0·001	0·012	0·014	0·015	–	0·088	0·082	0·382	0·001	1
2	0·775	0·054	(0·253)	0·002	0·360	0·006	–	–	0·136	0·438	0·120	–	2
3	0·004	0·674	(0·066)	–	–	–	0·009	–	0·275	0·268	0·224	(0·014)	3
4	0·310	0·072	(0·017)	0·001	0·005	0·418	–	–	0·018	0·074	0·386	(0·006)	4
5	0·037	0·029	(0·008)	0·064	0·031	0·187	–	–	–	0·103	0·607	(–)	5
6	0·005	0·070	(0·280)	0·253	0·018	0·043	0·471	–	0·003	0·096	0·693	–	6
7	0·180	0·006	(0·205)	0·003	0·094	0·014	0·036	–	–	0·060	0·456	0·035	7
8	0·008	0·009	(0·010)	–	0·386	0·058	0·001	–	0·002	0·002	0·008	0·380	8
9	0·009	0·005	(–)	–	0·270	–	–	–	–	0·094	0·003	0·064	9
10	0·003	0·153	(0·159)	0·071	0·003	0·410	0·034	–	0·003	0·001	0·003	(0·013)	10
11	0·088	0·112	(0·057)	0·145	0·010	0·246	0·001	–	0·004	–	0·027	(0·098)	11
12	0·042	0·031	(0·140)	0·012	0·460	0·188	0·184	0·148	0·002	0·171	0·007	–	12
13	0·029	0·554	0·143	0·106	0·018	0·082	0·513	0·288	0·002	0·005	0·002	–	13
14	0·004	(0·390)	0·013	0·027	0·064	–	0·006	0·533	–	0·098	–	(0·078)	14
15	0·006	(0·190)	0·448	0·001	0·002	–	0·042	0·430	0·010	0·033	–	(–)	15
16	0·008	0·018	0·316	0·168	0·064	0·002	0·162	0·149	–	0·090	–	(0·023)	16
17	0·131	0·068	0·002	0·140	0·003	–	0·118	0·033	0·293	0·420	–	(–)	17
18	0·008	0·062	0·031	0·228	–	–	–	0·205	0·147	0·015	0·602	(–)	18
19	0·073	0·011	0·201	0·112	–	–	–	–	0·451	0·001	0·704	(0·209)	19
20	0·266	0·002	0·300	0·087	–	–	–	0·009	0·003	0·001	0·018	(0·540)	20
21	0·013	0·002	0·817	–	–	–	0·170	–	0·002	0·001	0·013	(0·452)	21
22	0·002	(0·125)	0·008	0·002	0·042	0·009	0·001	0·003	0·001	0·070	0·006	0·494	22
23	0·028	(0·310)	0·002	0·004	–	0·110	–	0·031	0·002	0·055	0·070	(0·110)	23
24	0·005	(0·023)	0·030	–	0·035	0·329	–	0·030	0·005	0·101	0·033	(0·402)	24
25	–	(0·350)	0·086	–	0·009	–	0·005	0·144	0·005	0·142	0·100	(–)	25
26	0·003	(0·130)	0·014	0·002	–	0·088	0·003	0·068	0·011	0·082	0·010	(0·024)	26
27	0·103	(0·039)	(1·071)	–	–	0·190	–	0·220	0·102	0·159	0·001	(0·002)	27
28	0·003	(0·392)	(0·147)	0·001	–	0·040	–	0·023	0·108	0·112	0·010	(0·297)	28
29	0·006	(0·093)	(–)	–	–	0·227	–	1·149	–	0·530	0·005	0·130	29
30	0·004	×	(–)	–	0·084	0·050	–	0·080	–	0·328	0·001	0·005	30
31	0·002	×	–	×	–	×	–	0·033	×	0·064	×	0·009	31
Total	2·237 ✓	3·974 ✓	4·835 ~~4·919~~ ✓	1·430 ✓	1·970 ✓	2·711 ✓	1·771 ✓	3·576 ✓	1·673 ✓	3·696 ✓	4·491 ✓	3·386 ✓	YEAR'S TOTAL 35·750 ~~35·850~~ ✓
Rain Days.	21 14 ✓ 22	26 23 ✓ 26	25 23 ✓ 25	12 ✓ 12	16 15 ✓ 17	19 17 ✓ 19	13 10 ✓ 13	17 16 ✓ 17	12 11 ✓ 13	5 24 ✓ 25	21 17 ✓ 21	19 16 ✓ 20	215 ~~198~~ ✓ 230
	11	18	16	10	9	15	7	11	8	22	11	12	

W. 8,000, VIII. 16

Notes - figures in parentheses in the February, March & December columns relate to snow, hoarfrost, etc, the deposits of which in the Large Gauge are not fully melted until the final thaw, so that the daily distribution is not known. It is however calculated from the Total amount for the period in the Large Gauge according to the daily distribution in the 8 inch Gauge the depositions in which are melted and measured daily.

[illegible] 94

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

28 JAN 1918

Kept at Rothamsted
in the County of Hertford.
by E. Grey for Dr E. J. Russell
Director of Rothamsted Exptl Station

Lat. 51° 48' 10" N Long. 0° 24' 30"
Time of Observation 9 a.m.
Nearest Railway Station Harpenden M.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·004.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·002	–	·242	–	–	–	1·120	·062	–	·078	·020	1
2	·010	·010	·004	·040	–	·045	·002	·110	·005	·007	·018	–	2
3	·002	–	–	·020	–	·002	–	·700	·002	·510	·190	–	3
4	· –	·145	·098	·002	–	–	·004	·110	·006	·460	·003	–	4
5	·170	·002	·022	·210	–	–	–	·190	·250	·070	·118	·002	5
6	·008	–	·040	·002	–	·013	–	–	·067	·035	·028	·004	6
7	·250	·002	·003	–	–	·098	·165	–	·002	·400	·004	·012	7
8	·240	–	·003	·110	–	–	·750	·670	–	·320	·175	·070	8
9	·028	–	·050	·066	–	–	–	·590	–	·006	·030	·094	9
10	·248	·002	·190	·260	–	–	–	·112	–	·020	·040	·010	10
11	·068	·016	·400	·040	–	–	–	·015	·002	·240 ·290	·002	·004	11
12	·136	–	·004	·012	·105	·004	–	·135	–	·302	·008	·003	12
13	·176	–	·046	–	–	–	–	·160	·033	·080	·002	–	13
14	·002	–	·004	·110	·008	–	–	·014	–	·002	·007	·038	14
15	·020	·005	–	·088	–	–	·030	·020	–	·030	(·002)	·010	15
16	·040	·130	–	·375	·168	·190	·020	–	–	·800	·005	·100	16
17	·002	·020	–	·142	·715	·010	·286	·162	·362	·298	–	·006	17
18	·044	·022	–	(·080) ~~·095~~	·060	·112	·190	–	·605	·034	–	·006	18
19	·016	1 ·060	·048	–	·060	·020	–	·001	·238	·003	–	·003	19
20	·022	·154	·060	–	·530	–	·008	·006	·028 ·078	–	·108	·004	20
21	·020	–	·022	·031	·030	·010	–	–	·002	·012	·042	–	21
22	–	–	·138	·002	–	–	–	·028	–	·126	·012	·003	22
23	·006	·090	·010	–	·110	·004	–	116 ·146	–	·010	–	·007	23
24	–	·050	–	–	·010	·180	–	·145	·002	·285	·030	·042	24
25	–	·014	·040	–	–	–	–	–	·002	·002	·044	·002	25
26	–	·005	·060	–	–	–	–	·255	·092	·004	·265	·005	26
27	–	–	·002	–	–	·168	–	·840	–	–	–	·033	27
28	–	–	·018	–	–	1·065	–	·170	·004	·010	–	·025	28
29	–	–	·090	–	–	·030	1·060	·130	–	·370	–	·113	29
30	·018	X	·108	–	–	–	1·090	·120	·006	·007	–	·014	30
31	·030	X	·080	X	–	X	·440	·003	X	·005	X	·004	31
Total	1·556	0·829 ~~1·556~~	1·540 ~~0·829~~	1·834	1·796	1·951	4·045	5·922	1·770	4·498	1·211	0·634	YEAR'S TOTAL 27·586
Rain Days.	~~22~~	~~17~~	~~24~~	~~18~~	~~10~~	~~15~~	~~12~~	~~25~~	~~19~~	~~28~~	~~22~~	~~26~~	~~238~~
	19	13	18	15	10	12	10	23	12	24	17	17	190
	9	6	14	12	7	7	7	18	8	13	9	5	115

W. 8 000. IX. 17.

934

FORM A. BRITISH RAINFALL.

3.2.19

REGISTER OF RAINFALL IN 19 ~~17~~ 18

Kept at Rothamsted

in the County of Hertford

by E. Grey for Lawes Agric. Trust.

Lat. 51° 48' 10" N Long. 0° 21' 30" W.

Time of Observation 9 am.

Nearest Railway Station Harpenden

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·004	0·010	0·001	0·122	–	–	–	0·001	–	–	0·180	0·055	1
2	0·006	0·070	–	0·095	–	–	–	0·110	0·015	0·007	0·100	0·215	2
3	0·005	0·011	0·028	0·008	0·515	–	–	0·140	0·125	0·064	0·560	0·010	3
4	–	0·066	0·060	–	–	–	–	0·020	0·445	0·038	0·540	0·040	4
5	–	0·036	0·010	–	0·118	–	–	0·112	0·040	0·080	0·003	0·011	5
6	0·104	0·154	0·004	0·240	0·088	–	–	0·005	0·004	–	0·003	0·062	6
7	0·007	0·084	–	0·084	0·070	0·010	–	0·003	0·085	0·188	0·140	0·010	7
8	–	0·001	0·004	0·038	–	–	0·010	–	0·045	0·071	0·021	0·032	8
9	0·001	0·055	–	0·024	–	0·125	0·198	–	0·372	0·152	–	0·208	9
10	0·050	–	–	0·088	0·002	–	0·156	–	0·012	0·008	0·002	0·134	10
11	–	–	–	0·030	0·150	–	0·300	–	0·035	0·398	0·038	0·025	11
12	0·025	0·076	–	–	0·134	–	0·040	–	0·035	–	0·005	0·002	12
13	0·002	0·009	–	0·020	0·100	–	0·210	–	0·170	0·004	0·010	0·180	13
14	0·210	–	0·008	0·018	–	0·065	0·045	–	0·160	0·212	0·001	0·170	14
15	1·010	–	–	1·340	–	0·046	0·218	–	0·010	0·004	0·008	0·120	15
16	0·220	0·002	0·004	0·390	–	0·005	0·004	–	0·804	0·056	–	0·004	16
17	0·130	0·003	0·006	0·335	0·012	0·030	0·268	0·010	0·050	–	–	0·112	17
18	0·458	0·003	0·004	0·002	–	0·160	0·188	–	0·240	0·052	0·002	0·280	18
19	0·065	0·020	0·028	0·113	–	0·065	0·195	–	–	0·080	0·011	0·280	19
20	0·025	0·103	0·005	0·693	–	0·024	0·040	0·006	0·160	0·144	0·008	0·010	20
21	0·128	–	–	0·310	–	0·010	–	0·001	0·410	0·042	0·010	0·130	21
22	0·048	–	–	0·002	0·262	–	0·135	–	0·025	0·005	0·015	0·225	22
23	0·020	–	–	–	0·790	–	0·600	0·045	0·028	–	–	0·014	23
24	–	0·178	–	–	–	0·036	0·010	–	0·072	–	0·138	0·002	24
25	–	0·003	–	0·001	–	0·030	0·266	0·258	–	0·002	0·020	0·002	25
26	–	–	–	–	–	–	0·200	0·108	0·005	0·020	0·125	0·250	26
27	0·006	0·100	0·010	0·124	–	–	0·074	0·295	0·092	0·003	0·118	0·028	27
28	0·006	0·056	0·250	0·005	–	0·250	0·002	0·010	–	0·002	0·276	0·155	28
29	0·008		–	–	–	–	–	–	1·316	–	0·028	–	29
30	0·006	X	0·360	–	–	–	0·001	–	0·029	0·002	0·082	0·050	30
31	0·007	X	0·074	X	–	X	–	0·020	X	0·070	X	0·014	31
Total	2·551	1·040	0·856	4·082	2·241	0·856	3·160	1·144	4·784	1·644	2·444	2·830	YEAR'S TOTAL 27·632
Rain Days.	21 ~~24~~	15 ~~20~~	11 ~~16~~	19 ~~22~~	10 ~~11~~	13	18 ~~21~~	13 ~~16~~	25 ~~26~~	17 ~~24~~	21 ~~26~~	26 ~~30~~	~~249~~ 209
	10	10	4	12									

W, 6,500, VII. 18. w w c

Ex. Co. B. 4/2/20

~~895~~
934

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Rothamsted [M.O.]

in the County of Hertford.

by Director, Lawes Agricultural Trust

Lat. 51° 48' N Long. 0° 22' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0:376	0:018	-	-	0:130	-	0:145	-	-	0·020	0·013	1·484	1
2	0:194	0:001	0:020	-	0:035	-	0:090	-	0:230	0·098	0·158	0:320	2
3	0:482	-	0:330	-	0:002	-	0:060	-	0:059	0·003	0·059	0:268	3
4	0:070	0:020	0:295	-	0:002	0:060	0:250	0:110	0:057	-	0·001	0:150	4
5	0:030	0:242	0:410	-	-	-	0:290	0:005	0:120	-	0·013	0:276	5
6	0:017	0:002	0:120	-	0:060	-	-	-	0:002	0·008	0·035	0:142	6
7	0:065	-	0:480	-	-	-	-	-	-	-	0·147	-	7
8	0:210	-	0:058	0:110	-	-	-	-	-	-	0·005	-	8
9	-	-	0:025	0:045	0:080	-	-	-	0:001	-	0·138	-	9
10	0:050	-	0:100	0:030	0:002	-	-	-	0:002	0·005	0·020	0:070	10
11	0:025	0:002	0:070	0:205	0:002	-	0:360	-	-	-	0·016	0:023	11
12	0:001	-	0:260	0:070	-	0:073	0:080	-	0:002	0·070	0·032	-	12
13	0:032	0:003	0:001	0:470	-	-	-	-	0:006	0·090	0·002	0:035	13
14	0:300	0:013	-	0:273	-	-	0:090	-	0:104	0·091	-	0:009	14
15	0:279	0:020	-	0:233	-	-	-	-	-	0·024	0·034	0:450	15
16	0:028	0·665	-	0:022	-	-	-	-	-	-	0·103	0:032	16
17	0:010	0:675	-	0:003	-	-	-	-	-	-	0·240	0:050	17
18	-	0:110	0:100	-	-	-	0:001	0:092	0:028	0·003	0·092	0:080	18
19	0:055	0:125	0:600	0:002	-	0:215	0:270	0:232	0:120	0·009	0·063	0:025	19
20	0:240	0:070	0:080	-	-	0:490	0:330	0:518	-	-	0·004	0:007	20
21	0:345	0:420	0:040	-	-	-	0:298	-	-	0·008	0·004	0:088	21
22	0:008	0:120	-	-	-	0:018	0:060	-	0:310	0·005	0·008	0:380	22
23	0:002	-	-	-	-	0:029	0:001	0:026	0:020	0·016	0·024	-	23
24	0:001	-	-	0:090	0:002	0:003	0:070	0:022	-	0·186	0·236	0:056	24
25	0:070	0:001	-	0:110	0:150	-	-	0:476	0:001	0:002	0·004	0:012	25
26	0:165	0:290	0:150	0:050	-	-	0:140	0:280	0:110	-	0·002	0·370	26
27	0:750	0:025	0:120	1:250	-	0:004	-	0:560	-	0·004	0·035	0:058	27
28	-	0:001	0:090	0:045	-	-	0:001	0:590	0:002	0·016	0·229	0:290	28
29	0:030		-	0:060	-	-	0:003	0·155	-	0·288	-	0:030	29
30	0:004	X	0:052	0:230	-	0:130	-	0·115	-	0·055	0·320	0·590	30
31	0·015	X	0·003	X	-	X	0·020	-	X	0·012	X	0·019	31
Total	3·854	2·823	3·404	3·298	0·465	1·022	2·559	3·181	1·174	1·013	2·037	5·314	YEAR'S TOTAL 30·144
Rain Days.	24	14	19	16	5	7	15	13	11	17	22	26	189

Copied from M.O. Form 3203

W. 6,500, VII. 18. W W C

30·6

548
934

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rothamsted
in the County of Hertford
by The Director, Lawes Agricultural Trust

Lat. 51° 48' N Long. 0° 22' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·770	0·153	-	0·270	0·005	-				1
2	-	-	0·004	0·035	-	-	0·162	0·350					2
3	0·003	0·044	0·002	0·300	0·002	0·007	0·186	-					3
4	-	-	0·004	0·079	-	-	0·142	0·158					4
5	-	-	0·034	-	0·063	-	0·594	0·055					5
6	-	0·006	0·147	-	0·074	-	0·509	-					6
7	0·018	-	0·034	0·142	-	-	0·158	-					7
8	0·139	0·037	-	0·402	0·063	-	0·150	0·099					8
9	0·327	-	-	0·032	-	-	-	0·024					9
10	0·390	0·064	0·059	-	0·002	0·083	0·119	-					10
11	0·295	-	0·047	0·504	0·053	0·099	0·115	-					11
12	0·070	0·010	0·002	0·122	-	0·433	0·008	-					12
13	0·070	0·029	0·073	0·260	-	0·004	-	-					13
14	0·015	0·014	0·400	0·441	-	0·229	0·089	-					14
15	0·015	0·038	0·118	0·142	-	-	0·005	-					15
16	-	0·004	0·013	0·063	-	0·079	-	-					16
17	0·040	0·003	0·012	0·024	0·162	0·020	0·083	-					17
18	0·090	0·002	0·020	0·014	0·012	-	-	0·520					18
19	0·080	0·003	-	0·209	0·043	0·088	-	0·009					19
20	0·060	0·080	-	0·354	-	0·475	-	-					20
21	-	0·001	-	-	-	-	0·479	0·047					21
22	0·010	0·004	-	0·198	-	-	0·004	-					22
23	0·004	0·001	-	-	-	-	0·766	-					23
24	0·034	0·004	0·118	0·005	-	-	-	-					24
25	0·002	0·069	0·067	0·063	0·093	0·001	0·318	-					25
26	0·173	-	0·114	0·005	0·063	0·017	0·016	-					26
27	0·324	0·069	0·004	0·182	-	0·237	0·024	-					27
28	0·435	0·002	0·118	0·004	0·374	0·018	0·067	-					28
29	0·225	-	0·051	-	0·039	-	0·099	-					29
30	0·014	X	-	-	0·018	0·068	0·280	-					30
31	0·034	X	0·024	X	0·047	X	0·002	-	X		X		31
TOTAL	2·867	0·484	1·465	4·350	1·261	1·858	4·647	1·264	2·02	1·45	1·71	2·55	YEAR'S TOTAL 25·74 X
Days with ·01 in. or more	21	11	17	~~22~~ 21	14	13	22	8	14	14	15	26	186

Millimetres after August 31st

X Total to 2 places of decimals

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3203

548

Form A. 2.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rothamsted (M.O.)
in the County of Hertford
by The Director, Lawes Agricultural Trust

Lat. 51° 48′ Long. 0° 22′ W
Time of Observation 9 h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Inches till August incl.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1									-	9.53	0.10	8.39	1
2									2.01	0.23	-	3.77	2
3									2.42	1.1	-	0.40	3
4									0.51	7.8	0.10	1.20	4
5									0.99	-	0.20	3.26	5
6									-	0.08	-	0.61	6
7									-	-	0.10	0.40	7
8									-	0.20	-	0.15	8
9									-	-	-	0.20	9
10									-	-	0.10	0.40	10
11									-	0.20	0.13	0.71	11
12									-	-	0.90	-	12
13									-	0.13	2.03	0.30	13
14									3.97	6.01	9.51	0.61	14
15									3.16	2.11	2.21	0.40	15
16									1.70	2.01	0.05	0.05	16
17									8.70	-	0.10	0.76	17
18									5.84	-	0.10	0.99	18
19									0.03	-	0.18	0.05	19
20									0.38	0.10	0.18	0.30	20
21									9.78	-	0.18	2.21	21
22									2.42	0.10	0.25	2.52	22
23									-	0.10	0.10	10.76	23
24									-	0.20	-	1.32	24
25									-	0.10	0.10	-	25
26									0.13	0.20	0.13	0.81	26
27									0.10	0.20	17.06	3.36	27
28									-	0.20	0.20	0.10	28
29									0.05	0.10	4.2	6.60	29
30		X							9.17	0.08	5.33	6.52	30
31		X		X		X			X	5.99	X	2.52	31
Total									51.36	36.77	43.54	59.67	Year's Total
Days with 0·2 mm. or more									~~13~~	~~14~~	~~13~~	~~26~~	
Days with 1·0 mm. or more									11	7	6	13	

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

DL

152

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI

ROYSTON EARLS HILL
HOUSE

1911- 1920

Kept at Royston, E

in the County of Hertfor

by J. Phillips

in.

nd ft. in.

evel ft.

ce Direction

IMPORTANT NOTE.— result entered to the previous day. If an Observ rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing o Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06			·05	·02					1
2	·15		·01	·04	·08		·04	·01			·09	·10	2
3		·02		·03	·09			·01		·15	·01	·01	3
4	·06	·05	·16	·12						·03	·03	·30	4
5	·02			·01				·01		·02		·25	5
6	·25		·05							·01	·01	·32	6
7	·01		·02							·03	·26	·28	7
8	·12		·15							·01	·13	·12	8
9	·19		·01	·01							·01		9
10	·01	·09	·08	·01							·04	·34	10
11	·27		·01		·03						·43	·01	11
12	·06		·43						·09	·09	·23	·01	12
13			·12		·41				·17	·70	·02	·25	13
14		·01	·02		·47	·02						·41	14
15		·03	·31						·01	·06	·08	·02	15
16			·01			·26				·02	·21	·03	16
17						·05				·01	·04	·11	17
18		·16				·04					·54	·08	18
19	·01	·01			·04	·38			·06	·04	·37	·03	19
20	·01	·01	·01			·02		·23	·20	·02		·45	20
21	·02	·06	·03			·01		·21		·34	·01	·10	21
22	·10	·01	·34			·09				·08		·46	22
23	·02	·08	·21			·84		·02	·24			·12	23
24		·04	·02			·10				·46		·23	24
25		·07	·03	·06		·20	·11	·05				·01	25
26				·23	·06	·06	·06	·01		·12	·04	·14	26
27		·19	·07	·06					·13		·02	·03	27
28	·01	·19		·23	·20			·10			·05	·06	28
29			·01	·02		·15	·12		·22	·16	·01		29
30			·02	·01						·14		·01	30
31					·01					·01		·01	31
Total	1·31	1·02	2·12	·89	1·39	2·22	·38	·67	1·12	2·50	2·63	4·29	TOTAL for year 20·54
No. of Rain Days	17	15	22	13	9	13	5	10	8	20	21	28	181

9,000, IX. '10.

DL ✓

152

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Royston, Earlshill House

in the County of Hertfordshire 4

by J. Phillips

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06			·05	·02				—	1
2	·15		·01	·04	·08		·04	·01		—	·09	·10	2
3		·02		·03	·09			·01		·15	·01	·01	3
4	·06	·05	·16	·12						·03	·03	·30	4
5	·02			·01				·01		·02		·25	5
6	·25		·05							·01	·01	·32	6
7	·01		·02							·03	·26	·28	7
8	·12		·15							·01	·13	·12	8
9	·19		·01	·01							·01		9
10	·01	·09	·08	·01							·04	·34	10
11	·27		·01		·03						·43	·01	11
12	·06		·43						·09	·09	·23	·01	12
13			·12		·41				·17	·70	·02	·25	13
14		·01	·02		·47	·02						·41	14
15		·03	·31						·01	·06	·08	·02	15
16			·01			·26				·02	·21	·03	16
17						·05				·01	·04	·11	17
18		·16				·04					·54	·08	18
19	·01	·01			·04	·38			·06	·04	·37	·03	19
20	·01	·01	·01			·02		·23	·20	·02		·45	20
21	·02	·06	·03			·01		·21		·34	·01	·10	21
22	·10	·01	·34			·09				·08		·46	22
23	·02	·08	·21			·84		·02	·24			·12	23
24		·04	·02			·10				·46		·23	24
25		·07	·03	·06		·20	·11	·05				·01	25
26				·23	·06	·06	·06	·01		·12	·04	·14	26
27		·19	·07	·06					·13		·02	·03	27
28	·01	·19		·23	·20			·10			·05	·06	28
29			·01	·02		·15	·12		·22	·16	·01		29
30			·02	·01						·14		·01	30
31					·01					·01		·01	31
Total	1·31	1·02	2·12	·89	1·39	2·22	·38	·67	1·12	2·50	2·63	4·29	TOTAL for year 20·54
No. of Rain Days	17	15	22	13	9	13	5	10	8	20	21	28	181

9,000, IX. '10

88

155

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Earlshill House, Royston

in the County of Hertfordshire 4

by J. Phillips

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03		·05	·01	·03	·08	·27		·17	1
2		·02	·01	·06		·63	·42					·01	2
3	·09				·24	·10	·01	·28				·10	3
4	·08		·55		·14	·33		·06			·23		4
5	·13	·08	·36			·01		·16	·03		·08	·01	5
6	·29	·05			·01	·17	·28	·14				·04	6
7	·03		·01		·01	1·15	·02	·26				·02	7
8	·28	·26	·17			·02	·04	·07	·31				8
9	·01	·03		·07	·01	·29	·03					·28	9
10		·02	·01			·02		·33	·03		·13	·04	10
11	·09	·10	·01			·02		·03	·05			·06	11
12	·12	·07	·07		·04	·05		·01		·01	·04		12
13		·04				·09	·08	·04			·22	·01	13
14			·01		·04	·02		·01		·01	·01	·02	14
15		·01	·21		·22	·16		·03			·01	·13	15
16	·30		·03		·02			·04		·03	·07		16
17	·12		·18			·10		·05				·04	17
18	·53		·15					·18		·01	·06	·13	18
19	·13	·09	·16				·18	·48			·03		19
20	·02		·10		·02		·01	·12		·23			20
21	·01		·60		·51			·48		·22	·04		21
22	·50	·04			·08		·05	·19		·04		·01	22
23	·58	·40	·23		·01		·10	·67	·02	·01	·28	·10	23
24	·24	·01					·01	·23		·01		·11	24
25						·10		·84			·20	·28	25
26		·01					·23	·65		·33	·25	·42	26
27								·01		·14		·13	27
28		·03					·03	·02	·09	·32	·26	·32	28
29			·07	·03		·11	·12	·40	·98	·19	·03	–	29
30	·02				·27	·03		·02	·67	·14			30
31			·07		·01		·17	·24		·03		·04	31
Total	3·57	1·26	3·00	·19	1·63	3·45	1·79	6·07	2·26	1·99	1·94	2·47	TOTAL for year 29·62
No. of Rain Days.	19	16	19	4	15	19	17	29	9	16	16	22	201

W. 8,000, X. '11.

81 161

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Royston, Earlshill House
in the County of Hertfordshire E&M 4
by J. Phillips

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·13	·08	·18					·70		·05	·04	1
2	·06	·13					·13		·21				2
3	·01		·10	·03	·82							·05	3
4	·12		·02		·06		·04			·39	·02	·21	4
5	·06					·02	·07		·01	·25	·02	·05	5
6		·01	·10		·13	·10	·14			·09	·01		6
7		·11			·08		·02			·42	·03		7
8			·01	·03	·22	·03				·09	·05		8
9		·18	·03	·03	·01	·14			·10		·02	·03	9
10	·01		·08	·01			·46	·02			·31		10
11	·85			·37						·10	·19		11
12		·02			·06					·01	·07		12
13	·03								·02		·45		13
14	·05	·01	·10	·01			1·16	·02		·23	·05		14
15	·18	·03	·19	·16			·20		·09		·01		15
16	·04		·33	·08			·01		·12		·01		16
17	·08	·02	·07	·19		1·01	·09				·02	·27	17
18	·01		·09	·10			·01		·01			·02	18
19	·15		·09		·04		·08		·51			·04	19
20	·19		·06	·01					·01	·26			20
21	·02		·07	·01	·03		·01		·01	·13	·32		21
22	·31		·10	·01	·01		·01	·08	·12				22
23						·04	·02	·11	·02		·01	·08	23
24	·04			·01		·01					·02		24
25	·02	·01		·19		·01	·02					·03	25
26		·01	·22	·07				·07		·74	·01	·10	26
27	·01	·03	·04	·09	·01	·01				·04			27
28	·13		·22	·05					·01	·15		·02	28
29	·04		·10	·25	·40			·12	·01	·01		·01	29
30	·28			·09				·05		·13	·10	·03	30
31								·54		·04			31
Total	2·72 ✓	·69 ✓	2·10 ✓	1·97 ✓	1·87 ✓	1·37 ✓	2·47 ✓	1·01 ✓	1·95 ✓	3·08 ✓	1·77 ✓	·98	YEAR'S TOTAL 21·98
Rain Days.	23	12	20	21	12	9	16	8	15	16	20	14	186

W. 7,500, XI. ·12

82

Ex LMC

15·3

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Earlshill House, Royston

in the County of Hertfordshire 4

by J. Phillips

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·55	·18			·06		1
2	·02			·04			·03			·02	·07	·10	2
3			·13		·10		·62	·26			·05	·01	3
4	·15		·01	·16	·01			·09			·55	·22	4
5	·01		·02	·22	·03	·05	·23	·14			·01		5
6		·09		·01	·02	·05	·02	·04			·18	·06	6
7		·12	·20	·10	·21	·12	·01					·31	7
8	·09	·08	·53	·07	·03	·43	·01	·11				·01	8
9	·40		·48	·19		·46						·76	9
10	·18	·15		·07	·05				·10			·02	10
11		·13	·32	·01	·08	·37			·03		·24	·23	11
12	·02	·04	·07			·01	·06		·50	·01	·03	·23	12
13	·01	·18	·13						·03	·21	·03	·35	13
14		·01	·27				·13			·28	·10	·71	14
15	·08	·01	·23					·01	·02		·06	·09	15
16			·05				·04				·05		16
17		·31	·02						·10			·04	17
18		·01	·07				·01				·01	·36	18
19		·04	·13			·01	·56		·02		·18	·03	19
20		·10	·34			·05	·01		·04		·01	·09	20
21		·34	·09			·13		·06		·01	·01	·16	21
22				·01	·25		·08	·04		·44		·01	22
23		·03	·05		·08	·02				·14	·02	·04	23
24	·01	·01	·06	·11			·13	·01		·12	·14		24
25	·02		·06				·01	·07		·28		·05	25
26			·03				·01	·06		·04	·06	·51	26
27	·03							·01			·01	·14	27
28		·02			·01					·04	·80	1·46	28
29	·01		·05							·30	·09		29
30			·03							·04	·24	·23	30
31					·17		·05					·05	31
Total	1·03	1·67	3·37	·99	1·04	1·70	2·56	1·08	·84	1·93	3·00	6·27	YEAR'S TOTAL 25·28
Rain Days.	13	17	23	11	12	11	18	14	8	13	23	26	189

W.7,000, XI. 13

88

1058
~~144~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Earls Hill House, Royston

in the County of Hertfordshire 4

by J. Phillips

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	·09	·17		·06		·01		·09		·04	·20	1
2	·17	·16	·23	·06		·02		·31		·03	·02	·08	2
3	·33	—	·07	·16			·03	·38	·02			·18	3
4	·14							·22		·09	·02	·46	4
5	·01	·21						·02		·04		·15	5
6	·19	·02	·01	·21			·87			·04		·03	6
7	·05	·33	·06				·36	·08				·26	7
8	·01	·29	·03				·03				·01		8
9		·04		·03		·05		·02		·02	·16	·42	9
10	·23	·01	·03					·76				·08	10
11	·01	·01	·02		·03					—	·73		11
12	·08	·01		·36	·32			·08		·09	·58	·06	12
13	·01	·48			1·23								13
14		·03					·34	·26	·06			·36	14
15	·14	·01			·02		·09	·18			·24	·11	15
16	·02	·24					·44	·55		·11		·03	16
17		·29			·15		·17	·02					17
18	·01	·09	·32		·02						·10		18
19		·01	·02				·10						19
20	·26			·07				·01				·38	20
21	·13	·03			·01		·02			·01		·04	21
22	·91	·01	·39				·43		·02			·17	22
23	·02	·12	·21			·14	·27		·20	·16	·01	·17	23
24		—	·14			·02	·02		·21	·03		·07	24
25			·02	·03		·13	·05			·02		·15	25
26		·08				·04	·04					·20	26
27		·02				·32	·13			·37		·04	27
28		·19					·04	·04	·77	·14		·01	28
29						·48	·13	·17		—	·05	·10	29
30	·04	✕				·03		·01			·01		30
31	·01	✕		✕		✕		·03	✕	·49	✕	·15	31
Total	3·16	2·77	1·72	·92	1·84	1·23	3·57	3·14	1·37	1·64	1·97	3·90	YEAR'S TOTAL 27·23
Rain Days.	21	23	14	7	8	9	19	17	7	14	12	24	175

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at *Earls Hill House Royston*
in the County of *Hertford*
by *John Phillips Esqr.*

Lat. Long.
Time of Observation *9 AM*
Nearest Railway Station *Royston*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground ft. *15* in.
" " " " Sea Level *225* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·07		·23	·03					·23		1
2	·30	·01	·11		·23	·03				·29			2
3		·34	·04			·01	·01		·14	·18	·15		3
4	·20	·16				·18			·03	·10	·27		4
5	·02		·02	·02	·03	·16	·22			·06	·33		5
6		·03	Snow ·20	·27		·18	·04			·03	·42		6
7	·07		Snow ·16		·11	·04	·16			·10	·52	·04	7
8			Snow ·03		·24	·11						·25	8
9					·20	·10				·01		·06	9
10		·03	Snow ·22	·08		·32	·11		·02	·10		·01	10
11	·07	·17	Snow & Rain ·05	·14	·03	·12						·05	11
12	·02		·02	·01	·41	·22	·11	·08	·01	·25			12
13		·40	·16	·03	·48	·11	·19	·09		·03			13
14		Snow & Rain ·56	·01	·03	·04	·01		·06		·01		Snow ·21	14
15		·14	·31	·02	·01		·01	·08	·01	·02		·03	15
16		·04	·10	·20	·04		·18	·11		·06			16
17	·05	·07		·18			·10	·07	·22	·22			17
18		·08	·04	·12				·29	·08	·01	Snow & Rain ·54		18
19	·01	·02	·13	·08					·11		·78	Snow ·09	19
20	·16		·26	·08				·05			·04	·26	20
21			·69				·25					·54	21
22		Snow ·08	·02		·17	·01				·01		·45	22
23	·01	Snow ·32				·05	·01	·01			·03	·09	23
24		Snow ·09	·03	·01		·23		·03		·01	·02	·36	24
25		·19	·16					·12		·06	·07		25
26		·08	Hail + Rain ·03		·01	·05		·01		·03			26
27	·07	·15	Rain + Snow 1·12			·06		·02	·02	·20			27
28		·34	Snow + Rain ·45			·04			·01			·18	28
29		·15				·15		1·55		·21		·04	29
30		X			·66	·03		·17		·36			30
31		X		X		X		·02	X	·05	X		31
Total	1·01	3·68	4·43	1·27	2·89	2·24	1·39	2·76	·68	2·40	3·40	2·66	YEAR'S TOTAL 28·81
Rain Days.	12	21	24	14	15	22	12	16	10	23	12	15	196

W 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

8. JAN 1918

Kept at Earls Hill House Royston
in the County of Hertford
by John Phillips Esqr

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Royston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	32	—	—	—	1·17	·19	—	·30	—	1
2	·02	·02	—	Snow	—	·02	—	·15	—	—	·06	—	2
3	—	—	—	·01	—	—	—	·27	—	·39	·05	—	3
4	—	·10	—	—	—	—	—	·17	—	·61	—	—	4
5	·22	—	·02	·18	—	—	—	·09	·11	—	·04	—	5
6	—	—	—	—	—	·11	—	—	·04	·07	·02	—	6
7	·26	—	·01	—	—	—	·18	—	—	·47	—	—	7
8	·17	—	—	·06	—	—	1·38	·18	—	·20	·09	·11	8
9	·12	—	·08	·10	—	—	·02	·26	—	—	·09	·12	9
10	·22	—	·12	·20	—	—	—	·12	—	·05	·01	·01	10
11	·07	·01	·41	·07	—	—	—	—	—	·23	—	—	11
12	·05	—	·02	·02	·09	—	—	·08	—	·21	—	—	12
13	·12	—	·02	—	—	—	·02	·03	·05	·03	—	—	13
14	·03	—	—	·06	—	—	—	·09	—	—	—	—	14
15	·02	—	—	—	·02	—	—	·02	—	·02	—	—	15
16	·03	·10	—	·18	·02	·03	·26	—	—	·62	—	·06	16
17	—	—	—	·15	·76	—	·18	·05	·46	·26	—	—	17
18	·06	·01	—	·09	·01	·11	·35	·02	·46	—	—	—	18
19	·04	·07	·07	—	·25	·03	—	—	·22	—	—	—	19
20	·03	·15	·11	—	1·19	—	·01	—	—	—	·13	—	20
21	·01	·01	·04	—	·01	—	—	·02	—	—	·04	—	21
22	·01	—	·07	—	—	—	—	·03	·01	·18	—	—	22
23	—	·08	—	—	·14	—	—	·17	—	·02	—	·05	23
24	·02	·02	—	—	—	·23	—	·13	—	·07	·05	—	24
25	—	·01	·03	—	—	—	—	—	—	·04	·08	·01	25
26	—	·01	·15	—	—	·01	—	·40	·04	—	·42	·03	26
27	—	—	·04	—	—	·03	—	·65	—	—	—	·03	27
28	—	·02	·03	—	—	·78	—	·03	—	·01	—	·05	28
29	—	X	—	—	·01	1·34	1·67	·11	—	·27	—	·19	29
30	06	X	36	—	—	—	·72	·16	—	—	—	·02	30
31	Snow	X	Snow	X	—	X	·52	09	X	—	X	04	31
Total	1·56	·61	1·58	144	2·50	2·69	5·31	4·49	1·58	3·75	1·38	·72	YEAR'S TOTAL 27·61
Rain Days.	20	13	17	13	10	10	11	24	9	18	13	12	170

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL 1919

REGISTER OF RAINFALL IN 1918

Kept at Earls Hill House Royston
in the County of Hertford
by John Phillips Esq.

Lat. Long.
Time of Observation 9, A.M.
Nearest Railway Station Royston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·07							·08	·03	1
2	·02	·06		·14				·04		·01	·01	·13	2
3		·03	·08		·39			·18	·12		·76	·03	3
4		·02	·05				·01	·01	·34	·01	·30	·01	4
5					·16			·10	·16				5
6	·06	·08		·16	·01			·02	·01			·04	6
7	·16	·10		·03	·02				·12	·08	·09	·01	7
8		·02					·01		·27	·02	·07	·01	8
9	·03	·01		·02		·02	·29		·36	·14		·10	9
10	·06			·05			·15		·03		·03	·17	10
11				·03	·07		·37		·03	·28	·05	·03	11
12	·01	·10			·21		·18		·06			·01	12
13		·04		·02	·34		·01		·04			·15	13
14	·15			·01		·21	·05		·25	·25		·13	14
15	1·06			1·42		·01	·14		·08			·06	15
16	10½ inches Snow			·42		·02		·01	·91				16
17	·11			·21			·41	·01	·05			·09	17
18	·35					·12	·10		·40	·01		·26	18
19	·02	·03	·12	·07		·02	·17		·01	·08		·07	19
20	·02	·03		·29		·06	·04		·06	·11	·02		20
21	·04			·14					·74	·07		·02	21
22	·04			·04	·05		·08		·08			·26	22
23	·02			·01	·48		·10	·06	·06	·01		·05	23
24		·17			·02	·05	·02		·06		·02		24
25					·12	·16	·01	·26			·10		25
26							·19	·04		·02	·09	·11	26
27	·01			·19			·21	·19	·03		·08		27
28	·01	Snow ·06	·10	·01		·05		·03			·27	·06	28
29	·01								1·35		·02		29
30			·30						·06		·11	·19	30
31			·08							·07		·06	31
Total	2·18	·77	·73	3·33	1·87	·72	2·54	·95	5·68	1·16	2·10	2·08	YEAR'S TOTAL 24·11
Rain Days.	19	14	6	19	11	10	19	12	25	14	16	24	189

W. 8,000, IX. 17.

942

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Earls Hill House Royston
in the County of Hertford
by John Phillips Esqr.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Royston. G.N.R
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34				·04	·01	·28			·03	·01	1·05	1
2	·19	·04	·02		·14		·14		·25	·02	·20	·72	2
3	·31		·31				·02		·19		Snow + Rain ·13	·12	3
4	·07	·01	·22			·07	·11	·06	·01		·01	·05	4
5	·03	·27	·30				·45	·01	·10		·01	·17	5
6			·08		·04					·02	·03	·02	6
7	·03		·25								·15		7
8	·12		·03	·07							·10		8
9			·03	·15							·14		9
10	·02		·20	·05							·01	·03	10
11	·02		·08	·12			·52				Snow 08	·02	11
12			·16	·02		·08	·10		·01	·06			12
13	·09			·25					·02			·02	13
14	·14			·25			·01		·12				14
15	·39		·07	·12						·06	Snow ·04	·20	15
16	·02	·65		·02							Snow + Rain ·11	·04	16
17		1·12 Snow + Rain		·02							·17	·01	17
18			·05					·13	·04		·01	·05	18
19		·08	·38			·20	·18	·29	·09		·03	·04	19
20	·23	·03	·03			·80	·58	·37			·02	·01	20
21	Snow + Rain ·32	·27	Snow ·02				·63					·05	21
22		·23					·15		·11		·05	·37	22
23						·04	·07	·03	·05		·01	·03	23
24				·35		·03	·01	·01		·02	·04	·01	24
25	·12			·03	·08	·02		·17				·04	25
26	·21	·40	·12	·02				·14	·09			·28	26
27	Snow 1·20	·17	·03	Snow + Rain 2·02				·17		·04	Snow + Rain ·02	·05	27
28		·02	Snow 01	·06			·01	·89		·04	Snow + Rain ·10	·25	28
29	·05	X		·02			·02	·12		·20	·08	·09	29
30		X	Snow ·02	·30		·18		·04		·04	·19	·21	30
31		X	Snow 31	X		X			X	·03	X	·02	31
Total	3·90	3·29	2·42	3·87	·30	1·43	3·28	2·43	1·08	·56	1·74	3·95	YEAR'S TOTAL 28·25
Rain Days.	19	13	21	17	4	9	16	13	12	11	24	26	185

W. 6,500, VII. 18. w w c

~~W~~ 82 and [illegible]

857

4 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Earls Hill House Royston

in the County of Hertford

by John Phillips Esq. J.P.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Royston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·86	·05		·19	·09	·05	·21	·02	·13	1
2				·02			·02	·13	·06	·05		·06	2
3		·02		·13		·04	·05		·03	·06			3
4			·01	·21			·08	·10	·02	·06		·10	4
5			·04	·01	·12		·88	·04	·16			·07	5
6			·11		·11		·43	·01				·01	6
7			Snow ·06	·09			·08					·05	7
8	·22			·36			·09	·07					8
9	·34			·14				·02					9
10	·14	·01	·06	·06			·05				·01	·03	10
11	·25		·05	·20	·05		·07					·04	11
12	·07		·04	·10		·38					·01	Snow ·04	12
13	·01	·03	·07	·07		·03					·02		13
14	·01	·01	·20	·21		·04	·13		·12	·06	·15	·03	14
15		·01	Snow + Rain ·18	·09					·13	·01	·04	Snow ·01	15
16				·04	·04				·22	·03	·01	Snow ·01	16
17	·02		·03	·02	·08		·03		·17			·03	17
18	·09				·05			·37	·06			·05	18
19	·18	·01		·11		·01		·07				·01	19
20	·08	Snow + Rain ·14		·21		·57			·03			·01	20
21	·01			·01			·43	09	·44			·04	21
22		·01		·16				02	·48			·16	22
23		·01					·34					·30	23
24	·01		·10									·02	24
25	·01	·02	·04	·04			·28						25
26	·10		·07	·06	·71	·03	·06						26
27	·19	·05	·01	·15		·22					·25	·08	27
28	·44		·22		·30	·02	·04				·01	·02	28
29	·04		·05		·12		·06				·13	·22	29
30	·03			·01	·10	·06	18	·01	·15		·10	·15	30
31	·01		·01		·01					·24		·08	31
TOTAL	2·25	·32	1·33	3·36	1·74	1·34	~~2·43~~ 3.46	1·02	2·11	·72	·75	1·75	YEAR'S TOTAL ~~20·12~~ 20.15
Days with ·01 in. or more	20	11	18	24	12	10	19	12	14	8	11	25	184
	12	2	14	19	11	6	17	8	11	6	5	15	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.